

VEDLEGG

TIL

RAPPORT

OM

**KULTURMESSIGE ASPEKT FOR NY  
NÆRINGSUTVIKLING I BYGDE-  
NORGE**

av

**Erling Berge  
Institutt for sosiologi og statsvitenskap,  
Universitetet i Trondheim**

---

**Institutt for landskapsplanlegging  
Norges Landbrukshøgskole  
1995**

---

## FORORD

Datamaterialet som er dokumentert i disse vedlegga vart samla inn av Markeds og Mediainstituttet (MMI) som ein del av Norsk Monitor 1991/92. Innsamlinga var delfinansiert av Norges Landbruksvitskapelege Forskningsråd / Norges Forskningsråd prosjekt nr 2 658 03 "Kulturmessige aspekt for ny næringsutvikling på bygdene."

Innleiande teoretiske drøftingar førte fram til 4 variablar som ein ville studere nærmare. Frå datamaterialet som vart stilt til rådvelde for prosjektet vart det plukka ut 152 variablar som ville vere interessante å sjå på i høve til dei fire variablane ein skulle studere variasjonen i. Dette vedlegget gir fullstendig dokumentasjon på variablane og dei bivariante samanhengane. For multivariate analysar viser ein til rapporten.

For opplysningar ut over det som er gitt her viser ein til "Norsk Monitor Hovedrapport 1991-1992", MMI, Oslo, 17. januar 1992 og til "Innføringsbok i bruk av Norsk Monitor", MMI, Oslo, Februar 1992.

Trondheim 1. desember 1995  
Erling Berge

### Forord til pdf-utgåva frå 2018

I denne pdf-utgåva vart det gjort rettingar i rettskriving og i tillegg av variabelnamn der det har vore identifisert feil/ manglar i 1996-utgåva. Det er også lagt til referanseliste for kjeldene.

Ås, 7. februar, 2018  
Erling Berge

### Referansar for kjeldene:

- Berge, Erling. 1981. *The Social Ecology of Human Fertility in Norway 1970*. Ph. D. Dissertation, Graduate School, Boston University.
- Rideng, Arne. 1970. *Typifisering av kommuner i Norge på grunnlag av næringsstrukturen 1968*. Oslo.
- Berge, Erling. 1983. "Berges indikatorer for norske kommuner." In *Skalaer, mål og indikatorer. En oversikt over forskjellige måter å gruppere data om det norske samfunnet.*, edited by Fredrik Engelstad, 110-119. Oslo: Institutt for samfunnsforskning.
- MMI. 1992. *Innføringsbok i bruk av Norsk Monitor*. Oslo: Markeds- og Mediainstituttet A/S.
- MMI. 1992a. *Innføringsbok i bruk av Norsk Monitor*. Oslo: Markeds- og Mediainstituttet A/S.
- MMI. 1992b. *Norsk Monitor Hovedrapport 1991-1992*. Oslo: Markeds- og Mediainstituttet A/S.

## Ny utgåve 2019

Eit utkast til hovudrapport frå prosjektet finst i biblioteket til NMBU med følgjande identitet:

**Berge, Erling.** 1996. *Utviklingstrekk på den nasjonale marknaden for varer og tenester frå bygde-Norge : rapport frå delprosjekt II.* Utkast. Trondheim: E. Berge, Institutt for sosiologi og statsvitenskap, Norges teknisk naturvitenskapelige universitet (Objekt ID 71494306710002201).

Saman med dette utkastet og rapporten

**Berge, Erling.** 1996. *Dokumentasjon av data frå Norsk monitor 1991 for prosjektet "Kulturnøysse aspekt for ny næringsutvikling i bygde-Norge".* Vol. nr 47, *ISS rapport (trykt utg.)*. Trondheim: Institutt for sosiologi og statsvitenskap, Norges teknisk naturvitenskapelige universitet (Objekt ID: 71476373300002201).

vart det laga to kompendium som vedlegg til dei ovanfor nemnde hovudrapport og dokumentasjonsrapport:

**Berge, Erling.** 1995. *Vedlegg til Rapport om kulturmessige aspekt for ny næringsutvikling i bygde-Norge : B. 1.* Vol. B. 1. Ås: Institutt for landskapsplanlegging, Norges landbrukshøgskole (Objekt ID: 71494321800002201 (bind 1)).

**Berge, Erling.** 1995. *Vedlegg til Rapport om kulturmessige aspekt for ny næringsutvikling i bygde-Norge : B. 2.* Vol. B. 2. Ås: Institutt for landskapsplanlegging, Norges landbrukshøgskole (Objekt ID: 71494322150002201 (bind 2)).

Denne pdf-utgåva presenterer begge desse to vedlegga og har i tillegg detaljerte innhaldslistar for lettare å kunne finne fram til spesifikke tabellar. Hovedrapporten vil bli gitt ut for seg.

Dei endringane som er gjort i denne utgåva går ut på å oppdatere litteraturreferansane og sjekke rettskrivinga. Begge deler er betre enn dei var , men truleg står det enno igjen referansar, ord og setningar som kunne vore forma betre.

Erling Berge

Ås, 19 november 2019

## INNHALDSLISTE

|  | side |
|--|------|
| Definisjonar av variablar som er brukt i tabellane (156 variablar)       | 1    |
| Frekvensfordeling for variablar som er brukt i tabellane (156 variablar) | 26   |
| Tabellar med variabelen "FERIENATUR ØNSKE" (155 tabellar)                | 79   |
| Tabellar med variabelen "BESØKE I BYGDENORGE" (155 tabellar)             | 240  |
| Tabellar med variabelen "BONDE AVTALE" (155 tabellar)                    | 401  |
| Tabellar med variabelen " BOSTEDSTYPE I DAG" (155 tabellar)              | 562  |

**DEL 1**

**KODEBOK FOR VARIABLANE**

## VARIABELLISTE FOR KODEBOK

| Variabel namn <sup>1</sup>     | Var nr | Side |
|--------------------------------|--------|------|
| FERIENATUR ØNSKE 2-29-289      | 1      | 7    |
| BESØKE I BYGDENORGE 2-29-290   | 2      | 7    |
| BONDE AVTALE 2-51-336          | 3      | 7    |
| KJØNN 1-20-P                   | 4      | 7    |
| ALDER 1-19-A                   | 5      | 7    |
| HUSSTAND STILLING 1-19-B       | 6      | 7    |
| #ARBEIDSTAKERE I HUSST 1-19-C  | 7      | 7    |
| HUSSTAND INNT BRUTTO 1-19-D    | 8      | 8    |
| PERSON INNT BRUTTO 1-19-E      | 9      | 8    |
| EKTESKAPELIG STATUS 1-19-F     | 10     | 8    |
| #PERSONER I HUSST 1-19-G       | 11     | 8    |
| #BARN TOT I HUSST 1-19-H       | 12     | 8    |
| ARB HELTID/DELTID 1-19-J       | 13     | 8    |
| FORSØRGINGSSTATUS EGEN 1-19-K  | 14     | 9    |
| FORSØRGINGSSTATUS E/S 1-19-K   | 15     | 9    |
| NÆRING 1-20-L                  | 16     | 9    |
| OFF/ PRIV SEKTOR EGEN 1-20-M   | 17     | 9    |
| OFF/ PRIV SEKTOR E/S 1-20-M    | 18     | 10   |
| UTDANNING EGEN 1-20-N          | 19     | 10   |
| UTDANNING E/S 1-20-N           | 20     | 10   |
| UNIV/ HØYSK. EKSAMEN 1-20-O    | 21     | 10   |
| FARS UTDANNING 1-18-73         | 22     | 10   |
| MORS UTDANNING 1-18-73         | 23     | 10   |
| HØYEST INNT I HUSSTAND 1-18-74 | 24     | 10   |
| Har hytte ved sjøen 1-6-20     | 25     | 11   |
| Har hytte på fjellet 1-6-20    | 26     | 11   |
| Har hytte i innlandet 1-6-20   | 27     | 11   |
| Har hytte 1-6-19               | 28     | 11   |
| # HYTTEBESØK ÅRLIG 1-6-21      | 29     | 11   |

---

<sup>1</sup> Tallkode bak variabelnamnet:: [ nn-xx-zz-tt = skjema nr - side i skjema - spørsmål nr – undernummer dersom det er relevant] referer til MMI sin dokumentasjon av Norsk Monitor 1991 (MMI 1992b). Rapporten har 2 skjema, eitt for intervjuing (nr 1) og eitt for selvutfylling (nr 2).

|                              |    |    |
|------------------------------|----|----|
| # BILER I HUSSTANDEN 1-6-22  | 30 | 11 |
| Fridag bruk (1.v) 2-4-204    | 31 | 11 |
| Fridag bruk (2.V) 2-4-205    | 32 | 12 |
| BOSTEDSVALG 2-18-261         | 33 | 12 |
| BOSTEDSTYPE IDAG 2-19-262    | 34 | 12 |
| ØNSKE OM REKKEHUS+? 2-19-263 | 35 | 12 |
| KOMMUNETYPE SSB <sup>2</sup> | 36 | 12 |
| SESURBA <sup>3</sup>         | 37 | 12 |
| FAMILISM                     | 38 | 12 |
| DEPRIVAT                     | 39 | 12 |
| MANUFACT                     | 40 | 12 |
| AFFLUENC                     | 41 | 12 |
| FECONOM                      | 42 | 12 |
| IND Helse <sup>4</sup>       | 43 | 12 |
| IND Fysisk form              | 44 | 12 |
| IND Selvrealisering          | 45 | 12 |
| IND Materialisme             | 46 | 13 |
| IND Fellesskap               | 47 | 13 |
| IND Natur                    | 48 | 13 |
| IND Religion                 | 49 | 13 |
| IND Nøysomhet/ Hedonisme     | 50 | 13 |
| IND Utseende                 | 51 | 13 |
| IND Polysensualisme          | 52 | 13 |
| IND Forbruk/ Investering     | 53 | 13 |
| IND Tradisjoner/ Nyheter     | 54 | 13 |
| IND Risiko/ Trygghet         | 55 | 13 |
| IND Pessimisme/ Optimisme    | 56 | 13 |
| IND Spontanitet/ Rigiditet   | 57 | 13 |
| IND Fornuft                  | 58 | 13 |
| IND Følelser                 | 59 | 13 |
| IND Okkultisme               | 60 | 13 |
| IND Ambisjonsmangel          | 61 | 13 |

---

<sup>2</sup> Sjå Rideng (1970).

<sup>3</sup> Dei seks indeksane her er henta frå Berge (1981), sjå også Berge (1983).

<sup>4</sup> Opplysningar om dei 49 indeksane lista her finst i MMI (1992a, 51-85) og MMI (1992b).

|                                 |    |    |
|---------------------------------|----|----|
| IND Mobilitet                   | 62 | 13 |
| IND Egoisme/ Uselviskhet        | 63 | 13 |
| IND Familie                     | 64 | 13 |
| IND Nærmiljø                    | 65 | 13 |
| IND Status                      | 66 | 13 |
| IND Likestilling                | 67 | 13 |
| IND Intoleranse/ Toleranse      | 68 | 13 |
| IND Individualitet/ Konformisme | 69 | 13 |
| IND Puritanisme                 | 70 | 13 |
| IND Lovlydighet                 | 71 | 13 |
| IND Tillitsfullhet/ Fryktsomhet | 72 | 13 |
| IND Avmakt/ Herredømme          | 73 | 13 |
| IND Autoritet                   | 74 | 13 |
| IND Romantikk                   | 75 | 13 |
| IND Nasjonalisme                | 76 | 13 |
| IND Ulikhet/ Likhet             | 77 | 13 |
| IND Industrivekst/ Miljøvern    | 78 | 13 |
| IND Kollektivism/ Privatisme    | 79 | 13 |
| IND Regulering/ Marked          | 80 | 13 |
| IND Politikertillit             | 81 | 13 |
| IND Teknologi                   | 82 | 13 |
| IND Kunstprodukt/ Naturprodukt  | 83 | 13 |
| IND Reklameskepsis              | 84 | 13 |
| IND Kosmopolitisme/ Lokalisme   | 85 | 13 |
| IND Tett/ Spredt                | 86 | 13 |
| IND Kameratskap                 | 87 | 13 |
| IND Spill                       | 88 | 13 |
| IND Lojalitet                   | 89 | 13 |
| IND Frihet                      | 90 | 13 |
| IND Solidaritet                 | 91 | 13 |
| Enig/ uenig 1-9-50-1            | 92 | 14 |
| Enig/ uenig 1-9-50-2            | 93 | 14 |
| Enig/ uenig 1-9-50-3            | 94 | 14 |
| Enig/ uenig 1-9-50-4            | 95 | 14 |



|                                 |     |    |
|---------------------------------|-----|----|
| Enig/ uenig 1-9-50-5            | 96  | 14 |
| Enig/ uenig 1-9-50-9            | 97  | 15 |
| Enig/ uenig 1-9-50-10           | 98  | 15 |
| Enig/ uenig 1-9-50-13           | 99  | 15 |
| Valg av A el B 1-10-51-1        | 100 | 15 |
| Valg av A el B 1-10-51-2        | 101 | 15 |
| Valg av A el B 1-10-51-5        | 102 | 16 |
| Utnytte/ verne natur 1-10-52    | 103 | 16 |
| Enig / uenig 1-11-53-5          | 104 | 16 |
| Enig / uenig 1-11-53-10         | 105 | 16 |
| Enig/ uenig 1-13-58-8           | 106 | 17 |
| Enig/ uenig 1-13-58-23          | 107 | 17 |
| Enig/ uenig 2-1-201-1           | 108 | 17 |
| Enig/ uenig 2-1-201-2           | 109 | 17 |
| Enig/ uenig 2-1-201-8           | 110 | 17 |
| Enig/ uenig 2-1-201-26          | 111 | 18 |
| Enig/ uenig 2-1-201-60          | 112 | 18 |
| Enig/ uenig 2-1-201-77          | 113 | 18 |
| Stemmer med min men 2-8-226-7   | 114 | 18 |
| Stemmer med min men 2-8-226-14  | 115 | 18 |
| Reisemåtevalg 2-28-284-1        | 116 | 19 |
| Reisemåtevalg 2-28-284-2        | 117 | 19 |
| Reisemåtevalg 2-28-284-3        | 118 | 19 |
| Reisemåtevalg 2-28-284-4        | 119 | 19 |
| Reisemåtevalg 2-28-284-5        | 120 | 20 |
| Reisemåtevalg 2-28-284-6        | 121 | 20 |
| Ferieland sommer 2-28-285-1     | 122 | 20 |
| Ferieland høst 2-28-285-2       | 123 | 20 |
| Ferieland vinter/p 2-28-285-3   | 124 | 20 |
| Bekymret Kunstst i mat 2-41-317 | 125 | 21 |
| Ikkekjøp mat m Kunstst 2-41-318 | 126 | 21 |
| Påstander om mat 2-41-319-1     | 127 | 21 |
| Påstander om mat 2-41-319-2     | 128 | 21 |
| Påstander om mat 2-41-319-3     | 129 | 21 |

|                                  |     |    |
|----------------------------------|-----|----|
| Påstander om mat 2-41-319-4      | 130 | 22 |
| Påstander om mat 2-41-319-5      | 131 | 22 |
| Påstander om mat 2-41-319-6      | 132 | 22 |
| Påstander om mat 2-41-319-7      | 133 | 22 |
| Påstander om mat 2-41-319-8      | 134 | 22 |
| Påstander om mat 2-41-319-9      | 135 | 23 |
| Gikk fottur i fjellet 2-29-288   | 136 | 23 |
| Fisket med flue/ sluk 2-29-288   | 137 | 23 |
| Fisket m snøre fra båt 2-29-288  | 138 | 23 |
| Besøkte bygdemuseum 2-29-288     | 139 | 23 |
| Besøkte bondegård 2-29-288       | 140 | 23 |
| Overnattet i DNT hytte 2-29-288  | 141 | 23 |
| Lekel.Badel.Fritidsp. 2-29-288   | 142 | 23 |
| Besøkte severdigheter 2-29-288   | 143 | 24 |
| Antall ferieaktiviteter          | 144 | 24 |
| Viktig: stort utvalg 2-51-335    | 145 | 24 |
| Viktig: god service 2-51-335     | 146 | 24 |
| Viktig: lave priser 2-51-335     | 147 | 24 |
| Viktig: gode varetilb 2-51-335   | 148 | 24 |
| Viktig: parkering 2-51-335       | 149 | 24 |
| Viktig: kyndig betj 2-51-335     | 150 | 24 |
| Viktig: gode ferskv 2-51-335     | 151 | 25 |
| Viktig: st utv frukt/gr 2-51-335 | 152 | 25 |
| Viktig: åpningstider 2-51-335    | 153 | 25 |
| Viktig: har det jeg øns2-51-335  | 154 | 25 |
| Viktig: ryddig plasser2-51-335   | 155 | 25 |
| Viktig: ligger i kjøps 2-51-335  | 156 | 25 |

## KODEBOK FOR VARIABLANE

1

Ferienatur ønske 2-29-289

Hvilken naturtype foretrekker du når du reiser på sommerferie i Norge?

1=Skjærgården

2=Fjordlandskap med fjell

3=Høyfjellet

4=Fjelldaler og fjellskog

5=Flatbygder og skogslier

2

Besøke i bygde Norge 2-29-290

Hvis du var på reise i bygde Norge og måtte vente en time på ferge, hvilken av disse stedene ville du helst besøke?

1=Lokalt kunstgalleri

2=Husflidsforretning

3=Stedets kjøpesenter

4=Kafe/ restaurant

3

Bonde avtale 2-51-336

Kunne du tenke deg å inngå en avtale med en bonde om fast levering på døren av f.eks. poteter, egg eller kjøtt til vanlig butikkpris?

1=Ja

2=Nei

3=Vet ikke

4

Kjønn 1-19-P

1=Mann

2=Kvinne

5

Alder 1-19-A

\*Alder i år

6

Husstand stilling 1-19-B

"Hva er din stilling i husstanden?"

1=Husfar(mann)

2=Husmor(kvinne)

3=Sønn

4=Datter

5=Annet

7

#Arbeidstakere i husstanden 1-19-C

1-4=antall personer

5=5 og over

6=ingen

8

Husstandens bruttoinntekt 1-19-D

- 1=inntil 60.000
- 2=60.-100.000
- 3=100.-130.000
- 4=130.-160.000
- 5=160.-200.000
- 6=200.-300.000
- 7=300.-400.000
- 8=400.000 og over
- 9=Ville ikke svare
- 10=Visste ikke

9

Personens bruttoinntekt 1-19-D

- 1=inntil 60.000
- 2=60.-100.000
- 3=100.-130.000
- 4=130.-160.000
- 5=160.-200.000
- 6=200.-300.000
- 7=300.-400.000
- 8=400.000 og over
- 9=Ville ikke svare
- 10=Visste ikke

10

Ekteskapelig status 1-19-F

- 1=Gift/ Samboer
- 2=Ugift/ aldri vært gift
- 3=Tidligere gift/ Separert/  
Fraskilt/ Enke/ Enkemann

11

#Personer i husstanden 1-19-G

- 1-6=tallet av personer
- 7=7 eller flere personer

12

#Barn i husstanden 1-19-H

Tallet på hjemmeværende barn og unge

13

Arbeid på heiltid eller deltid 1-19-J

Har du selv betalt arbeid på heltid eller deltid?

- 1=Ja, heil tid
- 2=Ja, deltid
- 3=Varierer
- 4=Nei

14

Forsørgingsstatus, egen 1-19-K

1=Arbeider, ufaglært

2=Arbeider, faglært

3=Funksjonær, ledende stilling

4=Funksjonær ellers

5=Selvstendig

6=Elev/ Student/ Lærling

7=For tiden arbeidsløs

8=Alderspensjonist

9=Trygdet

10=Gift uten eget betalt arbeid

11=Annet

15

Forsørgingsstatus, ektefelle/ samboer 1-19-K

1=Arbeider, ufaglært

2=Arbeider, faglært

3=Funksjonær, ledende stilling

4=Funksjonær ellers

5=Selvstendig

6=Elev/ Student/ Lærling

7=For tiden arbeidsløs

8=Alderspensjonist

9=Trygdet

10=Gift uten eget betalt arbeid

11=Annet

16

Næring 1-20-L

"Innen hvilken bransje arbeider du?"

1=Industri/ Håndverk

2=Varehandel/ Butikk

3=Samferdsel/ Transport/ Post/ Tele

4=Jordbruk/ Skogbruk

5=Helsevesen/ Sosialomsorg

6=Undervisning/ Forskning

7=Bank/ Forsikring/ Finans

8=Forretningsmessig tjenesteyting

9=Offentlig administrasjon/ Forsvar/ Politi/ Rettsvesen

10=Annet yrke

11=Intet yrke

17

Offentlig/ privat sektor egen 1-20-M

"Arbeider du i offentlig eller privat virksomhet?"

1=Offentlig

2=Privat

3=Andre svar

18

Offentlig/ privat sektor E/ S 1-20-M

"Arbeider ektefellen/ samboeren i offentlig eller privat virksomhet?"

1=Offentlig

2=Privat

3=Andre svar

19

UTDANNING EGEN 1-20-N Egen allmennutdanning

1=Folkeskolenivå (inntil 8 års skolegang)

2=Ungdomsskole/ Realskolenivå (9-10 års skolegang)

3=Videregående skole/ Gymnasnivå (11-13 års skolegang)

4=Universitetsnivå (Mer enn 12 års skolegang + studier)

20

UTDANNING E/S 1-20-N Ektefelle/ samboers allmennutdanning

1=Folkeskolenivå (inntil 8 års skolegang)

2=Ungdomsskole/ Realskolenivå (9-10 års skolegang)

3=Videregående skole/ Gymnasnivå (11-13 års skolegang)

4=Universitetsnivå (Mer enn 12 års skolegang + studier)

21

Universitets- Høyskoleeksamen 1-20-O

Du anga mer enn 12 års skolegang + studier. Har du avsluttet universitets- eller høyskoleeksamen med akademisk tittel?

1=Ja

2=Nei

3=Annet

22

Fars utdanning 1-18-73

1=Folkeskolenivå (inntil 8 års skolegang)

2=Ungdomsskole/ Realskolenivå (9-10 års skolegang)

3=Videregående skole/ Gymnasnivå (11-13 års skolegang)

4=Universitetsnivå (Mer enn 12 års skolegang + studier)

5=Vet ikke

23

Mors utdanning 1-18-73

1=Folkeskolenivå (inntil 8 års skolegang)

2=Ungdomsskole/ Realskolenivå (9-10 års skolegang)

3=Videregående skole/ Gymnasnivå (11-13 års skolegang)

4=Universitetsnivå (Mer enn 12 års skolegang + studier)

5=Vet ikke

24

Høyest brutto inntekt i husstanden 1-18-74

1=Ja

2=Nei

3=Vet ikke

25

Hytte ved sjøen 1-6-20-1

0=Nei

1=Ja

26

Hytte på fjellet 1-6-20-2

0=Nei

1=Ja

27

Hytte i innlandet 1-6-20-3

0=Nei

1=Ja

28

Hytte 1-6-19

"Disponerer husstanden egen hytte?"

1=Ja

2=Nei

29

#Hyttebesøk årlig 1-6-21

"Hvor mange ganger i året regner du med at du er på hytta?"

1=1-4 ganger

2=5-9 ganger

3=10-19 ganger

4=20-29 ganger

5=30 ganger eller flere

6=ingen

30

#Biler i husstanden 1-6-22

"Hvor mange biler disponeres i husstanden?"

1-3= tallet på biler

4= 4 eller flere biler

5= Disponerer ikke bil

31

Fridag bruk 1. valg 2-4-204

Hvis du fikk en uventet fridag, hvilken av disse aktivitetene ville du helst bruke denne dagen til?

1=Være sammen med familie/ venner

2=Være ute i naturen

3=Lese en bok

4=Trene eller mosjonere

5=Handle noe til meg selv

32

Fridag bruk 2. valg 2-4-205

Andre valg: Hvis du skulle velge noe annet, hva ville du da helst bruke dagen til?

1=Være sammen med familie/ venner

2=Være ute i naturen

3=Lese en bok

4=Trene eller mosjonere

5=Handle noe til meg selv

33

Bostedsvalg 2-18-261

Hva ville du foretrekke hvis du kunne velge bosted fritt?

1=Sentrum i storby

2=Forstad i storby

3=Småby

4=Tettsted i landkommune

5=Spredtbygd strøk

34

Bostedstype i dag 2-19-262

Hvilke av de beskrevne bostedene ligner mest på det du har i dag?

1=Sentrum i storby

2=Forstad i storby

3=Småby

4=Tettsted i landkommune

5=Spredtbygd strøk

35

Ønske om rekkehus +? 2-19-263

Dersom du bodde i en rekkehusleilighet i en by, med 100 kvadratmeter hage, hvilke av de følgende egenskaper ville du sette mest pris på å ha?

1=Usjenert uteliv i hagen

2=Tett naboskap med mye samvær

3=Solrik lun hage

4=Mulighet for å gi boligen et personlig preg

5=Nærhet til skole, butikker, arbeid

36

KOMMUNETYPE

Statistisk Sentralbyrå sin kommunetype

37 SESURBA indikator på sosio-økonomisk status/ urbanisering for kommunen ca. 1970

38 FAMILISM indikator på familisme-styrke for kommunen ca. 1970

39 DEPRIVAT indikator på fattigdom for kommunen ca. 1970

40 MANUFACT indikator på industrialisering for kommunen ca. 1970

41 AFFLUENC indikator på rikdom for kommunen ca. 1970

42 FECONOM indikator på kvinners økonomiske aktivitetsnivå for kommunen ca. 1970

43 IND Helse indikator på opptatt av helse

44 IND Fysisk form indikator på opptatt av fysisk fostring

45 IND Selvrealisering indikator på utvikle og bruke egne evner, kreativitet, indre opplevelser



|    |  |   |
|----|--|---|
| 46 | IND Materialisme                       | indikator på å skaffe seg materielle goder                                |
| 47 | IND Fellesskap                         | indikator på vennskap, nære og varme personlige forhold, tilhørighet      |
| 48 | IND Natur                              | indikator på opptatt av natur og naturopplevelser                         |
| 49 | IND Religion                           | indikator på kristen tro og praksis                                       |
| 50 | IND <u>Nøysomhet/ Hedonisme</u>        | indikator på nøkternhet og avholdenhet mot nytelse i øyeblikket           |
| 51 | IND Utseende                           | indikator på utseende, påkledning og vakre omgivelser                     |
| 52 | IND Polysensualisme                    | indikator på ønske om å kunne nyte verden ved flere sanser samtidig       |
| 53 | IND <u>Forbruk/ Investering</u>        | indikator på forbruk i øyeblikket mot sparing og varig nytte              |
| 54 | IND <u>Tradisjoner/ Nyheter</u>        | indikator på å foretrekke det velprøvde mot nye ideer/ produkter          |
| 55 | IND <u>Risiko/ Trygghet</u>            | indikator på ønske om spenning mot fred og frihet fra frykt               |
| 56 | IND <u>Pessimisme/ Optimisme</u>       | indikator på mistro til framtida mot tro på framtida                      |
| 57 | IND <u>Spontanitet/ Rigiditet</u>      | indikator på ønske om å følge innfall mot planlegging og rutiner          |
| 58 | IND Fornuft                            | indikator på vekt på fornuft og logikk                                    |
| 59 | IND Følelser                           | indikator på vekt på stemninger og følelsesmessige opplevelser            |
| 60 | IND Okkultisme                         | indikator på opptatt av overnaturlige fenomen                             |
| 61 | IND Ambisjonsmangel                    | indikator på manglende mål og mening med livet                            |
| 62 | IND Mobilitet                          | indikator på positiv vurdering av yrkesmessig og geografisk mobilitet     |
| 63 | IND <u>Egoisme/ Uselviskhet</u>        | indikator på vekting av egne behov framfor andre sine                     |
| 64 | IND Familie                            | indikator på vekting av familie og familieliv framfor yrke og individ     |
| 65 | IND Nærmiljø                           | indikator på positiv vurdering av lokalsamfunn og lokal kultur            |
| 66 | IND Status                             | indikator på vekt på statussymboler, ønske om anerkjennelse               |
| 67 | IND Likestilling                       | indikator på vekt på likestilling mellom kjønna                           |
| 68 | IND <u>Intoleranse/ Toleranse</u>      | indikator på avvisning av innflyttere og avvikende meninger mot toleranse |
| 69 | IND <u>Individualitet/ Konformisme</u> | indikator på vekt av individuell personlighet mot likhet                  |
| 70 | IND Puritanisme                        | indikator på streng seksualmoral  |
| 71 | IND Lovlydighet                        | indikator på å følge lover og regler                                      |
| 72 | IND <u>Tillitsfullhet/ Fryktsomhet</u> | indikator på tillit til andre mot mistro og frykt for kriminalitet        |
| 73 | IND <u>Avmakt/ Herredømme</u>          | indikator på følelse av ukontrollerbar tilværelse mot kontroll            |
| 74 | IND Autoritet                          | indikator på vekting av lederskap og lydighet                             |
| 75 | IND Romantikk                          | indikator på vekt på romantikk og vennskap framfor sex                    |
| 76 | IND Nasjonalisme                       | indikator på stolthet over norske særtrekk og ønske om å kjøpe norsk      |
| 77 | IND <u>Ulikhet/ Likhet</u>             | indikator på aksept av ulik lønn og betalingssevne mot vekt på utjevning  |
| 78 | IND <u>Industrivekst/ Miljøvern</u>    | indikator på vekt på industri og vekst mot vern av natur                  |
| 79 | IND <u>Kollektivism/ Privatisme</u>    | indikator på prioritering av offentlig virksomhet mot privat              |
| 80 | IND <u>Regulering/ Marked</u>          | indikator på tro på offentlig kontroll og regulering mot marked           |
| 81 | IND Politikertillit                    | indikator på tiltro til politikere  |
| 82 | IND Teknologi                          | indikator på tiltro til vitenskap og teknologi                            |
| 83 | IND <u>Kunstprodukt/ Naturprodukt</u>  | indikator på tiltro til kunstige produkt mot naturlige                    |
| 84 | IND Reklameskepsis                     | indikator på mistro til reklame   |
| 85 | IND <u>Kosmopolitisme/ Lokalisme</u>   | indikator på positiv til andre land og kulturer mot nære omgivelser       |
| 86 | IND <u>Tett/ Spredt</u>                | indikator på ønske om å bo og feriere med flere/ færre i nærheten         |
| 87 | IND Kameratskap                        | indikator på vekt på mange venner framfor kvalitet i vennskap             |
| 88 | IND Spill                              | indikator på hell for å oppnå materielle goder                            |
| 89 | IND Lojalitet                          | indikator på positiv vurdering mennesker og ting en kjenner               |
| 90 | IND Frihet                             | indikator på vekt på frihet til å følge egne ideer uten ytre påvirkning   |
| 91 | IND Solidaritet                        | indikator på arbeiderklassesamhold med likhet og fellesskap               |

92

Enig/ Uenig i 1-9-50-1

Jeg er alltid opptatt av å leve sunt, og å holde meg i god form

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

93

Enig/ Uenig i 1-9-50-2

Det finnes ikke noe bedre sted å vokse opp enn der jeg vokste opp

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

94

Enig/ Uenig i 1-9-50-3

Jeg ønsker å ha tilknytning til mange ulike miljøer

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

95

Enig/ Uenig i 1-9-50-4

Jeg ønsker å tilhøre en gruppe der man har utviklet nære og varme kontakter

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

96

Enig/ Uenig i 1-9-50-5

Livet på landet er mer tilfredsstillende enn livet i byer

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

97

Enig/ Uenig i 1-9-50-9

Jeg liker å få vite om nye varer og tjenester raskt slik at jeg kan ta dem i bruk

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

98

Enig/ Uenig i 1-9-50-10

Jeg trives best sammen med mennesker som er åpne for endringer og nye ideer

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

99

Enig/ Uenig i 1-9-50-13

Jeg ønsker å føle at kroppen min lever så intenst som mulig

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

100

Valg av A el B 1-10-51-1

Hva velger du ...

A: Å kle meg bekvemt, selv om det ikke ser så elegant ut

B: Å være mest mulig velkledd, selv om det ikke er så behagelig

1=Velger A helt sikkert

2=Velger A under tvil

3=Vet ikke

4=Velger B under tvil

5=Velger B helt sikkert

101

Valg av A el B 1-10-51-2

Hva velger du ...

A: Å ha muligheter til å være mer skapende og kreativ

B: Å oppnå større økonomisk trygghet

1=Velger A helt sikkert

2=Velger A under tvil

3=Vet ikke

4=Velger B under tvil

5=Velger B helt sikkert

102

Valg av A el B 1-10-51-5

Hva velger du ...

A: Å feriere i hytte som ligger så ensomt til at en ikke kan se nærmeste nabo, slik at en kan få være for seg selv.

B: Å feriere i hytte som ligger i område med mange hytter og god anledning til kontakt med andre ferierende.

1=Velger A helt sikkert

2=Velger A under tvil

3=Vet ikke

4=Velger B under tvil

5=Velger B helt sikkert

103

Utnytte/ verne natur 1-10-52

Hvilken påstand er du mest enig i

A: Man bør verne naturen

B: Man bør utnytte og utvikle naturens muligheter

1=A helt sikkert

2=A under tvil

3=Vet ikke

4=B under tvil

5=B helt sikkert

104

Enig / uenig 1-11-53-5

Hvor enig eller uenig er du i følgende påstand

Jeg er en person som kan tenkes å starte egen bedrift eller virksomhet

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

105

Enig / uenig 1-11-53-10

Hvor enig eller uenig er du i følgende påstand

Når alt kommer til alt betyr det ikke så mye om noe er et rent naturprodukt eller fabrikkvare. Det avgjørende er om det er nyttig og passer for meg.

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

106

Enig/ uenig 1-13-58-8

Hvor enig eller uenig er du i følgende påstand

Alt må gjøres for å hindre at ulike distrikters særpreget f.eks. når det gjelder dialekter og mat, forsvinner

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

107

Enig/ uenig 1-13-58-23

Hvor enig eller uenig er du i følgende påstand

Selv om jeg er godt fornøyd med et varemerke, prøver jeg ofte nye merker

1=Helt uenig

2=Delvis uenig

3=Kan ikke svare

4=Delvis enig

5=Helt enig

108

Enig/ uenig 2-1-201-1

Hvor enig eller uenig er du i følgende påstand

Jeg er mer opptatt av hvor godt mat smaker enn av hvor sunn den er

1=Helt uenig

2=Delvis uenig

3=Helt umulig å svare

4=Delvis enig

5=Helt enig

109

Enig/ uenig 2-1-201-2

Hvor enig eller uenig er du i følgende påstand

Jeg føler meg sjelden så lykkelig som når jeg er ute i naturen

1=Helt uenig

2=Delvis uenig

3=Helt umulig å svare

4=Delvis enig

5=Helt enig

110

Enig/ uenig 2-1-201-8

Hvor enig eller uenig er du i følgende påstand

Bylivets mange muligheter betyr mer for meg enn natur og frisk luft

1=Helt uenig

2=Delvis uenig

3=Helt umulig å svare

4=Delvis enig

5=Helt enig

111

Enig/ uenig 2-1-201-26

Hvor enig eller uenig er du i følgende påstand

Jeg kan vanskelig tenke meg å flytte fra dette stedet for godt

1=Helt uenig

2=Delvis uenig

3=Helt umulig å svare

4=Delvis enig

5=Helt enig

112

Enig/ uenig 2-1-201-60

Hvor enig eller uenig er du i følgende påstand

Jeg foretrekker å kjøpe norske varer selv når de koster litt mer

1=Helt uenig

2=Delvis uenig

3=Helt umulig å svare

4=Delvis enig

5=Helt enig

113

Enig/ uenig 2-1-201-77

Hvor enig eller uenig er du i følgende påstand

Vi må være villig til å bygge ut flere vassdrag fordi det er viktigere å få ren energi enn å bevare uberørt natur

1=Helt uenig

2=Delvis uenig

3=Helt umulig å svare

4=Delvis enig

5=Helt enig

114

Stemmer med min men 2-8-226-7

Hvor godt stemmer utsagnet med hva du selv mener eller gjør

Når jeg hører at en produsent forurensar miljøet lar jeg være å kjøpe produktene deres

1=Stemmer meget godt

2=Stemmer nokså godt

3=Stemmer litt

4=Stemmer ikke i det hele tatt

115

Stemmer med min men 2-8-226-14

Hvor godt stemmer utsagnet med hva du selv mener eller gjør

Jeg er villig til å betale mer for et produkt som er miljøvennlig selv om det er mindre effektivt eller mer tungvint

1=Stemmer meget godt

2=Stemmer nokså godt

3=Stemmer litt

4=Stemmer ikke i det hele tatt

116

Reisemåtevalg 2-28-284-1

Hvis du skal reise over 60 km i Norge, må du velge reisemåte og de vanligste reisemåtene er bil, buss, båt, tog eller fly. Hvor stor vekt legger du på følgende faktor når du velger reisemåte?

Reisetiden (at du kommer raskt fram sammenlignet med andre reisemåter)

1=Meget stor vekt

2=Ganske stor vekt

3=Mindre vekt

4=Liten/ ingen vekt

5=Kan ikke svare

117

Reisemåtevalg 2-28-284-2

Hvis du skal reise over 60 km i Norge, må du velge reisemåte og de vanligste reisemåtene er bil, buss, båt, tog eller fly. Hvor stor vekt legger du på følgende faktor når du velger reisemåte?

Billettpriser/ Reisekostnader (at utgiftene er lave)

1=Meget stor vekt

2=Ganske stor vekt

3=Mindre vekt

4=Liten/ ingen vekt

5=Kan ikke svare

118

Reisemåtevalg 2-28-284-3

Hvis du skal reise over 60 km i Norge, må du velge reisemåte og de vanligste reisemåtene er bil, buss, båt, tog eller fly. Hvor stor vekt legger du på følgende faktor når du velger reisemåte?

Punktlighet (at du kommer fram til fastsatt tid)

1=Meget stor vekt

2=Ganske stor vekt

3=Mindre vekt

4=Liten/ ingen vekt

5=Kan ikke svare

119

Reisemåtevalg 2-28-284-4

Hvis du skal reise over 60 km i Norge, må du velge reisemåte og de vanligste reisemåtene er bil, buss, båt, tog eller fly. Hvor stor vekt legger du på følgende faktor når du velger reisemåte?

Service (event. servering av mat og drikke, informasjon om reisen, underholdning etc.)

1=Meget stor vekt

2=Ganske stor vekt

3=Mindre vekt

4=Liten/ ingen vekt

5=Kan ikke svare

120

Reisemåtevalg 2-28-284-5

Hvis du skal reise over 60 km i Norge, må du velge reisemåte og de vanligste reisemåtene er bil, buss, båt, tog eller fly. Hvor stor vekt legger du på følgende faktor når du velger reisemåte?

Hyppige avganger (mulighet til å velge avreisetidspunkt fritt, mulig å reise på kort varsel)

1=Meget stor vekt

2=Ganske stor vekt

3=Mindre vekt

4=Liten/ ingen vekt

5=Kan ikke svare

121

Reisemåtevalg 2-28-284-6

Hvis du skal reise over 60 km i Norge, må du velge reisemåte og de vanligste reisemåtene er bil, buss, båt, tog eller fly. Hvor stor vekt legger du på følgende faktor når du velger reisemåte?

Mulighet for å kunne utnytte reisetiden (til arbeid, lesing, møter, sove ol.)

1=Meget stor vekt

2=Ganske stor vekt

3=Mindre vekt

4=Liten/ ingen vekt

5=Kan ikke svare

122

Ferieland sommer 2-28-285-1

Hvor tilbrakte du din (sommer)ferie de siste 12 månedene?

1=Kun i Norge

2=Kun i utlandet

3=Både Norge og utlandet

4=Var hjemme

5=Tok ikke ferie

123

Ferieland høst 2-28-285-2

Hvor tilbrakte du din (høst) ferie de siste 12 månedene?

1=Kun i Norge

2=Kun i utlandet

3=Både Norge og utlandet

4=Var hjemme

5=Tok ikke ferie

124

Ferieland vinter/p 2-28-285-3

Hvor tilbrakte du din (vinter/ påske) ferie de siste 12 månedene?

1=Kun i Norge

2=Kun i utlandet

3=Både Norge og utlandet

4=Var hjemme

5=Tok ikke ferie



125

Bekymret Kunstst i mat 2-41-317

Hvor ofte er du bekymret for kunstige tilsetningsmidler (f.eks. konserveringsmidler eller farge) når du kjøper matvarer?

1=Alltid/ ofte

2=Av og til

3=Sjelden/ aldri

126

Ikkekjøp mat m Kunstst 2-41-318

Hvor ofte lar du være å kjøpe matvarer som inneholder kunstige tilsetningsmidler?

1=Alltid/ ofte

2=Av og til

3=Sjelden/ aldri

127

Påstander om mat 2-41-319-1

Hvor enig eller uenig er du i følgende påstand

Jeg liker sunn og kraftig mat

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

128

Påstander om mat 2-41-319-2

Hvor enig eller uenig er du i følgende påstand

Jeg ville være villig til å betale opptil 30% mer for matvarer, dersom jeg kunne være sikker på at de var rene naturprodukter uten kunstige tilsetningsstoffer

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

129

Påstander om mat 2-41-319-3

Hvor enig eller uenig er du i følgende påstand

Jeg liker gamle og tradisjonsrike matretter, skikker og klesdrakter fra forskjellige steder i Norge

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

130

Påstander om mat 2-41-319-4

Hvor enig eller uenig er du i følgende påstand

Jeg håper fremskritt i biologi og forskning vil gjøre oss i stand til å lage mat som er bedre for menneskekroppen enn rene naturprodukter

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

131

Påstander om mat 2-41-319-5

Hvor enig eller uenig er du i følgende påstand

Jeg liker utenlandsk mat

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

132

Påstander om mat 2-41-319-6

Hvor enig eller uenig er du i følgende påstand

Moderne mat er bedre enn gammeldags mat fordi den holder seg lenger og er lettere å tilberede

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

133

Påstander om mat 2-41-319-7

Hvor enig eller uenig er du i følgende påstand

Jeg er villig til å betale ekstra for mat som er rask å tilberede

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

134

Påstander om mat 2-41-319-8

Hvor enig eller uenig er du i følgende påstand

Det er viktig for meg å servere "kun det beste" når jeg har gjester

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

135

Påstander om mat 2-41-319-9

Hvor enig eller uenig er du i følgende påstand

Jeg opplever ofte seigt biffkjøtt som et problem når jeg tilbereder biff hjemme

1=Helt uenig

2=Delvis uenig

3=Delvis enig

4=Helt enig

5=Helt umulig å svare

136

Gikk fottur i fjellet 2-29-288

Gikk fottur i fjellet sist sommerferie

0=Nei

1=JA

137

Fisket med flue/ sluk 2-29-288

Fisket med fluestang/ slukstang sist sommerferie

0=Nei

1=JA

138

Fisket med snøre fra båt 2-29-288

Fisket med snøre fra båt sist sommerferie

0=Nei

1=JA

139

Besøkte bygdemuseum 2-29-288

Besøkte bygdemuseum sist sommerferie

0=Nei

1=JA

140

Besøkte bondegård 2-29-288

Besøkte bondegård som tar mot turister sist sommerferie

0=Nei

1=JA

141

Overnattet i DNT hytte 2-29-288

Overnattet på Den Norske Turistforenings hytter sist sommerferie

0=Nei

1=JA

142

Lekel.Badel.Fritidsp. 2-29-288

Besøkte lekeland/ badeland/ fritidspark sist sommerferie

0=Nei

1=JA

143

Besøkte severdigheter 2-29-288

Besøkte severdigheter sist sommerferie

0=Nei

1=JA

144

Antall ferieaktiviteter

# ulike ferieaktiviteter oppgitt for siste sommerferie

145

Viktig: stort utvalg 2-51-335: Stort vare og merkeutvalg

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

146

Viktig: god service 2-51-335: God service og vennlig betjening

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

147

Viktig: lave priser 2-51-335: Gjennomgående lave priser

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

148

Viktig: gode varetilb 2-51-335: Ofte gode tilbud på enkelte varer

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

149

Viktig: parkering 2-51-335: Gode parkeringsmuligheter

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

150

Viktig: kyndig betj 2-51-335: Betjening med god varekunnskap

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

151

Viktig: gode ferskv 2-51-335: God kvalitet på ferskvarer

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

152

Viktig: st utv frukt/gr 2-51-335: Stort utvalg av frukt og grønnsaker

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

153

Viktig: åpningstider 2-51-335: Gunstige åpningstider

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

154

Viktig: har det jeg ønsker 2-51-335: Har alle merker/ varianter jeg er på jakt etter

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

155

Viktig: ryddig plasser 2-51-335: Ryddig og oversiktlig plassering av varene

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

156

Viktig: ligger i kjøpesenter 2-51-335: Flere forskjellige forretninger på ett sted (kjøpesenter)

Er egenskapen spesielt viktig for deg ved valg av dagligvareforretning?

0=Nei

1=Ja

## **DEL 2**

### **FREKVENSFORDELING FOR VARIABLENE**

## FREKVENSFORDELING FOR

| Variabel namn <sup>1</sup>     | Var nr | Side |
|--------------------------------|--------|------|
| FERIENATUR ØNSKE 2-29-289      | 1      | 32   |
| BESØKE I BYGDENORGE 2-29-290   | 2      | 32   |
| BONDE AVTALE 2-51-336          | 3      | 32   |
| KJØNN 1-20-P                   | 4      | 33   |
| ALDER 1-19-A                   | 5      | 33   |
| HUSSTAND STILLING 1-19-B       | 6      | 33   |
| #ARBEIDSTAKERE I HUSST 1-19-C  | 7      | 33   |
| HUSSTAND INNT BRUTTO 1-19-D    | 8      | 34   |
| PERSON INNT BRUTTO 1-19-E      | 9      | 34   |
| EKTESKAPELIG STATUS 1-19-F     | 10     | 34   |
| #PERSONER I HUSST 1-19-G       | 11     | 35   |
| #BARN TOT I HUSST 1-19-H       | 12     | 35   |
| ARB HELTID/DELTID 1-19-J       | 13     | 35   |
| FORSØRGINGSSTATUS EGEN 1-19-K  | 14     | 36   |
| FORSØRGINGSSTATUS E/S 1-19-K   | 15     | 36   |
| NÆRING 1-20-L                  | 16     | 36   |
| OFF/ PRIV SEKTOR EGEN 1-20-M   | 17     | 37   |
| OFF/ PRIV SEKTOR E/S 1-20-M    | 18     | 37   |
| UTDANNING EGEN 1-20-N          | 19     | 37   |
| UTDANNING E/S 1-20-N           | 20     | 38   |
| UNIV/ HØYSK. EKSAMEN 1-20-O    | 21     | 38   |
| FARS UTDANNING 1-18-73         | 22     | 38   |
| MORS UTDANNING 1-18-73         | 23     | 39   |
| HØYEST INNT I HUSSTAND 1-18-74 | 24     | 39   |
| Har hytte ved sjøen 1-6-20     | 25     | 39   |
| Har hytte på fjellet 1-6-20    | 26     | 40   |
| Har hytte i innlandet 1-6-20   | 27     | 40   |
| Har hytte 1-6-19               | 28     | 40   |
| # HYTTEBESØK ÅRLIG 1-6-21      | 29     | 41   |

---

<sup>1</sup> Tallkode bak variabelnamnet:: nn-xx-zz = skjema nr - side i skjema - spørsmål nr - i MMI sin dokumentasjon av Norsk Monitor 1991

|                              |    |    |
|------------------------------|----|----|
| # BILER I HUSSTANDEN 1-6-22  | 30 | 41 |
| Fridag bruk (1.v) 2-4-204    | 31 | 41 |
| Fridag bruk (2.V) 2-4-205    | 32 | 42 |
| BOSTEDSVALG 2-18-261         | 33 | 42 |
| BOSTEDSTYPE IDAG 2-19-262    | 34 | 42 |
| ØNSKE OM REKKEHUS+? 2-19-263 | 35 | 43 |
| KOMMUNETYPE SSB              | 36 | 43 |
| SESURBA                      | 37 | 43 |
| FAMILISM                     | 38 | 43 |
| DEPRIVAT                     | 39 | 44 |
| MANUFACT                     | 40 | 44 |
| AFFLUENC                     | 41 | 44 |
| FECONOM                      | 42 | 44 |
| IND Helse                    | 43 | 45 |
| IND Fysisk form              | 44 | 45 |
| IND Selvrealisering          | 45 | 45 |
| IND Materialisme             | 46 | 45 |
| IND Fellesskap               | 47 | 46 |
| IND Natur                    | 48 | 46 |
| IND Religion                 | 49 | 46 |
| IND Nøysomhet/ Hedonisme     | 50 | 46 |
| IND Utseende                 | 51 | 47 |
| IND Polysensualisme          | 52 | 47 |
| IND Forbruk/ Investering     | 53 | 47 |
| IND Tradisjoner/ Nyheter     | 54 | 47 |
| IND Risiko/ Trygghet         | 55 | 48 |
| IND Pessimisme/ Optimisme    | 56 | 48 |
| IND Spontanitet/ Rigiditet   | 57 | 48 |
| IND Fornuft                  | 58 | 48 |
| IND Følelser                 | 59 | 49 |
| IND Okkultisme               | 60 | 49 |
| IND Ambisjonsmangel          | 61 | 49 |
| IND Mobilitet                | 62 | 49 |
| IND Egoisme/ Uselviskhet     | 63 | 50 |



|                                 |    |    |
|---------------------------------|----|----|
| IND Familie                     | 64 | 50 |
| IND Nærmiljø                    | 65 | 50 |
| IND Status                      | 66 | 50 |
| IND Likestilling                | 67 | 51 |
| IND Intoleranse/ Toleranse      | 68 | 51 |
| IND Individualitet/ Konformisme | 69 | 51 |
| IND Puritanisme                 | 70 | 51 |
| IND Lovlydighet                 | 71 | 52 |
| IND Tillitsfullhet/ Fryktsomhet | 72 | 52 |
| IND Avmakt/ Herredømme          | 73 | 52 |
| IND Autoritet                   | 74 | 52 |
| IND Romantikk                   | 75 | 53 |
| IND Nasjonalisme                | 76 | 53 |
| IND Ulikhet/ Likhet             | 77 | 53 |
| IND Industrivekst/ Miljøvern    | 78 | 53 |
| IND Kollektivism/ Privatisme    | 79 | 54 |
| IND Regulering/ Marked          | 80 | 54 |
| IND Politikertillit             | 81 | 54 |
| IND Teknologi                   | 82 | 54 |
| IND Kunstprodukt/ Naturprodukt  | 83 | 55 |
| IND Reklameskepsis              | 84 | 55 |
| IND Kosmopolitisme/ Lokalisme   | 85 | 55 |
| IND Tett/ Spredt                | 86 | 55 |
| IND Kameratskap                 | 87 | 56 |
| IND Spill                       | 88 | 56 |
| IND Lojalitet                   | 89 | 56 |
| IND Frihet                      | 90 | 56 |
| IND Solidaritet                 | 91 | 57 |
| Enig/ uenig 1-9-50-1            | 92 | 57 |
| Enig/ uenig 1-9-50-2            | 93 | 57 |
| Enig/ uenig 1-9-50-3            | 94 | 57 |
| Enig/ uenig 1-9-50-4            | 95 | 58 |
| Enig/ uenig 1-9-50-5            | 96 | 58 |
| Enig/ uenig 1-9-50-9            | 97 | 58 |


|                                 |     |    |
|---------------------------------|-----|----|
| Enig/ uenig 1-9-50-10           | 98  | 59 |
| Enig/ uenig 1-9-50-13           | 99  | 59 |
| Valg av A el B 1-10-51-1        | 100 | 59 |
| Valg av A el B 1-10-51-2        | 101 | 60 |
| Valg av A el B 1-10-51-5        | 102 | 60 |
| Utnytte/ verne natur 1-10-52    | 103 | 60 |
| Enig / uenig 1-11-53-5          | 104 | 61 |
| Enig / uenig 1-11-53-10         | 105 | 61 |
| Enig/ uenig 1-13-58-8           | 106 | 61 |
| Enig/ uenig 1-13-58-23          | 107 | 62 |
| Enig/ uenig 2-1-201-1           | 108 | 62 |
| Enig/ uenig 2-1-201-2           | 109 | 62 |
| Enig/ uenig 2-1-201-8           | 110 | 63 |
| Enig/ uenig 2-1-201-26          | 111 | 63 |
| Enig/ uenig 2-1-201-60          | 112 | 63 |
| Enig/ uenig 2-1-201-77          | 113 | 64 |
| Stemmer med min men 2-8-226-7   | 114 | 64 |
| Stemmer med min men 2-8-226-14  | 115 | 64 |
| Reisemåtevalg 2-28-284-1        | 116 | 65 |
| Reisemåtevalg 2-28-284-2        | 117 | 65 |
| Reisemåtevalg 2-28-284-3        | 118 | 65 |
| Reisemåtevalg 2-28-284-4        | 119 | 66 |
| Reisemåtevalg 2-28-284-5        | 120 | 66 |
| Reisemåtevalg 2-28-284-6        | 121 | 66 |
| Ferieland sommer 2-28-285-1     | 122 | 67 |
| Ferieland høst 2-28-285-2       | 123 | 67 |
| Ferieland vinter/p 2-28-285-3   | 124 | 67 |
| Bekymret Kunstst i mat 2-41-317 | 125 | 68 |
| Ikkekjøp mat m Kunstst 2-41-318 | 126 | 68 |
| Påstander om mat 2-41-319-1     | 127 | 68 |
| Påstander om mat 2-41-319-2     | 128 | 69 |
| Påstander om mat 2-41-319-3     | 129 | 69 |
| Påstander om mat 2-41-319-4     | 130 | 69 |
| Påstander om mat 2-41-319-5     | 131 | 70 |

|                                  |     |    |
|----------------------------------|-----|----|
| Påstander om mat 2-41-319-6      | 132 | 70 |
| Påstander om mat 2-41-319-7      | 133 | 70 |
| Påstander om mat 2-41-319-8      | 134 | 71 |
| Påstander om mat 2-41-319-9      | 135 | 71 |
| Gikk fottur i fjellet 2-29-288   | 136 | 71 |
| Fisket med flue/ sluk 2-29-288   | 137 | 72 |
| Fisket m snøre fra båt 2-29-288  | 138 | 72 |
| Besøkte bygdemuseum 2-29-288     | 139 | 72 |
| Besøkte bondegård 2-29-288       | 140 | 73 |
| Overnattet i DNT hytte 2-29-288  | 141 | 73 |
| Lekel.Badel.Fritidsp. 2-29-288   | 142 | 73 |
| Besøkte severdigheter 2-29-288   | 143 | 74 |
| Antall ferieaktiviteter          | 144 | 74 |
| Viktig: stort utvalg 2-51-335    | 145 | 74 |
| Viktig: god service 2-51-335     | 146 | 75 |
| Viktig: lave priser 2-51-335     | 147 | 75 |
| Viktig: gode varetilb 2-51-335   | 148 | 75 |
| Viktig: parkering 2-51-335       | 149 | 76 |
| Viktig: kyndig betj 2-51-335     | 150 | 76 |
| Viktig: gode ferskv 2-51-335     | 151 | 76 |
| Viktig: st utv frukt/gr 2-51-335 | 152 | 77 |
| Viktig: åpningstider 2-51-335    | 153 | 77 |
| Viktig: har det jeg øns2-51-335  | 154 | 77 |
| Viktig: ryddig plasser2-51-335   | 155 | 78 |
| Viktig: ligger i kjøps 2-51-335  | 156 | 78 |

Data Table=NM1991 Rapport 47 JMP5

**Distributions**

**FERIENATUR ØNSKE 2-29-289**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1479  | 0,51949 |
| 2     | 574   | 0,20162 |
| 3     | 406   | 0,14261 |
| 4     | 273   | 0,09589 |
| 5     | 115   | 0,04039 |
| Total | 2847  | 1,00000 |

5 Levels

**BESØKE I BYGDENORGE 2-29-290**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 393   | 0,13538 |
| 2     | 494   | 0,17017 |
| 3     | 692   | 0,23837 |
| 4     | 1324  | 0,45608 |
| Total | 2903  | 1,00000 |

4 Levels

**BONDE AVTALE 2-51-336**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1139  | 0,39195 |
| 2     | 1074  | 0,36958 |
| 3     | 693   | 0,23847 |
| Total | 2906  | 1,00000 |

3 Levels

**Distributions**

**KJØNN 1-19-P**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1445  | 0,49016 |
| 2     | 1503  | 0,50984 |
| Total | 2948  | 1,00000 |

2 Levels

**ALDER 1-19-A**




**Quantiles**

|        |          |        |
|--------|----------|--------|
| 100.0% | maximum  | 94,000 |
| 99.5%  |          | 84,255 |
| 97.5%  |          | 77,000 |
| 90.0%  |          | 67,000 |
| 75.0%  | quartile | 50,000 |
| 50.0%  | median   | 35,000 |
| 25.0%  | quartile | 25,000 |
| 10.0%  |          | 19,000 |
| 2.5%   |          | 16,000 |
| 0.5%   |          | 15,000 |
| 0.0%   | minimum  | 15,000 |

**Moments**

|                |           |
|----------------|-----------|
| Mean           | 38,885007 |
| Std Dev        | 17,447911 |
| Std Err Mean   | 0,321351  |
| upper 95% Mean | 39,515102 |
| lower 95% Mean | 38,254912 |
| N              | 2948      |

**HUSSTAND STILLING 1-19-B**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1133  | 0,38616 |
| 2     | 1259  | 0,42911 |
| 3     | 272   | 0,09271 |
| 4     | 190   | 0,06476 |
| 5     | 80    | 0,02727 |
| Total | 2934  | 1,00000 |

5 Levels

**#ARBEIDSTAKERE I HUSST 1-19-C**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 382   | 0,13051 |
| 1     | 935   | 0,31944 |
| 2     | 1311  | 0,44790 |
| 3     | 230   | 0,07858 |
| 4     | 60    | 0,02050 |
| 5     | 9     | 0,00307 |
| Total | 2927  | 1,00000 |

6 Levels

**Distributions**

**HUSSTAND INNT BRUTTO 1-19-D**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 125   | 0,04375 |
| 2     | 186   | 0,06510 |
| 3     | 165   | 0,05775 |
| 4     | 230   | 0,08050 |
| 5     | 322   | 0,11271 |
| 6     | 620   | 0,21701 |
| 7     | 523   | 0,18306 |
| 8     | 417   | 0,14596 |
| 9     | 74    | 0,02590 |
| 10    | 195   | 0,06825 |
| Total | 2857  | 1,00000 |

10 Levels

**PERSON INNT BRUTTO 1-19-E**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 613   | 0,21792 |
| 2     | 396   | 0,14077 |
| 3     | 261   | 0,09278 |
| 4     | 379   | 0,13473 |
| 5     | 435   | 0,15464 |
| 6     | 399   | 0,14184 |
| 7     | 94    | 0,03342 |
| 8     | 57    | 0,02026 |
| 9     | 80    | 0,02844 |
| 10    | 99    | 0,03519 |
| Total | 2813  | 1,00000 |

10 Levels

**EKTESKAPELIG STATUS 1-19-F**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1707  | 0,58121 |
| 2     | 866   | 0,29486 |
| 3     | 364   | 0,12394 |
| Total | 2937  | 1,00000 |

3 Levels

**Distributions**

**#PERSONER I HUSST 1-19-G**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 513   | 0,17544 |
| 2     | 872   | 0,29822 |
| 3     | 598   | 0,20451 |
| 4     | 626   | 0,21409 |
| 5     | 237   | 0,08105 |
| 6     | 59    | 0,02018 |
| 7     | 19    | 0,00650 |
| Total | 2924  | 1,00000 |

7 Levels

**#BARN TOT I HUSST 1-19-H**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1030  | 0,38577 |
| 1     | 682   | 0,25543 |
| 2     | 646   | 0,24195 |
| 3     | 243   | 0,09101 |
| 4     | 52    | 0,01948 |
| 5     | 11    | 0,00412 |
| 6     | 4     | 0,00150 |
| 8     | 2     | 0,00075 |
| Total | 2670  | 1,00000 |

8 Levels

**ARB HELTID/DELTID 1-19-J**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1279  | 0,44487 |
| 2     | 519   | 0,18052 |
| 3     | 119   | 0,04139 |
| 4     | 958   | 0,33322 |
| Total | 2875  | 1,00000 |

4 Levels

**Distributions**

**FORSØRGINGSSTATUS EGEN 1-19-K**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 420   | 0,14488 |
| 2     | 489   | 0,16868 |
| 3     | 264   | 0,09107 |
| 4     | 320   | 0,11038 |
| 5     | 171   | 0,05899 |
| 6     | 463   | 0,15971 |
| 7     | 99    | 0,03415 |
| 8     | 255   | 0,08796 |
| 9     | 232   | 0,08003 |
| 10    | 79    | 0,02725 |
| 11    | 107   | 0,03691 |
| Total | 2899  | 1,00000 |

11 Levels

**FORSØRGINGSSTATUS E/S 1-19-K**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 250   | 0,15033 |
| 2     | 403   | 0,24233 |
| 3     | 201   | 0,12087 |
| 4     | 197   | 0,11846 |
| 5     | 138   | 0,08298 |
| 6     | 52    | 0,03127 |
| 7     | 39    | 0,02345 |
| 8     | 135   | 0,08118 |
| 9     | 107   | 0,06434 |
| 10    | 75    | 0,04510 |
| 11    | 66    | 0,03969 |
| Total | 1663  | 1,00000 |

11 Levels

**NÆRING 1-20-L**



**Frequencies**


| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 450   | 0,15745 |
| 2     | 210   | 0,07348 |
| 3     | 136   | 0,04759 |
| 4     | 82    | 0,02869 |
| 5     | 308   | 0,10777 |
| 6     | 193   | 0,06753 |
| 7     | 68    | 0,02379 |
| 8     | 157   | 0,05493 |
| 9     | 162   | 0,05668 |
| 10    | 204   | 0,07138 |
| 11    | 888   | 0,31071 |
| Total | 2858  | 1,00000 |

11 Levels



**Distributions**

**OFF/ PRIV SEKTOR EGEN 1-20-M**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 817   | 0,35928 |
| 2     | 1109  | 0,48769 |
| 3     | 348   | 0,15303 |
| Total | 2274  | 1,00000 |

3 Levels

**OFF/ PRIV SEKTOR E/S 1-20-M**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 492   | 0,35912 |
| 2     | 705   | 0,51460 |
| 3     | 173   | 0,12628 |
| Total | 1370  | 1,00000 |

3 Levels

**UTDANNING EGEN 1-20-N**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 414   | 0,14125 |
| 2     | 680   | 0,23200 |
| 3     | 1092  | 0,37257 |
| 4     | 745   | 0,25418 |
| Total | 2931  | 1,00000 |

4 Levels

**Distributions**

**UTDANNING E/S 1-20-N**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 257   | 0,15680 |
| 2     | 397   | 0,24222 |
| 3     | 581   | 0,35448 |
| 4     | 404   | 0,24649 |
| Total | 1639  | 1,00000 |

4 Levels

**UNIV/ HØYSK. EKSAMEN 1-20-O**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 340   | 0,44329 |
| 2     | 410   | 0,53455 |
| 3     | 17    | 0,02216 |
| Total | 767   | 1,00000 |

3 Levels

**FARS UTDANNING 1-18-73**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1369  | 0,47207 |
| 2     | 520   | 0,17931 |
| 3     | 503   | 0,17345 |
| 4     | 396   | 0,13655 |
| 5     | 112   | 0,03862 |
| Total | 2900  | 1,00000 |

5 Levels

**Distributions**

**MORS UTDANNING 1-18-73**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1505  | 0,52058 |
| 2     | 663   | 0,22933 |
| 3     | 402   | 0,13905 |
| 4     | 229   | 0,07921 |
| 5     | 92    | 0,03182 |
| Total | 2891  | 1,00000 |

5 Levels

**HØYEST INNT I HUSSTAND 1-18-74**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1402  | 0,51639 |
| 2     | 1269  | 0,46740 |
| 3     | 44    | 0,01621 |
| Total | 2715  | 1,00000 |

3 Levels

**Har hytte ved sjøen 1-6-20**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2618  | 0,88806 |
| 1     | 330   | 0,11194 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**Har hytte på fjellet 1-6-20**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2559  | 0,86805 |
| 1     | 389   | 0,13195 |
| Total | 2948  | 1,00000 |

2 Levels

**Har hytte i innlandet 1-6-20**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2782  | 0,94369 |
| 1     | 166   | 0,05631 |
| Total | 2948  | 1,00000 |

2 Levels

**Har hytte 1-6-19**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2117  | 0,71811 |
| 1     | 831   | 0,28189 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**# HYTTEBESØK ÅRLIG 1-6-21**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 9     | 0,01110 |
| 1     | 264   | 0,32552 |
| 2     | 192   | 0,23674 |
| 3     | 179   | 0,22072 |
| 4     | 76    | 0,09371 |
| 5     | 91    | 0,11221 |
| Total | 811   | 1,00000 |

6 Levels

**# BILER I HUSSTANDEN 1-6-22**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1561  | 0,53422 |
| 2     | 726   | 0,24846 |
| 3     | 120   | 0,04107 |
| 4     | 39    | 0,01335 |
| 5     | 476   | 0,16290 |
| Total | 2922  | 1,00000 |

5 Levels

**Fridag bruk (1.v) 2-4-204**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1731  | 0,59423 |
| 2     | 762   | 0,26159 |
| 3     | 178   | 0,06111 |
| 4     | 101   | 0,03467 |
| 5     | 141   | 0,04840 |
| Total | 2913  | 1,00000 |

5 Levels

**Distributions**

**Fridag bruk (2.V) 2-4-205**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 961   | 0,33127 |
| 2     | 1019  | 0,35126 |
| 3     | 320   | 0,11031 |
| 4     | 240   | 0,08273 |
| 5     | 361   | 0,12444 |
| Total | 2901  | 1,00000 |

5 Levels

**BOSTEDSVALG 2-18-261**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 217   | 0,07590 |
| 2     | 549   | 0,19203 |
| 3     | 711   | 0,24869 |
| 4     | 882   | 0,30850 |
| 5     | 500   | 0,17489 |
| Total | 2859  | 1,00000 |

5 Levels

**BOSTEDSTYPE IDAG 2-19-262**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 354   | 0,12262 |
| 2     | 562   | 0,19467 |
| 3     | 510   | 0,17665 |
| 4     | 969   | 0,33564 |
| 5     | 492   | 0,17042 |
| Total | 2887  | 1,00000 |

5 Levels

**Distributions**

**ØNSKE OM REKKEHUS+? 2-19-263**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 918   | 0,31942 |
| 2     | 113   | 0,03932 |
| 3     | 714   | 0,24843 |
| 4     | 316   | 0,10995 |
| 5     | 813   | 0,28288 |
| Total | 2874  | 1,00000 |

5 Levels

**KOMMUNETYPE SSB**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 186   | 0,06309 |
| 2     | 269   | 0,09125 |
| 3     | 160   | 0,05427 |
| 4     | 63    | 0,02137 |
| 5     | 77    | 0,02612 |
| 6     | 379   | 0,12856 |
| 7     | 1093  | 0,37076 |
| 8     | 592   | 0,20081 |
| 9     | 129   | 0,04376 |
| Total | 2948  | 1,00000 |

9 Levels

**SESURBA**




**Quantiles**

|        |          |         |
|--------|----------|---------|
| 100.0% | maximum  | 404985  |
| 99.5%  |          | 404985  |
| 97.5%  |          | 354094  |
| 90.0%  |          | 354094  |
| 75.0%  | quartile | 234113  |
| 50.0%  | median   | 76066   |
| 25.0%  | quartile | -25833  |
| 10.0%  |          | -64938  |
| 2.5%   |          | -103760 |
| 0.5%   |          | -140251 |
| 0.0%   | minimum  | -172406 |

**Moments**

|                |           |
|----------------|-----------|
| Mean           | 108690,71 |
| Std Dev        | 152603,52 |
| Std Err Mean   | 2814,9116 |
| upper 95% Mean | 114210,11 |
| lower 95% Mean | 103171,31 |
| N              | 2939      |

**FAMILISM**



**Quantiles**


|        |          |         |
|--------|----------|---------|
| 100.0% | maximum  | 329547  |
| 99.5%  |          | 303205  |
| 97.5%  |          | 209967  |
| 90.0%  |          | 151970  |
| 75.0%  | quartile | 69440   |
| 50.0%  | median   | -12503  |
| 25.0%  | quartile | -53055  |
| 10.0%  |          | -229171 |
| 2.5%   |          | -229171 |
| 0.5%   |          | -229171 |
| 0.0%   | minimum  | -311541 |

**Moments**

|                |           |
|----------------|-----------|
| Mean           | -3936,755 |
| Std Dev        | 120344,97 |
| Std Err Mean   | 2219,873  |
| upper 95% Mean | 415,90969 |
| lower 95% Mean | -8289,419 |
| N              | 2939      |

**Distributions**


**DEPRIVAT**



| Quantiles |          |         |
|-----------|----------|---------|
| 100.0%    | maximum  | 233702  |
| 99.5%     |          | 190768  |
| 97.5%     |          | 149763  |
| 90.0%     |          | 119704  |
| 75.0%     | quartile | 100875  |
| 50.0%     | median   | 41883   |
| 25.0%     | quartile | -34414  |
| 10.0%     |          | -93755  |
| 2.5%      |          | -142006 |
| 0.5%      |          | -221232 |
| 0.0%      | minimum  | -281093 |

| Moments        |           |
|----------------|-----------|
| Mean           | 28305,932 |
| Std Dev        | 85419,282 |
| Std Err Mean   | 1575,6368 |
| upper 95% Mean | 31395,396 |
| lower 95% Mean | 25216,468 |
| N              | 2939      |


**MANUFACT**



| Quantiles |          |         |
|-----------|----------|---------|
| 100.0%    | maximum  | 308285  |
| 99.5%     |          | 275202  |
| 97.5%     |          | 200460  |
| 90.0%     |          | 144766  |
| 75.0%     | quartile | 63960   |
| 50.0%     | median   | -7754   |
| 25.0%     | quartile | -36384  |
| 10.0%     |          | -108673 |
| 2.5%      |          | -146940 |
| 0.5%      |          | -160855 |
| 0.0%      | minimum  | -176854 |

| Moments        |           |
|----------------|-----------|
| Mean           | 9054,5444 |
| Std Dev        | 88636,667 |
| Std Err Mean   | 1634,9844 |
| upper 95% Mean | 12260,376 |
| lower 95% Mean | 5848,7131 |
| N              | 2939      |


**AFFLUENC**



| Quantiles |          |         |
|-----------|----------|---------|
| 100.0%    | maximum  | 171290  |
| 99.5%     |          | 168138  |
| 97.5%     |          | 155918  |
| 90.0%     |          | 116592  |
| 75.0%     | quartile | 85445   |
| 50.0%     | median   | 40002   |
| 25.0%     | quartile | -2390   |
| 10.0%     |          | -59123  |
| 2.5%      |          | -127258 |
| 0.5%      |          | -238855 |
| 0.0%      | minimum  | -330498 |

| Moments        |           |
|----------------|-----------|
| Mean           | 35650,218 |
| Std Dev        | 73151,555 |
| Std Err Mean   | 1349,3474 |
| upper 95% Mean | 38295,98  |
| lower 95% Mean | 33004,456 |
| N              | 2939      |

**FECONOM**




| Quantiles |          |         |
|-----------|----------|---------|
| 100.0%    | maximum  | 282250  |
| 99.5%     |          | 211654  |
| 97.5%     |          | 172303  |
| 90.0%     |          | 172303  |
| 75.0%     | quartile | 84799   |
| 50.0%     | median   | 34231   |
| 25.0%     | quartile | -36930  |
| 10.0%     |          | -77836  |
| 2.5%      |          | -124824 |
| 0.5%      |          | -144101 |
| 0.0%      | minimum  | -249789 |

| Moments        |           |
|----------------|-----------|
| Mean           | 32984,83  |
| Std Dev        | 86875,38  |
| Std Err Mean   | 1602,4959 |
| upper 95% Mean | 36126,959 |
| lower 95% Mean | 29842,702 |
| N              | 2939      |



**Distributions**


**IND Helse**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 8,0000 |
| 90.0%     |          | 7,0000 |
| 75.0%     | quartile | 5,0000 |
| 50.0%     | median   | 4,0000 |
| 25.0%     | quartile | 2,0000 |
| 10.0%     |          | 1,0000 |
| 2.5%      |          | 0,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 4,0790366 |
| Std Dev        | 2,1190064 |
| Std Err Mean   | 0,0390273 |
| upper 95% Mean | 4,1555602 |
| lower 95% Mean | 4,0025131 |
| N              | 2948      |


**IND Fysisk form**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 11,000 |
| 99.5%     |          | 10,000 |
| 97.5%     |          | 9,000  |
| 90.0%     |          | 8,000  |
| 75.0%     | quartile | 7,000  |
| 50.0%     | median   | 6,000  |
| 25.0%     | quartile | 4,000  |
| 10.0%     |          | 3,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 5,660787  |
| Std Dev        | 2,0577666 |
| Std Err Mean   | 0,0378994 |
| upper 95% Mean | 5,735099  |
| lower 95% Mean | 5,586475  |
| N              | 2948      |


**IND Selvrealisering**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 18,000 |
| 99.5%     |          | 17,000 |
| 97.5%     |          | 16,000 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 9,000  |
| 25.0%     | quartile | 7,000  |
| 10.0%     |          | 5,000  |
| 2.5%      |          | 3,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 9,0861601 |
| Std Dev        | 3,4639113 |
| Std Err Mean   | 0,0637974 |
| upper 95% Mean | 9,2112521 |
| lower 95% Mean | 8,9610681 |
| N              | 2948      |

**IND Materialisme**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 14,255 |
| 97.5%     |          | 13,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 9,000  |
| 50.0%     | median   | 7,000  |
| 25.0%     | quartile | 5,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 7,1838535 |
| Std Dev        | 2,905499  |
| Std Err Mean   | 0,0535127 |
| upper 95% Mean | 7,2887795 |
| lower 95% Mean | 7,0789274 |
| N              | 2948      |

**Distributions**


**IND Felleskap**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 21,000 |
| 99.5%     |          | 20,000 |
| 97.5%     |          | 18,000 |
| 90.0%     |          | 17,000 |
| 75.0%     | quartile | 15,000 |
| 50.0%     | median   | 13,000 |
| 25.0%     | quartile | 11,000 |
| 10.0%     |          | 9,000  |
| 2.5%      |          | 6,000  |
| 0.5%      |          | 4,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 13,034261 |
| Std Dev        | 3,1409346 |
| Std Err Mean   | 0,0578489 |
| upper 95% Mean | 13,147689 |
| lower 95% Mean | 12,920832 |
| N              | 2948      |


**IND Natur**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 15,000 |
| 99.5%     |          | 15,000 |
| 97.5%     |          | 14,000 |
| 90.0%     |          | 13,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 10,000 |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 5,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 9,708616  |
| Std Dev        | 3,1278981 |
| Std Err Mean   | 0,0576088 |
| upper 95% Mean | 9,8215736 |
| lower 95% Mean | 9,5956584 |
| N              | 2948      |


**IND Religion**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 20,000 |
| 99.5%     |          | 20,000 |
| 97.5%     |          | 19,000 |
| 90.0%     |          | 12,000 |
| 75.0%     | quartile | 8,000  |
| 50.0%     | median   | 4,000  |
| 25.0%     | quartile | 2,000  |
| 10.0%     |          | 0,000  |
| 2.5%      |          | 0,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 5,6302578 |
| Std Dev        | 4,9819144 |
| Std Err Mean   | 0,0917556 |
| upper 95% Mean | 5,8101693 |
| lower 95% Mean | 5,4503463 |
| N              | 2948      |

**IND Nøysomhet/ Hedonisme**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 15,000 |
| 97.5%     |          | 13,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 10,000 |
| 50.0%     | median   | 8,000  |
| 25.0%     | quartile | 5,000  |
| 10.0%     |          | 3,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 7,5434193 |
| Std Dev        | 3,1392003 |
| Std Err Mean   | 0,057817  |
| upper 95% Mean | 7,656785  |
| lower 95% Mean | 7,4300535 |
| N              | 2948      |

**Distributions**


**IND Utseende**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 16,000 |
| 97.5%     |          | 15,000 |
| 90.0%     |          | 12,000 |
| 75.0%     | quartile | 10,000 |
| 50.0%     | median   | 8,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 3,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 8,3348033 |
| Std Dev        | 2,9893232 |
| Std Err Mean   | 0,0550566 |
| upper 95% Mean | 8,4427565 |
| lower 95% Mean | 8,22685   |
| N              | 2948      |


**IND Polysensualisme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 11,000 |
| 90.0%     |          | 10,000 |
| 75.0%     | quartile | 8,000  |
| 50.0%     | median   | 7,000  |
| 25.0%     | quartile | 5,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 6,6618046 |
| Std Dev        | 2,4143151 |
| Std Err Mean   | 0,0444662 |
| upper 95% Mean | 6,7489926 |
| lower 95% Mean | 6,5746166 |
| N              | 2948      |


**IND Forbruk/ Investering**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 16,000 |
| 97.5%     |          | 16,000 |
| 90.0%     |          | 15,000 |
| 75.0%     | quartile | 14,000 |
| 50.0%     | median   | 12,000 |
| 25.0%     | quartile | 10,000 |
| 10.0%     |          | 8,000  |
| 2.5%      |          | 6,000  |
| 0.5%      |          | 4,000  |
| 0.0%      | minimum  | 1,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 11,720488 |
| Std Dev        | 2,5908457 |
| Std Err Mean   | 0,0477175 |
| upper 95% Mean | 11,814052 |
| lower 95% Mean | 11,626925 |
| N              | 2948      |

**IND Tradisjoner/ Nyheter**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 9,000  |
| 50.0%     | median   | 8,000  |
| 25.0%     | quartile | 7,000  |
| 10.0%     |          | 5,000  |
| 2.5%      |          | 3,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 7,837517  |
| Std Dev        | 2,2801106 |
| Std Err Mean   | 0,0419945 |
| upper 95% Mean | 7,9198584 |
| lower 95% Mean | 7,7551755 |
| N              | 2948      |

**Distributions**


**IND Risiko/ Trygghet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 18,000 |
| 99.5%     |          | 18,000 |
| 97.5%     |          | 18,000 |
| 90.0%     |          | 16,000 |
| 75.0%     | quartile | 14,000 |
| 50.0%     | median   | 11,000 |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 5,000  |
| 2.5%      |          | 3,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 10,565807 |
| Std Dev        | 3,9755033 |
| Std Err Mean   | 0,0732198 |
| upper 95% Mean | 10,709374 |
| lower 95% Mean | 10,42224  |
| N              | 2948      |


**IND Pessimisme/ Optimisme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 15,000 |
| 99.5%     |          | 13,255 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 10,000 |
| 50.0%     | median   | 9,000  |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 6,000  |
| 2.5%      |          | 5,000  |
| 0.5%      |          | 3,000  |
| 0.0%      | minimum  | 1,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 8,7160787 |
| Std Dev        | 1,8567057 |
| Std Err Mean   | 0,0341963 |
| upper 95% Mean | 8,7831298 |
| lower 95% Mean | 8,6490276 |
| N              | 2948      |


**IND Spontanitet/ Rigiditet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 20,000 |
| 99.5%     |          | 17,000 |
| 97.5%     |          | 15,000 |
| 90.0%     |          | 13,000 |
| 75.0%     | quartile | 11,000 |
| 50.0%     | median   | 9,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 8,5976934 |
| Std Dev        | 3,5630377 |
| Std Err Mean   | 0,0656231 |
| upper 95% Mean | 8,7263651 |
| lower 95% Mean | 8,4690216 |
| N              | 2948      |

**IND Fornuft**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 11,000 |
| 97.5%     |          | 10,000 |
| 90.0%     |          | 8,000  |
| 75.0%     | quartile | 7,000  |
| 50.0%     | median   | 5,000  |
| 25.0%     | quartile | 4,000  |
| 10.0%     |          | 2,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 5,1319539 |
| Std Dev        | 2,3422522 |
| Std Err Mean   | 0,043139  |
| upper 95% Mean | 5,2165395 |
| lower 95% Mean | 5,0473683 |
| N              | 2948      |

**Distributions**


**IND Følelser**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 16,000 |
| 97.5%     |          | 16,000 |
| 90.0%     |          | 15,000 |
| 75.0%     | quartile | 13,000 |
| 50.0%     | median   | 12,000 |
| 25.0%     | quartile | 10,000 |
| 10.0%     |          | 8,000  |
| 2.5%      |          | 6,000  |
| 0.5%      |          | 4,745  |
| 0.0%      | minimum  | 1,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 11,466418 |
| Std Dev        | 2,3730528 |
| Std Err Mean   | 0,0437063 |
| upper 95% Mean | 11,552116 |
| lower 95% Mean | 11,38072  |
| N              | 2948      |


**IND Okkultisme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 10,000 |
| 75.0%     | quartile | 8,000  |
| 50.0%     | median   | 6,000  |
| 25.0%     | quartile | 4,000  |
| 10.0%     |          | 2,000  |
| 2.5%      |          | 0,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 6,0071235 |
| Std Dev        | 3,0548015 |
| Std Err Mean   | 0,0562625 |
| upper 95% Mean | 6,1174413 |
| lower 95% Mean | 5,8968056 |
| N              | 2948      |


**IND Ambisjonsmangel**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 13,000 |
| 99.5%     |          | 11,000 |
| 97.5%     |          | 10,000 |
| 90.0%     |          | 7,000  |
| 75.0%     | quartile | 6,000  |
| 50.0%     | median   | 4,000  |
| 25.0%     | quartile | 3,000  |
| 10.0%     |          | 1,000  |
| 2.5%      |          | 0,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 4,3151289 |
| Std Dev        | 2,3793768 |
| Std Err Mean   | 0,0438227 |
| upper 95% Mean | 4,4010552 |
| lower 95% Mean | 4,2292026 |
| N              | 2948      |

**IND Mobilitet**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 8,0000 |
| 90.0%     |          | 7,0000 |
| 75.0%     | quartile | 5,0000 |
| 50.0%     | median   | 4,0000 |
| 25.0%     | quartile | 2,0000 |
| 10.0%     |          | 1,0000 |
| 2.5%      |          | 0,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 3,5251018 |
| Std Dev        | 2,1410353 |
| Std Err Mean   | 0,039433  |
| upper 95% Mean | 3,6024208 |
| lower 95% Mean | 3,4477827 |
| N              | 2948      |

**Distributions**


**IND Egoisme/ Uselviskhet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 16,000 |
| 97.5%     |          | 15,000 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 10,000 |
| 25.0%     | quartile | 9,000  |
| 10.0%     |          | 7,000  |
| 2.5%      |          | 5,000  |
| 0.5%      |          | 4,000  |
| 0.0%      | minimum  | 1,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 10,305292 |
| Std Dev        | 2,4959579 |
| Std Err Mean   | 0,0459699 |
| upper 95% Mean | 10,395428 |
| lower 95% Mean | 10,215155 |
| N              | 2948      |


**IND Familie**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 15,000 |
| 97.5%     |          | 15,000 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 11,000 |
| 25.0%     | quartile | 9,000  |
| 10.0%     |          | 7,000  |
| 2.5%      |          | 6,000  |
| 0.5%      |          | 4,000  |
| 0.0%      | minimum  | 1,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 10,643826 |
| Std Dev        | 2,3840621 |
| Std Err Mean   | 0,043909  |
| upper 95% Mean | 10,729922 |
| lower 95% Mean | 10,557731 |
| N              | 2948      |


**IND Nærmiljø**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 10,000 |
| 50.0%     | median   | 9,000  |
| 25.0%     | quartile | 7,000  |
| 10.0%     |          | 5,000  |
| 2.5%      |          | 3,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 8,4352103 |
| Std Dev        | 2,4585209 |
| Std Err Mean   | 0,0452804 |
| upper 95% Mean | 8,5239947 |
| lower 95% Mean | 8,3464259 |
| N              | 2948      |

**IND Status**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 13,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 10,000 |
| 90.0%     |          | 7,000  |
| 75.0%     | quartile | 5,000  |
| 50.0%     | median   | 4,000  |
| 25.0%     | quartile | 2,000  |
| 10.0%     |          | 0,000  |
| 2.5%      |          | 0,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 3,8629579 |
| Std Dev        | 2,5815925 |
| Std Err Mean   | 0,0475471 |
| upper 95% Mean | 3,9561868 |
| lower 95% Mean | 3,7697291 |
| N              | 2948      |

**Distributions**


**IND Likestilling**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 12,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 10,000 |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 6,000  |
| 2.5%      |          | 3,725  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 9,4620081 |
| Std Dev        | 2,5365161 |
| Std Err Mean   | 0,0467169 |
| upper 95% Mean | 9,5536092 |
| lower 95% Mean | 9,3704071 |
| N              | 2948      |


**IND Intoleranse/ Toleranse**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 9,000  |
| 50.0%     | median   | 7,000  |
| 25.0%     | quartile | 5,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 7,1377205 |
| Std Dev        | 2,6761705 |
| Std Err Mean   | 0,049289  |
| upper 95% Mean | 7,2343649 |
| lower 95% Mean | 7,0410761 |
| N              | 2948      |


**IND Individualitet/ Konformisme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 20,000 |
| 99.5%     |          | 18,000 |
| 97.5%     |          | 16,000 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 10,000 |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 6,000  |
| 2.5%      |          | 4,000  |
| 0.5%      |          | 2,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 9,6923338 |
| Std Dev        | 3,1592688 |
| Std Err Mean   | 0,0581866 |
| upper 95% Mean | 9,8064242 |
| lower 95% Mean | 9,5782433 |
| N              | 2948      |

**IND Puritanisme**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 10,000 |
| 75.0%     | quartile | 8,000  |
| 50.0%     | median   | 6,000  |
| 25.0%     | quartile | 4,000  |
| 10.0%     |          | 2,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 5,9253731 |
| Std Dev        | 2,9535243 |
| Std Err Mean   | 0,0543972 |
| upper 95% Mean | 6,0320336 |
| lower 95% Mean | 5,8187127 |
| N              | 2948      |

**Distributions**


**IND Lovlydighet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 14,000 |
| 99.5%     |          | 14,000 |
| 97.5%     |          | 14,000 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 13,000 |
| 50.0%     | median   | 11,000 |
| 25.0%     | quartile | 9,000  |
| 10.0%     |          | 7,000  |
| 2.5%      |          | 5,000  |
| 0.5%      |          | 2,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 10,608887 |
| Std Dev        | 2,5331228 |
| Std Err Mean   | 0,0466544 |
| upper 95% Mean | 10,700366 |
| lower 95% Mean | 10,517409 |
| N              | 2948      |


**IND Tillitsfulhet/ Fryktsomhet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 8,0000 |
| 90.0%     |          | 7,0000 |
| 75.0%     | quartile | 5,0000 |
| 50.0%     | median   | 3,0000 |
| 25.0%     | quartile | 1,0000 |
| 10.0%     |          | 0,0000 |
| 2.5%      |          | 0,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 2,8493894 |
| Std Dev        | 2,3481453 |
| Std Err Mean   | 0,0432475 |
| upper 95% Mean | 2,9341878 |
| lower 95% Mean | 2,764591  |
| N              | 2948      |


**IND Avmakt/ Herredømme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 20,000 |
| 99.5%     |          | 19,000 |
| 97.5%     |          | 16,275 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 10,000 |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 6,000  |
| 2.5%      |          | 4,000  |
| 0.5%      |          | 2,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 10,308005 |
| Std Dev        | 3,1466978 |
| Std Err Mean   | 0,0579551 |
| upper 95% Mean | 10,421642 |
| lower 95% Mean | 10,194369 |
| N              | 2948      |

**IND Autoritet**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 20,000 |
| 99.5%     |          | 19,000 |
| 97.5%     |          | 18,000 |
| 90.0%     |          | 15,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 9,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 9,3076662 |
| Std Dev        | 4,2629052 |
| Std Err Mean   | 0,0785131 |
| upper 95% Mean | 9,4616122 |
| lower 95% Mean | 9,1537202 |
| N              | 2948      |



**Distributions**


**IND Romantikk**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 10,000 |
| 50.0%     | median   | 8,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,900  |
| 2.5%      |          | 3,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 7,6997965 |
| Std Dev        | 2,4266169 |
| Std Err Mean   | 0,0446928 |
| upper 95% Mean | 7,7874287 |
| lower 95% Mean | 7,6121642 |
| N              | 2948      |


**IND Nasjonalisme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,100 |
| 75.0%     | quartile | 11,000 |
| 50.0%     | median   | 9,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 8,3151289 |
| Std Dev        | 2,6799818 |
| Std Err Mean   | 0,0493592 |
| upper 95% Mean | 8,4119109 |
| lower 95% Mean | 8,2183469 |
| N              | 2948      |


**IND Ulikhet/ Likhet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 16,000 |
| 97.5%     |          | 16,000 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 10,000 |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 5,000  |
| 2.5%      |          | 3,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 10,040706 |
| Std Dev        | 3,3835826 |
| Std Err Mean   | 0,0623179 |
| upper 95% Mean | 10,162897 |
| lower 95% Mean | 9,9185145 |
| N              | 2948      |

**IND Industrivekst/ Miljøvern**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 10,000 |
| 50.0%     | median   | 8,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 7,7554274 |
| Std Dev        | 2,7268265 |
| Std Err Mean   | 0,050222  |
| upper 95% Mean | 7,8539011 |
| lower 95% Mean | 7,6569537 |
| N              | 2948      |

**Distributions**


**IND Kollektivisme/ Privatisme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 16,000 |
| 99.5%     |          | 16,000 |
| 97.5%     |          | 15,000 |
| 90.0%     |          | 13,000 |
| 75.0%     | quartile | 11,000 |
| 50.0%     | median   | 8,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 8,4864315 |
| Std Dev        | 3,4835625 |
| Std Err Mean   | 0,0641593 |
| upper 95% Mean | 8,6122331 |
| lower 95% Mean | 8,3606298 |
| N              | 2948      |


**IND Regulering/ Marked**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 11,000 |
| 90.0%     |          | 9,000  |
| 75.0%     | quartile | 8,000  |
| 50.0%     | median   | 6,000  |
| 25.0%     | quartile | 4,000  |
| 10.0%     |          | 3,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 6,0729308 |
| Std Dev        | 2,5222    |
| Std Err Mean   | 0,0464532 |
| upper 95% Mean | 6,1640148 |
| lower 95% Mean | 5,9818468 |
| N              | 2948      |


**IND Politikertillit**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 8,0000 |
| 90.0%     |          | 7,0000 |
| 75.0%     | quartile | 7,0000 |
| 50.0%     | median   | 3,0000 |
| 25.0%     | quartile | 0,0000 |
| 10.0%     |          | 0,0000 |
| 2.5%      |          | 0,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 3,7001357 |
| Std Dev        | 2,7755611 |
| Std Err Mean   | 0,0511196 |
| upper 95% Mean | 3,8003693 |
| lower 95% Mean | 3,599902  |
| N              | 2948      |

**IND Teknologi**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 12,000 |
| 90.0%     |          | 11,000 |
| 75.0%     | quartile | 10,000 |
| 50.0%     | median   | 8,000  |
| 25.0%     | quartile | 6,000  |
| 10.0%     |          | 4,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 7,6641791 |
| Std Dev        | 2,5808631 |
| Std Err Mean   | 0,0475337 |
| upper 95% Mean | 7,7573816 |
| lower 95% Mean | 7,5709766 |
| N              | 2948      |

**Distributions**


**IND Kunstprodukt/ Naturprodukt**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 11,000 |
| 90.0%     |          | 10,000 |
| 75.0%     | quartile | 8,000  |
| 50.0%     | median   | 6,000  |
| 25.0%     | quartile | 5,000  |
| 10.0%     |          | 3,000  |
| 2.5%      |          | 2,000  |
| 0.5%      |          | 1,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 6,3660109 |
| Std Dev        | 2,4119425 |
| Std Err Mean   | 0,0444225 |
| upper 95% Mean | 6,4531132 |
| lower 95% Mean | 6,2789085 |
| N              | 2948      |


**IND Reklameskepsis**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 20,000 |
| 99.5%     |          | 20,000 |
| 97.5%     |          | 19,000 |
| 90.0%     |          | 17,000 |
| 75.0%     | quartile | 15,000 |
| 50.0%     | median   | 13,000 |
| 25.0%     | quartile | 11,000 |
| 10.0%     |          | 9,000  |
| 2.5%      |          | 6,000  |
| 0.5%      |          | 4,000  |
| 0.0%      | minimum  | 1,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 12,747965 |
| Std Dev        | 3,1069467 |
| Std Err Mean   | 0,0572229 |
| upper 95% Mean | 12,860166 |
| lower 95% Mean | 12,635764 |
| N              | 2948      |


**IND Kosmopolitisme/ Lokalisme**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 12,000 |
| 99.5%     |          | 12,000 |
| 97.5%     |          | 11,000 |
| 90.0%     |          | 9,000  |
| 75.0%     | quartile | 7,000  |
| 50.0%     | median   | 5,000  |
| 25.0%     | quartile | 4,000  |
| 10.0%     |          | 2,000  |
| 2.5%      |          | 1,000  |
| 0.5%      |          | 0,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 5,3331072 |
| Std Dev        | 2,5339827 |
| Std Err Mean   | 0,0466702 |
| upper 95% Mean | 5,4246167 |
| lower 95% Mean | 5,2415976 |
| N              | 2948      |

**IND Tett/ Spredt**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 7,0000 |
| 90.0%     |          | 7,0000 |
| 75.0%     | quartile | 5,0000 |
| 50.0%     | median   | 4,0000 |
| 25.0%     | quartile | 2,0000 |
| 10.0%     |          | 1,0000 |
| 2.5%      |          | 0,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 3,7418589 |
| Std Dev        | 2,2179019 |
| Std Err Mean   | 0,0408487 |
| upper 95% Mean | 3,8219538 |
| lower 95% Mean | 3,6617639 |
| N              | 2948      |

**Distributions**


**IND Kameratskap**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 8,0000 |
| 90.0%     |          | 6,0000 |
| 75.0%     | quartile | 5,0000 |
| 50.0%     | median   | 4,0000 |
| 25.0%     | quartile | 2,0000 |
| 10.0%     |          | 1,0000 |
| 2.5%      |          | 1,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 3,8941655 |
| Std Dev        | 1,8685128 |
| Std Err Mean   | 0,0344138 |
| upper 95% Mean | 3,961643  |
| lower 95% Mean | 3,8266881 |
| N              | 2948      |


**IND Spill**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 8,0000 |
| 90.0%     |          | 8,0000 |
| 75.0%     | quartile | 7,0000 |
| 50.0%     | median   | 4,0000 |
| 25.0%     | quartile | 2,0000 |
| 10.0%     |          | 0,0000 |
| 2.5%      |          | 0,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 4,2788331 |
| Std Dev        | 2,6456102 |
| Std Err Mean   | 0,0487262 |
| upper 95% Mean | 4,3743738 |
| lower 95% Mean | 4,1832924 |
| N              | 2948      |


**IND Lojalitet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 8,0000 |
| 99.5%     |          | 8,0000 |
| 97.5%     |          | 8,0000 |
| 90.0%     |          | 7,0000 |
| 75.0%     | quartile | 6,0000 |
| 50.0%     | median   | 4,0000 |
| 25.0%     | quartile | 4,0000 |
| 10.0%     |          | 2,0000 |
| 2.5%      |          | 1,0000 |
| 0.5%      |          | 0,0000 |
| 0.0%      | minimum  | 0,0000 |

| Moments        |           |
|----------------|-----------|
| Mean           | 4,4511533 |
| Std Dev        | 1,8321087 |
| Std Err Mean   | 0,0337433 |
| upper 95% Mean | 4,5173161 |
| lower 95% Mean | 4,3849905 |
| N              | 2948      |

**IND Frihet**




| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 24,000 |
| 99.5%     |          | 23,000 |
| 97.5%     |          | 21,000 |
| 90.0%     |          | 19,000 |
| 75.0%     | quartile | 18,000 |
| 50.0%     | median   | 16,000 |
| 25.0%     | quartile | 13,000 |
| 10.0%     |          | 11,000 |
| 2.5%      |          | 9,000  |
| 0.5%      |          | 6,000  |
| 0.0%      | minimum  | 4,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 15,472524 |
| Std Dev        | 3,1718549 |
| Std Err Mean   | 0,0584184 |
| upper 95% Mean | 15,587069 |
| lower 95% Mean | 15,357979 |
| N              | 2948      |

**Distributions**


**IND Solidaritet**



| Quantiles |          |        |
|-----------|----------|--------|
| 100.0%    | maximum  | 19,000 |
| 99.5%     |          | 18,000 |
| 97.5%     |          | 16,000 |
| 90.0%     |          | 14,000 |
| 75.0%     | quartile | 12,000 |
| 50.0%     | median   | 10,000 |
| 25.0%     | quartile | 8,000  |
| 10.0%     |          | 6,000  |
| 2.5%      |          | 4,000  |
| 0.5%      |          | 2,000  |
| 0.0%      | minimum  | 0,000  |

| Moments        |           |
|----------------|-----------|
| Mean           | 10,007802 |
| Std Dev        | 2,9911543 |
| Std Err Mean   | 0,0550903 |
| upper 95% Mean | 10,115821 |
| lower 95% Mean | 9,8997825 |
| N              | 2948      |


**Enig/ uenig 1-9-50-1**



| Frequencies |       |         |
|-------------|-------|---------|
| Level       | Count | Prob    |
| 1           | 161   | 0,05471 |
| 2           | 342   | 0,11621 |
| 3           | 1418  | 0,48182 |
| 4           | 1004  | 0,34115 |
| 5           | 18    | 0,00612 |
| Total       | 2943  | 1,00000 |

5 Levels


**Enig/ uenig 1-9-50-2**



| Frequencies |       |         |
|-------------|-------|---------|
| Level       | Count | Prob    |
| 1           | 426   | 0,14519 |
| 2           | 535   | 0,18234 |
| 3           | 971   | 0,33095 |
| 4           | 933   | 0,31800 |
| 5           | 69    | 0,02352 |
| Total       | 2934  | 1,00000 |

5 Levels

**Enig/ uenig 1-9-50-3**




| Frequencies |       |         |
|-------------|-------|---------|
| Level       | Count | Prob    |
| 1           | 301   | 0,10301 |
| 2           | 434   | 0,14853 |
| 3           | 1173  | 0,40144 |
| 4           | 926   | 0,31691 |
| 5           | 88    | 0,03012 |
| Total       | 2922  | 1,00000 |

5 Levels

**Distributions**

**Enig/ uenig 1-9-50-4**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 107   | 0,03648 |
| 2     | 164   | 0,05592 |
| 3     | 911   | 0,31060 |
| 4     | 1661  | 0,56631 |
| 5     | 90    | 0,03069 |
| Total | 2933  | 1,00000 |

5 Levels

**Enig/ uenig 1-9-50-5**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 301   | 0,10259 |
| 2     | 421   | 0,14349 |
| 3     | 710   | 0,24199 |
| 4     | 1437  | 0,48978 |
| 5     | 65    | 0,02215 |
| Total | 2934  | 1,00000 |

5 Levels

**Enig/ uenig 1-9-50-9**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 356   | 0,12146 |
| 2     | 623   | 0,21256 |
| 3     | 997   | 0,34016 |
| 4     | 892   | 0,30433 |
| 5     | 63    | 0,02149 |
| Total | 2931  | 1,00000 |

5 Levels

**Distributions**

**Enig/ uenig 1-9-50-10**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 49    | 0,01667 |
| 2     | 189   | 0,06431 |
| 3     | 998   | 0,33957 |
| 4     | 1649  | 0,56108 |
| 5     | 54    | 0,01837 |
| Total | 2939  | 1,00000 |

5 Levels

**Enig/ uenig 1-9-50-13**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 208   | 0,07106 |
| 2     | 523   | 0,17868 |
| 3     | 1169  | 0,39939 |
| 4     | 843   | 0,28801 |
| 5     | 184   | 0,06286 |
| Total | 2927  | 1,00000 |

5 Levels

**Valg av A el B 1-10-51-1**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1709  | 0,58189 |
| 2     | 539   | 0,18352 |
| 3     | 153   | 0,05209 |
| 4     | 259   | 0,08819 |
| 5     | 277   | 0,09431 |
| Total | 2937  | 1,00000 |

5 Levels

**Distributions**

**Valg av A el B 1-10-51-2**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 959   | 0,32675 |
| 2     | 373   | 0,12709 |
| 3     | 234   | 0,07973 |
| 4     | 353   | 0,12027 |
| 5     | 1016  | 0,34617 |
| Total | 2935  | 1,00000 |

5 Levels

**Valg av A el B 1-10-51-5**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1026  | 0,35017 |
| 2     | 304   | 0,10375 |
| 3     | 185   | 0,06314 |
| 4     | 336   | 0,11468 |
| 5     | 1079  | 0,36826 |
| Total | 2930  | 1,00000 |

5 Levels

**Utnytte/ verne natur 1-10-52**



**Frequencies**


| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1602  | 0,54583 |
| 2     | 393   | 0,13390 |
| 3     | 217   | 0,07394 |
| 4     | 342   | 0,11652 |
| 5     | 381   | 0,12981 |
| Total | 2935  | 1,00000 |

5 Levels



**Distributions**

**Enig / uenig 1-11-53-5**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1150  | 0,39196 |
| 2     | 400   | 0,13633 |
| 3     | 624   | 0,21268 |
| 4     | 687   | 0,23415 |
| 5     | 73    | 0,02488 |
| Total | 2934  | 1,00000 |

5 Levels

**Enig / uenig 1-11-53-10**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 261   | 0,08878 |
| 2     | 560   | 0,19048 |
| 3     | 978   | 0,33265 |
| 4     | 1090  | 0,37075 |
| 5     | 51    | 0,01735 |
| Total | 2940  | 1,00000 |

5 Levels

**Enig/ uenig 1-13-58-8**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 223   | 0,07611 |
| 2     | 269   | 0,09181 |
| 3     | 822   | 0,28055 |
| 4     | 1562  | 0,53311 |
| 5     | 54    | 0,01843 |
| Total | 2930  | 1,00000 |

5 Levels

**Distributions**

**Enig/ uenig 1-13-58-23**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 379   | 0,12904 |
| 2     | 585   | 0,19918 |
| 3     | 1004  | 0,34185 |
| 4     | 927   | 0,31563 |
| 5     | 42    | 0,01430 |
| Total | 2937  | 1,00000 |

5 Levels

**Enig/ uenig 2-1-201-1**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 268   | 0,09191 |
| 2     | 671   | 0,23011 |
| 3     | 1377  | 0,47222 |
| 4     | 584   | 0,20027 |
| 5     | 16    | 0,00549 |
| Total | 2916  | 1,00000 |

5 Levels

**Enig/ uenig 2-1-201-2**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 159   | 0,05443 |
| 2     | 374   | 0,12804 |
| 3     | 1361  | 0,46594 |
| 4     | 981   | 0,33584 |
| 5     | 46    | 0,01575 |
| Total | 2921  | 1,00000 |

5 Levels

**Distributions**

**Enig/ uenig 2-1-201-8**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1480  | 0,50772 |
| 2     | 875   | 0,30017 |
| 3     | 419   | 0,14374 |
| 4     | 109   | 0,03739 |
| 5     | 32    | 0,01098 |
| Total | 2915  | 1,00000 |

5 Levels

**Enig/ uenig 2-1-201-26**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 569   | 0,19573 |
| 2     | 557   | 0,19161 |
| 3     | 672   | 0,23117 |
| 4     | 1049  | 0,36085 |
| 5     | 60    | 0,02064 |
| Total | 2907  | 1,00000 |

5 Levels

**Enig/ uenig 2-1-201-60**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 344   | 0,11825 |
| 2     | 673   | 0,23135 |
| 3     | 1223  | 0,42042 |
| 4     | 631   | 0,21691 |
| 5     | 38    | 0,01306 |
| Total | 2909  | 1,00000 |

5 Levels

**Distributions**

**Enig/ uenig 2-1-201-77**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 664   | 0,22992 |
| 2     | 811   | 0,28082 |
| 3     | 869   | 0,30090 |
| 4     | 451   | 0,15616 |
| 5     | 93    | 0,03220 |
| Total | 2888  | 1,00000 |

5 Levels

**Stemmer med min men 2-8-226-7**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 488   | 0,16828 |
| 2     | 752   | 0,25931 |
| 3     | 1159  | 0,39966 |
| 4     | 501   | 0,17276 |
| Total | 2900  | 1,00000 |

4 Levels

**Stemmer med min men 2-8-226-14**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 346   | 0,11898 |
| 2     | 778   | 0,26754 |
| 3     | 1226  | 0,42160 |
| 4     | 558   | 0,19188 |
| Total | 2908  | 1,00000 |

4 Levels

**Distributions**

**Reisemåtevalg 2-28-284-1**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 925   | 0,32433 |
| 2     | 1210  | 0,42426 |
| 3     | 519   | 0,18198 |
| 4     | 133   | 0,04663 |
| 5     | 65    | 0,02279 |
| Total | 2852  | 1,00000 |

5 Levels

**Reisemåtevalg 2-28-284-2**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1349  | 0,46824 |
| 2     | 1171  | 0,40646 |
| 3     | 246   | 0,08539 |
| 4     | 59    | 0,02048 |
| 5     | 56    | 0,01944 |
| Total | 2881  | 1,00000 |

5 Levels

**Reisemåtevalg 2-28-284-3**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1063  | 0,37311 |
| 2     | 1183  | 0,41523 |
| 3     | 453   | 0,15900 |
| 4     | 92    | 0,03229 |
| 5     | 58    | 0,02036 |
| Total | 2849  | 1,00000 |

5 Levels

**Distributions**

**Reisemåtevalg 2-28-284-4**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 545   | 0,19136 |
| 2     | 970   | 0,34059 |
| 3     | 956   | 0,33567 |
| 4     | 325   | 0,11412 |
| 5     | 52    | 0,01826 |
| Total | 2848  | 1,00000 |

5 Levels

**Reisemåtevalg 2-28-284-5**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 796   | 0,28008 |
| 2     | 1277  | 0,44933 |
| 3     | 546   | 0,19212 |
| 4     | 154   | 0,05419 |
| 5     | 69    | 0,02428 |
| Total | 2842  | 1,00000 |

5 Levels

**Reisemåtevalg 2-28-284-6**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 387   | 0,13660 |
| 2     | 772   | 0,27250 |
| 3     | 1135  | 0,40064 |
| 4     | 468   | 0,16520 |
| 5     | 71    | 0,02506 |
| Total | 2833  | 1,00000 |

5 Levels

**Distributions**

**Ferieland sommer 2-28-285-1**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1499  | 0,51477 |
| 2     | 197   | 0,06765 |
| 3     | 676   | 0,23214 |
| 4     | 308   | 0,10577 |
| 5     | 232   | 0,07967 |
| Total | 2912  | 1,00000 |

5 Levels

**Ferieland høst 2-28-285-2**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 952   | 0,34443 |
| 2     | 164   | 0,05933 |
| 3     | 91    | 0,03292 |
| 4     | 727   | 0,26302 |
| 5     | 830   | 0,30029 |
| Total | 2764  | 1,00000 |

5 Levels

**Ferieland vinter/p 2-28-285-3**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 1381  | 0,49128 |
| 2     | 119   | 0,04233 |
| 3     | 90    | 0,03202 |
| 4     | 759   | 0,27001 |
| 5     | 462   | 0,16435 |
| Total | 2811  | 1,00000 |

5 Levels

**Distributions**

**Bekymret Kunstst i mat 2-41-317**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 396   | 0,13627 |
| 2     | 1394  | 0,47970 |
| 3     | 1116  | 0,38403 |
| Total | 2906  | 1,00000 |

3 Levels

**Ikkekjøp mat m Kunstst 2-41-318**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 289   | 0,09924 |
| 2     | 1413  | 0,48523 |
| 3     | 1210  | 0,41552 |
| Total | 2912  | 1,00000 |

3 Levels

**Påstander om mat 2-41-319-1**



**Frequencies**


| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 93    | 0,03198 |
| 2     | 223   | 0,07669 |
| 3     | 1397  | 0,48040 |
| 4     | 1152  | 0,39615 |
| 5     | 43    | 0,01479 |
| Total | 2908  | 1,00000 |

5 Levels



**Distributions**

**Påstander om mat 2-41-319-2**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 487   | 0,16770 |
| 2     | 786   | 0,27066 |
| 3     | 1157  | 0,39842 |
| 4     | 348   | 0,11983 |
| 5     | 126   | 0,04339 |
| Total | 2904  | 1,00000 |

5 Levels

**Påstander om mat 2-41-319-3**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 183   | 0,06304 |
| 2     | 411   | 0,14158 |
| 3     | 1319  | 0,45436 |
| 4     | 897   | 0,30899 |
| 5     | 93    | 0,03204 |
| Total | 2903  | 1,00000 |

5 Levels

**Påstander om mat 2-41-319-4**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 766   | 0,26634 |
| 2     | 680   | 0,23644 |
| 3     | 707   | 0,24583 |
| 4     | 427   | 0,14847 |
| 5     | 296   | 0,10292 |
| Total | 2876  | 1,00000 |

5 Levels

**Distributions**

**Påstander om mat 2-41-319-5**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 206   | 0,07128 |
| 2     | 337   | 0,11661 |
| 3     | 1240  | 0,42907 |
| 4     | 971   | 0,33599 |
| 5     | 136   | 0,04706 |
| Total | 2890  | 1,00000 |

5 Levels

**Påstander om mat 2-41-319-6**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 545   | 0,18806 |
| 2     | 1057  | 0,36473 |
| 3     | 964   | 0,33264 |
| 4     | 161   | 0,05556 |
| 5     | 171   | 0,05901 |
| Total | 2898  | 1,00000 |

5 Levels

**Påstander om mat 2-41-319-7**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 673   | 0,23263 |
| 2     | 1003  | 0,34670 |
| 3     | 1038  | 0,35880 |
| 4     | 135   | 0,04666 |
| 5     | 44    | 0,01521 |
| Total | 2893  | 1,00000 |

5 Levels

**Distributions**

**Påstander om mat 2-41-319-8**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 209   | 0,07187 |
| 2     | 583   | 0,20048 |
| 3     | 1263  | 0,43432 |
| 4     | 807   | 0,27751 |
| 5     | 46    | 0,01582 |
| Total | 2908  | 1,00000 |

5 Levels

**Påstander om mat 2-41-319-9**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 1     | 497   | 0,17173 |
| 2     | 736   | 0,25432 |
| 3     | 797   | 0,27540 |
| 4     | 385   | 0,13303 |
| 5     | 479   | 0,16551 |
| Total | 2894  | 1,00000 |

5 Levels

**Gikk fottur i fjellet 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2189  | 0,74254 |
| 1     | 759   | 0,25746 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**Fisket med flue/ sluk 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2342  | 0,79444 |
| 1     | 606   | 0,20556 |
| Total | 2948  | 1,00000 |

2 Levels

**Fisket m snøre fra båt 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2127  | 0,72151 |
| 1     | 821   | 0,27849 |
| Total | 2948  | 1,00000 |

2 Levels

**Besøkte bygdemuseum 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2591  | 0,87890 |
| 1     | 357   | 0,12110 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**Besøkte bondegård 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2855  | 0,96845 |
| 1     | 93    | 0,03155 |
| Total | 2948  | 1,00000 |

2 Levels

**Overnattet i DNT hytte 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2848  | 0,96608 |
| 1     | 100   | 0,03392 |
| Total | 2948  | 1,00000 |

2 Levels

**Lekel.Badel.Fritidsp. 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2135  | 0,72422 |
| 1     | 813   | 0,27578 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**Besøkte severdigheter 2-29-288**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1796  | 0,60923 |
| 1     | 1152  | 0,39077 |
| Total | 2948  | 1,00000 |

2 Levels

**Antall ferieaktiviteter**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 507   | 0,17198 |
| 1     | 1063  | 0,36058 |
| 2     | 781   | 0,26493 |
| 3     | 389   | 0,13195 |
| 4     | 152   | 0,05156 |
| 5     | 42    | 0,01425 |
| 6     | 9     | 0,00305 |
| 7     | 3     | 0,00102 |
| 8     | 2     | 0,00068 |
| Total | 2948  | 1,00000 |

9 Levels

**Viktig: stort utvalg 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2130  | 0,72252 |
| 1     | 818   | 0,27748 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**Viktig: god sevice 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1441  | 0,48881 |
| 1     | 1507  | 0,51119 |
| Total | 2948  | 1,00000 |

2 Levels

**Viktig: lave priser 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 930   | 0,31547 |
| 1     | 2018  | 0,68453 |
| Total | 2948  | 1,00000 |

2 Levels

**Viktig: gode varetilb 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1676  | 0,56852 |
| 1     | 1272  | 0,43148 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**Viktig: parkering 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1928  | 0,65400 |
| 1     | 1020  | 0,34600 |
| Total | 2948  | 1,00000 |

2 Levels

**Viktig: kyndig betj 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2461  | 0,83480 |
| 1     | 487   | 0,16520 |
| Total | 2948  | 1,00000 |

2 Levels

**Viktig: gode ferskv 2-51-335**



**Frequencies**


| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1111  | 0,37687 |
| 1     | 1837  | 0,62313 |
| Total | 2948  | 1,00000 |

2 Levels



**Distributions**

**Viktig:st utv frukt/gr 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1559  | 0,52883 |
| 1     | 1389  | 0,47117 |
| Total | 2948  | 1,00000 |

2 Levels

**Viktig: åpningstider 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1322  | 0,44844 |
| 1     | 1626  | 0,55156 |
| Total | 2948  | 1,00000 |

2 Levels

**Viktig: har det jeg ønsker 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2348  | 0,79647 |
| 1     | 600   | 0,20353 |
| Total | 2948  | 1,00000 |

2 Levels

**Distributions**

**Viktig: ryddig plasser 2-51-335**




**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 1583  | 0,53697 |
| 1     | 1365  | 0,46303 |
| Total | 2948  | 1,00000 |

2 Levels

**Viktig: ligger i kjøps 2-51-335**



**Frequencies**

| Level | Count | Prob    |
|-------|-------|---------|
| 0     | 2552  | 0,86567 |
| 1     | 396   | 0,13433 |
| Total | 2948  | 1,00000 |

2 Levels

## **DEL 3**

### **KRYSSABELLERING AV «FERIENATUR ØNSKE» MOT RESTEN AV VARIABLANE**

## KRYSSTABELLERING AV «FERIENATUR ØNSKE» MOT RESTEN AV VARIABLANE

| Variabel namn <sup>1</sup>     | Tabell nr | Side |
|--------------------------------|-----------|------|
| FERIENATUR ØNSKE 2-29-289      |           |      |
| BESØKE I BYGDENORGE 2-29-290   | 1         | 85   |
| BONDE AVTALE 2-51-336          | 2         | 86   |
| KJØNN 1-20-P                   | 3         | 87   |
| ALDER 1-19-A                   | 4         | 88   |
| HUSSTAND STILLING 1-19-B       | 5         | 89   |
| #ARBEIDSTAKERE I HUSST 1-19-C  | 6         | 90   |
| HUSSTAND INNT BRUTTO 1-19-D    | 7         | 91   |
| PERSON INNT BRUTTO 1-19-E      | 8         | 92   |
| EKTESKAPELIG STATUS 1-19-F     | 9         | 93   |
| #PERSONER I HUSST 1-19-G       | 10        | 94   |
| #BARN TOT I HUSST 1-19-H       | 11        | 95   |
| ARB HELTID/DELTID 1-19-J       | 12        | 96   |
| FORSØRGINGSSTATUS EGEN 1-19-K  | 13        | 97   |
| FORSØRGINGSSTATUS E/S 1-19-K   | 14        | 98   |
| NÆRING 1-20-L                  | 15        | 99   |
| OFF/ PRIV SEKTOR EGEN 1-20-M   | 16        | 100  |
| OFF/ PRIV SEKTOR E/S 1-20-M    | 17        | 101  |
| UTDANNING EGEN 1-20-N          | 18        | 102  |
| UTDANNING E/S 1-20-N           | 19        | 103  |
| UNIV/ HØYSK. EKSAMEN 1-20-O    | 20        | 104  |
| FARS UTDANNING 1-18-73         | 21        | 105  |
| MORS UTDANNING 1-18-73         | 22        | 106  |
| HØYEST INNT I HUSSTAND 1-18-74 | 23        | 107  |
| Har hytte ved sjøen 1-6-20     | 24        | 108  |
| Har hytte på fjellet 1-6-20    | 25        | 109  |
| Har hytte i innlandet 1-6-20   | 26        | 110  |
| Har hytte 1-6-19               | 27        | 111  |

<sup>1</sup> Tallkode bak variabelnamnet:: nn-xx-zz = skjema nr - side i skjema - spørsmål nr - i MMI sin dokumentasjon av Norsk Monitor 1991

|                              |    |     |
|------------------------------|----|-----|
| # HYTTEBESØK ÅRLIG 1-6-21    | 28 | 112 |
| # BILER I HUSSTANDEN 1-6-22  | 29 | 113 |
| Fridag bruk (1.v) 2-4-204    | 30 | 114 |
| Fridag bruk (2.V) 2-4-205    | 31 | 115 |
| BOSTEDSVALG 2-18-261         | 32 | 116 |
| BOSTEDSTYPE IDAG 2-19-262    | 33 | 117 |
| ØNSKE OM REKKEHUS+? 2-19-263 | 34 | 118 |
| KOMMUNETYPE SSB              | 35 | 119 |
| SESURBA                      | 36 | 120 |
| FAMILISM                     | 37 | 121 |
| DEPRIVAT                     | 38 | 122 |
| MANUFACT                     | 39 | 123 |
| AFFLUENC                     | 40 | 124 |
| FECONOM                      | 41 | 125 |
| IND Helse                    | 42 | 126 |
| IND Fysisk form              | 43 | 127 |
| IND Selvrealisering          | 44 | 128 |
| IND Materialisme             | 45 | 129 |
| IND Fellesskap               | 46 | 130 |
| IND Natur                    | 47 | 131 |
| IND Religion                 | 48 | 132 |
| IND Nøysomhet/ Hedonisme     | 49 | 133 |
| IND Utseende                 | 50 | 134 |
| IND Polysensualisme          | 51 | 135 |
| IND Forbruk/ Investering     | 52 | 136 |
| IND Tradisjoner/ Nyheter     | 53 | 137 |
| IND Risiko/ Trygghet         | 54 | 138 |
| IND Pessimisme/ Optimisme    | 55 | 139 |
| IND Spontanitet/ Rigiditet   | 56 | 140 |
| IND Fornuft                  | 57 | 141 |
| IND Følelser                 | 58 | 142 |
| IND Okkultisme               | 59 | 143 |
| IND Ambisjonsmangel          | 60 | 144 |
| IND Mobilitet                | 61 | 145 |

|                                 |    |     |
|---------------------------------|----|-----|
| IND Egoisme/ Uselviskhet        | 62 | 146 |
| IND Familie                     | 63 | 147 |
| IND Nærmiljø                    | 64 | 148 |
| IND Status                      | 65 | 149 |
| IND Likestilling                | 66 | 150 |
| IND Intoleranse/ Toleranse      | 67 | 151 |
| IND Individualitet/ Konformisme | 68 | 152 |
| IND Puritanisme                 | 69 | 153 |
| IND Lovlydighet                 | 70 | 154 |
| IND Tillitsfullhet/ Fryktsomhet | 71 | 155 |
| IND Avmakt/ Herredømme          | 72 | 156 |
| IND Autoritet                   | 73 | 157 |
| IND Romantikk                   | 74 | 158 |
| IND Nasjonalisme                | 75 | 159 |
| IND Ulikhet/ Likhet             | 76 | 160 |
| IND Industrivekst/ Miljøvern    | 77 | 161 |
| IND Kollektivism/ Privatisme    | 78 | 162 |
| IND Regulering/ Marked          | 79 | 163 |
| IND Politikertillit             | 80 | 164 |
| IND Teknologi                   | 81 | 165 |
| IND Kunstprodukt/ Naturprodukt  | 82 | 166 |
| IND Reklameskepsis              | 83 | 167 |
| IND Kosmopolitisme/ Lokalisme   | 84 | 168 |
| IND Tett/ Spredt                | 85 | 169 |
| IND Kameratskap                 | 86 | 170 |
| IND Spill                       | 87 | 171 |
| IND Lojalitet                   | 88 | 172 |
| IND Frihet                      | 89 | 173 |
| IND Solidaritet                 | 90 | 174 |
| Enig/ uenig 1-9-50-1            | 91 | 175 |
| Enig/ uenig 1-9-50-2            | 92 | 176 |
| Enig/ uenig 1-9-50-3            | 93 | 177 |
| Enig/ uenig 1-9-50-4            | 94 | 178 |
| Enig/ uenig 1-9-50-5            | 95 | 179 |

|                                 |     |     |
|---------------------------------|-----|-----|
| Enig/ uenig 1-9-50-9            | 96  | 180 |
| Enig/ uenig 1-9-50-10           | 97  | 181 |
| Enig/ uenig 1-9-50-13           | 98  | 182 |
| Valg av A el B 1-10-51-1        | 99  | 183 |
| Valg av A el B 1-10-51-2        | 100 | 184 |
| Valg av A el B 1-10-51-5        | 101 | 185 |
| Utnytte/ verne natur 1-10-52    | 102 | 186 |
| Enig / uenig 1-11-53-5          | 103 | 187 |
| Enig / uenig 1-11-53-10         | 104 | 188 |
| Enig/ uenig 1-13-58-8           | 105 | 189 |
| Enig/ uenig 1-13-58-23          | 106 | 190 |
| Enig/ uenig 2-1-201-1           | 107 | 191 |
| Enig/ uenig 2-1-201-2           | 108 | 192 |
| Enig/ uenig 2-1-201-8           | 109 | 193 |
| Enig/ uenig 2-1-201-26          | 110 | 194 |
| Enig/ uenig 2-1-201-60          | 111 | 195 |
| Enig/ uenig 2-1-201-77          | 112 | 196 |
| Stemmer med min men 2-8-226-7   | 113 | 197 |
| Stemmer med min men 2-8-226-14  | 114 | 198 |
| Reisemåtevalg 2-28-284-1        | 115 | 199 |
| Reisemåtevalg 2-28-284-2        | 116 | 200 |
| Reisemåtevalg 2-28-284-3        | 117 | 201 |
| Reisemåtevalg 2-28-284-4        | 118 | 202 |
| Reisemåtevalg 2-28-284-5        | 119 | 203 |
| Reisemåtevalg 2-28-284-6        | 120 | 204 |
| Ferieland sommer 2-28-285-1     | 121 | 205 |
| Ferieland høst 2-28-285-2       | 122 | 206 |
| Ferieland vinter/p 2-28-285-3   | 123 | 207 |
| Bekymret Kunstst i mat 2-41-317 | 124 | 208 |
| Ikkekjøp mat m Kunstst 2-41-318 | 125 | 209 |
| Påstander om mat 2-41-319-1     | 126 | 210 |
| Påstander om mat 2-41-319-2     | 127 | 211 |
| Påstander om mat 2-41-319-3     | 128 | 212 |
| Påstander om mat 2-41-319-4     | 129 | 213 |


|                                  |     |     |
|----------------------------------|-----|-----|
| Påstander om mat 2-41-319-5      | 130 | 214 |
| Påstander om mat 2-41-319-6      | 131 | 215 |
| Påstander om mat 2-41-319-7      | 132 | 216 |
| Påstander om mat 2-41-319-8      | 133 | 217 |
| Påstander om mat 2-41-319-9      | 134 | 218 |
| Gikk fottur i fjellet 2-29-288   | 135 | 219 |
| Fisket med flue/ sluk 2-29-288   | 136 | 220 |
| Fisket m snøre fra båt 2-29-288  | 137 | 221 |
| Besøkte bygdemuseum 2-29-288     | 138 | 222 |
| Besøkte bondegård 2-29-288       | 139 | 223 |
| Overnattet i DNT hytte 2-29-288  | 140 | 224 |
| Lekel.Badel.Fritidsp. 2-29-288   | 141 | 225 |
| Besøkte severdigheter 2-29-288   | 142 | 226 |
| Antall ferieaktiviteter          | 143 | 227 |
| Viktig: stort utvalg 2-51-335    | 144 | 228 |
| Viktig: god service 2-51-335     | 145 | 229 |
| Viktig: lave priser 2-51-335     | 146 | 230 |
| Viktig: gode varetilb 2-51-335   | 147 | 231 |
| Viktig: parkering 2-51-335       | 148 | 232 |
| Viktig: kyndig betj 2-51-335     | 149 | 233 |
| Viktig: gode ferskv 2-51-335     | 150 | 234 |
| Viktig: st utv frukt/gr 2-51-335 | 151 | 235 |
| Viktig: åpningstider 2-51-335    | 152 | 236 |
| Viktig: har det jeg øns2-51-335  | 153 | 237 |
| Viktig: ryddig plasser2-51-335   | 154 | 238 |
| Viktig: ligger i kjøps 2-51-335  | 155 | 239 |



Data Table=NM1991 Rapport 47

**Contingency Analysis of BESØKE I BYGDENORGE 2-29-290 By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

BESØKE I BYGDENORGE 2-29-290

|         | 1                             | 2                             | 3                              | 4                              |      |
|---------|-------------------------------|-------------------------------|--------------------------------|--------------------------------|------|
| Count   |                               |                               |                                |                                |      |
| Total % |                               |                               |                                |                                |      |
| Col %   |                               |                               |                                |                                |      |
| Row %   |                               |                               |                                |                                |      |
| 1       | 211<br>7,45<br>54,95<br>14,34 | 220<br>7,77<br>45,27<br>14,96 | 365<br>12,88<br>53,99<br>24,81 | 675<br>23,83<br>52,45<br>45,89 | 1471 |
| 2       | 75<br>2,65<br>19,53<br>13,09  | 99<br>3,49<br>20,37<br>17,28  | 138<br>4,87<br>20,41<br>24,08  | 261<br>9,21<br>20,28<br>45,55  | 573  |
| 3       | 63<br>2,22<br>16,41<br>15,63  | 94<br>3,32<br>19,34<br>23,33  | 80<br>2,82<br>11,83<br>19,85   | 166<br>5,86<br>12,90<br>41,19  | 403  |
| 4       | 26<br>0,92<br>6,77<br>9,56    | 53<br>1,87<br>10,91<br>19,49  | 65<br>2,29<br>9,62<br>23,90    | 128<br>4,52<br>9,95<br>47,06   | 272  |
| 5       | 9<br>0,32<br>2,34<br>7,89     | 20<br>0,71<br>4,12<br>17,54   | 28<br>0,99<br>4,14<br>24,56    | 57<br>2,01<br>4,43<br>50,00    | 114  |
|         | 384<br>13,55                  | 486<br>17,15                  | 676<br>23,86                   | 1287<br>45,43                  | 2833 |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 13,8921   | 0,0039      |
| Error    | 2818 | 3594,3844 |             |
| C. Total | 2830 | 3608,2765 |             |
| N        | 2833 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 27,784    | 0,0059     |
| Pearson          | 27,573    | 0,0064     |

**Contingency Analysis of BONDE AVTALE 2-51-336 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

BONDE AVTALE 2-51-336

|                            |   | BONDE AVTALE 2-51-336 |       |       |       |
|----------------------------|---|-----------------------|-------|-------|-------|
| Count                      |   | 1                     | 2     | 3     |       |
| Total %                    |   |                       |       |       |       |
| Col %                      |   |                       |       |       |       |
| Row %                      |   |                       |       |       |       |
| FERIE NATUR ØNSKE 2-29-289 | 1 | 592                   | 506   | 361   | 1459  |
|                            |   | 21,09                 | 18,03 | 12,86 | 51,98 |
|                            |   | 53,48                 | 48,94 | 54,20 |       |
|                            |   | 40,58                 | 34,68 | 24,74 |       |
|                            | 2 | 201                   | 221   | 143   | 565   |
|                            |   | 7,16                  | 7,87  | 5,09  | 20,13 |
|                            |   | 18,16                 | 21,37 | 21,47 |       |
|                            |   | 35,58                 | 39,12 | 25,31 |       |
|                            | 3 | 165                   | 170   | 65    | 400   |
|                            |   | 5,88                  | 6,06  | 2,32  | 14,25 |
|                            |   | 14,91                 | 16,44 | 9,76  |       |
|                            |   | 41,25                 | 42,50 | 16,25 |       |
|                            | 4 | 105                   | 96    | 68    | 269   |
|                            |   | 3,74                  | 3,42  | 2,42  | 9,58  |
|                            |   | 9,49                  | 9,28  | 10,21 |       |
|                            |   | 39,03                 | 35,69 | 25,28 |       |
|                            | 5 | 44                    | 41    | 29    | 114   |
|                            |   | 1,57                  | 1,46  | 1,03  | 4,06  |
|                            |   | 3,97                  | 3,97  | 4,35  |       |
|                            |   | 38,60                 | 35,96 | 25,44 |       |
|                            |   | 1107                  | 1034  | 666   | 2807  |
|                            |   | 39,44                 | 36,84 | 23,73 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,6815   | 0,0035      |
| Error    | 2797 | 3010,0729 |             |
| C. Total | 2805 | 3020,7544 |             |
| N        | 2807 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,363    | 0,0062     |
| Pearson          | 20,290    | 0,0093     |

**Contingency Analysis of KJØNN 1-19-P By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**


|                            |   | KJØNN 1-19-P                   |                                |               |
|----------------------------|---|--------------------------------|--------------------------------|---------------|
|                            |   | 1                              | 2                              |               |
| Count                      |   |                                |                                |               |
| Total %                    |   |                                |                                |               |
| Col %                      |   |                                |                                |               |
| Row %                      |   |                                |                                |               |
| FERIE NATUR ØNSKE 2-29-289 | 1 | 669<br>23,50<br>47,85<br>45,23 | 810<br>28,45<br>55,90<br>54,77 | 1479<br>51,95 |
|                            | 2 | 286<br>10,05<br>20,46<br>49,83 | 288<br>10,12<br>19,88<br>50,17 | 574<br>20,16  |
|                            | 3 | 226<br>7,94<br>16,17<br>55,67  | 180<br>6,32<br>12,42<br>44,33  | 406<br>14,26  |
|                            | 4 | 160<br>5,62<br>11,44<br>58,61  | 113<br>3,97<br>7,80<br>41,39   | 273<br>9,59   |
|                            | 5 | 57<br>2,00<br>4,08<br>49,57    | 58<br>2,04<br>4,00<br>50,43    | 115<br>4,04   |
|                            |   | 1398<br>49,10                  | 1449<br>50,90                  | 2847          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 12,9599   | 0,0066      |
| Error    | 2842 | 1959,9733 |             |
| C. Total | 2846 | 1972,9332 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 25,920    | <.0001     |
| Pearson          | 25,856    | <.0001     |

**Oneway Analysis of ALDER 1-19-A By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,040587 |
| Adj Rsquare                | 0,039237 |
| Root Mean Square Error     | 16,75128 |
| Mean of Response           | 38,42782 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 33736,78       | 8434,20     | 30,0572 | <.0001   |
| Error                      | 2842 | 797480,13      | 280,61      |         |          |
| C. Total                   | 2846 | 831216,92      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 35,4915 | 0,4356    | 34,637    | 36,346    |
| 2     | 574    | 38,9303 | 0,6992    | 37,559    | 40,301    |
| 3     | 406    | 43,2069 | 0,8314    | 41,577    | 44,837    |
| 4     | 273    | 43,6447 | 1,0138    | 41,657    | 45,633    |
| 5     | 115    | 44,4261 | 1,5621    | 41,363    | 47,489    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of HUSSTAND STILLING 1-19-B By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

HUSSTAND STILLING 1-19-B

|                          |         | HUSSTAND STILLING 1-19-B |       |       |       |       |       |
|--------------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                          |         | 1                        | 2     | 3     | 4     | 5     |       |
| FERIEATUR ØNSKE 2-29-289 | Count   |                          |       |       |       |       |       |
|                          | Total % |                          |       |       |       |       |       |
|                          | Col %   |                          |       |       |       |       |       |
|                          | Row %   |                          |       |       |       |       |       |
| 1                        | Count   | 522                      | 658   | 124   | 118   | 50    | 1472  |
|                          | Total % | 18,42                    | 23,22 | 4,38  | 4,16  | 1,76  | 51,94 |
|                          | Col %   | 47,76                    | 54,43 | 46,44 | 63,44 | 63,29 |       |
|                          | Row %   | 35,46                    | 44,70 | 8,42  | 8,02  | 3,40  |       |
|                          |         |                          |       |       |       |       |       |
| 2                        | Count   | 229                      | 243   | 54    | 35    | 10    | 571   |
|                          | Total % | 8,08                     | 8,57  | 1,91  | 1,24  | 0,35  | 20,15 |
|                          | Col %   | 20,95                    | 20,10 | 20,22 | 18,82 | 12,66 |       |
|                          | Row %   | 40,11                    | 42,56 | 9,46  | 6,13  | 1,75  |       |
|                          |         |                          |       |       |       |       |       |
| 3                        | Count   | 179                      | 156   | 40    | 21    | 9     | 405   |
|                          | Total % | 6,32                     | 5,50  | 1,41  | 0,74  | 0,32  | 14,29 |
|                          | Col %   | 16,38                    | 12,90 | 14,98 | 11,29 | 11,39 |       |
|                          | Row %   | 44,20                    | 38,52 | 9,88  | 5,19  | 2,22  |       |
|                          |         |                          |       |       |       |       |       |
| 4                        | Count   | 122                      | 100   | 35    | 7     | 9     | 273   |
|                          | Total % | 4,30                     | 3,53  | 1,24  | 0,25  | 0,32  | 9,63  |
|                          | Col %   | 11,16                    | 8,27  | 13,11 | 3,76  | 11,39 |       |
|                          | Row %   | 44,69                    | 36,63 | 12,82 | 2,56  | 3,30  |       |
|                          |         |                          |       |       |       |       |       |
| 5                        | Count   | 41                       | 52    | 14    | 5     | 1     | 113   |
|                          | Total % | 1,45                     | 1,83  | 0,49  | 0,18  | 0,04  | 3,99  |
|                          | Col %   | 3,75                     | 4,30  | 5,24  | 2,69  | 1,27  |       |
|                          | Row %   | 36,28                    | 46,02 | 12,39 | 4,42  | 0,88  |       |
|                          |         |                          |       |       |       |       |       |
|                          | Count   | 1093                     | 1209  | 267   | 186   | 79    | 2834  |
|                          | Total % | 38,57                    | 42,66 | 9,42  | 6,56  | 2,79  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 22,0096   | 0,0063      |
| Error    | 2814 | 3469,4358 |             |
| C. Total | 2830 | 3491,4454 |             |
| N        | 2834 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 44,019    | 0,0002     |
| Pearson          | 41,762    | 0,0004     |

| Kappa   | Std Err  |
|---------|----------|
| -0,0293 | 0,010728 |

Kappa measures the degree of agreement.

**Contingency Analysis of #ARBEIDSTAKERE I HUSST 1-19-C By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

#ARBEIDSTAKERE I HUSST 1-19-C

|                           | #ARBEIDSTAKERE I HUSST 1-19-C |       |       |       |       |       | Count | Total % |
|---------------------------|-------------------------------|-------|-------|-------|-------|-------|-------|---------|
|                           | 0                             | 1     | 2     | 3     | 4     | 5     |       |         |
| FERIENATUR ØNSKE 2-29-289 | 1                             | 150   | 473   | 701   | 110   | 36    | 2     | 1472    |
|                           |                               | 5,31  | 16,73 | 24,80 | 3,89  | 1,27  | 0,07  | 52,07   |
|                           |                               | 41,90 | 52,67 | 54,89 | 48,67 | 60,00 | 25,00 |         |
|                           |                               | 10,19 | 32,13 | 47,62 | 7,47  | 2,45  | 0,14  |         |
|                           |                               |       |       |       |       |       |       |         |
| 2                         | 68                            | 171   | 269   | 48    | 12    | 2     | 570   |         |
|                           | 2,41                          | 6,05  | 9,52  | 1,70  | 0,42  | 0,07  | 20,16 |         |
|                           | 18,99                         | 19,04 | 21,06 | 21,24 | 20,00 | 25,00 |       |         |
|                           | 11,93                         | 30,00 | 47,19 | 8,42  | 2,11  | 0,35  |       |         |
| 3                         | 66                            | 128   | 158   | 41    | 7     | 2     | 402   |         |
|                           | 2,33                          | 4,53  | 5,59  | 1,45  | 0,25  | 0,07  | 14,22 |         |
|                           | 18,44                         | 14,25 | 12,37 | 18,14 | 11,67 | 25,00 |       |         |
|                           | 16,42                         | 31,84 | 39,30 | 10,20 | 1,74  | 0,50  |       |         |
| 4                         | 44                            | 91    | 112   | 17    | 4     | 2     | 270   |         |
|                           | 1,56                          | 3,22  | 3,96  | 0,60  | 0,14  | 0,07  | 9,55  |         |
|                           | 12,29                         | 10,13 | 8,77  | 7,52  | 6,67  | 25,00 |       |         |
|                           | 16,30                         | 33,70 | 41,48 | 6,30  | 1,48  | 0,74  |       |         |
| 5                         | 30                            | 35    | 37    | 10    | 1     | 0     | 113   |         |
|                           | 1,06                          | 1,24  | 1,31  | 0,35  | 0,04  | 0,00  | 4,00  |         |
|                           | 8,38                          | 3,90  | 2,90  | 4,42  | 1,67  | 0,00  |       |         |
|                           | 26,55                         | 30,97 | 32,74 | 8,85  | 0,88  | 0,00  |       |         |
|                           | 358                           | 898   | 1277  | 226   | 60    | 8     | 2827  |         |
|                           | 12,66                         | 31,77 | 45,17 | 7,99  | 2,12  | 0,28  |       |         |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 20   | 24,9886   | 0,0069      |
| Error    | 2802 | 3608,5315 |             |
| C. Total | 2822 | 3633,5201 |             |
| N        | 2827 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 49,977    | 0,0002     |
| Pearson          | 53,706    | <.0001     |

**Contingency Analysis of HUSSTAND INNT BRUTTO 1-19-D By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

**HUSSTAND INNT BRUTTO 1-19-D**

| FERIEATUR ØNSKE 2-29-289 | Count | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |  |
|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
|                          | Total |       |       |       |       |       |       |       |       |       |       |  |
|                          | %     |       |       |       |       |       |       |       |       |       |       |  |
|                          | Row % |       |       |       |       |       |       |       |       |       |       |  |
| 1                        | 58    | 72    | 67    | 103   | 155   | 311   | 276   | 260   | 40    | 94    | 1436  |  |
|                          | 2,10  | 2,61  | 2,42  | 3,73  | 5,61  | 11,26 | 9,99  | 9,41  | 1,45  | 3,40  | 51,97 |  |
|                          | 50,88 | 41,86 | 43,51 | 46,40 | 49,36 | 51,58 | 53,49 | 63,57 | 57,14 | 49,74 |       |  |
|                          | 4,04  | 5,01  | 4,67  | 7,17  | 10,79 | 21,66 | 19,22 | 18,11 | 2,79  | 6,55  |       |  |
| 2                        | 27    | 32    | 33    | 42    | 67    | 135   | 101   | 76    | 7     | 40    | 560   |  |
|                          | 0,98  | 1,16  | 1,19  | 1,52  | 2,42  | 4,89  | 3,66  | 2,75  | 0,25  | 1,45  | 20,27 |  |
|                          | 23,68 | 18,60 | 21,43 | 18,92 | 21,34 | 22,39 | 19,57 | 18,58 | 10,00 | 21,16 |       |  |
|                          | 4,82  | 5,71  | 5,89  | 7,50  | 11,96 | 24,11 | 18,04 | 13,57 | 1,25  | 7,14  |       |  |
| 3                        | 16    | 28    | 20    | 33    | 46    | 83    | 80    | 48    | 11    | 30    | 395   |  |
|                          | 0,58  | 1,01  | 0,72  | 1,19  | 1,66  | 3,00  | 2,90  | 1,74  | 0,40  | 1,09  | 14,30 |  |
|                          | 14,04 | 16,28 | 12,99 | 14,86 | 14,65 | 13,76 | 15,50 | 11,74 | 15,71 | 15,87 |       |  |
|                          | 4,05  | 7,09  | 5,06  | 8,35  | 11,65 | 21,01 | 20,25 | 12,15 | 2,78  | 7,59  |       |  |
| 4                        | 9     | 26    | 24    | 28    | 32    | 53    | 46    | 19    | 8     | 17    | 262   |  |
|                          | 0,33  | 0,94  | 0,87  | 1,01  | 1,16  | 1,92  | 1,66  | 0,69  | 0,29  | 0,62  | 9,48  |  |
|                          | 7,89  | 15,12 | 15,58 | 12,61 | 10,19 | 8,79  | 8,91  | 4,65  | 11,43 | 8,99  |       |  |
|                          | 3,44  | 9,92  | 9,16  | 10,69 | 12,21 | 20,23 | 17,56 | 7,25  | 3,05  | 6,49  |       |  |
| 5                        | 4     | 14    | 10    | 16    | 14    | 21    | 13    | 6     | 4     | 8     | 110   |  |
|                          | 0,14  | 0,51  | 0,36  | 0,58  | 0,51  | 0,76  | 0,47  | 0,22  | 0,14  | 0,29  | 3,98  |  |
|                          | 3,51  | 8,14  | 6,49  | 7,21  | 4,46  | 3,48  | 2,52  | 1,47  | 5,71  | 4,23  |       |  |
|                          | 3,64  | 12,73 | 9,09  | 14,55 | 12,73 | 19,09 | 11,82 | 5,45  | 3,64  | 7,27  |       |  |
|                          | 114   | 172   | 154   | 222   | 314   | 603   | 516   | 409   | 70    | 189   | 2763  |  |
|                          | 4,13  | 6,23  | 5,57  | 8,03  | 11,36 | 21,82 | 18,68 | 14,80 | 2,53  | 6,84  |       |  |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 36   | 40,5519   | 0,0069      |
| Error    | 2718 | 5816,9283 |             |
| C. Total | 2754 | 5857,4802 |             |
| N        | 2763 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 81,104    | <.0001     |
| Pearson          | 81,079    | <.0001     |

**Contingency Analysis of PERSON INNT BRUTTO 1-19-E By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

PERSON INNT BRUTTO 1-19-E

| Count                      | PERSON INNT BRUTTO 1-19-E |       |       |       |       |       |       |       |       |       |       |       |
|----------------------------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                            | 1                         | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |       |       |
| Total %                    |                           |       |       |       |       |       |       |       |       |       |       |       |
| Col %                      |                           |       |       |       |       |       |       |       |       |       |       |       |
| Row %                      |                           |       |       |       |       |       |       |       |       |       |       |       |
| FERIENTATUR ØNSKE 2-29-289 | 1                         | 302   | 162   | 117   | 198   | 227   | 213   | 52    | 35    | 45    | 55    | 1406  |
|                            |                           | 11,12 | 5,96  | 4,31  | 7,29  | 8,35  | 7,84  | 1,91  | 1,29  | 1,66  | 2,02  | 51,75 |
|                            |                           | 51,80 | 43,43 | 45,88 | 53,95 | 53,54 | 53,92 | 56,52 | 63,64 | 59,21 | 56,70 |       |
|                            |                           | 21,48 | 11,52 | 8,32  | 14,08 | 16,15 | 15,15 | 3,70  | 2,49  | 3,20  | 3,91  |       |
|                            | 2                         | 128   | 82    | 61    | 61    | 95    | 76    | 13    | 13    | 8     | 18    | 555   |
|                            |                           | 4,71  | 3,02  | 2,25  | 2,25  | 3,50  | 2,80  | 0,48  | 0,48  | 0,29  | 0,66  | 20,43 |
|                            |                           | 21,96 | 21,98 | 23,92 | 16,62 | 22,41 | 19,24 | 14,13 | 23,64 | 10,53 | 18,56 |       |
|                            |                           | 23,06 | 14,77 | 10,99 | 10,99 | 17,12 | 13,69 | 2,34  | 2,34  | 1,44  | 3,24  |       |
|                            | 3                         | 75    | 59    | 34    | 56    | 60    | 60    | 17    | 4     | 9     | 15    | 389   |
|                            |                           | 2,76  | 2,17  | 1,25  | 2,06  | 2,21  | 2,21  | 0,63  | 0,15  | 0,33  | 0,55  | 14,32 |
|                            |                           | 12,86 | 15,82 | 13,33 | 15,26 | 14,15 | 15,19 | 18,48 | 7,27  | 11,84 | 15,46 |       |
|                            |                           | 19,28 | 15,17 | 8,74  | 14,40 | 15,42 | 15,42 | 4,37  | 1,03  | 2,31  | 3,86  |       |
|                            | 4                         | 48    | 50    | 31    | 33    | 33    | 34    | 9     | 2     | 11    | 6     | 257   |
|                            |                           | 1,77  | 1,84  | 1,14  | 1,21  | 1,21  | 1,25  | 0,33  | 0,07  | 0,40  | 0,22  | 9,46  |
|                            |                           | 8,23  | 13,40 | 12,16 | 8,99  | 7,78  | 8,61  | 9,78  | 3,64  | 14,47 | 6,19  |       |
|                            |                           | 18,68 | 19,46 | 12,06 | 12,84 | 12,84 | 13,23 | 3,50  | 0,78  | 4,28  | 2,33  |       |
|                            | 5                         | 30    | 20    | 12    | 19    | 9     | 12    | 1     | 1     | 3     | 3     | 110   |
|                            |                           | 1,10  | 0,74  | 0,44  | 0,70  | 0,33  | 0,44  | 0,04  | 0,04  | 0,11  | 0,11  | 4,05  |
|                            |                           | 5,15  | 5,36  | 4,71  | 5,18  | 2,12  | 3,04  | 1,09  | 1,82  | 3,95  | 3,09  |       |
|                            |                           | 27,27 | 18,18 | 10,91 | 17,27 | 8,18  | 10,91 | 0,91  | 0,91  | 2,73  | 2,73  |       |
|                            | 583                       | 373   | 255   | 367   | 424   | 395   | 92    | 55    | 76    | 97    | 2717  |       |
|                            | 21,46                     | 13,73 | 9,39  | 13,51 | 15,61 | 14,54 | 3,39  | 2,02  | 2,80  | 3,57  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 36   | 29,8510   | 0,0053      |
| Error    | 2672 | 5616,5093 |             |
| C. Total | 2708 | 5646,3602 |             |
| N        | 2717 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,702    | 0,0078     |
| Pearson          | 56,823    | 0,0150     |



**Contingency Analysis of EKTESKAPELIG STATUS 1-19-F By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

EKTESKAPELIG STATUS 1-19-F

| FERIEENATUR ØNSKE 2-29-289 | Count   | 1     | 2     | 3     |      |
|----------------------------|---------|-------|-------|-------|------|
|                            | Total % |       |       |       |      |
|                            | Col %   |       |       |       |      |
|                            | Row %   |       |       |       |      |
|                            | 1       | 871   | 454   | 147   | 1472 |
|                            | 30,71   | 16,01 | 5,18  | 51,90 |      |
|                            | 52,47   | 54,24 | 43,36 |       |      |
|                            | 59,17   | 30,84 | 9,99  |       |      |
| 2                          | 338     | 162   | 73    | 573   |      |
|                            | 11,92   | 5,71  | 2,57  | 20,20 |      |
|                            | 20,36   | 19,35 | 21,53 |       |      |
|                            | 58,99   | 28,27 | 12,74 |       |      |
| 3                          | 237     | 118   | 50    | 405   |      |
|                            | 8,36    | 4,16  | 1,76  | 14,28 |      |
|                            | 14,28   | 14,10 | 14,75 |       |      |
|                            | 58,52   | 29,14 | 12,35 |       |      |
| 4                          | 152     | 73    | 48    | 273   |      |
|                            | 5,36    | 2,57  | 1,69  | 9,63  |      |
|                            | 9,16    | 8,72  | 14,16 |       |      |
|                            | 55,68   | 26,74 | 17,58 |       |      |
| 5                          | 62      | 30    | 21    | 113   |      |
|                            | 2,19    | 1,06  | 0,74  | 3,98  |      |
|                            | 3,73    | 3,58  | 6,19  |       |      |
|                            | 54,87   | 26,55 | 18,58 |       |      |
|                            | 1660    | 837   | 339   | 2836  |      |
|                            | 58,53   | 29,51 | 11,95 |       |      |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 9,1495    | 0,0035      |
| Error    | 2826 | 2621,4078 |             |
| C. Total | 2834 | 2630,5573 |             |
| N        | 2836 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 18,299    | 0,0191     |
| Pearson          | 19,516    | 0,0123     |

**Contingency Analysis of #PERSONER I HUSST 1-19-G By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

#PERSONER I HUSST 1-19-G

|         | 1                             | 2                              | 3                              | 4                              | 5                            | 6                           | 7                          |      |
|---------|-------------------------------|--------------------------------|--------------------------------|--------------------------------|------------------------------|-----------------------------|----------------------------|------|
| Count   |                               |                                |                                |                                |                              |                             |                            |      |
| Total % |                               |                                |                                |                                |                              |                             |                            |      |
| Col %   |                               |                                |                                |                                |                              |                             |                            |      |
| Row %   |                               |                                |                                |                                |                              |                             |                            |      |
| 1       | 223<br>7,89<br>46,07<br>15,19 | 393<br>13,91<br>47,01<br>26,77 | 337<br>11,93<br>57,80<br>22,96 | 364<br>12,88<br>59,48<br>24,80 | 119<br>4,21<br>51,07<br>8,11 | 27<br>0,96<br>46,55<br>1,84 | 5<br>0,18<br>26,32<br>0,34 | 1468 |
| 2       | 99<br>3,50<br>20,45<br>17,37  | 180<br>6,37<br>21,53<br>31,58  | 100<br>3,54<br>17,15<br>17,54  | 119<br>4,21<br>19,44<br>20,88  | 57<br>2,02<br>24,46<br>10,00 | 11<br>0,39<br>18,97<br>1,93 | 4<br>0,14<br>21,05<br>0,70 | 570  |
| 3       | 82<br>2,90<br>16,94<br>20,40  | 132<br>4,67<br>15,79<br>32,84  | 75<br>2,65<br>12,86<br>18,66   | 65<br>2,30<br>10,62<br>16,17   | 31<br>1,10<br>13,30<br>7,71  | 9<br>0,32<br>15,52<br>2,24  | 8<br>0,28<br>42,11<br>1,99 | 402  |
| 4       | 57<br>2,02<br>11,78<br>21,03  | 90<br>3,19<br>10,77<br>33,21   | 50<br>1,77<br>8,58<br>18,45    | 43<br>1,52<br>7,03<br>15,87    | 21<br>0,74<br>9,01<br>7,75   | 9<br>0,32<br>15,52<br>3,32  | 1<br>0,04<br>5,26<br>0,37  | 271  |
| 5       | 23<br>0,81<br>4,75<br>20,18   | 41<br>1,45<br>4,90<br>35,96    | 21<br>0,74<br>3,60<br>18,42    | 21<br>0,74<br>3,43<br>18,42    | 5<br>0,18<br>2,15<br>4,39    | 2<br>0,07<br>3,45<br>1,75   | 1<br>0,04<br>5,26<br>0,88  | 114  |
|         | 484<br>17,13                  | 836<br>29,59                   | 583<br>20,64                   | 612<br>21,66                   | 233<br>8,25                  | 58<br>2,05                  | 19<br>0,67                 | 2825 |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 24   | 30,3525   | 0,0066      |
| Error    | 2795 | 4599,3444 |             |
| C. Total | 2819 | 4629,6969 |             |
| N        | 2825 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 60,705    | <.0001     |
| Pearson          | 63,254    | <.0001     |

**Contingency Analysis of #BARN TOT I HUSST 1-19-H By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

#BARN TOT I HUSST 1-19-H

|                          | 0       | 1     | 2     | 3     | 4     | 5     | 6     | 8     |       |       |
|--------------------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| FERIEATUR ØNSKE 2-29-289 | Count   |       |       |       |       |       |       |       |       |       |
|                          | Total % |       |       |       |       |       |       |       |       |       |
|                          | Col %   |       |       |       |       |       |       |       |       |       |
|                          | Row %   |       |       |       |       |       |       |       |       |       |
|                          | 1       | 455   | 362   | 375   | 131   | 22    | 4     | 0     | 1     | 1350  |
|                          |         | 17,63 | 14,03 | 14,53 | 5,08  | 0,85  | 0,15  | 0,00  | 0,04  | 52,31 |
|                          |         | 46,29 | 54,85 | 59,24 | 55,51 | 42,31 | 36,36 | 0,00  | 50,00 |       |
|                          |         | 33,70 | 26,81 | 27,78 | 9,70  | 1,63  | 0,30  | 0,00  | 0,07  |       |
|                          | 2       | 207   | 123   | 125   | 49    | 12    | 2     | 1     | 0     | 519   |
|                          |         | 8,02  | 4,77  | 4,84  | 1,90  | 0,46  | 0,08  | 0,04  | 0,00  | 20,11 |
|                          | 21,06   | 18,64 | 19,75 | 20,76 | 23,08 | 18,18 | 25,00 | 0,00  |       |       |
|                          | 39,88   | 23,70 | 24,08 | 9,44  | 2,31  | 0,39  | 0,19  | 0,00  |       |       |
| 3                        | 171     | 81    | 67    | 33    | 8     | 4     | 2     | 0     | 366   |       |
|                          | 6,63    | 3,14  | 2,60  | 1,28  | 0,31  | 0,15  | 0,08  | 0,00  | 14,18 |       |
|                          | 17,40   | 12,27 | 10,58 | 13,98 | 15,38 | 36,36 | 50,00 | 0,00  |       |       |
|                          | 46,72   | 22,13 | 18,31 | 9,02  | 2,19  | 1,09  | 0,55  | 0,00  |       |       |
| 4                        | 108     | 61    | 45    | 19    | 8     | 0     | 1     | 0     | 242   |       |
|                          | 4,18    | 2,36  | 1,74  | 0,74  | 0,31  | 0,00  | 0,04  | 0,00  | 9,38  |       |
|                          | 10,99   | 9,24  | 7,11  | 8,05  | 15,38 | 0,00  | 25,00 | 0,00  |       |       |
|                          | 44,63   | 25,21 | 18,60 | 7,85  | 3,31  | 0,00  | 0,41  | 0,00  |       |       |
| 5                        | 42      | 33    | 21    | 4     | 2     | 1     | 0     | 1     | 104   |       |
|                          | 1,63    | 1,28  | 0,81  | 0,15  | 0,08  | 0,04  | 0,00  | 0,04  | 4,03  |       |
|                          | 4,27    | 5,00  | 3,32  | 1,69  | 3,85  | 9,09  | 0,00  | 50,00 |       |       |
|                          | 40,38   | 31,73 | 20,19 | 3,85  | 1,92  | 0,96  | 0,00  | 0,96  |       |       |
|                          | 983     | 660   | 633   | 236   | 52    | 11    | 4     | 2     | 2581  |       |
|                          | 38,09   | 25,57 | 24,53 | 9,14  | 2,01  | 0,43  | 0,15  | 0,08  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 28   | 32,2858   | 0,0090      |
| Error    | 2546 | 3574,1430 |             |
| C. Total | 2574 | 3606,4289 |             |
| N        | 2581 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 64,572    | 0,0001     |
| Pearson          | 69,821    | <.0001     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of ARB HELTID/DELTID 1-19-J By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

ARB HELTID/DELTID 1-19-J

|         | 1     | 2     | 3     | 4     |       |
|---------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |
| Total % |       |       |       |       |       |
| Col %   |       |       |       |       |       |
| Row %   |       |       |       |       |       |
| 1       | 684   | 263   | 60    | 442   | 1449  |
|         | 24,61 | 9,46  | 2,16  | 15,91 | 52,14 |
|         | 54,68 | 52,39 | 51,28 | 48,62 |       |
|         | 47,20 | 18,15 | 4,14  | 30,50 |       |
| 2       | 258   | 103   | 21    | 180   | 562   |
|         | 9,28  | 3,71  | 0,76  | 6,48  | 20,22 |
|         | 20,62 | 20,52 | 17,95 | 19,80 |       |
|         | 45,91 | 18,33 | 3,74  | 32,03 |       |
| 3       | 158   | 71    | 21    | 142   | 392   |
|         | 5,69  | 2,55  | 0,76  | 5,11  | 14,11 |
|         | 12,63 | 14,14 | 17,95 | 15,62 |       |
|         | 40,31 | 18,11 | 5,36  | 36,22 |       |
| 4       | 115   | 46    | 10    | 92    | 263   |
|         | 4,14  | 1,66  | 0,36  | 3,31  | 9,46  |
|         | 9,19  | 9,16  | 8,55  | 10,12 |       |
|         | 43,73 | 17,49 | 3,80  | 34,98 |       |
| 5       | 36    | 19    | 5     | 53    | 113   |
|         | 1,30  | 0,68  | 0,18  | 1,91  | 4,07  |
|         | 2,88  | 3,78  | 4,27  | 5,83  |       |
|         | 31,86 | 16,81 | 4,42  | 46,90 |       |
|         | 1251  | 502   | 117   | 909   | 2779  |
|         | 45,02 | 18,06 | 4,21  | 32,71 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 10,2805   | 0,0032      |
| Error    | 2764 | 3233,6746 |             |
| C. Total | 2776 | 3243,9551 |             |
| N        | 2779 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,561    | 0,0572     |
| Pearson          | 20,937    | 0,0513     |

**Contingency Analysis of FORSØRGINGSSTATUS EGEN 1-19-K By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS EGEN 1-19-K

|                           | FORSØRGINGSSTATUS EGEN 1-19-K |       |       |       |       |       |       |       |       |       |       | Total |       |
|---------------------------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                           | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |       |
| FERIENATUR ØNSKE 2-29-289 | Count                         | 202   | 258   | 144   | 189   | 71    | 262   | 55    | 74    | 92    | 52    | 58    | 1457  |
|                           | Total %                       | 7,21  | 9,21  | 5,14  | 6,75  | 2,54  | 9,36  | 1,96  | 2,64  | 3,29  | 1,86  | 2,07  | 52,04 |
|                           | Col %                         | 49,75 | 54,09 | 55,60 | 59,81 | 43,29 | 57,58 | 57,29 | 32,17 | 42,79 | 66,67 | 55,77 |       |
|                           | Row %                         | 13,86 | 17,71 | 9,88  | 12,97 | 4,87  | 17,98 | 3,77  | 5,08  | 6,31  | 3,57  | 3,98  |       |
|                           | 1                             | 90    | 100   | 56    | 51    | 39    | 89    | 19    | 46    | 47    | 10    | 15    | 562   |
|                           |                               | 3,21  | 3,57  | 2,00  | 1,82  | 1,39  | 3,18  | 0,68  | 1,64  | 1,68  | 0,36  | 0,54  | 20,07 |
|                           |                               | 22,17 | 20,96 | 21,62 | 16,14 | 23,78 | 19,56 | 19,79 | 20,00 | 21,86 | 12,82 | 14,42 |       |
|                           |                               | 16,01 | 17,79 | 9,96  | 9,07  | 6,94  | 15,84 | 3,38  | 8,19  | 8,36  | 1,78  | 2,67  |       |
|                           | 3                             | 46    | 62    | 34    | 47    | 29    | 56    | 10    | 57    | 32    | 10    | 20    | 403   |
|                           |                               | 1,64  | 2,21  | 1,21  | 1,68  | 1,04  | 2,00  | 0,36  | 2,04  | 1,14  | 0,36  | 0,71  | 14,39 |
|                           |                               | 11,33 | 13,00 | 13,13 | 14,87 | 17,68 | 12,31 | 10,42 | 24,78 | 14,88 | 12,82 | 19,23 |       |
|                           |                               | 11,41 | 15,38 | 8,44  | 11,66 | 7,20  | 13,90 | 2,48  | 14,14 | 7,94  | 2,48  | 4,96  |       |
|                           | 4                             | 47    | 45    | 18    | 24    | 16    | 34    | 8     | 38    | 27    | 5     | 5     | 267   |
|                           | 1,68                          | 1,61  | 0,64  | 0,86  | 0,57  | 1,21  | 0,29  | 1,36  | 0,96  | 0,18  | 0,18  | 9,54  |       |
|                           | 11,58                         | 9,43  | 6,95  | 7,59  | 9,76  | 7,47  | 8,33  | 16,52 | 12,56 | 6,41  | 4,81  |       |       |
|                           | 17,60                         | 16,85 | 6,74  | 8,99  | 5,99  | 12,73 | 3,00  | 14,23 | 10,11 | 1,87  | 1,87  |       |       |
| 5                         | 21                            | 12    | 7     | 5     | 9     | 14    | 4     | 15    | 17    | 1     | 6     | 111   |       |
|                           | 0,75                          | 0,43  | 0,25  | 0,18  | 0,32  | 0,50  | 0,14  | 0,54  | 0,61  | 0,04  | 0,21  | 3,96  |       |
|                           | 5,17                          | 2,52  | 2,70  | 1,58  | 5,49  | 3,08  | 4,17  | 6,52  | 7,91  | 1,28  | 5,77  |       |       |
|                           | 18,92                         | 10,81 | 6,31  | 4,50  | 8,11  | 12,61 | 3,60  | 13,51 | 15,32 | 0,90  | 5,41  |       |       |
|                           | 406                           | 477   | 259   | 316   | 164   | 455   | 96    | 230   | 215   | 78    | 104   | 2800  |       |
|                           | 14,50                         | 17,04 | 9,25  | 11,29 | 5,86  | 16,25 | 3,43  | 8,21  | 7,68  | 2,79  | 3,71  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 40   | 59,5639   | 0,0095      |
| Error    | 2750 | 6238,9913 |             |
| C. Total | 2790 | 6298,5552 |             |
| N        | 2800 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 119,128   | <.0001     |
| Pearson          | 120,660   | <.0001     |

**Contingency Analysis of FORSØRGINGSSTATUS E/S 1-19-K By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS E/S 1-19-K

|                            |         | FORSØRGINGSSTATUS E/S 1-19-K |       |       |       |       |       |       |       |       |       |       |       |
|----------------------------|---------|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                            |         | 1                            | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |
| FERIEENATUR ØNSKE 2-29-289 | Count   |                              |       |       |       |       |       |       |       |       |       |       |       |
|                            | Total % |                              |       |       |       |       |       |       |       |       |       |       |       |
|                            | Col %   |                              |       |       |       |       |       |       |       |       |       |       |       |
|                            | Row %   |                              |       |       |       |       |       |       |       |       |       |       |       |
| 1                          | Count   | 121                          | 222   | 131   | 113   | 68    | 25    | 17    | 51    | 39    | 33    | 31    | 851   |
|                            | Total % | 7,48                         | 13,72 | 8,10  | 6,98  | 4,20  | 1,55  | 1,05  | 3,15  | 2,41  | 2,04  | 1,92  | 52,60 |
|                            | Col %   | 50,00                        | 56,49 | 65,50 | 57,65 | 50,37 | 48,08 | 47,22 | 40,16 | 39,00 | 44,59 | 49,21 |       |
|                            | Row %   | 14,22                        | 26,09 | 15,39 | 13,28 | 7,99  | 2,94  | 2,00  | 5,99  | 4,58  | 3,88  | 3,64  |       |
| 2                          | Count   | 49                           | 81    | 35    | 41    | 27    | 14    | 9     | 22    | 19    | 12    | 19    | 328   |
|                            | Total % | 3,03                         | 5,01  | 2,16  | 2,53  | 1,67  | 0,87  | 0,56  | 1,36  | 1,17  | 0,74  | 1,17  | 20,27 |
|                            | Col %   | 20,25                        | 20,61 | 17,50 | 20,92 | 20,00 | 26,92 | 25,00 | 17,32 | 19,00 | 16,22 | 30,16 |       |
|                            | Row %   | 14,94                        | 24,70 | 10,67 | 12,50 | 8,23  | 4,27  | 2,74  | 6,71  | 5,79  | 3,66  | 5,79  |       |
| 3                          | Count   | 30                           | 54    | 22    | 28    | 23    | 7     | 2     | 27    | 19    | 13    | 7     | 232   |
|                            | Total % | 1,85                         | 3,34  | 1,36  | 1,73  | 1,42  | 0,43  | 0,12  | 1,67  | 1,17  | 0,80  | 0,43  | 14,34 |
|                            | Col %   | 12,40                        | 13,74 | 11,00 | 14,29 | 17,04 | 13,46 | 5,56  | 21,26 | 19,00 | 17,57 | 11,11 |       |
|                            | Row %   | 12,93                        | 23,28 | 9,48  | 12,07 | 9,91  | 3,02  | 0,86  | 11,64 | 8,19  | 5,60  | 3,02  |       |
| 4                          | Count   | 32                           | 30    | 9     | 11    | 11    | 4     | 7     | 18    | 11    | 11    | 4     | 148   |
|                            | Total % | 1,98                         | 1,85  | 0,56  | 0,68  | 0,68  | 0,25  | 0,43  | 1,11  | 0,68  | 0,68  | 0,25  | 9,15  |
|                            | Col %   | 13,22                        | 7,63  | 4,50  | 5,61  | 8,15  | 7,69  | 19,44 | 14,17 | 11,00 | 14,86 | 6,35  |       |
|                            | Row %   | 21,62                        | 20,27 | 6,08  | 7,43  | 7,43  | 2,70  | 4,73  | 12,16 | 7,43  | 7,43  | 2,70  |       |
| 5                          | Count   | 10                           | 6     | 3     | 3     | 6     | 2     | 1     | 9     | 12    | 5     | 2     | 59    |
|                            | Total % | 0,62                         | 0,37  | 0,19  | 0,19  | 0,37  | 0,12  | 0,06  | 0,56  | 0,74  | 0,31  | 0,12  | 3,65  |
|                            | Col %   | 4,13                         | 1,53  | 1,50  | 1,53  | 4,44  | 3,85  | 2,78  | 7,09  | 12,00 | 6,76  | 3,17  |       |
|                            | Row %   | 16,95                        | 10,17 | 5,08  | 5,08  | 10,17 | 3,39  | 1,69  | 15,25 | 20,34 | 8,47  | 3,39  |       |
|                            | Count   | 242                          | 393   | 200   | 196   | 135   | 52    | 36    | 127   | 100   | 74    | 63    | 1618  |
|                            | Total % | 14,96                        | 24,29 | 12,36 | 12,11 | 8,34  | 3,21  | 2,22  | 7,85  | 6,18  | 4,57  | 3,89  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 40   | 44,4271   | 0,0126      |
| Error    | 1568 | 3488,7531 |             |
| C. Total | 1608 | 3533,1802 |             |
| N        | 1618 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 88,854    | <.0001     |
| Pearson          | 95,652    | <.0001     |

**Contingency Analysis of NÆRING 1-20-L By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                            |         | NÆRING 1-20-L |       |       |       |       |       |       |       |       |       |       |       |
|----------------------------|---------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                            |         | 1             | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |
| FERIENTATUR ØNSKE 2-29-289 | Count   |               |       |       |       |       |       |       |       |       |       |       |       |
|                            | Total % |               |       |       |       |       |       |       |       |       |       |       |       |
|                            | Col %   |               |       |       |       |       |       |       |       |       |       |       |       |
|                            | Row %   |               |       |       |       |       |       |       |       |       |       |       |       |
| 1                          | Count   | 236           | 121   | 64    | 22    | 156   | 92    | 40    | 100   | 87    | 108   | 411   | 1437  |
|                            | Total % | 8,54          | 4,38  | 2,32  | 0,80  | 5,65  | 3,33  | 1,45  | 3,62  | 3,15  | 3,91  | 14,88 | 52,01 |
|                            | Col %   | 54,00         | 59,31 | 48,85 | 28,95 | 51,49 | 48,68 | 61,54 | 64,94 | 54,72 | 53,73 | 48,70 |       |
|                            | Row %   | 16,42         | 8,42  | 4,45  | 1,53  | 10,86 | 6,40  | 2,78  | 6,96  | 6,05  | 7,52  | 28,60 |       |
|                            |         |               |       |       |       |       |       |       |       |       |       |       |       |
| 2                          | Count   | 85            | 41    | 31    | 21    | 63    | 46    | 10    | 28    | 37    | 39    | 160   | 561   |
|                            | Total % | 3,08          | 1,48  | 1,12  | 0,76  | 2,28  | 1,66  | 0,36  | 1,01  | 1,34  | 1,41  | 5,79  | 20,30 |
|                            | Col %   | 19,45         | 20,10 | 23,66 | 27,63 | 20,79 | 24,34 | 15,38 | 18,18 | 23,27 | 19,40 | 18,96 |       |
|                            | Row %   | 15,15         | 7,31  | 5,53  | 3,74  | 11,23 | 8,20  | 1,78  | 4,99  | 6,60  | 6,95  | 28,52 |       |
|                            |         |               |       |       |       |       |       |       |       |       |       |       |       |
| 3                          | Count   | 51            | 20    | 14    | 13    | 56    | 28    | 10    | 18    | 23    | 24    | 133   | 390   |
|                            | Total % | 1,85          | 0,72  | 0,51  | 0,47  | 2,03  | 1,01  | 0,36  | 0,65  | 0,83  | 0,87  | 4,81  | 14,12 |
|                            | Col %   | 11,67         | 9,80  | 10,69 | 17,11 | 18,48 | 14,81 | 15,38 | 11,69 | 14,47 | 11,94 | 15,76 |       |
|                            | Row %   | 13,08         | 5,13  | 3,59  | 3,33  | 14,36 | 7,18  | 2,56  | 4,62  | 5,90  | 6,15  | 34,10 |       |
|                            |         |               |       |       |       |       |       |       |       |       |       |       |       |
| 4                          | Count   | 47            | 19    | 14    | 14    | 22    | 19    | 3     | 6     | 9     | 15    | 97    | 265   |
|                            | Total % | 1,70          | 0,69  | 0,51  | 0,51  | 0,80  | 0,69  | 0,11  | 0,22  | 0,33  | 0,54  | 3,51  | 9,59  |
|                            | Col %   | 10,76         | 9,31  | 10,69 | 18,42 | 7,26  | 10,05 | 4,62  | 3,90  | 5,66  | 7,46  | 11,49 |       |
|                            | Row %   | 17,74         | 7,17  | 5,28  | 5,28  | 8,30  | 7,17  | 1,13  | 2,26  | 3,40  | 5,66  | 36,60 |       |
|                            |         |               |       |       |       |       |       |       |       |       |       |       |       |
| 5                          | Count   | 18            | 3     | 8     | 6     | 6     | 4     | 2     | 2     | 3     | 15    | 43    | 110   |
|                            | Total % | 0,65          | 0,11  | 0,29  | 0,22  | 0,22  | 0,14  | 0,07  | 0,07  | 0,11  | 0,54  | 1,56  | 3,98  |
|                            | Col %   | 4,12          | 1,47  | 6,11  | 7,89  | 1,98  | 2,12  | 3,08  | 1,30  | 1,89  | 7,46  | 5,09  |       |
|                            | Row %   | 16,36         | 2,73  | 7,27  | 5,45  | 5,45  | 3,64  | 1,82  | 1,82  | 2,73  | 13,64 | 39,09 |       |
|                            |         |               |       |       |       |       |       |       |       |       |       |       |       |
|                            | Count   | 437           | 204   | 131   | 76    | 303   | 189   | 65    | 154   | 159   | 201   | 844   | 2763  |
|                            | Total % | 15,82         | 7,38  | 4,74  | 2,75  | 10,97 | 6,84  | 2,35  | 5,57  | 5,75  | 7,27  | 30,55 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 40   | 45,3443   | 0,0077      |
| Error    | 2713 | 5811,3558 |             |
| C. Total | 2753 | 5856,7001 |             |
| N        | 2763 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 90,689    | <.0001     |
| Pearson          | 87,536    | <.0001     |

**Contingency Analysis of OFF/ PRIV SEKTOR EGEN 1-20-M By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR EGEN 1-20-M

|         | 1                              | 2                              | 3                             |               |
|---------|--------------------------------|--------------------------------|-------------------------------|---------------|
| Count   |                                |                                |                               |               |
| Total % |                                |                                |                               |               |
| Col %   |                                |                                |                               |               |
| Row %   |                                |                                |                               |               |
| 1       | 392<br>17,67<br>49,06<br>33,31 | 607<br>27,37<br>56,26<br>51,57 | 178<br>8,03<br>52,35<br>15,12 | 1177<br>53,07 |
| 2       | 189<br>8,52<br>23,65<br>42,47  | 203<br>9,15<br>18,81<br>45,62  | 53<br>2,39<br>15,59<br>11,91  | 445<br>20,06  |
| 3       | 121<br>5,46<br>15,14<br>39,29  | 128<br>5,77<br>11,86<br>41,56  | 59<br>2,66<br>17,35<br>19,16  | 308<br>13,89  |
| 4       | 74<br>3,34<br>9,26<br>35,58    | 97<br>4,37<br>8,99<br>46,63    | 37<br>1,67<br>10,88<br>17,79  | 208<br>9,38   |
| 5       | 23<br>1,04<br>2,88<br>28,75    | 44<br>1,98<br>4,08<br>55,00    | 13<br>0,59<br>3,82<br>16,25   | 80<br>3,61    |
|         | 799<br>36,02                   | 1079<br>48,65                  | 340<br>15,33                  | 2218          |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 11,8983   | 0,0053      |
| Error    | 2208 | 2219,0185 |             |
| C. Total | 2216 | 2230,9168 |             |
| N        | 2218 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 23,797    | 0,0025     |
| Pearson          | 23,808    | 0,0025     |



**Contingency Analysis of OFF/ PRIV SEKTOR E/S 1-20-M By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR E/S 1-20-M

| FERIENTATUR ØNSKE 2-29-289 | Count   | 1     | 2     | 3     |     |
|----------------------------|---------|-------|-------|-------|-----|
|                            | Total % |       |       |       |     |
|                            | Col %   |       |       |       |     |
|                            | Row %   |       |       |       |     |
|                            | 1       | 251   | 401   | 73    | 725 |
|                            | 18,69   | 29,86 | 5,44  | 53,98 |     |
|                            | 52,07   | 58,03 | 42,94 |       |     |
|                            | 34,62   | 55,31 | 10,07 |       |     |
| 2                          | 112     | 133   | 36    | 281   |     |
|                            | 8,34    | 9,90  | 2,68  | 20,92 |     |
|                            | 23,24   | 19,25 | 21,18 |       |     |
|                            | 39,86   | 47,33 | 12,81 |       |     |
| 3                          | 65      | 92    | 28    | 185   |     |
|                            | 4,84    | 6,85  | 2,08  | 13,78 |     |
|                            | 13,49   | 13,31 | 16,47 |       |     |
|                            | 35,14   | 49,73 | 15,14 |       |     |
| 4                          | 41      | 49    | 21    | 111   |     |
|                            | 3,05    | 3,65  | 1,56  | 8,27  |     |
|                            | 8,51    | 7,09  | 12,35 |       |     |
|                            | 36,94   | 44,14 | 18,92 |       |     |
| 5                          | 13      | 16    | 12    | 41    |     |
|                            | 0,97    | 1,19  | 0,89  | 3,05  |     |
|                            | 2,70    | 2,32  | 7,06  |       |     |
|                            | 31,71   | 39,02 | 29,27 |       |     |
|                            | 482     | 691   | 170   | 1343  |     |
|                            | 35,89   | 51,45 | 12,66 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,9548   | 0,0084      |
| Error    | 1333 | 1293,5098 |             |
| C. Total | 1341 | 1304,4646 |             |
| N        | 1343 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,910    | 0,0051     |
| Pearson          | 24,451    | 0,0019     |

**Contingency Analysis of UTDANNING EGEN 1-20-N By FERIEANATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

UTDANNING EGEN 1-20-N

|                            |   | UTDANNING EGEN 1-20-N |       |       |       |       |
|----------------------------|---|-----------------------|-------|-------|-------|-------|
| Count                      |   | 1                     | 2     | 3     | 4     |       |
| Total %                    |   |                       |       |       |       |       |
| Col %                      |   |                       |       |       |       |       |
| Row %                      |   |                       |       |       |       |       |
| FERIEANATUR ØNSKE 2-29-289 | 1 | 144                   | 313   | 618   | 397   | 1472  |
|                            |   | 5,09                  | 11,06 | 21,83 | 14,02 | 52,00 |
|                            |   | 38,10                 | 47,93 | 57,70 | 54,46 |       |
|                            |   | 9,78                  | 21,26 | 41,98 | 26,97 |       |
|                            |   |                       |       |       |       |       |
|                            | 2 | 72                    | 137   | 202   | 156   | 567   |
|                            |   | 2,54                  | 4,84  | 7,14  | 5,51  | 20,03 |
|                            |   | 19,05                 | 20,98 | 18,86 | 21,40 |       |
|                            |   | 12,70                 | 24,16 | 35,63 | 27,51 |       |
|                            | 3 | 65                    | 85    | 140   | 115   | 405   |
|                            |   | 2,30                  | 3,00  | 4,95  | 4,06  | 14,31 |
|                            |   | 17,20                 | 13,02 | 13,07 | 15,78 |       |
|                            |   | 16,05                 | 20,99 | 34,57 | 28,40 |       |
|                            | 4 | 62                    | 85    | 79    | 47    | 273   |
|                            |   | 2,19                  | 3,00  | 2,79  | 1,66  | 9,64  |
|                            |   | 16,40                 | 13,02 | 7,38  | 6,45  |       |
|                            |   | 22,71                 | 31,14 | 28,94 | 17,22 |       |
|                            | 5 | 35                    | 33    | 32    | 14    | 114   |
|                            |   | 1,24                  | 1,17  | 1,13  | 0,49  | 4,03  |
|                            |   | 9,26                  | 5,05  | 2,99  | 1,92  |       |
|                            |   | 30,70                 | 28,95 | 28,07 | 12,28 |       |
|                            |   |                       |       |       |       |       |
|                            |   | 378                   | 653   | 1071  | 729   | 2831  |
|                            |   | 13,35                 | 23,07 | 37,83 | 25,75 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 51,0193   | 0,0136      |
| Error    | 2816 | 3698,0006 |             |
| C. Total | 2828 | 3749,0199 |             |
| N        | 2831 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 102,039   | <.0001     |
| Pearson          | 108,131   | <.0001     |

**Contingency Analysis of UTDANNING E/S 1-20-N By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                          |         | UTDANNING E/S 1-20-N |       |       |      |     |
|--------------------------|---------|----------------------|-------|-------|------|-----|
|                          |         | 1                    | 2     | 3     | 4    |     |
| FERIEATUR ØNSKE 2-29-289 | Count   |                      |       |       |      |     |
|                          | Total % |                      |       |       |      |     |
|                          | Col %   |                      |       |       |      |     |
|                          | Row %   |                      |       |       |      |     |
|                          | 1       | 91                   | 188   | 340   | 220  | 839 |
|                          | 2       | 49                   | 81    | 112   | 79   | 321 |
| 3                        | 40      | 58                   | 61    | 66    | 225  |     |
| 4                        | 42      | 42                   | 41    | 22    | 147  |     |
| 5                        | 18      | 18                   | 12    | 14    | 62   |     |
|                          | 240     | 387                  | 566   | 401   | 1594 |     |
|                          | 15,06   | 24,28                | 35,51 | 25,16 |      |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 31,6874   | 0,0148      |
| Error    | 1579 | 2109,9851 |             |
| C. Total | 1591 | 2141,6725 |             |
| N        | 1594 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 63,375    | <.0001     |
| Pearson          | 65,715    | <.0001     |

## Contingency Analysis of UNIV/ HØYSK. EKSAMEN 1-20-O By FERIEATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

|                          |         | UNIV/ HØYSK. EKSAMEN 1-20-O |      |     |     |
|--------------------------|---------|-----------------------------|------|-----|-----|
|                          |         | 1                           | 2    | 3   |     |
| FERIEATUR ØNSKE 2-29-289 | Count   |                             |      |     |     |
|                          | Total % |                             |      |     |     |
|                          | Col %   |                             |      |     |     |
|                          | Row %   |                             |      |     |     |
|                          | 1       | 176                         | 222  | 6   | 404 |
|                          | 2       | 73                          | 87   | 3   | 163 |
| 3                        | 60      | 54                          | 3    | 117 |     |
| 4                        | 20      | 26                          | 5    | 51  |     |
| 5                        | 6       | 11                          | 0    | 17  |     |
|                          | 335     | 400                         | 17   | 752 |     |
|                          | 44,55   | 53,19                       | 2,26 |     |     |

## Tests


| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 8   | 6,44346   | 0,0110      |
| Error    | 742 | 581,37008 |             |
| C. Total | 750 | 587,81354 |             |
| N        | 752 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 12,887    | 0,1158     |
| Pearson          | 18,200    | 0,0198     |

Warning: 20% of cells have expected count less than 5,  
ChiSquare suspect

**Contingency Analysis of FARS UTDANNING 1-18-73 By FERIEØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

FARS UTDANNING 1-18-73

|                     |         | FARS UTDANNING 1-18-73 |       |       |      |      |      |
|---------------------|---------|------------------------|-------|-------|------|------|------|
|                     |         | 1                      | 2     | 3     | 4    | 5    |      |
| FERIEØNSKE 2-29-289 | Count   |                        |       |       |      |      |      |
|                     | Total % |                        |       |       |      |      |      |
|                     | Col %   |                        |       |       |      |      |      |
|                     | Row %   |                        |       |       |      |      |      |
|                     | 1       | 609                    | 296   | 259   | 236  | 59   | 1459 |
|                     | 2       | 279                    | 93    | 111   | 62   | 17   | 562  |
| 3                   | 188     | 70                     | 68    | 54    | 20   | 400  |      |
| 4                   | 162     | 40                     | 31    | 29    | 7    | 269  |      |
| 5                   | 63      | 9                      | 24    | 10    | 5    | 111  |      |
|                     | 1301    | 508                    | 493   | 391   | 108  | 2801 |      |
|                     | 46,45   | 18,14                  | 17,60 | 13,96 | 3,86 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 30,2603   | 0,0079      |
| Error    | 2781 | 3812,6300 |             |
| C. Total | 2797 | 3842,8904 |             |
| N        | 2801 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 60,521    | <.0001     |
| Pearson          | 58,578    | <.0001     |

| Kappa    | Std Err |
|----------|---------|
| -0,04601 | 0,01076 |

Kappa measures the degree of agreement.

## Contingency Analysis of MORS UTDANNING 1-18-73 By FERIENATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

## MORS UTDANNING 1-18-73

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 666   | 394   | 215   | 137   | 47    | 1459  |
|         | 23,84 | 14,10 | 7,70  | 4,90  | 1,68  | 52,22 |
|         | 46,25 | 60,80 | 54,43 | 61,16 | 54,02 |       |
|         | 45,65 | 27,00 | 14,74 | 9,39  | 3,22  |       |
| 2       | 314   | 123   | 77    | 30    | 16    | 560   |
|         | 11,24 | 4,40  | 2,76  | 1,07  | 0,57  | 20,04 |
|         | 21,81 | 18,98 | 19,49 | 13,39 | 18,39 |       |
|         | 56,07 | 21,96 | 13,75 | 5,36  | 2,86  |       |
| 3       | 213   | 74    | 60    | 36    | 15    | 398   |
|         | 7,62  | 2,65  | 2,15  | 1,29  | 0,54  | 14,24 |
|         | 14,79 | 11,42 | 15,19 | 16,07 | 17,24 |       |
|         | 53,52 | 18,59 | 15,08 | 9,05  | 3,77  |       |
| 4       | 174   | 44    | 25    | 17    | 5     | 265   |
|         | 6,23  | 1,57  | 0,89  | 0,61  | 0,18  | 9,48  |
|         | 12,08 | 6,79  | 6,33  | 7,59  | 5,75  |       |
|         | 65,66 | 16,60 | 9,43  | 6,42  | 1,89  |       |
| 5       | 73    | 13    | 18    | 4     | 4     | 112   |
|         | 2,61  | 0,47  | 0,64  | 0,14  | 0,14  | 4,01  |
|         | 5,07  | 2,01  | 4,56  | 1,79  | 4,60  |       |
|         | 65,18 | 11,61 | 16,07 | 3,57  | 3,57  |       |
|         | 1440  | 648   | 395   | 224   | 87    | 2794  |
|         | 51,54 | 23,19 | 14,14 | 8,02  | 3,11  |       |

## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 36,9609   | 0,0104      |
| Error    | 2774 | 3504,3330 |             |
| C. Total | 2790 | 3541,2939 |             |
| N        | 2794 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 73,922    | <.0001     |
| Pearson          | 70,939    | <.0001     |

| Kappa   | Std Err  |
|---------|----------|
| -0,0507 | 0,011443 |

Kappa measures the degree of agreement.

## Contingency Analysis of HØYEST INNT I HUSSTAND 1-18-74 By FERIEENATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

|                            |         | HØYEST INNT I HUSSTAND 1-18-74 |      |      |      |
|----------------------------|---------|--------------------------------|------|------|------|
|                            |         | 1                              | 2    | 3    |      |
| FERIEENATUR ØNSKE 2-29-289 | Count   |                                |      |      |      |
|                            | Total % |                                |      |      |      |
|                            | Col %   |                                |      |      |      |
|                            | Row %   |                                |      |      |      |
|                            | 1       | 667                            | 679  | 22   | 1368 |
|                            | 2       | 270                            | 247  | 12   | 529  |
| 3                          | 204     | 165                            | 4    | 373  |      |
| 4                          | 145     | 98                             | 1    | 244  |      |
| 5                          | 57      | 47                             | 2    | 106  |      |
|                            | 1343    | 1236                           | 41   | 2620 |      |
|                            | 51,26   | 47,18                          | 1,56 |      |      |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,0788    | 0,0040      |
| Error    | 2610 | 1988,4566 |             |
| C. Total | 2618 | 1996,5355 |             |
| N        | 2620 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 16,158    | 0,0402     |
| Pearson          | 15,443    | 0,0511     |

## Contingency Analysis of Har hytte ved sjøen 1-6-20 By FERIEATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Har hytte ved sjøen 1-6-20

|         | 0                               | 1                             |               |
|---------|---------------------------------|-------------------------------|---------------|
| Count   |                                 |                               |               |
| Total % |                                 |                               |               |
| Col %   |                                 |                               |               |
| Row %   |                                 |                               |               |
| 1       | 1257<br>44,15<br>49,74<br>84,99 | 222<br>7,80<br>69,38<br>15,01 | 1479<br>51,95 |
| 2       | 520<br>18,26<br>20,58<br>90,59  | 54<br>1,90<br>16,88<br>9,41   | 574<br>20,16  |
| 3       | 381<br>13,38<br>15,08<br>93,84  | 25<br>0,88<br>7,81<br>6,16    | 406<br>14,26  |
| 4       | 259<br>9,10<br>10,25<br>94,87   | 14<br>0,49<br>4,38<br>5,13    | 273<br>9,59   |
| 5       | 110<br>3,86<br>4,35<br>95,65    | 5<br>0,18<br>1,56<br>4,35     | 115<br>4,04   |
|         | 2527<br>88,76                   | 320<br>11,24                  | 2847          |

FERIEATUR ØNSKE 2-29-289

## Tests


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 26,5771   | 0,0266      |
| Error    | 2842 | 974,1486  |             |
| C. Total | 2846 | 1000,7258 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 53,154    | <.0001     |
| Pearson          | 49,213    | <.0001     |



## Contingency Analysis of Har hytte på fjellet 1-6-20 By FERIE NATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Har hytte på fjellet 1-6-20

|         | 0                               | 1                             |               |
|---------|---------------------------------|-------------------------------|---------------|
| Count   |                                 |                               |               |
| Total % |                                 |                               |               |
| Col %   |                                 |                               |               |
| Row %   |                                 |                               |               |
| 1       | 1330<br>46,72<br>53,87<br>89,93 | 149<br>5,23<br>39,42<br>10,07 | 1479<br>51,95 |
| 2       | 502<br>17,63<br>20,33<br>87,46  | 72<br>2,53<br>19,05<br>12,54  | 574<br>20,16  |
| 3       | 300<br>10,54<br>12,15<br>73,89  | 106<br>3,72<br>28,04<br>26,11 | 406<br>14,26  |
| 4       | 231<br>8,11<br>9,36<br>84,62    | 42<br>1,48<br>11,11<br>15,38  | 273<br>9,59   |
| 5       | 106<br>3,72<br>4,29<br>92,17    | 9<br>0,32<br>2,38<br>7,83     | 115<br>4,04   |
|         | 2469<br>86,72                   | 378<br>13,28                  | 2847          |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 33,0903   | 0,0297      |
| Error    | 2842 | 1081,8551 |             |
| C. Total | 2846 | 1114,9454 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 66,181    | <.0001     |
| Pearson          | 75,518    | <.0001     |

## Contingency Analysis of Har hytte i innlandet 1-6-20 By FERIEENATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Har hytte i innlandet 1-6-20

|         | 0                               | 1                           |               |
|---------|---------------------------------|-----------------------------|---------------|
| Count   |                                 |                             |               |
| Total % |                                 |                             |               |
| Col %   |                                 |                             |               |
| Row %   |                                 |                             |               |
| 1       | 1406<br>49,39<br>52,35<br>95,06 | 73<br>2,56<br>45,34<br>4,94 | 1479<br>51,95 |
| 2       | 543<br>19,07<br>20,22<br>94,60  | 31<br>1,09<br>19,25<br>5,40 | 574<br>20,16  |
| 3       | 378<br>13,28<br>14,07<br>93,10  | 28<br>0,98<br>17,39<br>6,90 | 406<br>14,26  |
| 4       | 260<br>9,13<br>9,68<br>95,24    | 13<br>0,46<br>8,07<br>4,76  | 273<br>9,59   |
| 5       | 99<br>3,48<br>3,69<br>86,09     | 16<br>0,56<br>9,94<br>13,91 | 115<br>4,04   |
|         | 2686<br>94,34                   | 161<br>5,66                 | 2847          |

FERIEENATUR ØNSKE 2-29-289


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 6,88415   | 0,0111      |
| Error    | 2842 | 611,96648 |             |
| C. Total | 2846 | 618,85063 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,768    | 0,0081     |
| Pearson          | 17,784    | 0,0014     |

**Contingency Analysis of Har hytte 1-6-19 By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Har hytte 1-6-19

|                            | Har hytte 1-6-19 |                                 |                                |               |
|----------------------------|------------------|---------------------------------|--------------------------------|---------------|
|                            | Count            | 0                               |                                | 1             |
|                            | Total %          |                                 |                                |               |
|                            | Col %            |                                 |                                |               |
|                            | Row %            |                                 |                                |               |
| FERIENTATUR ØNSKE 2-29-289 | 1                | 1072<br>37,65<br>52,47<br>72,48 | 407<br>14,30<br>50,62<br>27,52 | 1479<br>51,95 |
|                            | 2                | 422<br>14,82<br>20,66<br>73,52  | 152<br>5,34<br>18,91<br>26,48  | 574<br>20,16  |
|                            | 3                | 255<br>8,96<br>12,48<br>62,81   | 151<br>5,30<br>18,78<br>37,19  | 406<br>14,26  |
|                            | 4                | 207<br>7,27<br>10,13<br>75,82   | 66<br>2,32<br>8,21<br>24,18    | 273<br>9,59   |
|                            | 5                | 87<br>3,06<br>4,26<br>75,65     | 28<br>0,98<br>3,48<br>24,35    | 115<br>4,04   |
|                            | 2043<br>71,76    | 804<br>28,24                    | 2847                           |               |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 9,8271    | 0,0058      |
| Error    | 2842 | 1684,7305 |             |
| C. Total | 2846 | 1694,5575 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,654    | 0,0006     |
| Pearson          | 20,397    | 0,0004     |

**Contingency Analysis of # HYTTEBESØK ÅRLIG 1-6-21 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

# HYTTEBESØK ÅRLIG 1-6-21

|                           | # HYTTEBESØK ÅRLIG 1-6-21 |       |       |       |       |       | Count | Total % |
|---------------------------|---------------------------|-------|-------|-------|-------|-------|-------|---------|
|                           | 0                         | 1     | 2     | 3     | 4     | 5     |       |         |
| FERIENATUR ØNSKE 2-29-289 | 1                         | 4     | 123   | 95    | 91    | 41    | 44    | 398     |
|                           |                           | 0,51  | 15,67 | 12,10 | 11,59 | 5,22  | 5,61  | 50,70   |
|                           |                           | 44,44 | 48,81 | 50,53 | 52,30 | 55,41 | 50,00 |         |
|                           |                           | 1,01  | 30,90 | 23,87 | 22,86 | 10,30 | 11,06 |         |
|                           |                           |       |       |       |       |       |       |         |
| 2                         | 5                         | 50    | 33    | 21    | 12    | 28    | 149   |         |
|                           | 0,64                      | 6,37  | 4,20  | 2,68  | 1,53  | 3,57  | 18,98 |         |
|                           | 55,56                     | 19,84 | 17,55 | 12,07 | 16,22 | 31,82 |       |         |
|                           | 3,36                      | 33,56 | 22,15 | 14,09 | 8,05  | 18,79 |       |         |
| 3                         | 0                         | 50    | 35    | 43    | 12    | 7     | 147   |         |
|                           | 0,00                      | 6,37  | 4,46  | 5,48  | 1,53  | 0,89  | 18,73 |         |
|                           | 0,00                      | 19,84 | 18,62 | 24,71 | 16,22 | 7,95  |       |         |
|                           | 0,00                      | 34,01 | 23,81 | 29,25 | 8,16  | 4,76  |       |         |
| 4                         | 0                         | 16    | 20    | 14    | 8     | 5     | 63    |         |
|                           | 0,00                      | 2,04  | 2,55  | 1,78  | 1,02  | 0,64  | 8,03  |         |
|                           | 0,00                      | 6,35  | 10,64 | 8,05  | 10,81 | 5,68  |       |         |
|                           | 0,00                      | 25,40 | 31,75 | 22,22 | 12,70 | 7,94  |       |         |
| 5                         | 0                         | 13    | 5     | 5     | 1     | 4     | 28    |         |
|                           | 0,00                      | 1,66  | 0,64  | 0,64  | 0,13  | 0,51  | 3,57  |         |
|                           | 0,00                      | 5,16  | 2,66  | 2,87  | 1,35  | 4,55  |       |         |
|                           | 0,00                      | 46,43 | 17,86 | 17,86 | 3,57  | 14,29 |       |         |
|                           | 9                         | 252   | 188   | 174   | 74    | 88    | 785   |         |
|                           | 1,15                      | 32,10 | 23,95 | 22,17 | 9,43  | 11,21 |       |         |

**Tests**


| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 20  | 20,1282   | 0,0164      |
| Error    | 760 | 1204,6092 |             |
| C. Total | 780 | 1224,7374 |             |
| N        | 785 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 40,256    | 0,0046     |
| Pearson          | 39,070    | 0,0065     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of # BILER I HUSSTANDEN 1-6-22 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

# BILER I HUSSTANDEN 1-6-22

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 774   | 392   | 55    | 26    | 221   | 1468  |
|         | 27,44 | 13,90 | 1,95  | 0,92  | 7,83  | 52,04 |
|         | 51,02 | 54,83 | 47,41 | 66,67 | 50,92 |       |
|         | 52,72 | 26,70 | 3,75  | 1,77  | 15,05 |       |
| 2       | 313   | 125   | 30    | 6     | 94    | 568   |
|         | 11,10 | 4,43  | 1,06  | 0,21  | 3,33  | 20,13 |
|         | 20,63 | 17,48 | 25,86 | 15,38 | 21,66 |       |
|         | 55,11 | 22,01 | 5,28  | 1,06  | 16,55 |       |
| 3       | 216   | 117   | 16    | 2     | 51    | 402   |
|         | 7,66  | 4,15  | 0,57  | 0,07  | 1,81  | 14,25 |
|         | 14,24 | 16,36 | 13,79 | 5,13  | 11,75 |       |
|         | 53,73 | 29,10 | 3,98  | 0,50  | 12,69 |       |
| 4       | 148   | 63    | 12    | 5     | 42    | 270   |
|         | 5,25  | 2,23  | 0,43  | 0,18  | 1,49  | 9,57  |
|         | 9,76  | 8,81  | 10,34 | 12,82 | 9,68  |       |
|         | 54,81 | 23,33 | 4,44  | 1,85  | 15,56 |       |
| 5       | 66    | 18    | 3     | 0     | 26    | 113   |
|         | 2,34  | 0,64  | 0,11  | 0,00  | 0,92  | 4,01  |
|         | 4,35  | 2,52  | 2,59  | 0,00  | 5,99  |       |
|         | 58,41 | 15,93 | 2,65  | 0,00  | 23,01 |       |
|         | 1517  | 715   | 116   | 39    | 434   | 2821  |
|         | 53,78 | 25,35 | 4,11  | 1,38  | 15,38 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 14,7885   | 0,0045      |
| Error    | 2801 | 3257,1940 |             |
| C. Total | 2817 | 3271,9826 |             |
| N        | 2821 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,577    | 0,0203     |
| Pearson          | 27,316    | 0,0381     |

| Kappa    | Std Err  |
|----------|----------|
| -0,01353 | 0,010783 |

Kappa measures the degree of agreement.

**Contingency Analysis of Fridag bruk (1.v) 2-4-204 By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (1.v) 2-4-204

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 943   | 282   | 103   | 48    | 84    | 1460  |
|         | 33,51 | 10,02 | 3,66  | 1,71  | 2,99  | 51,88 |
|         | 56,06 | 38,74 | 60,23 | 48,48 | 62,69 |       |
|         | 64,59 | 19,32 | 7,05  | 3,29  | 5,75  |       |
| 2       | 362   | 132   | 35    | 22    | 19    | 570   |
|         | 12,86 | 4,69  | 1,24  | 0,78  | 0,68  | 20,26 |
|         | 21,52 | 18,13 | 20,47 | 22,22 | 14,18 |       |
|         | 63,51 | 23,16 | 6,14  | 3,86  | 3,33  |       |
| 3       | 171   | 176   | 21    | 21    | 12    | 401   |
|         | 6,08  | 6,25  | 0,75  | 0,75  | 0,43  | 14,25 |
|         | 10,17 | 24,18 | 12,28 | 21,21 | 8,96  |       |
|         | 42,64 | 43,89 | 5,24  | 5,24  | 2,99  |       |
| 4       | 128   | 116   | 8     | 7     | 9     | 268   |
|         | 4,55  | 4,12  | 0,28  | 0,25  | 0,32  | 9,52  |
|         | 7,61  | 15,93 | 4,68  | 7,07  | 6,72  |       |
|         | 47,76 | 43,28 | 2,99  | 2,61  | 3,36  |       |
| 5       | 78    | 22    | 4     | 1     | 10    | 115   |
|         | 2,77  | 0,78  | 0,14  | 0,04  | 0,36  | 4,09  |
|         | 4,64  | 3,02  | 2,34  | 1,01  | 7,46  |       |
|         | 67,83 | 19,13 | 3,48  | 0,87  | 8,70  |       |
|         | 1682  | 728   | 171   | 99    | 134   | 2814  |
|         | 59,77 | 25,87 | 6,08  | 3,52  | 4,76  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 82,2609   | 0,0268      |
| Error    | 2794 | 2985,8987 |             |
| C. Total | 2810 | 3068,1596 |             |
| N        | 2814 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 164,522   | <.0001     |
| Pearson          | 171,928   | <.0001     |

| Kappa   | Std Err |
|---------|---------|
| 0,03054 | 0,01119 |

Kappa measures the degree of agreement.

**Contingency Analysis of Fridag bruk (2.V) 2-4-205 By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (2.V) 2-4-205

|                            |         | Fridag bruk (2.V) 2-4-205 |       |      |       |      |      |
|----------------------------|---------|---------------------------|-------|------|-------|------|------|
|                            |         | 1                         | 2     | 3    | 4     | 5    |      |
| FERIEENATUR ØNSKE 2-29-289 | Count   |                           |       |      |       |      |      |
|                            | Total % |                           |       |      |       |      |      |
|                            | Col %   |                           |       |      |       |      |      |
|                            | Row %   |                           |       |      |       |      |      |
|                            | 1       | 432                       | 489   | 187  | 128   | 220  | 1456 |
|                            | 2       | 172                       | 221   | 64   | 48    | 63   | 568  |
| 3                          | 174     | 139                       | 23    | 38   | 23    | 397  |      |
| 4                          | 112     | 93                        | 24    | 16   | 22    | 267  |      |
| 5                          | 30      | 52                        | 11    | 6    | 16    | 115  |      |
|                            | 920     | 994                       | 309   | 236  | 344   | 2803 |      |
|                            | 32,82   | 35,46                     | 11,02 | 8,42 | 12,27 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 42,8802   | 0,0106      |
| Error    | 2783 | 3999,5847 |             |
| C. Total | 2799 | 4042,4648 |             |
| N        | 2803 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 85,760    | <.0001     |
| Pearson          | 82,209    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02529 | 0,009856 |

Kappa measures the degree of agreement.

**Contingency Analysis of BOSTEDSVALG 2-18-261 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                           |   | BOSTEDSVALG 2-18-261         |                                |                                |                                |                               |               |
|---------------------------|---|------------------------------|--------------------------------|--------------------------------|--------------------------------|-------------------------------|---------------|
|                           |   | 1                            | 2                              | 3                              | 4                              | 5                             |               |
| Count                     |   |                              |                                |                                |                                |                               |               |
| Total %                   |   |                              |                                |                                |                                |                               |               |
| Col %                     |   |                              |                                |                                |                                |                               |               |
| Row %                     |   |                              |                                |                                |                                |                               |               |
| FERIENATUR ØNSKE 2-29-289 | 1 | 127<br>4,58<br>61,65<br>8,79 | 335<br>12,09<br>62,38<br>23,18 | 396<br>14,30<br>57,06<br>27,40 | 414<br>14,95<br>48,08<br>28,65 | 173<br>6,25<br>36,65<br>11,97 | 1445<br>52,17 |
|                           | 2 | 37<br>1,34<br>17,96<br>6,56  | 96<br>3,47<br>17,88<br>17,02   | 140<br>5,05<br>20,17<br>24,82  | 192<br>6,93<br>22,30<br>34,04  | 99<br>3,57<br>20,97<br>17,55  | 564<br>20,36  |
|                           | 3 | 25<br>0,90<br>12,14<br>6,39  | 57<br>2,06<br>10,61<br>14,58   | 90<br>3,25<br>12,97<br>23,02   | 127<br>4,58<br>14,75<br>32,48  | 92<br>3,32<br>19,49<br>23,53  | 391<br>14,12  |
|                           | 4 | 13<br>0,47<br>6,31<br>5,00   | 34<br>1,23<br>6,33<br>13,08    | 46<br>1,66<br>6,63<br>17,69    | 91<br>3,29<br>10,57<br>35,00   | 76<br>2,74<br>16,10<br>29,23  | 260<br>9,39   |
|                           | 5 | 4<br>0,14<br>1,94<br>3,64    | 15<br>0,54<br>2,79<br>13,64    | 22<br>0,79<br>3,17<br>20,00    | 37<br>1,34<br>4,30<br>33,64    | 32<br>1,16<br>6,78<br>29,09   | 110<br>3,97   |
|                           |   | 206<br>7,44                  | 537<br>19,39                   | 694<br>25,05                   | 861<br>31,08                   | 472<br>17,04                  | 2770          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 55,6513   | 0,0132      |
| Error    | 2750 | 4162,6255 |             |
| C. Total | 2766 | 4218,2767 |             |
| N        | 2770 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 111,303   | <.0001     |
| Pearson          | 113,443   | <.0001     |


| Kappa    | Std Err  |
|----------|----------|
| 0,009202 | 0,007289 |

Kappa measures the degree of agreement.



**Contingency Analysis of BOSTEDSTYPE IDAG 2-19-262 By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

BOSTEDSTYPE IDAG 2-19-262

|                            |         | BOSTEDSTYPE IDAG 2-19-262 |       |       |       |       |       |
|----------------------------|---------|---------------------------|-------|-------|-------|-------|-------|
|                            |         | 1                         | 2     | 3     | 4     | 5     |       |
| FERIENTATUR ØNSKE 2-29-289 | Count   |                           |       |       |       |       |       |
|                            | Total % |                           |       |       |       |       |       |
|                            | Col %   |                           |       |       |       |       |       |
|                            | Row %   |                           |       |       |       |       |       |
|                            | 1       | 204                       | 320   | 285   | 468   | 179   | 1456  |
|                            |         | 7,30                      | 11,44 | 10,19 | 16,74 | 6,40  | 52,07 |
| 2                          | 65      | 103                       | 93    | 198   | 105   | 564   |       |
|                            | 2,32    | 3,68                      | 3,33  | 7,08  | 3,76  | 20,17 |       |
| 3                          | 41      | 74                        | 60    | 139   | 82    | 396   |       |
|                            | 1,47    | 2,65                      | 2,15  | 4,97  | 2,93  | 14,16 |       |
| 4                          | 28      | 29                        | 41    | 98    | 73    | 269   |       |
|                            | 1,00    | 1,04                      | 1,47  | 3,51  | 2,61  | 9,62  |       |
| 5                          | 6       | 20                        | 15    | 40    | 30    | 111   |       |
|                            | 0,21    | 0,72                      | 0,54  | 1,43  | 1,07  | 3,97  |       |
|                            | 1,74    | 3,66                      | 3,04  | 4,24  | 6,40  |       |       |
|                            | 5,41    | 18,02                     | 13,51 | 36,04 | 27,03 |       |       |
|                            | 344     | 546                       | 494   | 943   | 469   | 2796  |       |
|                            | 12,30   | 19,53                     | 17,67 | 33,73 | 16,77 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 41,0991   | 0,0095      |
| Error    | 2776 | 4290,0379 |             |
| C. Total | 2792 | 4331,1371 |             |
| N        | 2796 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 82,198    | <.0001     |
| Pearson          | 81,397    | <.0001     |

| Kappa   | Std Err  |
|---------|----------|
| 0,01135 | 0,007718 |

Kappa measures the degree of agreement.

**Contingency Analysis of ØNSKE OM REKKEHUS+? 2-19-263 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

ØNSKE OM REKKEHUS+? 2-19-263

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 433   | 51    | 376   | 159   | 434   | 1453  |
|         | 15,55 | 1,83  | 13,51 | 5,71  | 15,59 | 52,19 |
|         | 48,82 | 48,11 | 54,18 | 52,48 | 54,66 |       |
|         | 29,80 | 3,51  | 25,88 | 10,94 | 29,87 |       |
| 2       | 190   | 23    | 146   | 64    | 142   | 565   |
|         | 6,82  | 0,83  | 5,24  | 2,30  | 5,10  | 20,29 |
|         | 21,42 | 21,70 | 21,04 | 21,12 | 17,88 |       |
|         | 33,63 | 4,07  | 25,84 | 11,33 | 25,13 |       |
| 3       | 131   | 14    | 86    | 44    | 117   | 392   |
|         | 4,71  | 0,50  | 3,09  | 1,58  | 4,20  | 14,08 |
|         | 14,77 | 13,21 | 12,39 | 14,52 | 14,74 |       |
|         | 33,42 | 3,57  | 21,94 | 11,22 | 29,85 |       |
| 4       | 102   | 8     | 61    | 22    | 72    | 265   |
|         | 3,66  | 0,29  | 2,19  | 0,79  | 2,59  | 9,52  |
|         | 11,50 | 7,55  | 8,79  | 7,26  | 9,07  |       |
|         | 38,49 | 3,02  | 23,02 | 8,30  | 27,17 |       |
| 5       | 31    | 10    | 25    | 14    | 29    | 109   |
|         | 1,11  | 0,36  | 0,90  | 0,50  | 1,04  | 3,92  |
|         | 3,49  | 9,43  | 3,60  | 4,62  | 3,65  |       |
|         | 28,44 | 9,17  | 22,94 | 12,84 | 26,61 |       |
|         | 887   | 106   | 694   | 303   | 794   | 2784  |
|         | 31,86 | 3,81  | 24,93 | 10,88 | 28,52 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 11,1907   | 0,0028      |
| Error    | 2764 | 3982,0223 |             |
| C. Total | 2780 | 3993,2131 |             |
| N        | 2784 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 22,381    | 0,1313     |
| Pearson          | 24,610    | 0,0770     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02292 | 0,008428 |

Kappa measures the degree of agreement.

**Contingency Analysis of KOMMUNETYPE SSB By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

**KOMMUNETYPE SSB**


|                            | 1       | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     |       |       |
|----------------------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| FERIENTATUR ØNSKE 2-29-289 | Count   | 68    | 119   | 77    | 29    | 37    | 186   | 632   | 290   | 41    | 1479  |
|                            | Total % | 2,39  | 4,18  | 2,70  | 1,02  | 1,30  | 6,53  | 22,20 | 10,19 | 1,44  | 51,95 |
|                            | Col %   | 37,57 | 46,48 | 50,00 | 46,77 | 50,00 | 50,68 | 59,74 | 50,88 | 32,80 |       |
|                            | Row %   | 4,60  | 8,05  | 5,21  | 1,96  | 2,50  | 12,58 | 42,73 | 19,61 | 2,77  |       |
|                            | 1       | 39    | 58    | 27    | 21    | 10    | 66    | 199   | 117   | 37    | 574   |
|                            | 2       | 1,37  | 2,04  | 0,95  | 0,74  | 0,35  | 2,32  | 6,99  | 4,11  | 1,30  | 20,16 |
|                            | 3       | 21,55 | 22,66 | 17,53 | 33,87 | 13,51 | 17,98 | 18,81 | 20,53 | 29,60 |       |
|                            | 4       | 6,79  | 10,10 | 4,70  | 3,66  | 1,74  | 11,50 | 34,67 | 20,38 | 6,45  |       |
|                            | 5       | 34    | 40    | 22    | 1     | 17    | 58    | 128   | 89    | 17    | 406   |
|                            | 6       | 1,19  | 1,40  | 0,77  | 0,04  | 0,60  | 2,04  | 4,50  | 3,13  | 0,60  | 14,26 |
|                            | 7       | 18,78 | 15,63 | 14,29 | 1,61  | 22,97 | 15,80 | 12,10 | 15,61 | 13,60 |       |
| 8                          | 8,37    | 9,85  | 5,42  | 0,25  | 4,19  | 14,29 | 31,53 | 21,92 | 4,19  |       |       |
| 9                          | 31      | 31    | 15    | 9     | 6     | 43    | 68    | 53    | 17    | 273   |       |
| 10                         | 1,09    | 1,09  | 0,53  | 0,32  | 0,21  | 1,51  | 2,39  | 1,86  | 0,60  | 9,59  |       |
| 11                         | 17,13   | 12,11 | 9,74  | 14,52 | 8,11  | 11,72 | 6,43  | 9,30  | 13,60 |       |       |
| 12                         | 11,36   | 11,36 | 5,49  | 3,30  | 2,20  | 15,75 | 24,91 | 19,41 | 6,23  |       |       |
| 13                         | 9       | 8     | 13    | 2     | 4     | 14    | 31    | 21    | 13    | 115   |       |
| 14                         | 0,32    | 0,28  | 0,46  | 0,07  | 0,14  | 0,49  | 1,09  | 0,74  | 0,46  | 4,04  |       |
| 15                         | 4,97    | 3,13  | 8,44  | 3,23  | 5,41  | 3,81  | 2,93  | 3,68  | 10,40 |       |       |
| 16                         | 7,83    | 6,96  | 11,30 | 1,74  | 3,48  | 12,17 | 26,96 | 18,26 | 11,30 |       |       |
| 17                         | 181     | 256   | 154   | 62    | 74    | 367   | 1058  | 570   | 125   | 2847  |       |
| 18                         | 6,36    | 8,99  | 5,41  | 2,18  | 2,60  | 12,89 | 37,16 | 20,02 | 4,39  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 32   | 58,2948   | 0,0113      |
| Error    | 2807 | 5120,3607 |             |
| C. Total | 2839 | 5178,6556 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 116,590   | <.0001     |
| Pearson          | 119,319   | <.0001     |

**Oneway Analysis of SESURBA By FERIE NATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,021975 |
| Adj Rsquare                | 0,020594 |
| Root Mean Square Error     | 151220,1 |
| Mean of Response           | 109134,2 |
| Observations (or Sum Wgts) | 2838     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 1,45559e12     | 3,639e+11   | 15,9133 | <.0001   |
| Error                      | 2833 | 6,47836e13     | 2,2868e10   |         |          |
| C. Total                   | 2837 | 6,62392e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 1478   | 127921 | 3933      | 120209    | 135634    |
| 2     | 570    | 101917 | 6334      | 89497     | 114337    |
| 3     | 405    | 94222  | 7514      | 79488     | 108956    |
| 4     | 270    | 60351  | 9203      | 42306     | 78397     |
| 5     | 115    | 70501  | 14101     | 42851     | 98151     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of FAMILISM By FERIEENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004355 |
| Adj Rsquare                | 0,00295  |
| Root Mean Square Error     | 120407,6 |
| Mean of Response           | -3689    |
| Observations (or Sum Wgts) | 2838     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIEENATUR ØNSKE 2-29-289 | 4    | 1,79673e11     | 4,4918e10   | 3,0982  | 0,0148   |
| Error                      | 2833 | 4,10728e13     | 1,4498e10   |         |          |
| C. Total                   | 2837 | 4,12525e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 1478   | -4313  | 3132      | -10454    | 1828      |
| 2     | 570    | 4066   | 5043      | -5823     | 13955     |
| 3     | 405    | -20041 | 5983      | -31772    | -8309     |
| 4     | 270    | 908    | 7328      | -13460    | 15277     |
| 5     | 115    | 12683  | 11228     | -9333     | 34699     |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of DEPRIVAT By FERIE NATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003974 |
| Adj Rsquare                | 0,002568 |
| Root Mean Square Error     | 85026,42 |
| Mean of Response           | 28250,29 |
| Observations (or Sum Wgts) | 2838     |

#### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 8,17144e10     | 2,0429e10   | 2,8257  | 0,0235   |
| Error                      | 2833 | 2,04812e13     | 7,22949e9   |         |          |
| C. Total                   | 2837 | 2,05629e13     |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1478   | 26157,6 | 2211,7    | 21821     | 30494     |
| 2     | 570    | 34334,9 | 3561,4    | 27352     | 41318     |
| 3     | 405    | 34119,2 | 4225,0    | 25835     | 42404     |
| 4     | 270    | 25865,7 | 5174,5    | 15719     | 36012     |
| 5     | 115    | 9916,7  | 7928,8    | -5630     | 25463     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of MANUFACT By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006169 |
| Adj Rsquare                | 0,004766 |
| Root Mean Square Error     | 88781,5  |
| Mean of Response           | 8989,726 |
| Observations (or Sum Wgts) | 2838     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 1,38618e11     | 3,4655e10   | 4,3966  | 0,0015   |
| Error                      | 2833 | 2,23301e13     | 7,88215e9   |         |          |
| C. Total                   | 2837 | 2,24688e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean  | Std Error | Lower 95% | Upper 95% |
|-------|--------|-------|-----------|-----------|-----------|
| 1     | 1478   | 12658 | 2309,3    | 8130      | 17186     |
| 2     | 570    | -4621 | 3718,6    | -11912    | 2671      |
| 3     | 405    | 14484 | 4411,6    | 5834      | 23134     |
| 4     | 270    | 10268 | 5403,1    | -326      | 20863     |
| 5     | 115    | 6954  | 8278,9    | -9279     | 23188     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of AFFLUENC By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,008657 |
| Adj Rsquare                | 0,007257 |
| Root Mean Square Error     | 72863,3  |
| Mean of Response           | 36134,3  |
| Observations (or Sum Wgts) | 2838     |

**Analysis of Variance**

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 1,31343e11     | 3,2836e10   | 6,1848  | <.0001   |
| Error                      | 2833 | 1,50406e13     | 5,30906e9   |         |          |
| C. Total                   | 2837 | 1,51719e13     |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1478   | 38079,9 | 1895,3    | 34364     | 41796     |
| 2     | 570    | 23198,9 | 3051,9    | 17215     | 29183     |
| 3     | 405    | 43857,1 | 3620,6    | 36758     | 50956     |
| 4     | 270    | 38473,1 | 4434,3    | 29778     | 47168     |
| 5     | 115    | 42554,8 | 6794,5    | 29232     | 55878     |

Std Error uses a pooled estimate of error variance



### Oneway Analysis of FECONOM By FERIE NATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002561 |
| Adj Rsquare                | 0,001152 |
| Root Mean Square Error     | 86566,53 |
| Mean of Response           | 32725,46 |
| Observations (or Sum Wgts) | 2838     |

#### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 5,45e+10       | 1,3625e10   | 1,8182  | 0,1225   |
| Error                      | 2833 | 2,12298e13     | 7,49376e9   |         |          |
| C. Total                   | 2837 | 2,12843e13     |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1478   | 29907,8 | 2251,7    | 25493     | 34323     |
| 2     | 570    | 40025,5 | 3625,9    | 32916     | 47135     |
| 3     | 405    | 36590,6 | 4301,5    | 28156     | 45025     |
| 4     | 270    | 28605,9 | 5268,3    | 18276     | 38936     |
| 5     | 115    | 28815,1 | 8072,4    | 12987     | 44643     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Helse By FERIENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004192 |
| Adj Rsquare                | 0,002791 |
| Root Mean Square Error     | 2,106451 |
| Mean of Response           | 4,085002 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 53,091         | 13,2727     | 2,9913  | 0,0178   |
| Error                     | 2842 | 12610,339      | 4,4371      |         |          |
| C. Total                  | 2846 | 12663,430      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 3,99459 | 0,05477   | 3,8872    | 4,1020    |
| 2     | 574    | 4,14111 | 0,08792   | 3,9687    | 4,3135    |
| 3     | 406    | 4,33990 | 0,10454   | 4,1349    | 4,5449    |
| 4     | 273    | 4,19780 | 0,12749   | 3,9478    | 4,4478    |
| 5     | 115    | 3,80000 | 0,19643   | 3,4148    | 4,1852    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Fysisk form By FERIENTATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,013315 |
| Adj Rsquare                | 0,011926 |
| Root Mean Square Error     | 2,042835 |
| Mean of Response           | 5,67334  |
| Observations (or Sum Wgts) | 2847     |

#### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 160,046        | 40,0114     | 9,5878  | <.0001   |
| Error                      | 2842 | 11860,161      | 4,1732      |         |          |
| C. Total                   | 2846 | 12020,207      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 5,55849 | 0,05312   | 5,4543    | 5,6626    |
| 2     | 574    | 5,73693 | 0,08527   | 5,5697    | 5,9041    |
| 3     | 406    | 6,18966 | 0,10138   | 5,9909    | 6,3884    |
| 4     | 273    | 5,60440 | 0,12364   | 5,3620    | 5,8468    |
| 5     | 115    | 5,17391 | 0,19050   | 4,8004    | 5,5474    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Selvrealisering By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00645  |
| Adj Rsquare                | 0,005052 |
| Root Mean Square Error     | 3,446284 |
| Mean of Response           | 9,12118  |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 219,128        | 54,7820     | 4,6125  | 0,0010   |
| Error                      | 2842 | 33754,065      | 11,8769     |         |          |
| C. Total                   | 2846 | 33973,193      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 9,17579 | 0,08961   | 9,0001    | 9,3515    |
| 2     | 574    | 9,38328 | 0,14385   | 9,1012    | 9,6653    |
| 3     | 406    | 9,18966 | 0,17104   | 8,8543    | 9,5250    |
| 4     | 273    | 8,47619 | 0,20858   | 8,0672    | 8,8852    |
| 5     | 115    | 8,40000 | 0,32137   | 7,7699    | 9,0301    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Materialisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010585 |
| Adj Rsquare                | 0,009192 |
| Root Mean Square Error     | 2,901877 |
| Mean of Response           | 7,194591 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 256,026        | 64,0066     | 7,6009  | <.0001   |
| Error                      | 2842 | 23932,170      | 8,4209      |         |          |
| C. Total                   | 2846 | 24188,197      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 7,44828 | 0,07546   | 7,3003    | 7,5962    |
| 2     | 574    | 7,07491 | 0,12112   | 6,8374    | 7,3124    |
| 3     | 406    | 6,71429 | 0,14402   | 6,4319    | 6,9967    |
| 4     | 273    | 6,73626 | 0,17563   | 6,3919    | 7,0806    |
| 5     | 115    | 7,31304 | 0,27060   | 6,7824    | 7,8436    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Felleskap By FERIE NATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009279 |
| Adj Rsquare                | 0,007884 |
| Root Mean Square Error     | 3,108406 |
| Mean of Response           | 13,06182 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 257,175        | 64,2938     | 6,6542  | <.0001   |
| Error                      | 2842 | 27459,945      | 9,6622      |         |          |
| C. Total                   | 2846 | 27717,120      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 13,2590 | 0,08083   | 13,100    | 13,417    |
| 2     | 574    | 13,1725 | 0,12974   | 12,918    | 13,427    |
| 3     | 406    | 12,7709 | 0,15427   | 12,468    | 13,073    |
| 4     | 273    | 12,3297 | 0,18813   | 11,961    | 12,699    |
| 5     | 115    | 12,7391 | 0,28986   | 12,171    | 13,307    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Natur By FERIENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,065502 |
| Adj Rsquare                | 0,064187 |
| Root Mean Square Error     | 3,013085 |
| Mean of Response           | 9,713383 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 1808,514       | 452,129     | 49,8011 | <.0001   |
| Error                     | 2842 | 25801,606      | 9,079       |         |          |
| C. Total                  | 2846 | 27610,120      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 9,0196  | 0,07835   | 8,866     | 9,173     |
| 2     | 574    | 9,9443  | 0,12576   | 9,698     | 10,191    |
| 3     | 406    | 10,8128 | 0,14954   | 10,520    | 11,106    |
| 4     | 273    | 11,1209 | 0,18236   | 10,763    | 11,478    |
| 5     | 115    | 10,2609 | 0,28097   | 9,710     | 10,812    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Religion By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,007991 |
| Adj Rsquare                | 0,006595 |
| Root Mean Square Error     | 4,937278 |
| Mean of Response           | 5,556375 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 558,081        | 139,520     | 5,7235  | 0,0001   |
| Error                      | 2842 | 69278,621      | 24,377      |         |          |
| C. Total                   | 2846 | 69836,702      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 5,17918 | 0,12838   | 4,9274    | 5,4309    |
| 2     | 574    | 5,80662 | 0,20608   | 5,4025    | 6,2107    |
| 3     | 406    | 6,01478 | 0,24503   | 5,5343    | 6,4952    |
| 4     | 273    | 5,82784 | 0,29882   | 5,2419    | 6,4138    |
| 5     | 115    | 6,89565 | 0,46040   | 5,9929    | 7,7984    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Nøysomhet/ Hedonisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005498 |
| Adj Rsquare                | 0,004099 |
| Root Mean Square Error     | 3,129035 |
| Mean of Response           | 7,553916 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 153,843        | 38,4608     | 3,9282  | 0,0035   |
| Error                      | 2842 | 27825,631      | 9,7909      |         |          |
| C. Total                   | 2846 | 27979,474      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 7,71941 | 0,08136   | 7,5599    | 7,8789    |
| 2     | 574    | 7,26655 | 0,13060   | 7,0105    | 7,5226    |
| 3     | 406    | 7,24384 | 0,15529   | 6,9393    | 7,5483    |
| 4     | 273    | 7,52015 | 0,18938   | 7,1488    | 7,8915    |
| 5     | 115    | 8,03478 | 0,29178   | 7,4627    | 8,6069    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Utseende By FERIE NATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010072 |
| Adj Rsquare                | 0,008679 |
| Root Mean Square Error     | 2,980566 |
| Mean of Response           | 8,32104  |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 256,884        | 64,2210     | 7,2290  | <.0001   |
| Error                      | 2842 | 25247,686      | 8,8838      |         |          |
| C. Total                   | 2846 | 25504,570      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,58283 | 0,07750   | 8,4309    | 8,7348    |
| 2     | 574    | 8,19338 | 0,12441   | 7,9494    | 8,4373    |
| 3     | 406    | 8,08867 | 0,14792   | 7,7986    | 8,3787    |
| 4     | 273    | 7,75458 | 0,18039   | 7,4009    | 8,1083    |
| 5     | 115    | 7,75652 | 0,27794   | 7,2115    | 8,3015    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Polysensualisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004891 |
| Adj Rsquare                | 0,00349  |
| Root Mean Square Error     | 2,408119 |
| Mean of Response           | 6,673692 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 81,000         | 20,2500     | 3,4920  | 0,0075   |
| Error                      | 2842 | 16480,859      | 5,7990      |         |          |
| C. Total                   | 2846 | 16561,860      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 6,82421 | 0,06262   | 6,7014    | 6,9470    |
| 2     | 574    | 6,60105 | 0,10051   | 6,4040    | 6,7981    |
| 3     | 406    | 6,47537 | 0,11951   | 6,2410    | 6,7097    |
| 4     | 273    | 6,36264 | 0,14575   | 6,0769    | 6,6484    |
| 5     | 115    | 6,53913 | 0,22456   | 6,0988    | 6,9794    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Forbruk/ Investering By FERIE NATUR ØNSKE 2-29-289



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,013673 |
| Adj Rsquare                | 0,012285 |
| Root Mean Square Error     | 2,563094 |
| Mean of Response           | 11,70917 |
| Observations (or Sum Wgts) | 2847     |

##### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 258,815        | 64,7037     | 9,8492  | <.0001   |
| Error                      | 2842 | 18670,376      | 6,5694      |         |          |
| C. Total                   | 2846 | 18929,191      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 11,4726 | 0,06665   | 11,342    | 11,603    |
| 2     | 574    | 11,6794 | 0,10698   | 11,470    | 11,889    |
| 3     | 406    | 12,2562 | 0,12720   | 12,007    | 12,506    |
| 4     | 273    | 12,0842 | 0,15513   | 11,780    | 12,388    |
| 5     | 115    | 12,0783 | 0,23901   | 11,610    | 12,547    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Tradisjoner/ Nyheter By FERIENATUR ØNSKE 2-29-289



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,014931 |
| Adj Rsquare                | 0,013545 |
| Root Mean Square Error     | 2,239848 |
| Mean of Response           | 7,865121 |
| Observations (or Sum Wgts) | 2847     |

##### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 216,120        | 54,0300     | 10,7696 | <.0001   |
| Error                     | 2842 | 14258,086      | 5,0169      |         |          |
| C. Total                  | 2846 | 14474,207      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,08654 | 0,05824   | 7,9723    | 8,2007    |
| 2     | 574    | 7,78223 | 0,09349   | 7,5989    | 7,9655    |
| 3     | 406    | 7,72906 | 0,11116   | 7,5111    | 7,9470    |
| 4     | 273    | 7,33333 | 0,13556   | 7,0675    | 7,5991    |
| 5     | 115    | 7,17391 | 0,20887   | 6,7644    | 7,5835    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Risiko/ Trygghet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009989 |
| Adj Rsquare                | 0,008595 |
| Root Mean Square Error     | 3,959177 |
| Mean of Response           | 10,536   |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 449,465        | 112,366     | 7,1685  | <.0001   |
| Error                      | 2842 | 44548,595      | 15,675      |         |          |
| C. Total                   | 2846 | 44998,060      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 10,2042 | 0,10295   | 10,002    | 10,406    |
| 2     | 574    | 10,5697 | 0,16525   | 10,246    | 10,894    |
| 3     | 406    | 11,1502 | 0,19649   | 10,765    | 11,536    |
| 4     | 273    | 11,0293 | 0,23962   | 10,559    | 11,499    |
| 5     | 115    | 11,2957 | 0,36920   | 10,572    | 12,020    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Pessimisme/ Optimisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001194 |
| Adj Rsquare                | -0,00021 |
| Root Mean Square Error     | 1,838733 |
| Mean of Response           | 8,713383 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 11,4912        | 2,87279     | 0,8497  | 0,4936   |
| Error                      | 2842 | 9608,6290      | 3,38094     |         |          |
| C. Total                   | 2846 | 9620,1201      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,74645 | 0,04781   | 8,6527    | 8,8402    |
| 2     | 574    | 8,75436 | 0,07675   | 8,6039    | 8,9048    |
| 3     | 406    | 8,57143 | 0,09125   | 8,3925    | 8,7504    |
| 4     | 273    | 8,68864 | 0,11129   | 8,4704    | 8,9069    |
| 5     | 115    | 8,64348 | 0,17146   | 8,3073    | 8,9797    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Spontanitet/ Rigiditet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,021398 |
| Adj Rsquare                | 0,020021 |
| Root Mean Square Error     | 3,523089 |
| Mean of Response           | 8,562346 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 771,342        | 192,835     | 15,5360 | <.0001   |
| Error                      | 2842 | 35275,342      | 12,412      |         |          |
| C. Total                   | 2846 | 36046,684      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,09060 | 0,09161   | 7,9110    | 8,270     |
| 2     | 574    | 8,91812 | 0,14705   | 8,6298    | 9,206     |
| 3     | 406    | 8,99754 | 0,17485   | 8,6547    | 9,340     |
| 4     | 273    | 9,18681 | 0,21323   | 8,7687    | 9,605     |
| 5     | 115    | 9,83478 | 0,32853   | 9,1906    | 10,479    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Fornuft By FERIE NATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,007165 |
| Adj Rsquare                | 0,005767 |
| Root Mean Square Error     | 2,337368 |
| Mean of Response           | 5,127503 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 112,044        | 28,0110     | 5,1271  | 0,0004   |
| Error                      | 2842 | 15526,673      | 5,4633      |         |          |
| C. Total                   | 2846 | 15638,717      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 4,96078 | 0,06078   | 4,8416    | 5,0800    |
| 2     | 574    | 5,17073 | 0,09756   | 4,9794    | 5,3620    |
| 3     | 406    | 5,50000 | 0,11600   | 5,2725    | 5,7275    |
| 4     | 273    | 5,33700 | 0,14146   | 5,0596    | 5,6144    |
| 5     | 115    | 5,24348 | 0,21796   | 4,8161    | 5,6709    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Følelser By FERIE NATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00502  |
| Adj Rsquare                | 0,00362  |
| Root Mean Square Error     | 2,371401 |
| Mean of Response           | 11,48121 |
| Observations (or Sum Wgts) | 2847     |

#### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 80,640         | 20,1599     | 3,5849  | 0,0064   |
| Error                      | 2842 | 15982,105      | 5,6235      |         |          |
| C. Total                   | 2846 | 16062,745      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 11,6072 | 0,06166   | 11,486    | 11,728    |
| 2     | 574    | 11,4878 | 0,09898   | 11,294    | 11,682    |
| 3     | 406    | 11,1330 | 0,11769   | 10,902    | 11,364    |
| 4     | 273    | 11,3114 | 0,14352   | 11,030    | 11,593    |
| 5     | 115    | 11,4609 | 0,22113   | 11,027    | 11,894    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Okkultisme By FERIE NATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003582 |
| Adj Rsquare                | 0,00218  |
| Root Mean Square Error     | 3,060443 |
| Mean of Response           | 6,009484 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 95,692         | 23,9229     | 2,5541  | 0,0372   |
| Error                      | 2842 | 26619,052      | 9,3663      |         |          |
| C. Total                   | 2846 | 26714,744      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 6,02907 | 0,07958   | 5,8730    | 6,1851    |
| 2     | 574    | 6,29094 | 0,12774   | 6,0405    | 6,5414    |
| 3     | 406    | 5,74877 | 0,15189   | 5,4509    | 6,0466    |
| 4     | 273    | 5,72894 | 0,18523   | 5,3657    | 6,0921    |
| 5     | 115    | 5,93913 | 0,28539   | 5,3795    | 6,4987    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Ambisjonsmangel By FERIE NATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005503 |
| Adj Rsquare                | 0,004103 |
| Root Mean Square Error     | 2,36164  |
| Mean of Response           | 4,293642 |
| Observations (or Sum Wgts) | 2847     |

#### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 87,708         | 21,9269     | 3,9314  | 0,0035   |
| Error                      | 2842 | 15850,807      | 5,5773      |         |          |
| C. Total                   | 2846 | 15938,515      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 4,16362 | 0,06141   | 4,0432    | 4,2840    |
| 2     | 574    | 4,26655 | 0,09857   | 4,0733    | 4,4598    |
| 3     | 406    | 4,46552 | 0,11721   | 4,2357    | 4,6953    |
| 4     | 273    | 4,68498 | 0,14293   | 4,4047    | 4,9652    |
| 5     | 115    | 4,56522 | 0,22022   | 4,1334    | 4,9970    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Mobilitet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002646 |
| Adj Rsquare                | 0,001242 |
| Root Mean Square Error     | 2,144439 |
| Mean of Response           | 3,545135 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 34,670         | 8,66759     | 1,8848  | 0,1103   |
| Error                      | 2842 | 13069,280      | 4,59862     |         |          |
| C. Total                   | 2846 | 13103,950      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 3,63286 | 0,05576   | 3,5235    | 3,7422    |
| 2     | 574    | 3,46690 | 0,08951   | 3,2914    | 3,6424    |
| 3     | 406    | 3,55172 | 0,10643   | 3,3430    | 3,7604    |
| 4     | 273    | 3,31502 | 0,12979   | 3,0605    | 3,5695    |
| 5     | 115    | 3,33043 | 0,19997   | 2,9383    | 3,7225    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Egoisme/ Uselviskhet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004056 |
| Adj Rsquare                | 0,002654 |
| Root Mean Square Error     | 2,485259 |
| Mean of Response           | 10,31963 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 71,482         | 17,8706     | 2,8933  | 0,0210   |
| Error                      | 2842 | 17553,650      | 6,1765      |         |          |
| C. Total                   | 2846 | 17625,132      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 10,2502 | 0,06462   | 10,123    | 10,377    |
| 2     | 574    | 10,4390 | 0,10373   | 10,236    | 10,642    |
| 3     | 406    | 10,6182 | 0,12334   | 10,376    | 10,860    |
| 4     | 273    | 10,0733 | 0,15041   | 9,778     | 10,368    |
| 5     | 115    | 10,1478 | 0,23175   | 9,693     | 10,602    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Familie By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001943 |
| Adj Rsquare                | 0,000538 |
| Root Mean Square Error     | 2,375518 |
| Mean of Response           | 10,65999 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 31,225         | 7,80617     | 1,3833  | 0,2371   |
| Error                      | 2842 | 16037,649      | 5,64309     |         |          |
| C. Total                   | 2846 | 16068,873      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 10,6903 | 0,06177   | 10,569    | 10,811    |
| 2     | 574    | 10,7805 | 0,09915   | 10,586    | 10,975    |
| 3     | 406    | 10,4507 | 0,11789   | 10,220    | 10,682    |
| 4     | 273    | 10,6264 | 0,14377   | 10,344    | 10,908    |
| 5     | 115    | 10,4870 | 0,22152   | 10,053    | 10,921    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nærmiljø By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,011937 |
| Adj Rsquare                | 0,010546 |
| Root Mean Square Error     | 2,445986 |
| Mean of Response           | 8,42255  |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 205,418        | 51,3545     | 8,5836  | <.0001   |
| Error                      | 2842 | 17003,254      | 5,9828      |         |          |
| C. Total                   | 2846 | 17208,672      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,17918 | 0,06360   | 8,0545    | 8,3039    |
| 2     | 574    | 8,60105 | 0,10209   | 8,4009    | 8,8012    |
| 3     | 406    | 8,61084 | 0,12139   | 8,3728    | 8,8489    |
| 4     | 273    | 8,91575 | 0,14804   | 8,6255    | 9,2060    |
| 5     | 115    | 8,82609 | 0,22809   | 8,3788    | 9,2733    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Status By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000996 |
| Adj Rsquare                | -0,00041 |
| Root Mean Square Error     | 2,570384 |
| Mean of Response           | 3,872146 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 18,727         | 4,68163     | 0,7086  | 0,5860   |
| Error                      | 2842 | 18776,735      | 6,60687     |         |          |
| C. Total                   | 2846 | 18795,461      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 3,94185 | 0,06684   | 3,8108    | 4,0729    |
| 2     | 574    | 3,74564 | 0,10729   | 3,5353    | 3,9560    |
| 3     | 406    | 3,86207 | 0,12757   | 3,6119    | 4,1122    |
| 4     | 273    | 3,82784 | 0,15557   | 3,5228    | 4,1329    |
| 5     | 115    | 3,74783 | 0,23969   | 3,2778    | 4,2178    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Likestilling By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,012756 |
| Adj Rsquare                | 0,011366 |
| Root Mean Square Error     | 2,50801  |
| Mean of Response           | 9,490341 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 230,976        | 57,7440     | 9,1801  | <.0001   |
| Error                      | 2842 | 17876,508      | 6,2901      |         |          |
| C. Total                   | 2846 | 18107,484      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 9,65923 | 0,06521   | 9,5314    | 9,7871    |
| 2     | 574    | 9,60801 | 0,10468   | 9,4028    | 9,8133    |
| 3     | 406    | 9,29803 | 0,12447   | 9,0540    | 9,5421    |
| 4     | 273    | 9,01465 | 0,15179   | 8,7170    | 9,3123    |
| 5     | 115    | 8,53913 | 0,23387   | 8,0806    | 8,9977    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Intolerance/ Tolerance By FERIENTATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,014085 |
| Adj Rsquare                | 0,012697 |
| Root Mean Square Error     | 2,646289 |
| Mean of Response           | 7,165086 |
| Observations (or Sum Wgts) | 2847     |

#### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 284,324        | 71,0809     | 10,1503 | <.0001   |
| Error                      | 2842 | 19902,086      | 7,0028      |         |          |
| C. Total                   | 2846 | 20186,410      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 7,43070 | 0,06881   | 7,2958    | 7,5656    |
| 2     | 574    | 7,04704 | 0,11045   | 6,8305    | 7,2636    |
| 3     | 406    | 6,96552 | 0,13133   | 6,7080    | 7,2230    |
| 4     | 273    | 6,58608 | 0,16016   | 6,2720    | 6,9001    |
| 5     | 115    | 6,41739 | 0,24677   | 5,9335    | 6,9013    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Individualitet/ Konformisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,012383 |
| Adj Rsquare                | 0,010993 |
| Root Mean Square Error     | 3,137982 |
| Mean of Response           | 9,673692 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 350,884        | 87,7211     | 8,9085  | <.0001   |
| Error                      | 2842 | 27984,975      | 9,8469      |         |          |
| C. Total                   | 2846 | 28335,860      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 9,3753  | 0,08160   | 9,2153    | 9,535     |
| 2     | 574    | 9,7840  | 0,13098   | 9,5272    | 10,041    |
| 3     | 406    | 9,9532  | 0,15574   | 9,6478    | 10,259    |
| 4     | 273    | 10,3553 | 0,18992   | 9,9829    | 10,728    |
| 5     | 115    | 10,3565 | 0,29262   | 9,7828    | 10,930    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Puritanisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009842 |
| Adj Rsquare                | 0,008449 |
| Root Mean Square Error     | 2,94219  |
| Mean of Response           | 5,914647 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 244,541        | 61,1353     | 7,0624  | <.0001   |
| Error                      | 2842 | 24601,718      | 8,6565      |         |          |
| C. Total                   | 2846 | 24846,259      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 5,64571 | 0,07650   | 5,4957    | 5,7957    |
| 2     | 574    | 6,08885 | 0,12280   | 5,8481    | 6,3296    |
| 3     | 406    | 6,18966 | 0,14602   | 5,9033    | 6,4760    |
| 4     | 273    | 6,38095 | 0,17807   | 6,0318    | 6,7301    |
| 5     | 115    | 6,42609 | 0,27436   | 5,8881    | 6,9641    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Lovlydighet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,020541 |
| Adj Rsquare                | 0,019162 |
| Root Mean Square Error     | 2,505581 |
| Mean of Response           | 10,58728 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 374,172        | 93,5430     | 14,9003 | <.0001   |
| Error                      | 2842 | 17841,888      | 6,2779      |         |          |
| C. Total                   | 2846 | 18216,060      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 10,2502 | 0,06515   | 10,122    | 10,378    |
| 2     | 574    | 10,8014 | 0,10458   | 10,596    | 11,006    |
| 3     | 406    | 11,0394 | 0,12435   | 10,796    | 11,283    |
| 4     | 273    | 11,0403 | 0,15164   | 10,743    | 11,338    |
| 5     | 115    | 11,1826 | 0,23365   | 10,724    | 11,641    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tillitsfulhet/ Fryktsomhet By FERIEANATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,007094 |
| Adj Rsquare                | 0,005697 |
| Root Mean Square Error     | 2,341116 |
| Mean of Response           | 2,854584 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIEANATUR ØNSKE 2-29-289 | 4    | 111,296        | 27,8240     | 5,0766  | 0,0004   |
| Error                      | 2842 | 15576,502      | 5,4808      |         |          |
| C. Total                   | 2846 | 15687,798      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 2,74645 | 0,06087   | 2,6271    | 2,8658    |
| 2     | 574    | 2,91289 | 0,09772   | 2,7213    | 3,1045    |
| 3     | 406    | 2,79557 | 0,11619   | 2,5677    | 3,0234    |
| 4     | 273    | 3,05495 | 0,14169   | 2,7771    | 3,3328    |
| 5     | 115    | 3,68696 | 0,21831   | 3,2589    | 4,1150    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Avmakt/ Herredømme By FERIE NATUR ØNSKE 2-29-289



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,008722 |
| Adj Rsquare                | 0,007327 |
| Root Mean Square Error     | 3,121083 |
| Mean of Response           | 10,33685 |
| Observations (or Sum Wgts) | 2847     |

##### Analysis of Variance

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 243,585        | 60,8962     | 6,2514  | <.0001   |
| Error                      | 2842 | 27684,380      | 9,7412      |         |          |
| C. Total                   | 2846 | 27927,965      |             |         |          |


##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 10,4266 | 0,08116   | 10,268    | 10,586    |
| 2     | 574    | 10,4895 | 0,13027   | 10,234    | 10,745    |
| 3     | 406    | 10,4901 | 0,15490   | 10,186    | 10,794    |
| 4     | 273    | 9,6630  | 0,18890   | 9,293     | 10,033    |
| 5     | 115    | 9,4783  | 0,29104   | 8,908     | 10,049    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Autoritet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010182 |
| Adj Rsquare                | 0,008789 |
| Root Mean Square Error     | 4,246273 |
| Mean of Response           | 9,257815 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 527,127        | 131,782     | 7,3087  | <.0001   |
| Error                      | 2842 | 51243,637      | 18,031      |         |          |
| C. Total                   | 2846 | 51770,764      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,87694 | 0,11041   | 8,6604    | 9,093     |
| 2     | 574    | 9,38676 | 0,17724   | 9,0392    | 9,734     |
| 3     | 406    | 9,83990 | 0,21074   | 9,4267    | 10,253    |
| 4     | 273    | 9,93407 | 0,25700   | 9,4301    | 10,438    |
| 5     | 115    | 9,85217 | 0,39597   | 9,0758    | 10,629    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Romantikk By FERIENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001685 |
| Adj Rsquare                | 0,00028  |
| Root Mean Square Error     | 2,431137 |
| Mean of Response           | 7,703548 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 28,358         | 7,08944     | 1,1995  | 0,3089   |
| Error                     | 2842 | 16797,436      | 5,91043     |         |          |
| C. Total                  | 2846 | 16825,794      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 7,64097 | 0,06322   | 7,5170    | 7,7649    |
| 2     | 574    | 7,75087 | 0,10147   | 7,5519    | 7,9498    |
| 3     | 406    | 7,64778 | 0,12066   | 7,4112    | 7,8844    |
| 4     | 273    | 7,93773 | 0,14714   | 7,6492    | 8,2262    |
| 5     | 115    | 7,91304 | 0,22670   | 7,4685    | 8,3576    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nasjonalisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005801 |
| Adj Rsquare                | 0,004402 |
| Root Mean Square Error     | 2,669813 |
| Mean of Response           | 8,30699  |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 118,201        | 29,5503     | 4,1457  | 0,0024   |
| Error                      | 2842 | 20257,490      | 7,1279      |         |          |
| C. Total                   | 2846 | 20375,691      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,13928 | 0,06942   | 8,0032    | 8,2754    |
| 2     | 574    | 8,31359 | 0,11144   | 8,0951    | 8,5321    |
| 3     | 406    | 8,57635 | 0,13250   | 8,3165    | 8,8362    |
| 4     | 273    | 8,67033 | 0,16158   | 8,3535    | 8,9872    |
| 5     | 115    | 8,61739 | 0,24896   | 8,1292    | 9,1056    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Ulikhet/ Likhet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,011453 |
| Adj Rsquare                | 0,010062 |
| Root Mean Square Error     | 3,37547  |
| Mean of Response           | 10,03056 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 375,166        | 93,7914     | 8,2318  | <.0001   |
| Error                      | 2842 | 32381,176      | 11,3938     |         |          |
| C. Total                   | 2846 | 32756,341      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 9,7911  | 0,08777   | 9,619     | 9,963     |
| 2     | 574    | 10,2561 | 0,14089   | 9,980     | 10,532    |
| 3     | 406    | 9,8300  | 0,16752   | 9,502     | 10,159    |
| 4     | 273    | 10,8791 | 0,20429   | 10,479    | 11,280    |
| 5     | 115    | 10,6783 | 0,31476   | 10,061    | 11,295    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Industrivekst/ Miljøvern By FERIENTATUR ØNSKE 2-29-289



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000357 |
| Adj Rsquare                | -0,00105 |
| Root Mean Square Error     | 2,724064 |
| Mean of Response           | 7,781173 |
| Observations (or Sum Wgts) | 2847     |

##### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 7,541          | 1,88523     | 0,2541  | 0,9073   |
| Error                      | 2842 | 21089,130      | 7,42052     |         |          |
| C. Total                   | 2846 | 21096,671      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 7,77688 | 0,07083   | 7,6380    | 7,9158    |
| 2     | 574    | 7,70906 | 0,11370   | 7,4861    | 7,9320    |
| 3     | 406    | 7,86207 | 0,13519   | 7,5970    | 8,1272    |
| 4     | 273    | 7,85714 | 0,16487   | 7,5339    | 8,1804    |
| 5     | 115    | 7,73043 | 0,25402   | 7,2324    | 8,2285    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kollektivisme/ Privatisme By FERIE NATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003073 |
| Adj Rsquare                | 0,00167  |
| Root Mean Square Error     | 3,484594 |
| Mean of Response           | 8,51563  |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 106,370        | 26,5926     | 2,1901  | 0,0677   |
| Error                      | 2842 | 34508,684      | 12,1424     |         |          |
| C. Total                   | 2846 | 34615,054      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 8,67005 | 0,09061   | 8,4924    | 8,8477    |
| 2     | 574    | 8,44948 | 0,14544   | 8,1643    | 8,7347    |
| 3     | 406    | 8,44089 | 0,17294   | 8,1018    | 8,7800    |
| 4     | 273    | 8,12088 | 0,21090   | 7,7074    | 8,5344    |
| 5     | 115    | 8,06087 | 0,32494   | 7,4237    | 8,6980    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Regulating/ Marked By FERIENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005832 |
| Adj Rsquare                | 0,004433 |
| Root Mean Square Error     | 2,512377 |
| Mean of Response           | 6,087812 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 105,240        | 26,3100     | 4,1682  | 0,0023   |
| Error                     | 2842 | 17938,807      | 6,3120      |         |          |
| C. Total                  | 2846 | 18044,047      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 6,24341 | 0,06533   | 6,1153    | 6,3715    |
| 2     | 574    | 6,04878 | 0,10486   | 5,8432    | 6,2544    |
| 3     | 406    | 5,94335 | 0,12469   | 5,6989    | 6,1878    |
| 4     | 273    | 5,64835 | 0,15206   | 5,3502    | 5,9465    |
| 5     | 115    | 5,83478 | 0,23428   | 5,3754    | 6,2942    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Politikertillit By FERIENTATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000706 |
| Adj Rsquare                | -0,0007  |
| Root Mean Square Error     | 2,78098  |
| Mean of Response           | 3,689849 |
| Observations (or Sum Wgts) | 2847     |

#### Analysis of Variance

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 15,530         | 3,88243     | 0,5020  | 0,7343   |
| Error                      | 2842 | 21979,607      | 7,73385     |         |          |
| C. Total                   | 2846 | 21995,137      |             |         |          |


#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 3,67613 | 0,07231   | 3,5343    | 3,8179    |
| 2     | 574    | 3,76655 | 0,11608   | 3,5389    | 3,9942    |
| 3     | 406    | 3,76601 | 0,13802   | 3,4954    | 4,0366    |
| 4     | 273    | 3,59341 | 0,16831   | 3,2634    | 3,9234    |
| 5     | 115    | 3,44348 | 0,25933   | 2,9350    | 3,9520    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Teknologi By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,008389 |
| Adj Rsquare                | 0,006993 |
| Root Mean Square Error     | 2,56274  |
| Mean of Response           | 7,680365 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 157,905        | 39,4763     | 6,0107  | <.0001   |
| Error                      | 2842 | 18665,227      | 6,5676      |         |          |
| C. Total                   | 2846 | 18823,132      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 7,79919 | 0,06664   | 7,6685    | 7,9299    |
| 2     | 574    | 7,79443 | 0,10697   | 7,5847    | 8,0042    |
| 3     | 406    | 7,58128 | 0,12719   | 7,3319    | 7,8307    |
| 4     | 273    | 7,31502 | 0,15510   | 7,0109    | 7,6191    |
| 5     | 115    | 6,80000 | 0,23898   | 6,3314    | 7,2686    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kunstprodukt/ Naturprodukt By FERIENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002282 |
| Adj Rsquare                | 0,000878 |
| Root Mean Square Error     | 2,408175 |
| Mean of Response           | 6,372322 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 37,704         | 9,42609     | 1,6254  | 0,1650   |
| Error                     | 2842 | 16481,635      | 5,79931     |         |          |
| C. Total                  | 2846 | 16519,339      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 6,45504 | 0,06262   | 6,3323    | 6,5778    |
| 2     | 574    | 6,34669 | 0,10052   | 6,1496    | 6,5438    |
| 3     | 406    | 6,28818 | 0,11952   | 6,0538    | 6,5225    |
| 4     | 273    | 6,28938 | 0,14575   | 6,0036    | 6,5752    |
| 5     | 115    | 5,93043 | 0,22456   | 5,4901    | 6,3708    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Reklameskepsis By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002486 |
| Adj Rsquare                | 0,001082 |
| Root Mean Square Error     | 3,094071 |
| Mean of Response           | 12,77204 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 67,812         | 16,9530     | 1,7709  | 0,1319   |
| Error                      | 2842 | 27207,243      | 9,5733      |         |          |
| C. Total                   | 2846 | 27275,054      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 12,7498 | 0,08045   | 12,592    | 12,908    |
| 2     | 574    | 12,8972 | 0,12914   | 12,644    | 13,150    |
| 3     | 406    | 12,8153 | 0,15356   | 12,514    | 13,116    |
| 4     | 273    | 12,8571 | 0,18726   | 12,490    | 13,224    |
| 5     | 115    | 12,0783 | 0,28852   | 11,513    | 12,644    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kosmopolitisme/ Lokalisme By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,008901 |
| Adj Rsquare                | 0,007506 |
| Root Mean Square Error     | 2,526753 |
| Mean of Response           | 5,330172 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 162,948        | 40,7371     | 6,3806  | <.0001   |
| Error                      | 2842 | 18144,690      | 6,3845      |         |          |
| C. Total                   | 2846 | 18307,638      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 5,24679 | 0,06570   | 5,1180    | 5,3756    |
| 2     | 574    | 5,42334 | 0,10546   | 5,2166    | 5,6301    |
| 3     | 406    | 5,00739 | 0,12540   | 4,7615    | 5,2533    |
| 4     | 273    | 5,88645 | 0,15293   | 5,5866    | 6,1863    |
| 5     | 115    | 5,75652 | 0,23562   | 5,2945    | 6,2185    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tett/ Spredt By FERIE NATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,039435 |
| Adj Rsquare                | 0,038083 |
| Root Mean Square Error     | 2,174647 |
| Mean of Response           | 3,735511 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 551,764        | 137,941     | 29,1686 | <.0001   |
| Error                      | 2842 | 13440,075      | 4,729       |         |          |
| C. Total                   | 2846 | 13991,840      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 4,09736 | 0,05655   | 3,9865    | 4,2082    |
| 2     | 574    | 3,70557 | 0,09077   | 3,5276    | 3,8836    |
| 3     | 406    | 2,99754 | 0,10793   | 2,7859    | 3,2092    |
| 4     | 273    | 3,05128 | 0,13162   | 2,7932    | 3,3094    |
| 5     | 115    | 3,46087 | 0,20279   | 3,0632    | 3,8585    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kameratskap By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004309 |
| Adj Rsquare                | 0,002908 |
| Root Mean Square Error     | 1,866067 |
| Mean of Response           | 3,887952 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 42,8289        | 10,7072     | 3,0748  | 0,0154   |
| Error                      | 2842 | 9896,4279      | 3,4822      |         |          |
| C. Total                   | 2846 | 9939,2568      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 3,86410 | 0,04852   | 3,7690    | 3,9592    |
| 2     | 574    | 3,96690 | 0,07789   | 3,8142    | 4,1196    |
| 3     | 406    | 3,72906 | 0,09261   | 3,5475    | 3,9107    |
| 4     | 273    | 3,87912 | 0,11294   | 3,6577    | 4,1006    |
| 5     | 115    | 4,38261 | 0,17401   | 4,0414    | 4,7238    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Spill By FERIENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006982 |
| Adj Rsquare                | 0,005584 |
| Root Mean Square Error     | 2,640933 |
| Mean of Response           | 4,28732  |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 139,367        | 34,8417     | 4,9956  | 0,0005   |
| Error                     | 2842 | 19821,605      | 6,9745      |         |          |
| C. Total                  | 2846 | 19960,972      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 4,41785 | 0,06867   | 4,2832    | 4,5525    |
| 2     | 574    | 4,26829 | 0,11023   | 4,0522    | 4,4844    |
| 3     | 406    | 3,78325 | 0,13107   | 3,5263    | 4,0402    |
| 4     | 273    | 4,44689 | 0,15984   | 4,1335    | 4,7603    |
| 5     | 115    | 4,10435 | 0,24627   | 3,6215    | 4,5872    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Lojalitet By FERIENATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003832 |
| Adj Rsquare                | 0,00243  |
| Root Mean Square Error     | 1,824231 |
| Mean of Response           | 4,455216 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| FERIENATUR ØNSKE 2-29-289 | 4    | 36,3803        | 9,09508     | 2,7330  | 0,0275   |
| Error                     | 2842 | 9457,6597      | 3,32782     |         |          |
| C. Total                  | 2846 | 9494,0400      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 4,36038 | 0,04743   | 4,2674    | 4,4534    |
| 2     | 574    | 4,55749 | 0,07614   | 4,4082    | 4,7068    |
| 3     | 406    | 4,63793 | 0,09054   | 4,4604    | 4,8155    |
| 4     | 273    | 4,53480 | 0,11041   | 4,3183    | 4,7513    |
| 5     | 115    | 4,33043 | 0,17011   | 3,9969    | 4,6640    |

Std Error uses a pooled estimate of error variance



### Oneway Analysis of IND Frihet By FERIE NATUR ØNSKE 2-29-289



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00319  |
| Adj Rsquare                | 0,001788 |
| Root Mean Square Error     | 3,165403 |
| Mean of Response           | 15,48823 |
| Observations (or Sum Wgts) | 2847     |

#### Analysis of Variance


| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIE NATUR ØNSKE 2-29-289 | 4    | 91,144         | 22,7859     | 2,2741  | 0,0590   |
| Error                      | 2842 | 28476,212      | 10,0198     |         |          |
| C. Total                   | 2846 | 28567,356      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 15,6302 | 0,08231   | 15,469    | 15,792    |
| 2     | 574    | 15,3833 | 0,13212   | 15,124    | 15,642    |
| 3     | 406    | 15,1749 | 0,15710   | 14,867    | 15,483    |
| 4     | 273    | 15,5531 | 0,19158   | 15,177    | 15,929    |
| 5     | 115    | 15,1391 | 0,29518   | 14,560    | 15,718    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Solidaritet By FERIENTATUR ØNSKE 2-29-289**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009507 |
| Adj Rsquare                | 0,008113 |
| Root Mean Square Error     | 2,972199 |
| Mean of Response           | 9,982438 |
| Observations (or Sum Wgts) | 2847     |

**Analysis of Variance**

| Source                     | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|----------------------------|------|----------------|-------------|---------|----------|
| FERIENTATUR ØNSKE 2-29-289 | 4    | 240,982        | 60,2456     | 6,8198  | <.0001   |
| Error                      | 2842 | 25106,140      | 8,8340      |         |          |
| C. Total                   | 2846 | 25347,122      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1479   | 9,8046  | 0,07728   | 9,653     | 9,956     |
| 2     | 574    | 10,0070 | 0,12406   | 9,764     | 10,250    |
| 3     | 406    | 9,9236  | 0,14751   | 9,634     | 10,213    |
| 4     | 273    | 10,6593 | 0,17989   | 10,307    | 11,012    |
| 5     | 115    | 10,7478 | 0,27716   | 10,204    | 11,291    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of Enig/ uenig 1-9-50-1 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-1

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 97    | 184   | 755   | 434   | 8     | 1478  |
|         | 3,41  | 6,47  | 26,57 | 15,27 | 0,28  | 52,01 |
|         | 62,18 | 55,26 | 55,07 | 44,93 | 50,00 |       |
|         | 6,56  | 12,45 | 51,08 | 29,36 | 0,54  |       |
| 2       | 25    | 65    | 284   | 194   | 5     | 573   |
|         | 0,88  | 2,29  | 9,99  | 6,83  | 0,18  | 20,16 |
|         | 16,03 | 19,52 | 20,71 | 20,08 | 31,25 |       |
|         | 4,36  | 11,34 | 49,56 | 33,86 | 0,87  |       |
| 3       | 17    | 31    | 161   | 194   | 2     | 405   |
|         | 0,60  | 1,09  | 5,67  | 6,83  | 0,07  | 14,25 |
|         | 10,90 | 9,31  | 11,74 | 20,08 | 12,50 |       |
|         | 4,20  | 7,65  | 39,75 | 47,90 | 0,49  |       |
| 4       | 11    | 34    | 123   | 103   | 1     | 272   |
|         | 0,39  | 1,20  | 4,33  | 3,62  | 0,04  | 9,57  |
|         | 7,05  | 10,21 | 8,97  | 10,66 | 6,25  |       |
|         | 4,04  | 12,50 | 45,22 | 37,87 | 0,37  |       |
| 5       | 6     | 19    | 48    | 41    | 0     | 114   |
|         | 0,21  | 0,67  | 1,69  | 1,44  | 0,00  | 4,01  |
|         | 3,85  | 5,71  | 3,50  | 4,24  | 0,00  |       |
|         | 5,26  | 16,67 | 42,11 | 35,96 | 0,00  |       |
|         | 156   | 333   | 1371  | 966   | 16    | 2842  |
|         | 5,49  | 11,72 | 48,24 | 33,99 | 0,56  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 30,3532   | 0,0092      |
| Error    | 2822 | 3261,1141 |             |
| C. Total | 2838 | 3291,4673 |             |
| N        | 2842 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 60,706    | <.0001     |
| Pearson          | 61,364    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00446 | 0,006833 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-2 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-2

|                           |       | Enig/ uenig 1-9-50-2 |       |       |       |       |       |
|---------------------------|-------|----------------------|-------|-------|-------|-------|-------|
|                           |       | 1                    | 2     | 3     | 4     | 5     |       |
| Count                     |       |                      |       |       |       |       |       |
| Total %                   |       |                      |       |       |       |       |       |
| Col %                     |       |                      |       |       |       |       |       |
| Row %                     |       |                      |       |       |       |       |       |
| FERIENATUR ØNSKE 2-29-289 | 1     | 235                  | 290   | 498   | 423   | 25    | 1471  |
|                           |       | 8,30                 | 10,24 | 17,58 | 14,93 | 0,88  | 51,92 |
|                           |       | 56,76                | 55,66 | 52,98 | 47,26 | 39,68 |       |
|                           |       | 15,98                | 19,71 | 33,85 | 28,76 | 1,70  |       |
|                           | 2     | 89                   | 102   | 179   | 183   | 19    | 572   |
|                           |       | 3,14                 | 3,60  | 6,32  | 6,46  | 0,67  | 20,19 |
|                           |       | 21,50                | 19,58 | 19,04 | 20,45 | 30,16 |       |
|                           |       | 15,56                | 17,83 | 31,29 | 31,99 | 3,32  |       |
|                           | 3     | 51                   | 71    | 141   | 129   | 13    | 405   |
|                           |       | 1,80                 | 2,51  | 4,98  | 4,55  | 0,46  | 14,30 |
|                           |       | 12,32                | 13,63 | 15,00 | 14,41 | 20,63 |       |
|                           |       | 12,59                | 17,53 | 34,81 | 31,85 | 3,21  |       |
|                           | 4     | 26                   | 42    | 88    | 113   | 2     | 271   |
|                           |       | 0,92                 | 1,48  | 3,11  | 3,99  | 0,07  | 9,57  |
|                           |       | 6,28                 | 8,06  | 9,36  | 12,63 | 3,17  |       |
|                           |       | 9,59                 | 15,50 | 32,47 | 41,70 | 0,74  |       |
|                           | 5     | 13                   | 16    | 34    | 47    | 4     | 114   |
|                           |       | 0,46                 | 0,56  | 1,20  | 1,66  | 0,14  | 4,02  |
|                           |       | 3,14                 | 3,07  | 3,62  | 5,25  | 6,35  |       |
|                           |       | 11,40                | 14,04 | 29,82 | 41,23 | 3,51  |       |
|                           | 414   | 521                  | 940   | 895   | 63    | 2833  |       |
|                           | 14,61 | 18,39                | 33,18 | 31,59 | 2,22  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 20,4158   | 0,0051      |
| Error    | 2813 | 3966,1043 |             |
| C. Total | 2829 | 3986,5201 |             |
| N        | 2833 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 40,832    | 0,0006     |
| Pearson          | 40,585    | 0,0006     |

| Kappa    | Std Err  |
|----------|----------|
| 0,022841 | 0,008506 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-3 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-3

|         | 1                            | 2                             | 3                              | 4                              | 5                           |               |
|---------|------------------------------|-------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Count   |                              |                               |                                |                                |                             |               |
| Total % |                              |                               |                                |                                |                             |               |
| Col %   |                              |                               |                                |                                |                             |               |
| Row %   |                              |                               |                                |                                |                             |               |
| 1       | 125<br>4,43<br>44,48<br>8,51 | 226<br>8,01<br>53,94<br>15,40 | 609<br>21,58<br>53,00<br>41,49 | 475<br>16,83<br>53,25<br>32,36 | 33<br>1,17<br>40,74<br>2,25 | 1468<br>52,02 |
| 2       | 53<br>1,88<br>18,86<br>9,33  | 72<br>2,55<br>17,18<br>12,68  | 245<br>8,68<br>21,32<br>43,13  | 179<br>6,34<br>20,07<br>31,51  | 19<br>0,67<br>23,46<br>3,35 | 568<br>20,13  |
| 3       | 41<br>1,45<br>14,59<br>10,20 | 61<br>2,16<br>14,56<br>15,17  | 147<br>5,21<br>12,79<br>36,57  | 140<br>4,96<br>15,70<br>34,83  | 13<br>0,46<br>16,05<br>3,23 | 402<br>14,25  |
| 4       | 45<br>1,59<br>16,01<br>16,54 | 41<br>1,45<br>9,79<br>15,07   | 98<br>3,47<br>8,53<br>36,03    | 76<br>2,69<br>8,52<br>27,94    | 12<br>0,43<br>14,81<br>4,41 | 272<br>9,64   |
| 5       | 17<br>0,60<br>6,05<br>15,18  | 19<br>0,67<br>4,53<br>16,96   | 50<br>1,77<br>4,35<br>44,64    | 22<br>0,78<br>2,47<br>19,64    | 4<br>0,14<br>4,94<br>3,57   | 112<br>3,97   |
|         | 281<br>9,96                  | 419<br>14,85                  | 1149<br>40,72                  | 892<br>31,61                   | 81<br>2,87                  | 2822          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 18,3524   | 0,0048      |
| Error    | 2802 | 3776,4397 |             |
| C. Total | 2818 | 3794,7921 |             |
| N        | 2822 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 36,705    | 0,0023     |
| Pearson          | 38,193    | 0,0014     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02539 | 0,007451 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-4 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-4

|         | 1                           | 2                           | 3                              | 4                              | 5                           |               |
|---------|-----------------------------|-----------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Count   |                             |                             |                                |                                |                             |               |
| Total % |                             |                             |                                |                                |                             |               |
| Col %   |                             |                             |                                |                                |                             |               |
| Row %   |                             |                             |                                |                                |                             |               |
| 1       | 53<br>1,87<br>51,96<br>3,60 | 86<br>3,04<br>54,09<br>5,83 | 455<br>16,06<br>51,53<br>30,87 | 837<br>29,54<br>52,12<br>56,78 | 43<br>1,52<br>51,81<br>2,92 | 1474<br>52,03 |
| 2       | 25<br>0,88<br>24,51<br>4,37 | 38<br>1,34<br>23,90<br>6,64 | 173<br>6,11<br>19,59<br>30,24  | 320<br>11,30<br>19,93<br>55,94 | 16<br>0,56<br>19,28<br>2,80 | 572<br>20,19  |
| 3       | 10<br>0,35<br>9,80<br>2,49  | 21<br>0,74<br>13,21<br>5,24 | 124<br>4,38<br>14,04<br>30,92  | 235<br>8,30<br>14,63<br>58,60  | 11<br>0,39<br>13,25<br>2,74 | 401<br>14,15  |
| 4       | 11<br>0,39<br>10,78<br>4,04 | 9<br>0,32<br>5,66<br>3,31   | 93<br>3,28<br>10,53<br>34,19   | 148<br>5,22<br>9,22<br>54,41   | 11<br>0,39<br>13,25<br>4,04 | 272<br>9,60   |
| 5       | 3<br>0,11<br>2,94<br>2,63   | 5<br>0,18<br>3,14<br>4,39   | 38<br>1,34<br>4,30<br>33,33    | 66<br>2,33<br>4,11<br>57,89    | 2<br>0,07<br>2,41<br>1,75   | 114<br>4,02   |
|         | 102<br>3,60                 | 159<br>5,61                 | 883<br>31,17                   | 1606<br>56,69                  | 83<br>2,93                  | 2833          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 5,4876    | 0,0018      |
| Error    | 2813 | 3025,4537 |             |
| C. Total | 2829 | 3030,9413 |             |
| N        | 2833 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 10,975    | 0,8110     |
| Pearson          | 10,488    | 0,8399     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00109 | 0,006023 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-5 By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-5

|         | 1                             | 2                             | 3                              | 4                              | 5                           |               |
|---------|-------------------------------|-------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Count   |                               |                               |                                |                                |                             |               |
| Total % |                               |                               |                                |                                |                             |               |
| Col %   |                               |                               |                                |                                |                             |               |
| Row %   |                               |                               |                                |                                |                             |               |
| 1       | 190<br>6,70<br>66,43<br>12,87 | 261<br>9,21<br>63,35<br>17,68 | 370<br>13,06<br>53,08<br>25,07 | 624<br>22,02<br>45,25<br>42,28 | 31<br>1,09<br>51,67<br>2,10 | 1476<br>52,08 |
| 2       | 50<br>1,76<br>17,48<br>8,77   | 73<br>2,58<br>17,72<br>12,81  | 146<br>5,15<br>20,95<br>25,61  | 289<br>10,20<br>20,96<br>50,70 | 12<br>0,42<br>20,00<br>2,11 | 570<br>20,11  |
| 3       | 28<br>0,99<br>9,79<br>6,93    | 50<br>1,76<br>12,14<br>12,38  | 110<br>3,88<br>15,78<br>27,23  | 209<br>7,37<br>15,16<br>51,73  | 7<br>0,25<br>11,67<br>1,73  | 404<br>14,26  |
| 4       | 14<br>0,49<br>4,90<br>5,19    | 17<br>0,60<br>4,13<br>6,30    | 50<br>1,76<br>7,17<br>18,52    | 181<br>6,39<br>13,13<br>67,04  | 8<br>0,28<br>13,33<br>2,96  | 270<br>9,53   |
| 5       | 4<br>0,14<br>1,40<br>3,51     | 11<br>0,39<br>2,67<br>9,65    | 21<br>0,74<br>3,01<br>18,42    | 76<br>2,68<br>5,51<br>66,67    | 2<br>0,07<br>3,33<br>1,75   | 114<br>4,02   |
|         | 286<br>10,09                  | 412<br>14,54                  | 697<br>24,59                   | 1379<br>48,66                  | 60<br>2,12                  | 2834          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 53,6303   | 0,0147      |
| Error    | 2814 | 3599,1018 |             |
| C. Total | 2830 | 3652,7321 |             |
| N        | 2834 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 107,261   | <.0001     |
| Pearson          | 103,206   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,038424 | 0,007396 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-9 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-9

|                           |         | Enig/ uenig 1-9-50-9 |       |       |       |       |       |
|---------------------------|---------|----------------------|-------|-------|-------|-------|-------|
|                           |         | 1                    | 2     | 3     | 4     | 5     |       |
| FERIENATUR ØNSKE 2-29-289 | Count   |                      |       |       |       |       |       |
|                           | Total % |                      |       |       |       |       |       |
|                           | Col %   |                      |       |       |       |       |       |
|                           | Row %   |                      |       |       |       |       |       |
|                           | 1       | 161                  | 310   | 525   | 448   | 27    | 1471  |
|                           |         | 5,69                 | 10,95 | 18,54 | 15,82 | 0,95  | 51,96 |
| 2                         | 68      | 122                  | 207   | 160   | 14    | 571   |       |
|                           | 2,40    | 4,31                 | 7,31  | 5,65  | 0,49  | 20,17 |       |
| 3                         | 57      | 95                   | 116   | 129   | 7     | 404   |       |
|                           | 2,01    | 3,36                 | 4,10  | 4,56  | 0,25  | 14,27 |       |
| 4                         | 39      | 50                   | 89    | 85    | 8     | 271   |       |
|                           | 1,38    | 1,77                 | 3,14  | 3,00  | 0,28  | 9,57  |       |
| 5                         | 12      | 27                   | 36    | 37    | 2     | 114   |       |
|                           | 0,42    | 0,95                 | 1,27  | 1,31  | 0,07  | 4,03  |       |
|                           | 337     | 604                  | 973   | 859   | 58    | 2831  |       |
|                           | 11,90   | 21,34                | 34,37 | 30,34 | 2,05  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 7,9520    | 0,0020      |
| Error    | 2811 | 3931,4751 |             |
| C. Total | 2827 | 3939,4271 |             |
| N        | 2831 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,904    | 0,4597     |
| Pearson          | 15,936    | 0,4575     |


| Kappa    | Std Err  |
|----------|----------|
| -0,01486 | 0,008055 |

Kappa measures the degree of agreement.



**Contingency Analysis of Enig/ uenig 1-9-50-10 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                            |   | Enig/ uenig 1-9-50-10       |                             |                                |                                |                             |               |
|----------------------------|---|-----------------------------|-----------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
|                            |   | 1                           | 2                           | 3                              | 4                              | 5                           |               |
| Count                      |   |                             |                             |                                |                                |                             |               |
| Total %                    |   |                             |                             |                                |                                |                             |               |
| Col %                      |   |                             |                             |                                |                                |                             |               |
| Row %                      |   |                             |                             |                                |                                |                             |               |
| FERIE NATUR ØNSKE 2-29-289 | 1 | 24<br>0,85<br>53,33<br>1,62 | 95<br>3,35<br>52,78<br>6,43 | 527<br>18,56<br>54,44<br>35,66 | 812<br>28,60<br>50,81<br>54,94 | 20<br>0,70<br>41,67<br>1,35 | 1478<br>52,06 |
|                            | 2 | 9<br>0,32<br>20,00<br>1,57  | 34<br>1,20<br>18,89<br>5,94 | 192<br>6,76<br>19,83<br>33,57  | 330<br>11,62<br>20,65<br>57,69 | 7<br>0,25<br>14,58<br>1,22  | 572<br>20,15  |
|                            | 3 | 4<br>0,14<br>8,89<br>0,99   | 23<br>0,81<br>12,78<br>5,69 | 118<br>4,16<br>12,19<br>29,21  | 249<br>8,77<br>15,58<br>61,63  | 10<br>0,35<br>20,83<br>2,48 | 404<br>14,23  |
|                            | 4 | 7<br>0,25<br>15,56<br>2,58  | 17<br>0,60<br>9,44<br>6,27  | 95<br>3,35<br>9,81<br>35,06    | 146<br>5,14<br>9,14<br>53,87   | 6<br>0,21<br>12,50<br>2,21  | 271<br>9,55   |
|                            | 5 | 1<br>0,04<br>2,22<br>0,88   | 11<br>0,39<br>6,11<br>9,65  | 36<br>1,27<br>3,72<br>31,58    | 61<br>2,15<br>3,82<br>53,51    | 5<br>0,18<br>10,42<br>4,39  | 114<br>4,02   |
|                            |   | 45<br>1,59                  | 180<br>6,34                 | 968<br>34,10                   | 1598<br>56,29                  | 48<br>1,69                  | 2839          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 9,7379    | 0,0034      |
| Error    | 2819 | 2829,0048 |             |
| C. Total | 2835 | 2838,7428 |             |
| N        | 2839 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,476    | 0,2448     |
| Pearson          | 21,302    | 0,1672     |

| Kappa    | Std Err  |
|----------|----------|
| -0,01002 | 0,005725 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-13 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                            |         | Enig/ uenig 1-9-50-13 |       |       |      |      |      |
|----------------------------|---------|-----------------------|-------|-------|------|------|------|
|                            |         | 1                     | 2     | 3     | 4    | 5    |      |
| FERIE NATUR ØNSKE 2-29-289 | Count   |                       |       |       |      |      |      |
|                            | Total % |                       |       |       |      |      |      |
|                            | Col %   |                       |       |       |      |      |      |
|                            | Row %   |                       |       |       |      |      |      |
|                            | 1       | 109                   | 286   | 618   | 376  | 81   | 1470 |
|                            | 2       | 35                    | 82    | 240   | 178  | 36   | 571  |
| 3                          | 30      | 75                    | 147   | 120   | 30   | 402  |      |
| 4                          | 17      | 50                    | 95    | 91    | 17   | 270  |      |
| 5                          | 7       | 18                    | 33    | 49    | 7    | 114  |      |
|                            | 198     | 511                   | 1133  | 814   | 171  | 2827 |      |
|                            | 7,00    | 18,08                 | 40,08 | 28,79 | 6,05 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 17,3616   | 0,0044      |
| Error    | 2807 | 3912,2812 |             |
| C. Total | 2823 | 3929,6428 |             |
| N        | 2827 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 34,723    | 0,0043     |
| Pearson          | 34,999    | 0,0040     |

| Kappa   | Std Err  |
|---------|----------|
| -0,0067 | 0,007265 |

Kappa measures the degree of agreement.

**Contingency Analysis of Valg av A el B 1-10-51-1 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-1

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 794   | 298   | 83    | 148   | 152   | 1475  |
|         | 27,98 | 10,50 | 2,92  | 5,21  | 5,36  | 51,97 |
|         | 47,98 | 56,87 | 55,70 | 60,91 | 56,93 |       |
|         | 53,83 | 20,20 | 5,63  | 10,03 | 10,31 |       |
| 2       | 339   | 111   | 22    | 45    | 54    | 571   |
|         | 11,95 | 3,91  | 0,78  | 1,59  | 1,90  | 20,12 |
|         | 20,48 | 21,18 | 14,77 | 18,52 | 20,22 |       |
|         | 59,37 | 19,44 | 3,85  | 7,88  | 9,46  |       |
| 3       | 261   | 59    | 25    | 26    | 34    | 405   |
|         | 9,20  | 2,08  | 0,88  | 0,92  | 1,20  | 14,27 |
|         | 15,77 | 11,26 | 16,78 | 10,70 | 12,73 |       |
|         | 64,44 | 14,57 | 6,17  | 6,42  | 8,40  |       |
| 4       | 183   | 38    | 17    | 16    | 18    | 272   |
|         | 6,45  | 1,34  | 0,60  | 0,56  | 0,63  | 9,58  |
|         | 11,06 | 7,25  | 11,41 | 6,58  | 6,74  |       |
|         | 67,28 | 13,97 | 6,25  | 5,88  | 6,62  |       |
| 5       | 78    | 18    | 2     | 8     | 9     | 115   |
|         | 2,75  | 0,63  | 0,07  | 0,28  | 0,32  | 4,05  |
|         | 4,71  | 3,44  | 1,34  | 3,29  | 3,37  |       |
|         | 67,83 | 15,65 | 1,74  | 6,96  | 7,83  |       |
|         | 1655  | 524   | 149   | 243   | 267   | 2838  |
|         | 58,32 | 18,46 | 5,25  | 8,56  | 9,41  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 22,1490   | 0,0064      |
| Error    | 2818 | 3423,0325 |             |
| C. Total | 2834 | 3445,1815 |             |
| N        | 2838 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 44,298    | 0,0002     |
| Pearson          | 42,343    | 0,0004     |

| Kappa   | Std Err  |
|---------|----------|
| -0,0363 | 0,010896 |

Kappa measures the degree of agreement.

**Contingency Analysis of Valg av A el B 1-10-51-2 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-2

|                            |         | Valg av A el B 1-10-51-2 |      |       |       |      |      |
|----------------------------|---------|--------------------------|------|-------|-------|------|------|
|                            |         | 1                        | 2    | 3     | 4     | 5    |      |
| FERIE NATUR ØNSKE 2-29-289 | Count   |                          |      |       |       |      |      |
|                            | Total % |                          |      |       |       |      |      |
|                            | Col %   |                          |      |       |       |      |      |
|                            | Row %   |                          |      |       |       |      |      |
|                            | 1       | 468                      | 192  | 101   | 204   | 510  | 1475 |
|                            | 2       | 215                      | 75   | 37    | 55    | 188  | 570  |
| 3                          | 146     | 51                       | 40   | 43    | 124   | 404  |      |
| 4                          | 78      | 30                       | 31   | 30    | 103   | 272  |      |
| 5                          | 32      | 15                       | 9    | 9     | 50    | 115  |      |
|                            | 939     | 363                      | 218  | 341   | 975   | 2836 |      |
|                            | 33,11   | 12,80                    | 7,69 | 12,02 | 34,38 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,5527   | 0,0040      |
| Error    | 2816 | 4090,2540 |             |
| C. Total | 2832 | 4106,8067 |             |
| N        | 2836 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,105    | 0,0072     |
| Pearson          | 33,762    | 0,0058     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00075 | 0,008813 |

Kappa measures the degree of agreement.

**Contingency Analysis of Valg av A el B 1-10-51-5 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-5

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 450   | 154   | 94    | 183   | 593   | 1474  |
|         | 15,90 | 5,44  | 3,32  | 6,46  | 20,95 | 52,07 |
|         | 45,00 | 51,85 | 54,65 | 56,48 | 57,13 |       |
|         | 30,53 | 10,45 | 6,38  | 12,42 | 40,23 |       |
| 2       | 203   | 48    | 34    | 65    | 220   | 570   |
|         | 7,17  | 1,70  | 1,20  | 2,30  | 7,77  | 20,13 |
|         | 20,30 | 16,16 | 19,77 | 20,06 | 21,19 |       |
|         | 35,61 | 8,42  | 5,96  | 11,40 | 38,60 |       |
| 3       | 187   | 55    | 28    | 38    | 94    | 402   |
|         | 6,61  | 1,94  | 0,99  | 1,34  | 3,32  | 14,20 |
|         | 18,70 | 18,52 | 16,28 | 11,73 | 9,06  |       |
|         | 46,52 | 13,68 | 6,97  | 9,45  | 23,38 |       |
| 4       | 124   | 26    | 10    | 26    | 86    | 272   |
|         | 4,38  | 0,92  | 0,35  | 0,92  | 3,04  | 9,61  |
|         | 12,40 | 8,75  | 5,81  | 8,02  | 8,29  |       |
|         | 45,59 | 9,56  | 3,68  | 9,56  | 31,62 |       |
| 5       | 36    | 14    | 6     | 12    | 45    | 113   |
|         | 1,27  | 0,49  | 0,21  | 0,42  | 1,59  | 3,99  |
|         | 3,60  | 4,71  | 3,49  | 3,70  | 4,34  |       |
|         | 31,86 | 12,39 | 5,31  | 10,62 | 39,82 |       |
|         | 1000  | 297   | 172   | 324   | 1038  | 2831  |
|         | 35,32 | 10,49 | 6,08  | 11,44 | 36,67 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 37,5039   | 0,0095      |
| Error    | 2811 | 3898,2882 |             |
| C. Total | 2827 | 3935,7921 |             |
| N        | 2831 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 75,008    | <.0001     |
| Pearson          | 73,400    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,03736 | 0,008395 |

Kappa measures the degree of agreement.

**Contingency Analysis of Utnytte/ verne natur 1-10-52 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Utnytte/ verne natur 1-10-52

|                           |         | Utnytte/ verne natur 1-10-52 |      |       |       |       |       |
|---------------------------|---------|------------------------------|------|-------|-------|-------|-------|
|                           |         | 1                            | 2    | 3     | 4     | 5     |       |
| FERIENATUR ØNSKE 2-29-289 | Count   |                              |      |       |       |       |       |
|                           | Total % |                              |      |       |       |       |       |
|                           | Col %   |                              |      |       |       |       |       |
|                           | Row %   |                              |      |       |       |       |       |
|                           | 1       | 820                          | 202  | 110   | 162   | 177   | 1471  |
|                           |         | 28,92                        | 7,13 | 3,88  | 5,71  | 6,24  | 51,89 |
| 2                         | 304     | 83                           | 39   | 72    | 75    | 573   |       |
|                           | 10,72   | 2,93                         | 1,38 | 2,54  | 2,65  | 20,21 |       |
| 3                         | 211     | 67                           | 32   | 48    | 47    | 405   |       |
|                           | 7,44    | 2,36                         | 1,13 | 1,69  | 1,66  | 14,29 |       |
| 4                         | 149     | 22                           | 24   | 38    | 38    | 271   |       |
|                           | 5,26    | 0,78                         | 0,85 | 1,34  | 1,34  | 9,56  |       |
| 5                         | 71      | 10                           | 5    | 10    | 19    | 115   |       |
|                           | 2,50    | 0,35                         | 0,18 | 0,35  | 0,67  | 4,06  |       |
|                           | 4,57    | 2,60                         | 2,38 | 3,03  | 5,34  |       |       |
|                           | 61,74   | 8,70                         | 4,35 | 8,70  | 16,52 |       |       |
|                           | 1555    | 384                          | 210  | 330   | 356   | 2835  |       |
|                           | 54,85   | 13,54                        | 7,41 | 11,64 | 12,56 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 11,3245   | 0,0031      |
| Error    | 2815 | 3685,1814 |             |
| C. Total | 2831 | 3696,5059 |             |
| N        | 2835 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 22,649    | 0,1234     |
| Pearson          | 21,497    | 0,1602     |

| Kappa    | Std Err  |
|----------|----------|
| 0,016834 | 0,010722 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig / uenig 1-11-53-5 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig / uenig 1-11-53-5

|                           |         | Enig / uenig 1-11-53-5 |       |       |      |      |      |
|---------------------------|---------|------------------------|-------|-------|------|------|------|
|                           |         | 1                      | 2     | 3     | 4    | 5    |      |
| FERIENATUR ØNSKE 2-29-289 | Count   |                        |       |       |      |      |      |
|                           | Total % |                        |       |       |      |      |      |
|                           | Col %   |                        |       |       |      |      |      |
|                           | Row %   |                        |       |       |      |      |      |
|                           | 1       | 526                    | 204   | 345   | 363  | 37   | 1475 |
|                           | 2       | 224                    | 90    | 115   | 129  | 11   | 569  |
| 3                         | 172     | 55                     | 77    | 92    | 8    | 404  |      |
| 4                         | 125     | 26                     | 56    | 55    | 10   | 272  |      |
| 5                         | 56      | 15                     | 18    | 25    | 1    | 115  |      |
|                           | 1103    | 390                    | 611   | 664   | 67   | 2835 |      |
|                           | 38,91   | 13,76                  | 21,55 | 23,42 | 2,36 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 14,8146   | 0,0037      |
| Error    | 2815 | 3952,4800 |             |
| C. Total | 2831 | 3967,2946 |             |
| N        | 2835 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,629    | 0,0200     |
| Pearson          | 29,275    | 0,0221     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02791 | 0,010197 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig / uenig 1-11-53-10 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig / uenig 1-11-53-10

|         | 1                            | 2                              | 3                              | 4                              | 5                           |               |
|---------|------------------------------|--------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Count   |                              |                                |                                |                                |                             |               |
| Total % |                              |                                |                                |                                |                             |               |
| Col %   |                              |                                |                                |                                |                             |               |
| Row %   |                              |                                |                                |                                |                             |               |
| 1       | 135<br>4,76<br>54,00<br>9,14 | 305<br>10,74<br>55,86<br>20,65 | 515<br>18,14<br>53,87<br>34,87 | 502<br>17,68<br>48,27<br>33,99 | 20<br>0,70<br>42,55<br>1,35 | 1477<br>52,03 |
| 2       | 48<br>1,69<br>19,20<br>8,42  | 102<br>3,59<br>18,68<br>17,89  | 200<br>7,04<br>20,92<br>35,09  | 209<br>7,36<br>20,10<br>36,67  | 11<br>0,39<br>23,40<br>1,93 | 570<br>20,08  |
| 3       | 37<br>1,30<br>14,80<br>9,16  | 81<br>2,85<br>14,84<br>20,05   | 121<br>4,26<br>12,66<br>29,95  | 158<br>5,57<br>15,19<br>39,11  | 7<br>0,25<br>14,89<br>1,73  | 404<br>14,23  |
| 4       | 24<br>0,85<br>9,60<br>8,79   | 42<br>1,48<br>7,69<br>15,38    | 80<br>2,82<br>8,37<br>29,30    | 120<br>4,23<br>11,54<br>43,96  | 7<br>0,25<br>14,89<br>2,56  | 273<br>9,62   |
| 5       | 6<br>0,21<br>2,40<br>5,22    | 16<br>0,56<br>2,93<br>13,91    | 40<br>1,41<br>4,18<br>34,78    | 51<br>1,80<br>4,90<br>44,35    | 2<br>0,07<br>4,26<br>1,74   | 115<br>4,05   |
|         | 250<br>8,81                  | 546<br>19,23                   | 956<br>33,67                   | 1040<br>36,63                  | 47<br>1,66                  | 2839          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 12,1613   | 0,0032      |
| Error    | 2819 | 3773,1121 |             |
| C. Total | 2835 | 3785,2734 |             |
| N        | 2839 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,323    | 0,0827     |
| Pearson          | 24,059    | 0,0882     |


| Kappa | Std Err  |
|-------|----------|
| 0,001 | 0,007605 |

Kappa measures the degree of agreement.



**Contingency Analysis of Enig/ uenig 1-13-58-8 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                            |         | Enig/ uenig 1-13-58-8 |       |       |       |       |       |
|----------------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                            |         | 1                     | 2     | 3     | 4     | 5     |       |
| FERIE NATUR ØNSKE 2-29-289 | Count   |                       |       |       |       |       |       |
|                            | Total % |                       |       |       |       |       |       |
|                            | Col %   |                       |       |       |       |       |       |
|                            | Row %   |                       |       |       |       |       |       |
|                            | 1       | 113                   | 168   | 435   | 732   | 21    | 1469  |
|                            |         | 3,99                  | 5,94  | 15,38 | 25,87 | 0,74  | 51,93 |
| 2                          | 43      | 42                    | 149   | 331   | 8     | 573   |       |
|                            | 1,52    | 1,48                  | 5,27  | 11,70 | 0,28  | 20,25 |       |
| 3                          | 27      | 36                    | 107   | 225   | 6     | 401   |       |
|                            | 0,95    | 1,27                  | 3,78  | 7,95  | 0,21  | 14,17 |       |
| 4                          | 21      | 13                    | 73    | 155   | 9     | 271   |       |
|                            | 0,74    | 0,46                  | 2,58  | 5,48  | 0,32  | 9,58  |       |
| 5                          | 12      | 5                     | 32    | 62    | 4     | 115   |       |
|                            | 0,42    | 0,18                  | 1,13  | 2,19  | 0,14  | 4,07  |       |
|                            | 216     | 264                   | 796   | 1505  | 48    | 2829  |       |
|                            | 7,64    | 9,33                  | 28,14 | 53,20 | 1,70  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 18,5947   | 0,0056      |
| Error    | 2809 | 3318,0937 |             |
| C. Total | 2825 | 3336,6884 |             |
| N        | 2829 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 37,189    | 0,0020     |
| Pearson          | 36,886    | 0,0022     |

| Kappa    | Std Err |
|----------|---------|
| -0,00149 | 0,00667 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-13-58-23 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-13-58-23

|                           |         | Enig/ uenig 1-13-58-23 |       |       |       |       |       |
|---------------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                      | 2     | 3     | 4     | 5     |       |
| FERIENATUR ØNSKE 2-29-289 | Count   |                        |       |       |       |       |       |
|                           | Total % |                        |       |       |       |       |       |
|                           | Col %   |                        |       |       |       |       |       |
|                           | Row %   |                        |       |       |       |       |       |
|                           |         |                        |       |       |       |       |       |
| 1                         | Count   | 152                    | 296   | 515   | 491   | 20    | 1474  |
| 1                         | Total % | 5,36                   | 10,44 | 18,16 | 17,31 | 0,71  | 51,97 |
| 1                         | Col %   | 41,99                  | 52,39 | 52,87 | 54,92 | 48,78 |       |
| 1                         | Row %   | 10,31                  | 20,08 | 34,94 | 33,31 | 1,36  |       |
| 2                         | Count   | 80                     | 121   | 182   | 179   | 10    | 572   |
| 2                         | Total % | 2,82                   | 4,27  | 6,42  | 6,31  | 0,35  | 20,17 |
| 2                         | Col %   | 22,10                  | 21,42 | 18,69 | 20,02 | 24,39 |       |
| 2                         | Row %   | 13,99                  | 21,15 | 31,82 | 31,29 | 1,75  |       |
| 3                         | Count   | 66                     | 88    | 125   | 120   | 5     | 404   |
| 3                         | Total % | 2,33                   | 3,10  | 4,41  | 4,23  | 0,18  | 14,25 |
| 3                         | Col %   | 18,23                  | 15,58 | 12,83 | 13,42 | 12,20 |       |
| 3                         | Row %   | 16,34                  | 21,78 | 30,94 | 29,70 | 1,24  |       |
| 4                         | Count   | 47                     | 41    | 110   | 68    | 5     | 271   |
| 4                         | Total % | 1,66                   | 1,45  | 3,88  | 2,40  | 0,18  | 9,56  |
| 4                         | Col %   | 12,98                  | 7,26  | 11,29 | 7,61  | 12,20 |       |
| 4                         | Row %   | 17,34                  | 15,13 | 40,59 | 25,09 | 1,85  |       |
| 5                         | Count   | 17                     | 19    | 42    | 36    | 1     | 115   |
| 5                         | Total % | 0,60                   | 0,67  | 1,48  | 1,27  | 0,04  | 4,06  |
| 5                         | Col %   | 4,70                   | 3,36  | 4,31  | 4,03  | 2,44  |       |
| 5                         | Row %   | 14,78                  | 16,52 | 36,52 | 31,30 | 0,87  |       |
|                           | Count   | 362                    | 565   | 974   | 894   | 41    | 2836  |
|                           | Total % | 12,76                  | 19,92 | 34,34 | 31,52 | 1,45  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,9841   | 0,0044      |
| Error    | 2816 | 3886,4472 |             |
| C. Total | 2832 | 3903,4313 |             |
| N        | 2836 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,968    | 0,0055     |
| Pearson          | 33,845    | 0,0057     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02641 | 0,008056 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-1 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 2-1-201-1 |       |       |       |       |       |
|---------------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                           |         | 1                     | 2     | 3     | 4     | 5     |       |
| FERIENATUR ØNSKE 2-29-289 | Count   |                       |       |       |       |       |       |
|                           | Total % |                       |       |       |       |       |       |
|                           | Col %   |                       |       |       |       |       |       |
|                           | Row %   |                       |       |       |       |       |       |
| 1                         | Count   | 103                   | 313   | 739   | 301   | 8     | 1464  |
| 1                         | Total % | 3,66                  | 11,11 | 26,23 | 10,69 | 0,28  | 51,97 |
| 1                         | Col %   | 40,87                 | 47,93 | 55,31 | 53,56 | 57,14 |       |
| 1                         | Row %   | 7,04                  | 21,38 | 50,48 | 20,56 | 0,55  |       |
| 2                         | Count   | 53                    | 138   | 264   | 111   | 2     | 568   |
| 2                         | Total % | 1,88                  | 4,90  | 9,37  | 3,94  | 0,07  | 20,16 |
| 2                         | Col %   | 21,03                 | 21,13 | 19,76 | 19,75 | 14,29 |       |
| 2                         | Row %   | 9,33                  | 24,30 | 46,48 | 19,54 | 0,35  |       |
| 3                         | Count   | 53                    | 101   | 179   | 71    | 1     | 405   |
| 3                         | Total % | 1,88                  | 3,59  | 6,35  | 2,52  | 0,04  | 14,38 |
| 3                         | Col %   | 21,03                 | 15,47 | 13,40 | 12,63 | 7,14  |       |
| 3                         | Row %   | 13,09                 | 24,94 | 44,20 | 17,53 | 0,25  |       |
| 4                         | Count   | 35                    | 76    | 106   | 49    | 2     | 268   |
| 4                         | Total % | 1,24                  | 2,70  | 3,76  | 1,74  | 0,07  | 9,51  |
| 4                         | Col %   | 13,89                 | 11,64 | 7,93  | 8,72  | 14,29 |       |
| 4                         | Row %   | 13,06                 | 28,36 | 39,55 | 18,28 | 0,75  |       |
| 5                         | Count   | 8                     | 25    | 48    | 30    | 1     | 112   |
| 5                         | Total % | 0,28                  | 0,89  | 1,70  | 1,06  | 0,04  | 3,98  |
| 5                         | Col %   | 3,17                  | 3,83  | 3,59  | 5,34  | 7,14  |       |
| 5                         | Row %   | 7,14                  | 22,32 | 42,86 | 26,79 | 0,89  |       |
|                           | Count   | 252                   | 653   | 1336  | 562   | 14    | 2817  |
|                           | Total % | 8,95                  | 23,18 | 47,43 | 19,95 | 0,50  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 18,9795   | 0,0054      |
| Error    | 2797 | 3520,7461 |             |
| C. Total | 2813 | 3539,7256 |             |
| N        | 2817 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 37,959    | 0,0015     |
| Pearson          | 39,217    | 0,0010     |

| Kappa    | Std Err  |
|----------|----------|
| -0,01678 | 0,007885 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-2 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                           |   | Enig/ uenig 2-1-201-2       |                               |                                |                                |                             |               |
|---------------------------|---|-----------------------------|-------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
|                           |   | 1                           | 2                             | 3                              | 4                              | 5                           |               |
| Count                     |   |                             |                               |                                |                                |                             |               |
| Total %                   |   |                             |                               |                                |                                |                             |               |
| Col %                     |   |                             |                               |                                |                                |                             |               |
| Row %                     |   |                             |                               |                                |                                |                             |               |
| FERIENATUR ØNSKE 2-29-289 | 1 | 82<br>2,90<br>54,30<br>5,60 | 245<br>8,68<br>67,31<br>16,73 | 745<br>26,38<br>56,27<br>50,89 | 368<br>13,03<br>39,07<br>25,14 | 24<br>0,85<br>55,81<br>1,64 | 1464<br>51,84 |
|                           | 2 | 28<br>0,99<br>18,54<br>4,90 | 58<br>2,05<br>15,93<br>10,16  | 282<br>9,99<br>21,30<br>49,39  | 194<br>6,87<br>20,59<br>33,98  | 9<br>0,32<br>20,93<br>1,58  | 571<br>20,22  |
|                           | 3 | 19<br>0,67<br>12,58<br>4,70 | 24<br>0,85<br>6,59<br>5,94    | 151<br>5,35<br>11,40<br>37,38  | 205<br>7,26<br>21,76<br>50,74  | 5<br>0,18<br>11,63<br>1,24  | 404<br>14,31  |
|                           | 4 | 14<br>0,50<br>9,27<br>5,17  | 23<br>0,81<br>6,32<br>8,49    | 103<br>3,65<br>7,78<br>38,01   | 127<br>4,50<br>13,48<br>46,86  | 4<br>0,14<br>9,30<br>1,48   | 271<br>9,60   |
|                           | 5 | 8<br>0,28<br>5,30<br>7,02   | 14<br>0,50<br>3,85<br>12,28   | 43<br>1,52<br>3,25<br>37,72    | 48<br>1,70<br>5,10<br>42,11    | 1<br>0,04<br>2,33<br>0,88   | 114<br>4,04   |
|                           |   | 151<br>5,35                 | 364<br>12,89                  | 1324<br>46,88                  | 942<br>33,36                   | 43<br>1,52                  | 2824          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 72,6055   | 0,0213      |
| Error    | 2804 | 3332,4589 |             |
| C. Total | 2820 | 3405,0644 |             |
| N        | 2824 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 145,211   | <.0001     |
| Pearson          | 145,252   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00603 | 0,006901 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-8 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 2-1-201-8 |       |      |      |      |      |
|---------------------------|---------|-----------------------|-------|------|------|------|------|
|                           |         | 1                     | 2     | 3    | 4    | 5    |      |
| FERIENATUR ØNSKE 2-29-289 | Count   |                       |       |      |      |      |      |
|                           | Total % |                       |       |      |      |      |      |
|                           | Col %   |                       |       |      |      |      |      |
|                           | Row %   |                       |       |      |      |      |      |
|                           | 1       | 619                   | 508   | 264  | 59   | 11   | 1461 |
|                           | 2       | 311                   | 163   | 77   | 18   | 1    | 570  |
| 3                         | 240     | 114                   | 32    | 10   | 9    | 405  |      |
| 4                         | 193     | 47                    | 21    | 6    | 2    | 269  |      |
| 5                         | 65      | 24                    | 13    | 5    | 3    | 110  |      |
|                           | 1428    | 856                   | 407   | 98   | 26   | 2815 |      |
|                           | 50,73   | 30,41                 | 14,46 | 3,48 | 0,92 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 68,3521   | 0,0212      |
| Error    | 2795 | 3157,7950 |             |
| C. Total | 2811 | 3226,1471 |             |
| N        | 2815 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 136,704   | <.0001     |
| Pearson          | 134,298   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,08758 | 0,011228 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-26 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-26

|         | 1                              | 2                              | 3                              | 4                              | 5                           |               |
|---------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Count   |                                |                                |                                |                                |                             |               |
| Total % |                                |                                |                                |                                |                             |               |
| Col %   |                                |                                |                                |                                |                             |               |
| Row %   |                                |                                |                                |                                |                             |               |
| 1       | 302<br>10,76<br>54,12<br>20,73 | 301<br>10,72<br>55,64<br>20,66 | 352<br>12,54<br>54,07<br>24,16 | 477<br>16,99<br>47,56<br>32,74 | 25<br>0,89<br>46,30<br>1,72 | 1457<br>51,91 |
| 2       | 115<br>4,10<br>20,61<br>20,35  | 106<br>3,78<br>19,59<br>18,76  | 141<br>5,02<br>21,66<br>24,96  | 192<br>6,84<br>19,14<br>33,98  | 11<br>0,39<br>20,37<br>1,95 | 565<br>20,13  |
| 3       | 70<br>2,49<br>12,54<br>17,41   | 81<br>2,89<br>14,97<br>20,15   | 91<br>3,24<br>13,98<br>22,64   | 151<br>5,38<br>15,05<br>37,56  | 9<br>0,32<br>16,67<br>2,24  | 402<br>14,32  |
| 4       | 53<br>1,89<br>9,50<br>19,63    | 34<br>1,21<br>6,28<br>12,59    | 45<br>1,60<br>6,91<br>16,67    | 131<br>4,67<br>13,06<br>48,52  | 7<br>0,25<br>12,96<br>2,59  | 270<br>9,62   |
| 5       | 18<br>0,64<br>3,23<br>15,93    | 19<br>0,68<br>3,51<br>16,81    | 22<br>0,78<br>3,38<br>19,47    | 52<br>1,85<br>5,18<br>46,02    | 2<br>0,07<br>3,70<br>1,77   | 113<br>4,03   |
|         | 558<br>19,88                   | 541<br>19,27                   | 651<br>23,19                   | 1003<br>35,73                  | 54<br>1,92                  | 2807          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 19,7396   | 0,0049      |
| Error    | 2787 | 3969,3498 |             |
| C. Total | 2803 | 3989,0894 |             |
| N        | 2807 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 39,479    | 0,0009     |
| Pearson          | 39,436    | 0,0009     |

| Kappa    | Std Err  |
|----------|----------|
| 0,018762 | 0,009002 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-60 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-60

|         | 1                             | 2                              | 3                              | 4                             | 5                           |               |
|---------|-------------------------------|--------------------------------|--------------------------------|-------------------------------|-----------------------------|---------------|
| Count   |                               |                                |                                |                               |                             |               |
| Total % |                               |                                |                                |                               |                             |               |
| Col %   |                               |                                |                                |                               |                             |               |
| Row %   |                               |                                |                                |                               |                             |               |
| 1       | 178<br>6,34<br>53,61<br>12,21 | 386<br>13,74<br>58,75<br>26,47 | 630<br>22,43<br>53,16<br>43,21 | 246<br>8,76<br>41,07<br>16,87 | 18<br>0,64<br>50,00<br>1,23 | 1458<br>51,90 |
| 2       | 75<br>2,67<br>22,59<br>13,23  | 129<br>4,59<br>19,63<br>22,75  | 229<br>8,15<br>19,32<br>40,39  | 124<br>4,41<br>20,70<br>21,87 | 10<br>0,36<br>27,78<br>1,76 | 567<br>20,19  |
| 3       | 32<br>1,14<br>9,64<br>7,98    | 87<br>3,10<br>13,24<br>21,70   | 169<br>6,02<br>14,26<br>42,14  | 109<br>3,88<br>18,20<br>27,18 | 4<br>0,14<br>11,11<br>1,00  | 401<br>14,28  |
| 4       | 30<br>1,07<br>9,04<br>11,11   | 39<br>1,39<br>5,94<br>14,44    | 113<br>4,02<br>9,54<br>41,85   | 85<br>3,03<br>14,19<br>31,48  | 3<br>0,11<br>8,33<br>1,11   | 270<br>9,61   |
| 5       | 17<br>0,61<br>5,12<br>15,04   | 16<br>0,57<br>2,44<br>14,16    | 44<br>1,57<br>3,71<br>38,94    | 35<br>1,25<br>5,84<br>30,97   | 1<br>0,04<br>2,78<br>0,88   | 113<br>4,02   |
|         | 332<br>11,82                  | 657<br>23,39                   | 1185<br>42,19                  | 599<br>21,32                  | 36<br>1,28                  | 2809          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 34,2172   | 0,0091      |
| Error    | 2789 | 3734,5660 |             |
| C. Total | 2805 | 3768,7832 |             |
| N        | 2809 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 68,434    | <.0001     |
| Pearson          | 67,796    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,012686 | 0,008425 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-77 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-77

|                           |       | Enig/ uenig 2-1-201-77 |       |       |       |       |       |
|---------------------------|-------|------------------------|-------|-------|-------|-------|-------|
|                           |       | 1                      | 2     | 3     | 4     | 5     |       |
| Count                     |       |                        |       |       |       |       |       |
| Total %                   |       |                        |       |       |       |       |       |
| Col %                     |       |                        |       |       |       |       |       |
| Row %                     |       |                        |       |       |       |       |       |
| FERIENATUR ØNSKE 2-29-289 | 1     | 308                    | 420   | 468   | 204   | 51    | 1451  |
|                           |       | 11,04                  | 15,06 | 16,78 | 7,31  | 1,83  | 52,03 |
|                           |       | 48,28                  | 53,10 | 55,45 | 47,66 | 57,95 |       |
|                           |       | 21,23                  | 28,95 | 32,25 | 14,06 | 3,51  |       |
|                           | 2     | 135                    | 167   | 159   | 82    | 20    | 563   |
|                           |       | 4,84                   | 5,99  | 5,70  | 2,94  | 0,72  | 20,19 |
|                           |       | 21,16                  | 21,11 | 18,84 | 19,16 | 22,73 |       |
|                           |       | 23,98                  | 29,66 | 28,24 | 14,56 | 3,55  |       |
|                           | 3     | 97                     | 99    | 126   | 66    | 9     | 397   |
|                           |       | 3,48                   | 3,55  | 4,52  | 2,37  | 0,32  | 14,23 |
|                           |       | 15,20                  | 12,52 | 14,93 | 15,42 | 10,23 |       |
|                           |       | 24,43                  | 24,94 | 31,74 | 16,62 | 2,27  |       |
|                           | 4     | 77                     | 68    | 59    | 57    | 4     | 265   |
|                           |       | 2,76                   | 2,44  | 2,12  | 2,04  | 0,14  | 9,50  |
|                           |       | 12,07                  | 8,60  | 6,99  | 13,32 | 4,55  |       |
|                           |       | 29,06                  | 25,66 | 22,26 | 21,51 | 1,51  |       |
|                           | 5     | 21                     | 37    | 32    | 19    | 4     | 113   |
|                           |       | 0,75                   | 1,33  | 1,15  | 0,68  | 0,14  | 4,05  |
|                           |       | 3,29                   | 4,68  | 3,79  | 4,44  | 4,55  |       |
|                           |       | 18,58                  | 32,74 | 28,32 | 16,81 | 3,54  |       |
|                           | 638   | 791                    | 844   | 428   | 88    | 2789  |       |
|                           | 22,88 | 28,36                  | 30,26 | 15,35 | 3,16  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,7276   | 0,0041      |
| Error    | 2769 | 4036,3225 |             |
| C. Total | 2785 | 4053,0501 |             |
| N        | 2789 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,455    | 0,0064     |
| Pearson          | 33,197    | 0,0070     |


| Kappa    | Std Err  |
|----------|----------|
| 0,002827 | 0,009888 |

Kappa measures the degree of agreement.



**Contingency Analysis of Stemmer med min men 2-8-226-7 By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-7

|         | 1                             | 2                              | 3                              | 4                             |               |
|---------|-------------------------------|--------------------------------|--------------------------------|-------------------------------|---------------|
| Count   |                               |                                |                                |                               |               |
| Total % |                               |                                |                                |                               |               |
| Col %   |                               |                                |                                |                               |               |
| Row %   |                               |                                |                                |                               |               |
| 1       | 235<br>8,38<br>50,43<br>16,10 | 389<br>13,87<br>53,36<br>26,64 | 576<br>20,54<br>51,15<br>39,45 | 260<br>9,27<br>53,83<br>17,81 | 1460<br>52,07 |
| 2       | 87<br>3,10<br>18,67<br>15,48  | 147<br>5,24<br>20,16<br>26,16  | 229<br>8,17<br>20,34<br>40,75  | 99<br>3,53<br>20,50<br>17,62  | 562<br>20,04  |
| 3       | 68<br>2,43<br>14,59<br>16,87  | 121<br>4,32<br>16,60<br>30,02  | 158<br>5,63<br>14,03<br>39,21  | 56<br>2,00<br>11,59<br>13,90  | 403<br>14,37  |
| 4       | 59<br>2,10<br>12,66<br>22,10  | 54<br>1,93<br>7,41<br>20,22    | 115<br>4,10<br>10,21<br>43,07  | 39<br>1,39<br>8,07<br>14,61   | 267<br>9,52   |
| 5       | 17<br>0,61<br>3,65<br>15,18   | 18<br>0,64<br>2,47<br>16,07    | 48<br>1,71<br>4,26<br>42,86    | 29<br>1,03<br>6,00<br>25,89   | 112<br>3,99   |
|         | 466<br>16,62                  | 729<br>26,00                   | 1126<br>40,16                  | 483<br>17,23                  | 2804          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 13,0040   | 0,0035      |
| Error    | 2789 | 3682,1723 |             |
| C. Total | 2801 | 3695,1762 |             |
| N        | 2804 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 26,008    | 0,0107     |
| Pearson          | 26,044    | 0,0106     |

**Contingency Analysis of Stemmer med min men 2-8-226-14 By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-14

|                            |         | FERIENTATUR ØNSKE 2-29-289 |       |       |      |      |
|----------------------------|---------|----------------------------|-------|-------|------|------|
|                            |         | 1                          | 2     | 3     | 4    |      |
| FERIENTATUR ØNSKE 2-29-289 | Count   |                            |       |       |      |      |
|                            | Total % |                            |       |       |      |      |
|                            | Col %   |                            |       |       |      |      |
|                            | Row %   |                            |       |       |      |      |
|                            | 1       | 158                        | 371   | 622   | 309  | 1460 |
|                            | 2       | 75                         | 136   | 249   | 105  | 565  |
| 3                          | 54      | 129                        | 162   | 57    | 402  |      |
| 4                          | 37      | 93                         | 96    | 45    | 271  |      |
| 5                          | 13      | 25                         | 53    | 21    | 112  |      |
|                            | 337     | 754                        | 1182  | 537   | 2810 |      |
|                            | 11,99   | 26,83                      | 42,06 | 19,11 |      |      |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 15,4648   | 0,0043      |
| Error    | 2795 | 3603,4747 |             |
| C. Total | 2807 | 3618,9395 |             |
| N        | 2810 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 30,930    | 0,0020     |
| Pearson          | 30,962    | 0,0020     |

**Contingency Analysis of Reisemåtevalg 2-28-284-1 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-1

|                          |         | Reisemåtevalg 2-28-284-1 |       |      |       |       |       |
|--------------------------|---------|--------------------------|-------|------|-------|-------|-------|
|                          |         | 1                        | 2     | 3    | 4     | 5     |       |
| FERIEATUR ØNSKE 2-29-289 | Count   |                          |       |      |       |       |       |
|                          | Total % |                          |       |      |       |       |       |
|                          | Col %   |                          |       |      |       |       |       |
|                          | Row %   |                          |       |      |       |       |       |
|                          | 1       | 502                      | 617   | 248  | 58    | 22    | 1447  |
|                          |         | 18,12                    | 22,27 | 8,95 | 2,09  | 0,79  | 52,24 |
| 2                        | 162     | 263                      | 102   | 25   | 7     | 559   |       |
|                          | 5,85    | 9,49                     | 3,68  | 0,90 | 0,25  | 20,18 |       |
| 3                        | 122     | 161                      | 77    | 22   | 8     | 390   |       |
|                          | 4,40    | 5,81                     | 2,78  | 0,79 | 0,29  | 14,08 |       |
| 4                        | 79      | 101                      | 61    | 12   | 10    | 263   |       |
|                          | 2,85    | 3,65                     | 2,20  | 0,43 | 0,36  | 9,49  |       |
| 5                        | 34      | 41                       | 22    | 8    | 6     | 111   |       |
|                          | 1,23    | 1,48                     | 0,79  | 0,29 | 0,22  | 4,01  |       |
|                          | 3,78    | 3,47                     | 4,31  | 6,40 | 11,32 |       |       |
|                          | 30,63   | 36,94                    | 19,82 | 7,21 | 5,41  |       |       |
|                          | 899     | 1183                     | 510   | 125  | 53    | 2770  |       |
|                          | 32,45   | 42,71                    | 18,41 | 4,51 | 1,91  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 14,6126   | 0,0042      |
| Error    | 2750 | 3463,5271 |             |
| C. Total | 2766 | 3478,1397 |             |
| N        | 2770 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,225    | 0,0225     |
| Pearson          | 32,935    | 0,0075     |

| Kappa    | Std Err |
|----------|---------|
| 0,033325 | 0,01091 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-2 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-2

|                          |         | Reisemåtevalg 2-28-284-2 |       |      |       |       |       |
|--------------------------|---------|--------------------------|-------|------|-------|-------|-------|
|                          |         | 1                        | 2     | 3    | 4     | 5     |       |
| FERIEATUR ØNSKE 2-29-289 | Count   |                          |       |      |       |       |       |
|                          | Total % |                          |       |      |       |       |       |
|                          | Col %   |                          |       |      |       |       |       |
|                          | Row %   |                          |       |      |       |       |       |
|                          | 1       | 700                      | 591   | 119  | 30    | 17    | 1457  |
|                          |         | 25,00                    | 21,11 | 4,25 | 1,07  | 0,61  | 52,04 |
| 2                        | 280     | 231                      | 42    | 9    | 5     | 567   |       |
|                          | 10,00   | 8,25                     | 1,50  | 0,32 | 0,18  | 20,25 |       |
| 3                        | 168     | 173                      | 36    | 10   | 10    | 397   |       |
|                          | 6,00    | 6,18                     | 1,29  | 0,36 | 0,36  | 14,18 |       |
| 4                        | 130     | 99                       | 24    | 5    | 9     | 267   |       |
|                          | 4,64    | 3,54                     | 0,86  | 0,18 | 0,32  | 9,54  |       |
| 5                        | 37      | 50                       | 17    | 2    | 6     | 112   |       |
|                          | 1,32    | 1,79                     | 0,61  | 0,07 | 0,21  | 4,00  |       |
|                          | 2,81    | 4,37                     | 7,14  | 3,57 | 12,77 |       |       |
|                          | 33,04   | 44,64                    | 15,18 | 1,79 | 5,36  |       |       |
|                          | 1315    | 1144                     | 238   | 56   | 47    | 2800  |       |
|                          | 46,96   | 40,86                    | 8,50  | 2,00 | 1,68  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,6171   | 0,0055      |
| Error    | 2780 | 2999,0862 |             |
| C. Total | 2796 | 3015,7033 |             |
| N        | 2800 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,234    | 0,0069     |
| Pearson          | 37,617    | 0,0017     |

| Kappa    | Std Err  |
|----------|----------|
| 0,011451 | 0,011755 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-3 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-3

|                          |         | Reisemåtevalg 2-28-284-3 |       |       |       |       |      |
|--------------------------|---------|--------------------------|-------|-------|-------|-------|------|
|                          |         | 1                        | 2     | 3     | 4     | 5     |      |
| FERIEATUR ØNSKE 2-29-289 | Count   |                          |       |       |       |       |      |
|                          | Total % |                          |       |       |       |       |      |
|                          | Col %   |                          |       |       |       |       |      |
|                          | Row %   |                          |       |       |       |       |      |
|                          | 1       | 520                      | 620   | 229   | 45    | 23    | 1437 |
|                          | 2       | 217                      | 227   | 94    | 16    | 6     | 560  |
| 3                        | 144     | 163                      | 67    | 12    | 9     | 395   |      |
| 4                        | 117     | 99                       | 31    | 9     | 8     | 264   |      |
| 5                        | 32      | 45                       | 25    | 3     | 6     | 111   |      |
|                          | 1030    | 1154                     | 446   | 85    | 52    | 2767  |      |
|                          | 37,22   | 41,71                    | 16,12 | 3,07  | 1,88  |       |      |
|                          | 18,79   | 22,41                    | 8,28  | 1,63  | 0,83  | 51,93 |      |
|                          | 50,49   | 53,73                    | 51,35 | 52,94 | 44,23 |       |      |
|                          | 36,19   | 43,15                    | 15,94 | 3,13  | 1,60  |       |      |
|                          | 7,84    | 8,20                     | 3,40  | 0,58  | 0,22  | 20,24 |      |
|                          | 21,07   | 19,67                    | 21,08 | 18,82 | 11,54 |       |      |
|                          | 38,75   | 40,54                    | 16,79 | 2,86  | 1,07  |       |      |
|                          | 5,20    | 5,89                     | 2,42  | 0,43  | 0,33  | 14,28 |      |
|                          | 13,98   | 14,12                    | 15,02 | 14,12 | 17,31 |       |      |
|                          | 36,46   | 41,27                    | 16,96 | 3,04  | 2,28  |       |      |
|                          | 4,23    | 3,58                     | 1,12  | 0,33  | 0,29  | 9,54  |      |
|                          | 11,36   | 8,58                     | 6,95  | 10,59 | 15,38 |       |      |
|                          | 44,32   | 37,50                    | 11,74 | 3,41  | 3,03  |       |      |
|                          | 1,16    | 1,63                     | 0,90  | 0,11  | 0,22  | 4,01  |      |
|                          | 3,11    | 3,90                     | 5,61  | 3,53  | 11,54 |       |      |
|                          | 28,83   | 40,54                    | 22,52 | 2,70  | 5,41  |       |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 12,4093   | 0,0037      |
| Error    | 2747 | 3331,3941 |             |
| C. Total | 2763 | 3343,8034 |             |
| N        | 2767 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,819    | 0,0731     |
| Pearson          | 27,219    | 0,0391     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00693 | 0,011226 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-4 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-4

|                          |         | Reisemåtevalg 2-28-284-4 |       |       |      |      |      |
|--------------------------|---------|--------------------------|-------|-------|------|------|------|
|                          |         | 1                        | 2     | 3     | 4    | 5    |      |
| FERIEATUR ØNSKE 2-29-289 | Count   |                          |       |       |      |      |      |
|                          | Total % |                          |       |       |      |      |      |
|                          | Col %   |                          |       |       |      |      |      |
|                          | Row %   |                          |       |       |      |      |      |
|                          | 1       | 279                      | 515   | 490   | 148  | 15   | 1447 |
|                          | 2       | 100                      | 196   | 187   | 73   | 5    | 561  |
| 3                        | 71      | 114                      | 149   | 49    | 6    | 389  |      |
| 4                        | 62      | 82                       | 79    | 27    | 12   | 262  |      |
| 5                        | 18      | 36                       | 31    | 22    | 4    | 111  |      |
|                          | 530     | 943                      | 936   | 319   | 42   | 2770 |      |
|                          | 19,13   | 34,04                    | 33,79 | 11,52 | 1,52 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 19,6096   | 0,0052      |
| Error    | 2750 | 3753,9551 |             |
| C. Total | 2766 | 3773,5647 |             |
| N        | 2770 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 39,219    | 0,0010     |
| Pearson          | 46,498    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,011152 | 0,009506 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-5 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-5

|                          |         | Reisemåtevalg 2-28-284-5 |       |      |      |      |      |
|--------------------------|---------|--------------------------|-------|------|------|------|------|
|                          |         | 1                        | 2     | 3    | 4    | 5    |      |
| FERIEATUR ØNSKE 2-29-289 | Count   |                          |       |      |      |      |      |
|                          | Total % |                          |       |      |      |      |      |
|                          | Col %   |                          |       |      |      |      |      |
|                          | Row %   |                          |       |      |      |      |      |
|                          | 1       | 455                      | 656   | 256  | 51   | 27   | 1445 |
|                          | 2       | 142                      | 256   | 117  | 39   | 6    | 560  |
| 3                        | 91      | 185                      | 81    | 27   | 6    | 390  |      |
| 4                        | 63      | 111                      | 61    | 18   | 10   | 263  |      |
| 5                        | 26      | 39                       | 20    | 12   | 10   | 107  |      |
|                          | 777     | 1247                     | 535   | 147  | 59   | 2765 |      |
|                          | 28,10   | 45,10                    | 19,35 | 5,32 | 2,13 |      |      |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 31,5449   | 0,0090      |
| Error    | 2745 | 3484,8232 |             |
| C. Total | 2761 | 3516,3681 |             |
| N        | 2765 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 63,090    | <.0001     |
| Pearson          | 75,835    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,034573 | 0,010595 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-6 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-6

|                          |   | Reisemåtevalg 2-28-284-6      |                                |                                |                               |                             |               |
|--------------------------|---|-------------------------------|--------------------------------|--------------------------------|-------------------------------|-----------------------------|---------------|
|                          |   | 1                             | 2                              | 3                              | 4                             | 5                           |               |
| Count                    |   |                               |                                |                                |                               |                             |               |
| Total %                  |   |                               |                                |                                |                               |                             |               |
| Col %                    |   |                               |                                |                                |                               |                             |               |
| Row %                    |   |                               |                                |                                |                               |                             |               |
| FERIEATUR ØNSKE 2-29-289 | 1 | 219<br>7,95<br>57,78<br>15,25 | 405<br>14,70<br>53,50<br>28,20 | 585<br>21,23<br>52,75<br>40,74 | 201<br>7,29<br>44,77<br>14,00 | 26<br>0,94<br>41,94<br>1,81 | 1436<br>52,10 |
|                          | 2 | 68<br>2,47<br>17,94<br>12,14  | 155<br>5,62<br>20,48<br>27,68  | 227<br>8,24<br>20,47<br>40,54  | 100<br>3,63<br>22,27<br>17,86 | 10<br>0,36<br>16,13<br>1,79 | 560<br>20,32  |
|                          | 3 | 42<br>1,52<br>11,08<br>10,80  | 108<br>3,92<br>14,27<br>27,76  | 156<br>5,66<br>14,07<br>40,10  | 76<br>2,76<br>16,93<br>19,54  | 7<br>0,25<br>11,29<br>1,80  | 389<br>14,11  |
|                          | 4 | 40<br>1,45<br>10,55<br>15,21  | 60<br>2,18<br>7,93<br>22,81    | 105<br>3,81<br>9,47<br>39,92   | 47<br>1,71<br>10,47<br>17,87  | 11<br>0,40<br>17,74<br>4,18 | 263<br>9,54   |
|                          | 5 | 10<br>0,36<br>2,64<br>9,26    | 29<br>1,05<br>3,83<br>26,85    | 36<br>1,31<br>3,25<br>33,33    | 25<br>0,91<br>5,57<br>23,15   | 8<br>0,29<br>12,90<br>7,41  | 108<br>3,92   |
|                          |   | 379<br>13,75                  | 757<br>27,47                   | 1109<br>40,24                  | 449<br>16,29                  | 62<br>2,25                  | 2756          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 18,5394   | 0,0049      |
| Error    | 2736 | 3771,0867 |             |
| C. Total | 2752 | 3789,6261 |             |
| N        | 2756 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 37,079    | 0,0020     |
| Pearson          | 42,416    | 0,0003     |


| Kappa   | Std Err  |
|---------|----------|
| 0,01448 | 0,008782 |

Kappa measures the degree of agreement.



**Contingency Analysis of Ferieland sommer 2-28-285-1 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Ferieland sommer 2-28-285-1

|                           |         | FERIENATUR ØNSKE 2-29-289 |       |       |       |       |       |
|---------------------------|---------|---------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                         | 2     | 3     | 4     | 5     |       |
| FERIENATUR ØNSKE 2-29-289 | Count   |                           |       |       |       |       |       |
|                           | Total % |                           |       |       |       |       |       |
|                           | Col %   |                           |       |       |       |       |       |
|                           | Row %   |                           |       |       |       |       |       |
|                           | 1       | 747                       | 104   | 391   | 136   | 88    | 1466  |
|                           |         | 26,46                     | 3,68  | 13,85 | 4,82  | 3,12  | 51,93 |
|                           |         | 50,71                     | 55,03 | 58,71 | 47,39 | 42,31 |       |
|                           |         | 50,95                     | 7,09  | 26,67 | 9,28  | 6,00  |       |
|                           | 2       | 303                       | 45    | 122   | 58    | 42    | 570   |
|                           |         | 10,73                     | 1,59  | 4,32  | 2,05  | 1,49  | 20,19 |
|                           |         | 20,57                     | 23,81 | 18,32 | 20,21 | 20,19 |       |
|                           |         | 53,16                     | 7,89  | 21,40 | 10,18 | 7,37  |       |
|                           | 3       | 219                       | 20    | 83    | 46    | 35    | 403   |
|                           |         | 7,76                      | 0,71  | 2,94  | 1,63  | 1,24  | 14,28 |
|                           |         | 14,87                     | 10,58 | 12,46 | 16,03 | 16,83 |       |
|                           |         | 54,34                     | 4,96  | 20,60 | 11,41 | 8,68  |       |
|                           | 4       | 144                       | 16    | 50    | 29    | 31    | 270   |
|                           |         | 5,10                      | 0,57  | 1,77  | 1,03  | 1,10  | 9,56  |
|                           |         | 9,78                      | 8,47  | 7,51  | 10,10 | 14,90 |       |
|                           |         | 53,33                     | 5,93  | 18,52 | 10,74 | 11,48 |       |
| 5                         | 60      | 4                         | 20    | 18    | 12    | 114   |       |
|                           | 2,13    | 0,14                      | 0,71  | 0,64  | 0,43  | 4,04  |       |
|                           | 4,07    | 2,12                      | 3,00  | 6,27  | 5,77  |       |       |
|                           | 52,63   | 3,51                      | 17,54 | 15,79 | 10,53 |       |       |
|                           | 1473    | 189                       | 666   | 287   | 208   | 2823  |       |
|                           | 52,18   | 6,70                      | 23,59 | 10,17 | 7,37  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 18,3771   | 0,0051      |
| Error    | 2803 | 3611,2794 |             |
| C. Total | 2819 | 3629,6564 |             |
| N        | 2823 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 36,754    | 0,0023     |
| Pearson          | 37,397    | 0,0018     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00954 | 0,010625 |

Kappa measures the degree of agreement.

**Contingency Analysis of Ferieland høst 2-28-285-2 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Ferieland høst 2-28-285-2

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 467   | 82    | 45    | 390   | 410   | 1394  |
|         | 17,39 | 3,05  | 1,68  | 14,53 | 15,27 | 51,92 |
|         | 50,22 | 51,57 | 50,00 | 55,32 | 51,19 |       |
|         | 33,50 | 5,88  | 3,23  | 27,98 | 29,41 |       |
| 2       | 169   | 36    | 18    | 143   | 176   | 542   |
|         | 6,29  | 1,34  | 0,67  | 5,33  | 6,55  | 20,19 |
|         | 18,17 | 22,64 | 20,00 | 20,28 | 21,97 |       |
|         | 31,18 | 6,64  | 3,32  | 26,38 | 32,47 |       |
| 3       | 164   | 22    | 16    | 77    | 102   | 381   |
|         | 6,11  | 0,82  | 0,60  | 2,87  | 3,80  | 14,19 |
|         | 17,63 | 13,84 | 17,78 | 10,92 | 12,73 |       |
|         | 43,04 | 5,77  | 4,20  | 20,21 | 26,77 |       |
| 4       | 102   | 11    | 6     | 64    | 77    | 260   |
|         | 3,80  | 0,41  | 0,22  | 2,38  | 2,87  | 9,68  |
|         | 10,97 | 6,92  | 6,67  | 9,08  | 9,61  |       |
|         | 39,23 | 4,23  | 2,31  | 24,62 | 29,62 |       |
| 5       | 28    | 8     | 5     | 31    | 36    | 108   |
|         | 1,04  | 0,30  | 0,19  | 1,15  | 1,34  | 4,02  |
|         | 3,01  | 5,03  | 5,56  | 4,40  | 4,49  |       |
|         | 25,93 | 7,41  | 4,63  | 28,70 | 33,33 |       |
|         | 930   | 159   | 90    | 705   | 801   | 2685  |
|         | 34,64 | 5,92  | 3,35  | 26,26 | 29,83 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 14,5372   | 0,0040      |
| Error    | 2665 | 3638,1441 |             |
| C. Total | 2681 | 3652,6813 |             |
| N        | 2685 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,074    | 0,0234     |
| Pearson          | 28,905    | 0,0246     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00447 | 0,008669 |

Kappa measures the degree of agreement.

**Contingency Analysis of Ferieland vinter/p 2-28-285-3 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Ferieland vinter/p 2-28-285-3

|                            |         | Ferieland vinter/p 2-28-285-3 |      |       |       |       |       |
|----------------------------|---------|-------------------------------|------|-------|-------|-------|-------|
|                            |         | 1                             | 2    | 3     | 4     | 5     |       |
| FERIE NATUR ØNSKE 2-29-289 | Count   |                               |      |       |       |       |       |
|                            | Total % |                               |      |       |       |       |       |
|                            | Col %   |                               |      |       |       |       |       |
|                            | Row %   |                               |      |       |       |       |       |
|                            | 1       | 714                           | 68   | 47    | 381   | 214   | 1424  |
|                            |         | 26,14                         | 2,49 | 1,72  | 13,95 | 7,84  | 52,14 |
| 2                          | 250     | 27                            | 27   | 157   | 91    | 552   |       |
|                            | 9,15    | 0,99                          | 0,99 | 5,75  | 3,33  | 20,21 |       |
| 3                          | 220     | 12                            | 11   | 90    | 54    | 387   |       |
|                            | 8,06    | 0,44                          | 0,40 | 3,30  | 1,98  | 14,17 |       |
| 4                          | 133     | 9                             | 4    | 68    | 48    | 262   |       |
|                            | 4,87    | 0,33                          | 0,15 | 2,49  | 1,76  | 9,59  |       |
| 5                          | 40      | 0                             | 1    | 37    | 28    | 106   |       |
|                            | 1,46    | 0,00                          | 0,04 | 1,35  | 1,03  | 3,88  |       |
|                            | 2,95    | 0,00                          | 1,11 | 5,05  | 6,44  |       |       |
|                            | 37,74   | 0,00                          | 0,94 | 34,91 | 26,42 |       |       |
|                            | 1357    | 116                           | 90   | 733   | 435   | 2731  |       |
|                            | 49,69   | 4,25                          | 3,30 | 26,84 | 15,93 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 22,4587   | 0,0066      |
| Error    | 2711 | 3363,4022 |             |
| C. Total | 2727 | 3385,8609 |             |
| N        | 2731 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 44,917    | 0,0001     |
| Pearson          | 40,731    | 0,0006     |

| Kappa    | Std Err |
|----------|---------|
| 0,008962 | 0,00969 |

Kappa measures the degree of agreement.

**Contingency Analysis of Bekymret Kunstst i mat 2-41-317 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Bekymret Kunstst i mat 2-41-317

| FERIENATUR ØNSKE 2-29-289 | Count   | 1     | 2     | 3     |  |
|---------------------------|---------|-------|-------|-------|--|
|                           | Total % |       |       |       |  |
|                           | Col %   |       |       |       |  |
|                           | Row %   |       |       |       |  |
|                           |         |       |       |       |  |
| 1                         | 193     | 688   | 580   | 1461  |  |
|                           | 6,87    | 24,48 | 20,64 | 51,99 |  |
|                           | 50,13   | 51,00 | 53,90 |       |  |
|                           | 13,21   | 47,09 | 39,70 |       |  |
| 2                         | 76      | 267   | 224   | 567   |  |
|                           | 2,70    | 9,50  | 7,97  | 20,18 |  |
|                           | 19,74   | 19,79 | 20,82 |       |  |
|                           | 13,40   | 47,09 | 39,51 |       |  |
| 3                         | 67      | 209   | 125   | 401   |  |
|                           | 2,38    | 7,44  | 4,45  | 14,27 |  |
|                           | 17,40   | 15,49 | 11,62 |       |  |
|                           | 16,71   | 52,12 | 31,17 |       |  |
| 4                         | 36      | 135   | 97    | 268   |  |
|                           | 1,28    | 4,80  | 3,45  | 9,54  |  |
|                           | 9,35    | 10,01 | 9,01  |       |  |
|                           | 13,43   | 50,37 | 36,19 |       |  |
| 5                         | 13      | 50    | 50    | 113   |  |
|                           | 0,46    | 1,78  | 1,78  | 4,02  |  |
|                           | 3,38    | 3,71  | 4,65  |       |  |
|                           | 11,50   | 44,25 | 44,25 |       |  |
|                           | 385     | 1349  | 1076  | 2810  |  |
|                           | 13,70   | 48,01 | 38,29 |       |  |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 6,7644    | 0,0024      |
| Error    | 2800 | 2781,3121 |             |
| C. Total | 2808 | 2788,0765 |             |
| N        | 2810 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,529    | 0,0949     |
| Pearson          | 13,402    | 0,0987     |

## Contingency Analysis of Ikkekjøp mat m Kunstst 2-41-318 By FERIENATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Ikkekjøp mat m Kunstst 2-41-318

| Count   | 1     | 2     | 3     |       |
|---------|-------|-------|-------|-------|
| Total % |       |       |       |       |
| Col %   |       |       |       |       |
| Row %   |       |       |       |       |
| 1       | 130   | 684   | 650   | 1464  |
|         | 4,62  | 24,29 | 23,08 | 51,99 |
|         | 47,62 | 49,85 | 55,51 |       |
|         | 8,88  | 46,72 | 44,40 |       |
| 2       | 55    | 272   | 241   | 568   |
|         | 1,95  | 9,66  | 8,56  | 20,17 |
|         | 20,15 | 19,83 | 20,58 |       |
|         | 9,68  | 47,89 | 42,43 |       |
| 3       | 43    | 219   | 140   | 402   |
|         | 1,53  | 7,78  | 4,97  | 14,28 |
|         | 15,75 | 15,96 | 11,96 |       |
|         | 10,70 | 54,48 | 34,83 |       |
| 4       | 33    | 146   | 90    | 269   |
|         | 1,17  | 5,18  | 3,20  | 9,55  |
|         | 12,09 | 10,64 | 7,69  |       |
|         | 12,27 | 54,28 | 33,46 |       |
| 5       | 12    | 51    | 50    | 113   |
|         | 0,43  | 1,81  | 1,78  | 4,01  |
|         | 4,40  | 3,72  | 4,27  |       |
|         | 10,62 | 45,13 | 44,25 |       |
|         | 273   | 1372  | 1171  | 2816  |
|         | 9,69  | 48,72 | 41,58 |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,6885   | 0,0040      |
| Error    | 2806 | 2640,4232 |             |
| C. Total | 2814 | 2651,1117 |             |
| N        | 2816 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,377    | 0,0062     |
| Pearson          | 21,142    | 0,0068     |

**Contingency Analysis of Påstander om mat 2-41-319-1 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-1

|                            |         | Påstander om mat 2-41-319-1 |       |       |       |       |       |
|----------------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                            |         | 1                           | 2     | 3     | 4     | 5     |       |
| FERIE NATUR ØNSKE 2-29-289 | Count   |                             |       |       |       |       |       |
|                            | Total % |                             |       |       |       |       |       |
|                            | Col %   |                             |       |       |       |       |       |
|                            | Row %   |                             |       |       |       |       |       |
|                            | 1       | 40                          | 125   | 739   | 532   | 25    | 1461  |
|                            |         | 1,42                        | 4,45  | 26,28 | 18,92 | 0,89  | 51,96 |
| 2                          | 15      | 37                          | 274   | 234   | 7     | 567   |       |
|                            | 0,53    | 1,32                        | 9,74  | 8,32  | 0,25  | 20,16 |       |
| 3                          | 14      | 31                          | 171   | 181   | 4     | 401   |       |
|                            | 0,50    | 1,10                        | 6,08  | 6,44  | 0,14  | 14,26 |       |
| 4                          | 11      | 14                          | 122   | 121   | 3     | 271   |       |
|                            | 0,39    | 0,50                        | 4,34  | 4,30  | 0,11  | 9,64  |       |
| 5                          | 6       | 7                           | 49    | 48    | 2     | 112   |       |
|                            | 0,21    | 0,25                        | 1,74  | 1,71  | 0,07  | 3,98  |       |
|                            | 6,98    | 3,27                        | 3,62  | 4,30  | 4,88  |       |       |
|                            | 5,36    | 6,25                        | 43,75 | 42,86 | 1,79  |       |       |
|                            | 86      | 214                         | 1355  | 1116  | 41    | 2812  |       |
|                            | 3,06    | 7,61                        | 48,19 | 39,69 | 1,46  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 12,5610   | 0,0041      |
| Error    | 2792 | 3032,5169 |             |
| C. Total | 2808 | 3045,0779 |             |
| N        | 2812 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 25,122    | 0,0677     |
| Pearson          | 25,196    | 0,0664     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00795 | 0,006293 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-2 By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-2

|                            |         | Påstander om mat 2-41-319-2 |       |       |      |       |       |
|----------------------------|---------|-----------------------------|-------|-------|------|-------|-------|
|                            |         | 1                           | 2     | 3     | 4    | 5     |       |
| FERIEENATUR ØNSKE 2-29-289 | Count   |                             |       |       |      |       |       |
|                            | Total % |                             |       |       |      |       |       |
|                            | Col %   |                             |       |       |      |       |       |
|                            | Row %   |                             |       |       |      |       |       |
|                            | 1       | 287                         | 447   | 532   | 144  | 51    | 1461  |
|                            |         | 10,22                       | 15,92 | 18,95 | 5,13 | 1,82  | 52,05 |
| 2                          | 83      | 137                         | 239   | 76    | 30   | 565   |       |
|                            | 2,96    | 4,88                        | 8,51  | 2,71  | 1,07 | 20,13 |       |
| 3                          | 47      | 105                         | 176   | 55    | 17   | 400   |       |
|                            | 1,67    | 3,74                        | 6,27  | 1,96  | 0,61 | 14,25 |       |
| 4                          | 38      | 55                          | 118   | 45    | 14   | 270   |       |
|                            | 1,35    | 1,96                        | 4,20  | 1,60  | 0,50 | 9,62  |       |
| 5                          | 16      | 21                          | 56    | 14    | 4    | 111   |       |
|                            | 0,57    | 0,75                        | 2,00  | 0,50  | 0,14 | 3,95  |       |
|                            | 3,40    | 2,75                        | 5,00  | 4,19  | 3,45 |       |       |
|                            | 14,41   | 18,92                       | 50,45 | 12,61 | 3,60 |       |       |
|                            | 471     | 765                         | 1121  | 334   | 116  | 2807  |       |
|                            | 16,78   | 27,25                       | 39,94 | 11,90 | 4,13 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 29,9889   | 0,0076      |
| Error    | 2787 | 3914,8144 |             |
| C. Total | 2803 | 3944,8032 |             |
| N        | 2807 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,978    | <.0001     |
| Pearson          | 59,529    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,024153 | 0,008968 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-3 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-3

|                            | 1       | 2     | 3     | 4     | 5     |       |       |
|----------------------------|---------|-------|-------|-------|-------|-------|-------|
| FERIE NATUR ØNSKE 2-29-289 | Count   | 84    | 256   | 683   | 393   | 42    | 1458  |
|                            | Total % | 2,99  | 9,12  | 24,34 | 14,01 | 1,50  | 51,96 |
|                            | Col %   | 48,84 | 63,68 | 53,32 | 45,33 | 50,00 |       |
|                            | Row %   | 5,76  | 17,56 | 46,84 | 26,95 | 2,88  |       |
|                            | Count   | 46    | 65    | 265   | 171   | 20    | 567   |
|                            | Total % | 1,64  | 2,32  | 9,44  | 6,09  | 0,71  | 20,21 |
|                            | Col %   | 26,74 | 16,17 | 20,69 | 19,72 | 23,81 |       |
|                            | Row %   | 8,11  | 11,46 | 46,74 | 30,16 | 3,53  |       |
|                            | Count   | 18    | 41    | 173   | 155   | 12    | 399   |
|                            | Total % | 0,64  | 1,46  | 6,17  | 5,52  | 0,43  | 14,22 |
| Col %                      | 10,47   | 10,20 | 13,51 | 17,88 | 14,29 |       |       |
| Row %                      | 4,51    | 10,28 | 43,36 | 38,85 | 3,01  |       |       |
| Count                      | 17      | 23    | 120   | 105   | 3     | 268   |       |
| Total %                    | 0,61    | 0,82  | 4,28  | 3,74  | 0,11  | 9,55  |       |
| Col %                      | 9,88    | 5,72  | 9,37  | 12,11 | 3,57  |       |       |
| Row %                      | 6,34    | 8,58  | 44,78 | 39,18 | 1,12  |       |       |
| Count                      | 7       | 17    | 40    | 43    | 7     | 114   |       |
| Total %                    | 0,25    | 0,61  | 1,43  | 1,53  | 0,25  | 4,06  |       |
| Col %                      | 4,07    | 4,23  | 3,12  | 4,96  | 8,33  |       |       |
| Row %                      | 6,14    | 14,91 | 35,09 | 37,72 | 6,14  |       |       |
| Count                      | 172     | 402   | 1281  | 867   | 84    | 2806  |       |
| Total %                    | 6,13    | 14,33 | 45,65 | 30,90 | 2,99  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 32,6853   | 0,0091      |
| Error    | 2786 | 3546,1116 |             |
| C. Total | 2802 | 3578,7970 |             |
| N        | 2806 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 65,371    | <.0001     |
| Pearson          | 65,001    | <.0001     |


| Kappa   | Std Err  |
|---------|----------|
| -0,0021 | 0,007124 |

Kappa measures the degree of agreement.



**Contingency Analysis of Påstander om mat 2-41-319-4 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-4

|                            | 1       | 2     | 3     | 4     | 5     |       |       |
|----------------------------|---------|-------|-------|-------|-------|-------|-------|
| FERIE NATUR ØNSKE 2-29-289 | Count   |       |       |       |       |       |       |
|                            | Total % |       |       |       |       |       |       |
|                            | Col %   |       |       |       |       |       |       |
|                            | Row %   |       |       |       |       |       |       |
|                            | 1       | 384   | 352   | 367   | 204   | 141   | 1448  |
|                            |         | 13,81 | 12,66 | 13,20 | 7,34  | 5,07  | 52,09 |
|                            |         | 51,34 | 53,17 | 53,34 | 50,25 | 51,09 |       |
|                            |         | 26,52 | 24,31 | 25,35 | 14,09 | 9,74  |       |
|                            | 2       | 148   | 139   | 138   | 82    | 57    | 564   |
|                            |         | 5,32  | 5,00  | 4,96  | 2,95  | 2,05  | 20,29 |
|                            |         | 19,79 | 21,00 | 20,06 | 20,20 | 20,65 |       |
|                            |         | 26,24 | 24,65 | 24,47 | 14,54 | 10,11 |       |
|                            | 3       | 117   | 92    | 88    | 58    | 37    | 392   |
|                            |         | 4,21  | 3,31  | 3,17  | 2,09  | 1,33  | 14,10 |
|                            |         | 15,64 | 13,90 | 12,79 | 14,29 | 13,41 |       |
|                            |         | 29,85 | 23,47 | 22,45 | 14,80 | 9,44  |       |
|                            | 4       | 77    | 58    | 68    | 40    | 24    | 267   |
|                            |         | 2,77  | 2,09  | 2,45  | 1,44  | 0,86  | 9,60  |
|                            |         | 10,29 | 8,76  | 9,88  | 9,85  | 8,70  |       |
|                            |         | 28,84 | 21,72 | 25,47 | 14,98 | 8,99  |       |
| 5                          | 22      | 21    | 27    | 22    | 17    | 109   |       |
|                            | 0,79    | 0,76  | 0,97  | 0,79  | 0,61  | 3,92  |       |
|                            | 2,94    | 3,17  | 3,92  | 5,42  | 6,16  |       |       |
|                            | 20,18   | 19,27 | 24,77 | 20,18 | 15,60 |       |       |
|                            | 748     | 662   | 688   | 406   | 276   | 2780  |       |
|                            | 26,91   | 23,81 | 24,75 | 14,60 | 9,93  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 6,2712    | 0,0015      |
| Error    | 2760 | 4304,9621 |             |
| C. Total | 2776 | 4311,2333 |             |
| N        | 2780 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 12,542    | 0,7059     |
| Pearson          | 13,079    | 0,6670     |

| Kappa   | Std Err  |
|---------|----------|
| -0,0013 | 0,009753 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-5 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-5

|                            | 1       | 2     | 3     | 4     | 5     |       |       |
|----------------------------|---------|-------|-------|-------|-------|-------|-------|
| FERIE NATUR ØNSKE 2-29-289 | Count   | 73    | 135   | 642   | 569   | 38    | 1457  |
|                            | Total % | 2,61  | 4,83  | 22,97 | 20,36 | 1,36  | 52,13 |
|                            | Col %   | 38,42 | 41,67 | 53,32 | 59,58 | 31,15 |       |
|                            | Row %   | 5,01  | 9,27  | 44,06 | 39,05 | 2,61  |       |
|                            | Count   | 36    | 71    | 243   | 183   | 33    | 566   |
|                            | Total % | 1,29  | 2,54  | 8,69  | 6,55  | 1,18  | 20,25 |
|                            | Col %   | 18,95 | 21,91 | 20,18 | 19,16 | 27,05 |       |
|                            | Row %   | 6,36  | 12,54 | 42,93 | 32,33 | 5,83  |       |
|                            | Count   | 41    | 59    | 157   | 118   | 24    | 399   |
|                            | Total % | 1,47  | 2,11  | 5,62  | 4,22  | 0,86  | 14,28 |
| Col %                      | 21,58   | 18,21 | 13,04 | 12,36 | 19,67 |       |       |
| Row %                      | 10,28   | 14,79 | 39,35 | 29,57 | 6,02  |       |       |
| Count                      | 27      | 42    | 121   | 59    | 17    | 266   |       |
| Total %                    | 0,97    | 1,50  | 4,33  | 2,11  | 0,61  | 9,52  |       |
| Col %                      | 14,21   | 12,96 | 10,05 | 6,18  | 13,93 |       |       |
| Row %                      | 10,15   | 15,79 | 45,49 | 22,18 | 6,39  |       |       |
| Count                      | 13      | 17    | 41    | 26    | 10    | 107   |       |
| Total %                    | 0,47    | 0,61  | 1,47  | 0,93  | 0,36  | 3,83  |       |
| Col %                      | 6,84    | 5,25  | 3,41  | 2,72  | 8,20  |       |       |
| Row %                      | 12,15   | 15,89 | 38,32 | 24,30 | 9,35  |       |       |
| Count                      | 190     | 324   | 1204  | 955   | 122   | 2795  |       |
| Total %                    | 6,80    | 11,59 | 43,08 | 34,17 | 4,36  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 46,3067   | 0,0128      |
| Error    | 2775 | 3584,2805 |             |
| C. Total | 2791 | 3630,5872 |             |
| N        | 2795 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 92,613    | <.0001     |
| Pearson          | 93,654    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02628 | 0,007055 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-6 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-6

|                          |         | Påstander om mat 2-41-319-6 |       |       |      |       |       |
|--------------------------|---------|-----------------------------|-------|-------|------|-------|-------|
|                          |         | 1                           | 2     | 3     | 4    | 5     |       |
| FERIEATUR ØNSKE 2-29-289 | Count   |                             |       |       |      |       |       |
|                          | Total % |                             |       |       |      |       |       |
|                          | Col %   |                             |       |       |      |       |       |
|                          | Row %   |                             |       |       |      |       |       |
|                          | 1       | 243                         | 543   | 497   | 93   | 78    | 1454  |
|                          |         | 8,67                        | 19,38 | 17,74 | 3,32 | 2,78  | 51,89 |
| 2                        | 109     | 203                         | 191   | 34    | 31   | 568   |       |
|                          | 3,89    | 7,24                        | 6,82  | 1,21  | 1,11 | 20,27 |       |
| 3                        | 79      | 152                         | 124   | 18    | 25   | 398   |       |
|                          | 2,82    | 5,42                        | 4,43  | 0,64  | 0,89 | 14,20 |       |
| 4                        | 70      | 93                          | 80    | 7     | 20   | 270   |       |
|                          | 2,50    | 3,32                        | 2,86  | 0,25  | 0,71 | 9,64  |       |
| 5                        | 22      | 35                          | 44    | 4     | 7    | 112   |       |
|                          | 0,79    | 1,25                        | 1,57  | 0,14  | 0,25 | 4,00  |       |
|                          | 4,21    | 3,41                        | 4,70  | 2,56  | 4,35 |       |       |
|                          | 19,64   | 31,25                       | 39,29 | 3,57  | 6,25 |       |       |
|                          | 523     | 1026                        | 936   | 156   | 161  | 2802  |       |
|                          | 18,67   | 36,62                       | 33,40 | 5,57  | 5,75 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 13,1277   | 0,0034      |
| Error    | 2782 | 3832,3081 |             |
| C. Total | 2798 | 3845,4358 |             |
| N        | 2802 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 26,255    | 0,0505     |
| Pearson          | 25,891    | 0,0556     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02297 | 0,009037 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-7 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-7

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 297   | 513   | 549   | 79    | 20    | 1458  |
|         | 10,61 | 18,32 | 19,61 | 2,82  | 0,71  | 52,07 |
|         | 46,05 | 52,89 | 54,09 | 62,20 | 46,51 |       |
|         | 20,37 | 35,19 | 37,65 | 5,42  | 1,37  |       |
| 2       | 154   | 190   | 195   | 16    | 10    | 565   |
|         | 5,50  | 6,79  | 6,96  | 0,57  | 0,36  | 20,18 |
|         | 23,88 | 19,59 | 19,21 | 12,60 | 23,26 |       |
|         | 27,26 | 33,63 | 34,51 | 2,83  | 1,77  |       |
| 3       | 94    | 145   | 139   | 19    | 3     | 400   |
|         | 3,36  | 5,18  | 4,96  | 0,68  | 0,11  | 14,29 |
|         | 14,57 | 14,95 | 13,69 | 14,96 | 6,98  |       |
|         | 23,50 | 36,25 | 34,75 | 4,75  | 0,75  |       |
| 4       | 69    | 95    | 88    | 8     | 9     | 269   |
|         | 2,46  | 3,39  | 3,14  | 0,29  | 0,32  | 9,61  |
|         | 10,70 | 9,79  | 8,67  | 6,30  | 20,93 |       |
|         | 25,65 | 35,32 | 32,71 | 2,97  | 3,35  |       |
| 5       | 31    | 27    | 44    | 5     | 1     | 108   |
|         | 1,11  | 0,96  | 1,57  | 0,18  | 0,04  | 3,86  |
|         | 4,81  | 2,78  | 4,33  | 3,94  | 2,33  |       |
|         | 28,70 | 25,00 | 40,74 | 4,63  | 0,93  |       |
|         | 645   | 970   | 1015  | 127   | 43    | 2800  |
|         | 23,04 | 34,64 | 36,25 | 4,54  | 1,54  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,5730   | 0,0046      |
| Error    | 2780 | 3561,0056 |             |
| C. Total | 2796 | 3577,5786 |             |
| N        | 2800 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,146    | 0,0071     |
| Pearson          | 33,447    | 0,0064     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02629 | 0,009663 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-8 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-8

|                           |         | Påstander om mat 2-41-319-8 |       |       |       |       |       |
|---------------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                           | 2     | 3     | 4     | 5     |       |
| FERIENATUR ØNSKE 2-29-289 | Count   |                             |       |       |       |       |       |
|                           | Total % |                             |       |       |       |       |       |
|                           | Col %   |                             |       |       |       |       |       |
|                           | Row %   |                             |       |       |       |       |       |
|                           | 1       | 111                         | 313   | 646   | 367   | 25    | 1462  |
|                           |         | 3,95                        | 11,13 | 22,97 | 13,05 | 0,89  | 51,99 |
| 2                         | 32      | 107                         | 258   | 163   | 9     | 569   |       |
|                           | 1,14    | 3,81                        | 9,17  | 5,80  | 0,32  | 20,23 |       |
| 3                         | 24      | 76                          | 181   | 118   | 2     | 401   |       |
|                           | 0,85    | 2,70                        | 6,44  | 4,20  | 0,07  | 14,26 |       |
| 4                         | 24      | 54                          | 110   | 79    | 4     | 271   |       |
|                           | 0,85    | 1,92                        | 3,91  | 2,81  | 0,14  | 9,64  |       |
| 5                         | 6       | 20                          | 39    | 43    | 1     | 109   |       |
|                           | 0,21    | 0,71                        | 1,39  | 1,53  | 0,04  | 3,88  |       |
|                           | 3,05    | 3,51                        | 3,16  | 5,58  | 2,44  |       |       |
|                           | 5,50    | 18,35                       | 35,78 | 39,45 | 0,92  |       |       |
|                           | 197     | 570                         | 1234  | 770   | 41    | 2812  |       |
|                           | 7,01    | 20,27                       | 43,88 | 27,38 | 1,46  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 11,5334   | 0,0032      |
| Error    | 2792 | 3608,9769 |             |
| C. Total | 2808 | 3620,5103 |             |
| N        | 2812 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 23,067    | 0,1120     |
| Pearson          | 22,659    | 0,1232     |

| Kappa    | Std Err  |
|----------|----------|
| 0,004043 | 0,007507 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-9 By FERIENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-9

|                           |         | Påstander om mat 2-41-319-9 |       |       |       |       |       |
|---------------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                           | 2     | 3     | 4     | 5     |       |
| FERIENATUR ØNSKE 2-29-289 | Count   |                             |       |       |       |       |       |
|                           | Total % |                             |       |       |       |       |       |
|                           | Col %   |                             |       |       |       |       |       |
|                           | Row %   |                             |       |       |       |       |       |
|                           | 1       | 244                         | 415   | 404   | 190   | 207   | 1460  |
|                           |         | 8,72                        | 14,83 | 14,44 | 6,79  | 7,40  | 52,18 |
| 2                         | 97      | 133                         | 139   | 67    | 127   | 563   |       |
|                           | 3,47    | 4,75                        | 4,97  | 2,39  | 4,54  | 20,12 |       |
| 3                         | 69      | 92                          | 120   | 58    | 59    | 398   |       |
|                           | 2,47    | 3,29                        | 4,29  | 2,07  | 2,11  | 14,22 |       |
| 4                         | 51      | 58                          | 77    | 34    | 48    | 268   |       |
|                           | 1,82    | 2,07                        | 2,75  | 1,22  | 1,72  | 9,58  |       |
| 5                         | 16      | 18                          | 38    | 21    | 16    | 109   |       |
|                           | 0,57    | 0,64                        | 1,36  | 0,75  | 0,57  | 3,90  |       |
|                           | 3,35    | 2,51                        | 4,88  | 5,68  | 3,50  |       |       |
|                           | 14,68   | 16,51                       | 34,86 | 19,27 | 14,68 |       |       |
|                           | 477     | 716                         | 778   | 370   | 457   | 2798  |       |
|                           | 17,05   | 25,59                       | 27,81 | 13,22 | 16,33 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 19,6503   | 0,0045      |
| Error    | 2778 | 4372,5548 |             |
| C. Total | 2794 | 4392,2051 |             |
| N        | 2798 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 39,301    | 0,0010     |
| Pearson          | 40,493    | 0,0007     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00441 | 0,008552 |

Kappa measures the degree of agreement.

## Contingency Analysis of Gikk fottur i fjellet 2-29-288 By FERIE NATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Gikk fottur i fjellet 2-29-288

|                            | Gikk fottur i fjellet 2-29-288 |       |       |       |
|----------------------------|--------------------------------|-------|-------|-------|
|                            | 0                              | 1     |       |       |
| FERIE NATUR ØNSKE 2-29-289 | Count                          |       |       |       |
|                            | Total %                        |       |       |       |
|                            | Col %                          |       |       |       |
|                            | Row %                          |       |       |       |
|                            | 1                              | 1226  | 253   | 1479  |
|                            |                                | 43,06 | 8,89  | 51,95 |
| 2                          | 390                            | 184   | 574   |       |
|                            | 13,70                          | 6,46  | 20,16 |       |
|                            | 18,61                          | 24,50 |       |       |
|                            | 67,94                          | 32,06 |       |       |
| 3                          | 205                            | 201   | 406   |       |
|                            | 7,20                           | 7,06  | 14,26 |       |
|                            | 9,78                           | 26,76 |       |       |
|                            | 50,49                          | 49,51 |       |       |
| 4                          | 173                            | 100   | 273   |       |
|                            | 6,08                           | 3,51  | 9,59  |       |
|                            | 8,25                           | 13,32 |       |       |
|                            | 63,37                          | 36,63 |       |       |
| 5                          | 102                            | 13    | 115   |       |
|                            | 3,58                           | 0,46  | 4,04  |       |
|                            | 4,87                           | 1,73  |       |       |
|                            | 88,70                          | 11,30 |       |       |
|                            | 2096                           | 751   | 2847  |       |
|                            | 73,62                          | 26,38 |       |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 104,5367  | 0,0636      |
| Error    | 2842 | 1538,1261 |             |
| C. Total | 2846 | 1642,6628 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 209,073   | <.0001     |
| Pearson          | 215,068   | <.0001     |

## Contingency Analysis of Fisket med flue/ sluk 2-29-288 By FERIE NATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

|                            |       | Fisket med flue/ sluk 2-29-288 |       |       |
|----------------------------|-------|--------------------------------|-------|-------|
|                            |       | 0                              | 1     |       |
| Count                      |       |                                |       |       |
| Total %                    |       |                                |       |       |
| Col %                      |       |                                |       |       |
| Row %                      |       |                                |       |       |
| FERIE NATUR ØNSKE 2-29-289 | 1     | 1217                           | 262   | 1479  |
|                            |       | 42,75                          | 9,20  | 51,95 |
|                            |       | 54,09                          | 43,89 |       |
|                            |       | 82,29                          | 17,71 |       |
|                            |       |                                |       |       |
| 2                          | 450   | 124                            | 574   |       |
|                            | 15,81 | 4,36                           | 20,16 |       |
|                            | 20,00 | 20,77                          |       |       |
|                            | 78,40 | 21,60                          |       |       |
| 3                          | 293   | 113                            | 406   |       |
|                            | 10,29 | 3,97                           | 14,26 |       |
|                            | 13,02 | 18,93                          |       |       |
|                            | 72,17 | 27,83                          |       |       |
| 4                          | 193   | 80                             | 273   |       |
|                            | 6,78  | 2,81                           | 9,59  |       |
|                            | 8,58  | 13,40                          |       |       |
|                            | 70,70 | 29,30                          |       |       |
| 5                          | 97    | 18                             | 115   |       |
|                            | 3,41  | 0,63                           | 4,04  |       |
|                            | 4,31  | 3,02                           |       |       |
|                            | 84,35 | 15,65                          |       |       |
| Total                      | 2250  | 597                            | 2847  |       |
|                            | 79,03 | 20,97                          |       |       |

## Tests


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 16,6852   | 0,0114      |
| Error    | 2842 | 1445,3960 |             |
| C. Total | 2846 | 1462,0812 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,370    | <.0001     |
| Pearson          | 34,538    | <.0001     |



**Contingency Analysis of Fisket m snøre fra båt 2-29-288 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Fisket m snøre fra båt 2-29-288

|                            |         | 0     | 1     |       |
|----------------------------|---------|-------|-------|-------|
| FERIE NATUR ØNSKE 2-29-289 | Count   |       |       |       |
|                            | Total % |       |       |       |
|                            | Col %   |       |       |       |
|                            | Row %   |       |       |       |
|                            | 1       | 1009  | 470   | 1479  |
|                            |         | 35,44 | 16,51 | 51,95 |
|                            |         | 49,49 | 58,17 |       |
|                            |         | 68,22 | 31,78 |       |
|                            | 2       | 398   | 176   | 574   |
|                            |         | 13,98 | 6,18  | 20,16 |
|                            | 19,52   | 21,78 |       |       |
|                            | 69,34   | 30,66 |       |       |
| 3                          | 328     | 78    | 406   |       |
|                            | 11,52   | 2,74  | 14,26 |       |
|                            | 16,09   | 9,65  |       |       |
|                            | 80,79   | 19,21 |       |       |
| 4                          | 209     | 64    | 273   |       |
|                            | 7,34    | 2,25  | 9,59  |       |
|                            | 10,25   | 7,92  |       |       |
|                            | 76,56   | 23,44 |       |       |
| 5                          | 95      | 20    | 115   |       |
|                            | 3,34    | 0,70  | 4,04  |       |
|                            | 4,66    | 2,48  |       |       |
|                            | 82,61   | 17,39 |       |       |
|                            | 2039    | 808   | 2847  |       |
|                            | 71,62   | 28,38 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 19,3757   | 0,0114      |
| Error    | 2842 | 1678,8983 |             |
| C. Total | 2846 | 1698,2740 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 38,751    | <.0001     |
| Pearson          | 36,768    | <.0001     |

## Contingency Analysis of Besøkte bygdemuseum 2-29-288 By FERIENATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Besøkte bygdemuseum 2-29-288

|         | 0     | 1     |       |
|---------|-------|-------|-------|
| Count   |       |       |       |
| Total % |       |       |       |
| Col %   |       |       |       |
| Row %   |       |       |       |
| 1       | 1331  | 148   | 1479  |
|         | 46,75 | 5,20  | 51,95 |
|         | 53,35 | 42,05 |       |
|         | 89,99 | 10,01 |       |
| 2       | 476   | 98    | 574   |
|         | 16,72 | 3,44  | 20,16 |
|         | 19,08 | 27,84 |       |
|         | 82,93 | 17,07 |       |
| 3       | 348   | 58    | 406   |
|         | 12,22 | 2,04  | 14,26 |
|         | 13,95 | 16,48 |       |
|         | 85,71 | 14,29 |       |
| 4       | 243   | 30    | 273   |
|         | 8,54  | 1,05  | 9,59  |
|         | 9,74  | 8,52  |       |
|         | 89,01 | 10,99 |       |
| 5       | 97    | 18    | 115   |
|         | 3,41  | 0,63  | 4,04  |
|         | 3,89  | 5,11  |       |
|         | 84,35 | 15,65 |       |
|         | 2495  | 352   | 2847  |
|         | 87,64 | 12,36 |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 10,8024   | 0,0101      |
| Error    | 2842 | 1054,2977 |             |
| C. Total | 2846 | 1065,1001 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,605    | 0,0002     |
| Pearson          | 22,340    | 0,0002     |

## Contingency Analysis of Besøkte bondegård 2-29-288 By FERIEATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

|                          |         | Besøkte bondegård 2-29-288 |       |       |
|--------------------------|---------|----------------------------|-------|-------|
|                          |         | 0                          | 1     |       |
| FERIEATUR ØNSKE 2-29-289 | Count   |                            |       |       |
|                          | Total % |                            |       |       |
|                          | Col %   |                            |       |       |
|                          | Row %   |                            |       |       |
|                          | 1       | 1435                       | 44    | 1479  |
|                          |         | 50,40                      | 1,55  | 51,95 |
|                          |         | 52,07                      | 48,35 |       |
|                          |         | 97,03                      | 2,97  |       |
|                          | 2       | 553                        | 21    | 574   |
|                          |         | 19,42                      | 0,74  | 20,16 |
|                          | 20,07   | 23,08                      |       |       |
|                          | 96,34   | 3,66                       |       |       |
| 3                        | 389     | 17                         | 406   |       |
|                          | 13,66   | 0,60                       | 14,26 |       |
|                          | 14,11   | 18,68                      |       |       |
|                          | 95,81   | 4,19                       |       |       |
| 4                        | 266     | 7                          | 273   |       |
|                          | 9,34    | 0,25                       | 9,59  |       |
|                          | 9,65    | 7,69                       |       |       |
|                          | 97,44   | 2,56                       |       |       |
| 5                        | 113     | 2                          | 115   |       |
|                          | 3,97    | 0,07                       | 4,04  |       |
|                          | 4,10    | 2,20                       |       |       |
|                          | 98,26   | 1,74                       |       |       |
|                          | 2756    | 91                         | 2847  |       |
|                          | 96,80   | 3,20                       |       |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 1,55750   | 0,0039      |
| Error    | 2842 | 401,30012 |             |
| C. Total | 2846 | 402,85762 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 3,115     | 0,5388     |
| Pearson          | 3,061     | 0,5477     |

## Contingency Analysis of Overnattet i DNT hytte 2-29-288 By FERIE NATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Overnattet i DNT hytte 2-29-288

|                            | Overnattet i DNT hytte 2-29-288 |       |       |
|----------------------------|---------------------------------|-------|-------|
|                            | 0                               | 1     |       |
| FERIE NATUR ØNSKE 2-29-289 | Count                           |       |       |
|                            | Total %                         |       |       |
|                            | Col %                           |       |       |
|                            | Row %                           |       |       |
|                            | 1                               | 1447  | 32    |
|                            | 50,83                           | 1,12  | 51,95 |
|                            | 52,64                           | 32,65 |       |
|                            | 97,84                           | 2,16  |       |
| 2                          | 552                             | 22    | 574   |
|                            | 19,39                           | 0,77  | 20,16 |
|                            | 20,08                           | 22,45 |       |
|                            | 96,17                           | 3,83  |       |
| 3                          | 373                             | 33    | 406   |
|                            | 13,10                           | 1,16  | 14,26 |
|                            | 13,57                           | 33,67 |       |
|                            | 91,87                           | 8,13  |       |
| 4                          | 264                             | 9     | 273   |
|                            | 9,27                            | 0,32  | 9,59  |
|                            | 9,60                            | 9,18  |       |
|                            | 96,70                           | 3,30  |       |
| 5                          | 113                             | 2     | 115   |
|                            | 3,97                            | 0,07  | 4,04  |
|                            | 4,11                            | 2,04  |       |
|                            | 98,26                           | 1,74  |       |
|                            | 2749                            | 98    | 2847  |
|                            | 96,56                           | 3,44  |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 14,72125  | 0,0345      |
| Error    | 2842 | 411,73963 |             |
| C. Total | 2846 | 426,46087 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,442    | <.0001     |
| Pearson          | 35,380    | <.0001     |

**Contingency Analysis of Lekel.Badel.Fritidsp. 2-29-288 By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

|                            |   | Lekel.Badel.Fritidsp. 2-29-288 |                                |               |
|----------------------------|---|--------------------------------|--------------------------------|---------------|
|                            |   | 0                              | 1                              |               |
| Count                      |   |                                |                                |               |
| Total %                    |   |                                |                                |               |
| Col %                      |   |                                |                                |               |
| Row %                      |   |                                |                                |               |
| FERIENTATUR ØNSKE 2-29-289 | 1 | 975<br>34,25<br>47,63<br>65,92 | 504<br>17,70<br>63,00<br>34,08 | 1479<br>51,95 |
|                            | 2 | 446<br>15,67<br>21,79<br>77,70 | 128<br>4,50<br>16,00<br>22,30  | 574<br>20,16  |
|                            | 3 | 321<br>11,28<br>15,68<br>79,06 | 85<br>2,99<br>10,63<br>20,94   | 406<br>14,26  |
|                            | 4 | 213<br>7,48<br>10,41<br>78,02  | 60<br>2,11<br>7,50<br>21,98    | 273<br>9,59   |
|                            | 5 | 92<br>3,23<br>4,49<br>80,00    | 23<br>0,81<br>2,88<br>20,00    | 115<br>4,04   |
|                            |   | 2047<br>71,90                  | 800<br>28,10                   | 2847          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 27,7229   | 0,0164      |
| Error    | 2842 | 1663,0904 |             |
| C. Total | 2846 | 1690,8133 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 55,446    | <.0001     |
| Pearson          | 54,823    | <.0001     |

**Contingency Analysis of Besøkte severdigheter 2-29-288 By FERIENTATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Besøkte severdigheter 2-29-288

|         | 0                              | 1                              |               |
|---------|--------------------------------|--------------------------------|---------------|
| Count   |                                |                                |               |
| Total % |                                |                                |               |
| Col %   |                                |                                |               |
| Row %   |                                |                                |               |
| 1       | 884<br>31,05<br>51,58<br>59,77 | 595<br>20,90<br>52,52<br>40,23 | 1479<br>51,95 |
| 2       | 322<br>11,31<br>18,79<br>56,10 | 252<br>8,85<br>22,24<br>43,90  | 574<br>20,16  |
| 3       | 250<br>8,78<br>14,59<br>61,58  | 156<br>5,48<br>13,77<br>38,42  | 406<br>14,26  |
| 4       | 180<br>6,32<br>10,50<br>65,93  | 93<br>3,27<br>8,21<br>34,07    | 273<br>9,59   |
| 5       | 78<br>2,74<br>4,55<br>67,83    | 37<br>1,30<br>3,27<br>32,17    | 115<br>4,04   |
|         | 1714<br>60,20                  | 1133<br>39,80                  | 2847          |

FERIENTATUR ØNSKE 2-29-289


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 5,5554    | 0,0029      |
| Error    | 2842 | 1908,1325 |             |
| C. Total | 2846 | 1913,6879 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 11,111    | 0,0253     |
| Pearson          | 11,005    | 0,0265     |

**Contingency Analysis of Antall ferieaktiviteter By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Antall ferieaktiviteter

|                            | Antall ferieaktiviteter |       |       |       |       |       |       |       |       |        |       |  |
|----------------------------|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--|
|                            | 0                       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |        |       |  |
| FERIE NATUR ØNSKE 2-29-289 | Count                   |       |       |       |       |       |       |       |       |        |       |  |
|                            | Total %                 |       |       |       |       |       |       |       |       |        |       |  |
|                            | Col %                   |       |       |       |       |       |       |       |       |        |       |  |
|                            | Row %                   |       |       |       |       |       |       |       |       |        |       |  |
|                            | 1                       | 235   | 584   | 385   | 181   | 73    | 13    | 4     | 2     | 2      | 1479  |  |
|                            |                         | 8,25  | 20,51 | 13,52 | 6,36  | 2,56  | 0,46  | 0,14  | 0,07  | 0,07   | 51,95 |  |
|                            |                         | 53,53 | 55,57 | 49,87 | 47,63 | 48,34 | 32,50 | 44,44 | 66,67 | 100,00 |       |  |
|                            |                         | 15,89 | 39,49 | 26,03 | 12,24 | 4,94  | 0,88  | 0,27  | 0,14  | 0,14   |       |  |
|                            | 2                       | 70    | 196   | 171   | 95    | 31    | 9     | 1     | 1     | 0      | 574   |  |
|                            |                         | 2,46  | 6,88  | 6,01  | 3,34  | 1,09  | 0,32  | 0,04  | 0,04  | 0,00   | 20,16 |  |
|                            | 15,95                   | 18,65 | 22,15 | 25,00 | 20,53 | 22,50 | 11,11 | 33,33 | 0,00  |        |       |  |
|                            | 12,20                   | 34,15 | 29,79 | 16,55 | 5,40  | 1,57  | 0,17  | 0,17  | 0,00  |        |       |  |
| 3                          | 50                      | 141   | 107   | 67    | 24    | 13    | 4     | 0     | 0     | 406    |       |  |
|                            | 1,76                    | 4,95  | 3,76  | 2,35  | 0,84  | 0,46  | 0,14  | 0,00  | 0,00  | 14,26  |       |  |
|                            | 11,39                   | 13,42 | 13,86 | 17,63 | 15,89 | 32,50 | 44,44 | 0,00  | 0,00  |        |       |  |
|                            | 12,32                   | 34,73 | 26,35 | 16,50 | 5,91  | 3,20  | 0,99  | 0,00  | 0,00  |        |       |  |
| 4                          | 53                      | 77    | 91    | 29    | 18    | 5     | 0     | 0     | 0     | 273    |       |  |
|                            | 1,86                    | 2,70  | 3,20  | 1,02  | 0,63  | 0,18  | 0,00  | 0,00  | 0,00  | 9,59   |       |  |
|                            | 12,07                   | 7,33  | 11,79 | 7,63  | 11,92 | 12,50 | 0,00  | 0,00  | 0,00  |        |       |  |
|                            | 19,41                   | 28,21 | 33,33 | 10,62 | 6,59  | 1,83  | 0,00  | 0,00  | 0,00  |        |       |  |
| 5                          | 31                      | 53    | 18    | 8     | 5     | 0     | 0     | 0     | 0     | 115    |       |  |
|                            | 1,09                    | 1,86  | 0,63  | 0,28  | 0,18  | 0,00  | 0,00  | 0,00  | 0,00  | 4,04   |       |  |
|                            | 7,06                    | 5,04  | 2,33  | 2,11  | 3,31  | 0,00  | 0,00  | 0,00  | 0,00  |        |       |  |
|                            | 26,96                   | 46,09 | 15,65 | 6,96  | 4,35  | 0,00  | 0,00  | 0,00  | 0,00  |        |       |  |
|                            | 439                     | 1051  | 772   | 380   | 151   | 40    | 9     | 3     | 2     | 2847   |       |  |
|                            | 15,42                   | 36,92 | 27,12 | 13,35 | 5,30  | 1,40  | 0,32  | 0,11  | 0,07  |        |       |  |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 32   | 42,0685   | 0,0097      |
| Error    | 2807 | 4299,7018 |             |
| C. Total | 2839 | 4341,7703 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 84,137    | <.0001     |
| Pearson          | 84,073    | <.0001     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

## Contingency Analysis of Viktig: stort utvalg 2-51-335 By FERIE NATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Viktig: stort utvalg 2-51-335

|                            | Count |       |       |
|----------------------------|-------|-------|-------|
|                            | 0     | 1     |       |
| FERIE NATUR ØNSKE 2-29-289 | 1     | 1034  | 445   |
|                            |       | 36,32 | 15,63 |
|                            |       | 50,29 | 56,26 |
|                            |       | 69,91 | 30,09 |
|                            | 2     | 415   | 159   |
|                            |       | 14,58 | 5,58  |
|                            | 20,18 | 20,10 |       |
|                            | 72,30 | 27,70 |       |
| 3                          | 300   | 106   |       |
|                            | 10,54 | 3,72  |       |
|                            | 14,59 | 13,40 |       |
|                            | 73,89 | 26,11 |       |
| 4                          | 212   | 61    |       |
|                            | 7,45  | 2,14  |       |
|                            | 10,31 | 7,71  |       |
|                            | 77,66 | 22,34 |       |
| 5                          | 95    | 20    |       |
|                            | 3,34  | 0,70  |       |
|                            | 4,62  | 2,53  |       |
|                            | 82,61 | 17,39 |       |
|                            | 2056  | 791   |       |
|                            | 72,22 | 27,78 |       |

## Tests


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 7,7216    | 0,0046      |
| Error    | 2842 | 1674,5655 |             |
| C. Total | 2846 | 1682,2871 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,443    | 0,0039     |
| Pearson          | 14,699    | 0,0054     |



**Contingency Analysis of Viktig: god sevice 2-51-335 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: god sevice 2-51-335

|                            | Viktig: god sevice 2-51-335   |                                |                                |               |
|----------------------------|-------------------------------|--------------------------------|--------------------------------|---------------|
|                            | 0                             | 1                              |                                |               |
| FERIE NATUR ØNSKE 2-29-289 | Count                         |                                |                                |               |
|                            | Total %                       |                                |                                |               |
|                            | Col %                         |                                |                                |               |
|                            | Row %                         |                                |                                |               |
|                            | 1                             | 746<br>26,20<br>53,36<br>50,44 | 733<br>25,75<br>50,59<br>49,56 | 1479<br>51,95 |
|                            | 2                             | 267<br>9,38<br>19,10<br>46,52  | 307<br>10,78<br>21,19<br>53,48 | 574<br>20,16  |
| 3                          | 202<br>7,10<br>14,45<br>49,75 | 204<br>7,17<br>14,08<br>50,25  | 406<br>14,26                   |               |
| 4                          | 121<br>4,25<br>8,66<br>44,32  | 152<br>5,34<br>10,49<br>55,68  | 273<br>9,59                    |               |
| 5                          | 62<br>2,18<br>4,43<br>53,91   | 53<br>1,86<br>3,66<br>46,09    | 115<br>4,04                    |               |
|                            | 1398<br>49,10                 | 1449<br>50,90                  | 2847                           |               |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 3,1165    | 0,0016      |
| Error    | 2842 | 1969,8167 |             |
| C. Total | 2846 | 1972,9332 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 6,233     | 0,1824     |
| Pearson          | 6,224     | 0,1830     |

**Contingency Analysis of Viktig: lave priser 2-51-335 By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: lave priser 2-51-335

|         | FERIEENATUR ØNSKE 2-29-289 |       |       |
|---------|----------------------------|-------|-------|
|         | 0                          | 1     |       |
| Count   | 417                        | 1062  | 1479  |
| Total % | 14,65                      | 37,30 | 51,95 |
| Col %   | 46,85                      | 54,27 |       |
| Row %   | 28,19                      | 71,81 |       |
| 1       | 179                        | 395   | 574   |
|         | 6,29                       | 13,87 | 20,16 |
|         | 20,11                      | 20,18 |       |
|         | 31,18                      | 68,82 |       |
| 2       | 156                        | 250   | 406   |
|         | 5,48                       | 8,78  | 14,26 |
|         | 17,53                      | 12,77 |       |
|         | 38,42                      | 61,58 |       |
| 3       | 100                        | 173   | 273   |
|         | 3,51                       | 6,08  | 9,59  |
|         | 11,24                      | 8,84  |       |
|         | 36,63                      | 63,37 |       |
| 4       | 38                         | 77    | 115   |
|         | 1,33                       | 2,70  | 4,04  |
|         | 4,27                       | 3,93  |       |
|         | 33,04                      | 66,96 |       |
| 5       | 890                        | 1957  | 2847  |
|         | 31,26                      | 68,74 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 9,8359    | 0,0056      |
| Error    | 2842 | 1758,6433 |             |
| C. Total | 2846 | 1768,4792 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,672    | 0,0006     |
| Pearson          | 19,998    | 0,0005     |

**Contingency Analysis of Viktig: gode varetilb 2-51-335 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: gode varetilb 2-51-335

|                            |   | Viktig: gode varetilb 2-51-335 |                                |               |
|----------------------------|---|--------------------------------|--------------------------------|---------------|
|                            |   | 0                              | 1                              |               |
| Count                      |   |                                |                                |               |
| Total %                    |   |                                |                                |               |
| Col %                      |   |                                |                                |               |
| Row %                      |   |                                |                                |               |
| FERIE NATUR ØNSKE 2-29-289 | 1 | 869<br>30,52<br>53,48<br>58,76 | 610<br>21,43<br>49,92<br>41,24 | 1479<br>51,95 |
|                            | 2 | 321<br>11,28<br>19,75<br>55,92 | 253<br>8,89<br>20,70<br>44,08  | 574<br>20,16  |
|                            | 3 | 220<br>7,73<br>13,54<br>54,19  | 186<br>6,53<br>15,22<br>45,81  | 406<br>14,26  |
|                            | 4 | 151<br>5,30<br>9,29<br>55,31   | 122<br>4,29<br>9,98<br>44,69   | 273<br>9,59   |
|                            | 5 | 64<br>2,25<br>3,94<br>55,65    | 51<br>1,79<br>4,17<br>44,35    | 115<br>4,04   |
|                            |   | 1625<br>57,08                  | 1222<br>42,92                  | 2847          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 1,9185    | 0,0010      |
| Error    | 2842 | 1942,8526 |             |
| C. Total | 2846 | 1944,7712 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 3,837     | 0,4285     |
| Pearson          | 3,840     | 0,4281     |

**Contingency Analysis of Viktig: parkering 2-51-335 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: parkering 2-51-335

| FERIE NATUR ØNSKE 2-29-289 | Count   | 0                              | 1                              |               |
|----------------------------|---------|--------------------------------|--------------------------------|---------------|
|                            | Total % |                                |                                |               |
|                            | Col %   |                                |                                |               |
|                            | Row %   |                                |                                |               |
|                            |         |                                |                                |               |
| 1                          |         | 917<br>32,21<br>49,46<br>62,00 | 562<br>19,74<br>56,60<br>38,00 | 1479<br>51,95 |
| 2                          |         | 393<br>13,80<br>21,20<br>68,47 | 181<br>6,36<br>18,23<br>31,53  | 574<br>20,16  |
| 3                          |         | 275<br>9,66<br>14,83<br>67,73  | 131<br>4,60<br>13,19<br>32,27  | 406<br>14,26  |
| 4                          |         | 190<br>6,67<br>10,25<br>69,60  | 83<br>2,92<br>8,36<br>30,40    | 273<br>9,59   |
| 5                          |         | 79<br>2,77<br>4,26<br>68,70    | 36<br>1,26<br>3,63<br>31,30    | 115<br>4,04   |
|                            |         | 1854<br>65,12                  | 993<br>34,88                   | 2847          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 6,7424    | 0,0037      |
| Error    | 2842 | 1834,3933 |             |
| C. Total | 2846 | 1841,1357 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,485    | 0,0091     |
| Pearson          | 13,442    | 0,0093     |

**Contingency Analysis of Viktig: kyndig betj 2-51-335 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: kyndig betj 2-51-335

|                            | Viktig: kyndig betj 2-51-335   |                                 |                               |               |
|----------------------------|--------------------------------|---------------------------------|-------------------------------|---------------|
|                            | 0                              | 1                               |                               |               |
| FERIE NATUR ØNSKE 2-29-289 | Count                          |                                 |                               |               |
|                            | Total %                        |                                 |                               |               |
|                            | Col %                          |                                 |                               |               |
|                            | Row %                          |                                 |                               |               |
|                            | 1                              | 1273<br>44,71<br>53,46<br>86,07 | 206<br>7,24<br>44,21<br>13,93 | 1479<br>51,95 |
|                            | 2                              | 470<br>16,51<br>19,74<br>81,88  | 104<br>3,65<br>22,32<br>18,12 | 574<br>20,16  |
| 3                          | 335<br>11,77<br>14,07<br>82,51 | 71<br>2,49<br>15,24<br>17,49    | 406<br>14,26                  |               |
| 4                          | 211<br>7,41<br>8,86<br>77,29   | 62<br>2,18<br>13,30<br>22,71    | 273<br>9,59                   |               |
| 5                          | 92<br>3,23<br>3,86<br>80,00    | 23<br>0,81<br>4,94<br>20,00     | 115<br>4,04                   |               |
|                            | 2381<br>83,63                  | 466<br>16,37                    | 2847                          |               |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 8,3508    | 0,0066      |
| Error    | 2842 | 1260,6249 |             |
| C. Total | 2846 | 1268,9757 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 16,702    | 0,0022     |
| Pearson          | 17,218    | 0,0018     |

**Contingency Analysis of Viktig: gode ferskv 2-51-335 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: gode ferskv 2-51-335

|                            |         | 0     | 1     |       |
|----------------------------|---------|-------|-------|-------|
| FERIE NATUR ØNSKE 2-29-289 | Count   |       |       |       |
|                            | Total % |       |       |       |
|                            | Col %   |       |       |       |
|                            | Row %   |       |       |       |
|                            | 1       | 530   | 949   | 1479  |
|                            |         | 18,62 | 33,33 | 51,95 |
|                            |         | 49,39 | 53,49 |       |
|                            |         | 35,84 | 64,16 |       |
|                            | 2       | 224   | 350   | 574   |
|                            |         | 7,87  | 12,29 | 20,16 |
|                            | 20,88   | 19,73 |       |       |
|                            | 39,02   | 60,98 |       |       |
| 3                          | 160     | 246   | 406   |       |
|                            | 5,62    | 8,64  | 14,26 |       |
|                            | 14,91   | 13,87 |       |       |
|                            | 39,41   | 60,59 |       |       |
| 4                          | 110     | 163   | 273   |       |
|                            | 3,86    | 5,73  | 9,59  |       |
|                            | 10,25   | 9,19  |       |       |
|                            | 40,29   | 59,71 |       |       |
| 5                          | 49      | 66    | 115   |       |
|                            | 1,72    | 2,32  | 4,04  |       |
|                            | 4,57    | 3,72  |       |       |
|                            | 42,61   | 57,39 |       |       |
|                            | 1073    | 1774  | 2847  |       |
|                            | 37,69   | 62,31 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 2,5353    | 0,0013      |
| Error    | 2842 | 1883,6593 |             |
| C. Total | 2846 | 1886,1946 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 5,071     | 0,2801     |
| Pearson          | 5,085     | 0,2786     |

**Contingency Analysis of Viktig:st utv frukt/gr 2-51-335 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig:st utv frukt/gr 2-51-335

|         | FERIE NATUR ØNSKE 2-29-289 |       | Total |
|---------|----------------------------|-------|-------|
|         | 0                          | 1     |       |
| Count   | 771                        | 708   | 1479  |
| Total % | 27,08                      | 24,87 | 51,95 |
| Col %   | 51,13                      | 52,88 |       |
| Row %   | 52,13                      | 47,87 |       |
| 1       | 312                        | 262   | 574   |
|         | 10,96                      | 9,20  | 20,16 |
|         | 20,69                      | 19,57 |       |
|         | 54,36                      | 45,64 |       |
| 2       | 211                        | 195   | 406   |
|         | 7,41                       | 6,85  | 14,26 |
|         | 13,99                      | 14,56 |       |
|         | 51,97                      | 48,03 |       |
| 3       | 141                        | 132   | 273   |
|         | 4,95                       | 4,64  | 9,59  |
|         | 9,35                       | 9,86  |       |
|         | 51,65                      | 48,35 |       |
| 4       | 73                         | 42    | 115   |
|         | 2,56                       | 1,48  | 4,04  |
|         | 4,84                       | 3,14  |       |
|         | 63,48                      | 36,52 |       |
| Total   | 1508                       | 1339  | 2847  |
|         | 52,97                      | 47,03 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 3,1978    | 0,0016      |
| Error    | 2842 | 1965,1732 |             |
| C. Total | 2846 | 1968,3711 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 6,396     | 0,1715     |
| Pearson          | 6,313     | 0,1770     |

**Contingency Analysis of Viktig: åpningstider 2-51-335 By FERIEATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: åpningstider 2-51-335

|                          |   | 0                              | 1                              |               |
|--------------------------|---|--------------------------------|--------------------------------|---------------|
| Count                    |   |                                |                                |               |
| Total %                  |   |                                |                                |               |
| Col %                    |   |                                |                                |               |
| Row %                    |   |                                |                                |               |
| FERIEATUR ØNSKE 2-29-289 | 1 | 588<br>20,65<br>46,59<br>39,76 | 891<br>31,30<br>56,21<br>60,24 | 1479<br>51,95 |
|                          | 2 | 254<br>8,92<br>20,13<br>44,25  | 320<br>11,24<br>20,19<br>55,75 | 574<br>20,16  |
|                          | 3 | 209<br>7,34<br>16,56<br>51,48  | 197<br>6,92<br>12,43<br>48,52  | 406<br>14,26  |
|                          | 4 | 150<br>5,27<br>11,89<br>54,95  | 123<br>4,32<br>7,76<br>45,05   | 273<br>9,59   |
|                          | 5 | 61<br>2,14<br>4,83<br>53,04    | 54<br>1,90<br>3,41<br>46,96    | 115<br>4,04   |
|                          |   | 1262<br>44,33                  | 1585<br>55,67                  | 2847          |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 18,4270   | 0,0094      |
| Error    | 2842 | 1936,6009 |             |
| C. Total | 2846 | 1955,0279 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 36,854    | <.0001     |
| Pearson          | 36,945    | <.0001     |



## Contingency Analysis of Viktig: har det jeg ønsker 2-51-335 By FERIE NATUR ØNSKE 2-29-289

## Mosaic Plot



## Contingency Table

Viktig: har det jeg ønsker 2-51-335

|         | 0                               | 1                              |               |
|---------|---------------------------------|--------------------------------|---------------|
| Count   |                                 |                                |               |
| Total % |                                 |                                |               |
| Col %   |                                 |                                |               |
| Row %   |                                 |                                |               |
| 1       | 1176<br>41,31<br>51,97<br>79,51 | 303<br>10,64<br>51,88<br>20,49 | 1479<br>51,95 |
| 2       | 459<br>16,12<br>20,28<br>79,97  | 115<br>4,04<br>19,69<br>20,03  | 574<br>20,16  |
| 3       | 320<br>11,24<br>14,14<br>78,82  | 86<br>3,02<br>14,73<br>21,18   | 406<br>14,26  |
| 4       | 216<br>7,59<br>9,54<br>79,12    | 57<br>2,00<br>9,76<br>20,88    | 273<br>9,59   |
| 5       | 92<br>3,23<br>4,07<br>80,00     | 23<br>0,81<br>3,94<br>20,00    | 115<br>4,04   |
|         | 2263<br>79,49                   | 584<br>20,51                   | 2847          |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 0,1166    | 0,0001      |
| Error    | 2842 | 1444,5365 |             |
| C. Total | 2846 | 1444,6531 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,233     | 0,9937     |
| Pearson          | 0,234     | 0,9937     |

**Contingency Analysis of Viktig: ryddig plasser 2-51-335 By FERIE NATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: ryddig plasser 2-51-335

|                            |         | Count   | 0     | 1     |       |
|----------------------------|---------|---------|-------|-------|-------|
| FERIE NATUR ØNSKE 2-29-289 | 1       | Total % |       |       |       |
|                            |         | Col %   |       |       |       |
|                            |         | Row %   |       |       |       |
|                            |         |         | 803   | 676   | 1479  |
|                            | 2       | Total % | 28,21 | 23,74 | 51,95 |
|                            |         | Col %   | 52,55 | 51,25 |       |
|                            |         | Row %   | 54,29 | 45,71 |       |
|                            |         |         | 296   | 278   | 574   |
|                            | 3       | Total % | 10,40 | 9,76  | 20,16 |
|                            |         | Col %   | 19,37 | 21,08 |       |
| Row %                      |         | 51,57   | 48,43 |       |       |
|                            |         | 223     | 183   | 406   |       |
| 4                          | Total % | 7,83    | 6,43  | 14,26 |       |
|                            | Col %   | 14,59   | 13,87 |       |       |
|                            | Row %   | 54,93   | 45,07 |       |       |
|                            |         | 141     | 132   | 273   |       |
| 5                          | Total % | 4,95    | 4,64  | 9,59  |       |
|                            | Col %   | 9,23    | 10,01 |       |       |
|                            | Row %   | 51,65   | 48,35 |       |       |
|                            |         | 65      | 50    | 115   |       |
|                            | Total % | 2,28    | 1,76  | 4,04  |       |
|                            | Col %   | 4,25    | 3,79  |       |       |
|                            | Row %   | 56,52   | 43,48 |       |       |
|                            |         | 1528    | 1319  | 2847  |       |
|                            |         |         | 53,67 | 46,33 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 1,1664    | 0,0006      |
| Error    | 2842 | 1964,5453 |             |
| C. Total | 2846 | 1965,7117 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 2,333     | 0,6748     |
| Pearson          | 2,334     | 0,6746     |

**Contingency Analysis of Viktig: ligger i kjøps 2-51-335 By FERIEENATUR ØNSKE 2-29-289**

**Mosaic Plot**



**Contingency Table**

Viktig: ligger i kjøps 2-51-335

|         | FERIEENATUR ØNSKE 2-29-289      |                               |               |
|---------|---------------------------------|-------------------------------|---------------|
|         | 0                               | 1                             |               |
| Count   |                                 |                               |               |
| Total % |                                 |                               |               |
| Col %   |                                 |                               |               |
| Row %   |                                 |                               |               |
| 1       | 1294<br>45,45<br>52,43<br>87,49 | 185<br>6,50<br>48,81<br>12,51 | 1479<br>51,95 |
| 2       | 500<br>17,56<br>20,26<br>87,11  | 74<br>2,60<br>19,53<br>12,89  | 574<br>20,16  |
| 3       | 344<br>12,08<br>13,94<br>84,73  | 62<br>2,18<br>16,36<br>15,27  | 406<br>14,26  |
| 4       | 237<br>8,32<br>9,60<br>86,81    | 36<br>1,26<br>9,50<br>13,19   | 273<br>9,59   |
| 5       | 93<br>3,27<br>3,77<br>80,87     | 22<br>0,77<br>5,80<br>19,13   | 115<br>4,04   |
|         | 2468<br>86,69                   | 379<br>13,31                  | 2847          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 2,6322    | 0,0024      |
| Error    | 2842 | 1114,1884 |             |
| C. Total | 2846 | 1116,8206 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 5,264     | 0,2612     |
| Pearson          | 5,643     | 0,2275     |

## **DEL 4**

### **KRYSSABELLERING AV «BESØKE I BYGDENORGE» MOT RESTEN AV VARIABLANE**

## KRYSSTABELLERING AV «BESØKE I BYGDENORGE» MOT RESTEN AV VARIABLANE

| Variabel namn <sup>1</sup>     | Tabell nr | Side |
|--------------------------------|-----------|------|
| BESØKE I BYGDENORGE 2-29-290   |           |      |
| FERIENATUR ØNSKE 2-29-289      | 1         | 246  |
| BONDE AVTALE 2-51-336          | 2         | 247  |
| KJØNN 1-20-P                   | 3         | 248  |
| ALDER 1-19-A                   | 4         | 249  |
| HUSSTAND STILLING 1-19-B       | 5         | 250  |
| #ARBEIDSTAKERE I HUSST 1-19-C  | 6         | 251  |
| HUSSTAND INNT BRUTTO 1-19-D    | 7         | 252  |
| PERSON INNT BRUTTO 1-19-E      | 8         | 253  |
| EKTESKAPELIG STATUS 1-19-F     | 9         | 254  |
| #PERSONER I HUSST 1-19-G       | 10        | 255  |
| #BARN TOT I HUSST 1-19-H       | 11        | 256  |
| ARB HELTID/DELTID 1-19-J       | 12        | 257  |
| FORSØRGINGSSTATUS EGEN 1-19-K  | 13        | 258  |
| FORSØRGINGSSTATUS E/S 1-19-K   | 14        | 259  |
| NÆRING 1-20-L                  | 15        | 260  |
| OFF/ PRIV SEKTOR EGEN 1-20-M   | 16        | 261  |
| OFF/ PRIV SEKTOR E/S 1-20-M    | 17        | 262  |
| UTDANNING EGEN 1-20-N          | 18        | 263  |
| UTDANNING E/S 1-20-N           | 19        | 264  |
| UNIV/ HØYSK. EKSAMEN 1-20-O    | 20        | 265  |
| FARS UTDANNING 1-18-73         | 21        | 266  |
| MORS UTDANNING 1-18-73         | 22        | 267  |
| HØYEST INNT I HUSSTAND 1-18-74 | 23        | 268  |
| Har hytte ved sjøen 1-6-20     | 24        | 269  |
| Har hytte på fjellet 1-6-20    | 25        | 270  |
| Har hytte i innlandet 1-6-20   | 26        | 271  |
| Har hytte 1-6-19               | 27        | 272  |

<sup>1</sup> Tallkode bak variabelnamnet:: nn-xx-zz = skjema nr - side i skjema - spørsmål nr - i MMI sin dokumentasjon av Norsk Monitor 1991

|                              |    |     |
|------------------------------|----|-----|
| # HYTTEBESØK ÅRLIG 1-6-21    | 28 | 273 |
| # BILER I HUSSTANDEN 1-6-22  | 29 | 274 |
| Fridag bruk (1.v) 2-4-204    | 30 | 275 |
| Fridag bruk (2.V) 2-4-205    | 31 | 276 |
| BOSTEDSVALG 2-18-261         | 32 | 277 |
| BOSTEDSTYPE IDAG 2-19-262    | 33 | 278 |
| ØNSKE OM REKKEHUS+? 2-19-263 | 34 | 279 |
| KOMMUNETYPE SSB              | 35 | 280 |
| SESURBA                      | 36 | 281 |
| FAMILISM                     | 37 | 282 |
| DEPRIVAT                     | 38 | 283 |
| MANUFACT                     | 39 | 284 |
| AFFLUENC                     | 40 | 285 |
| FECONOM                      | 41 | 286 |
| IND Helse                    | 42 | 287 |
| IND Fysisk form              | 43 | 288 |
| IND Selvrealisering          | 44 | 289 |
| IND Materialisme             | 45 | 290 |
| IND Fellesskap               | 46 | 291 |
| IND Natur                    | 47 | 292 |
| IND Religion                 | 48 | 293 |
| IND Nøysomhet/ Hedonisme     | 49 | 294 |
| IND Utseende                 | 50 | 295 |
| IND Polysensualisme          | 51 | 296 |
| IND Forbruk/ Investering     | 52 | 297 |
| IND Tradisjoner/ Nyheter     | 53 | 298 |
| IND Risiko/ Trygghet         | 54 | 299 |
| IND Pessimisme/ Optimisme    | 55 | 300 |
| IND Spontanitet/ Rigiditet   | 56 | 301 |
| IND Fornuft                  | 57 | 302 |
| IND Følelser                 | 58 | 303 |
| IND Okkultisme               | 59 | 304 |
| IND Ambisjonsmangel          | 60 | 305 |
| IND Mobilitet                | 61 | 306 |

|                                 |    |     |
|---------------------------------|----|-----|
| IND Egoisme/ Uselviskhet        | 62 | 307 |
| IND Familie                     | 63 | 308 |
| IND Nærmiljø                    | 64 | 309 |
| IND Status                      | 65 | 310 |
| IND Likestilling                | 66 | 311 |
| IND Intoleranse/ Toleranse      | 67 | 312 |
| IND Individualitet/ Konformisme | 68 | 313 |
| IND Puritanisme                 | 69 | 314 |
| IND Lovlydighet                 | 70 | 315 |
| IND Tillitsfullhet/ Fryktsomhet | 71 | 316 |
| IND Avmakt/ Herredømme          | 72 | 317 |
| IND Autoritet                   | 73 | 318 |
| IND Romantikk                   | 74 | 319 |
| IND Nasjonalisme                | 75 | 320 |
| IND Ulikhet/ Likhhet            | 76 | 321 |
| IND Industrivekst/ Miljøvern    | 77 | 322 |
| IND Kollektivism/ Privatisme    | 78 | 323 |
| IND Regulering/ Marked          | 79 | 324 |
| IND Politikertillit             | 80 | 325 |
| IND Teknologi                   | 81 | 326 |
| IND Kunstprodukt/ Naturprodukt  | 82 | 327 |
| IND Reklameskepsis              | 83 | 328 |
| IND Kosmopolitisme/ Lokalisme   | 84 | 329 |
| IND Tett/ Spredt                | 85 | 330 |
| IND Kameratskap                 | 86 | 331 |
| IND Spill                       | 87 | 332 |
| IND Lojalitet                   | 88 | 333 |
| IND Frihet                      | 89 | 334 |
| IND Solidaritet                 | 90 | 335 |
| Enig/ uenig 1-9-50-1            | 91 | 336 |
| Enig/ uenig 1-9-50-2            | 92 | 337 |
| Enig/ uenig 1-9-50-3            | 93 | 338 |
| Enig/ uenig 1-9-50-4            | 94 | 339 |
| Enig/ uenig 1-9-50-5            | 95 | 340 |

|                                 |     |     |
|---------------------------------|-----|-----|
| Enig/ uenig 1-9-50-9            | 96  | 341 |
| Enig/ uenig 1-9-50-10           | 97  | 342 |
| Enig/ uenig 1-9-50-13           | 98  | 343 |
| Valg av A el B 1-10-51-1        | 99  | 344 |
| Valg av A el B 1-10-51-2        | 100 | 345 |
| Valg av A el B 1-10-51-5        | 101 | 346 |
| Utnytte/ verne natur 1-10-52    | 102 | 347 |
| Enig / uenig 1-11-53-5          | 103 | 348 |
| Enig / uenig 1-11-53-10         | 104 | 349 |
| Enig/ uenig 1-13-58-8           | 105 | 350 |
| Enig/ uenig 1-13-58-23          | 106 | 351 |
| Enig/ uenig 2-1-201-1           | 107 | 352 |
| Enig/ uenig 2-1-201-2           | 108 | 353 |
| Enig/ uenig 2-1-201-8           | 109 | 354 |
| Enig/ uenig 2-1-201-26          | 110 | 355 |
| Enig/ uenig 2-1-201-60          | 111 | 356 |
| Enig/ uenig 2-1-201-77          | 112 | 357 |
| Stemmer med min men 2-8-226-7   | 113 | 358 |
| Stemmer med min men 2-8-226-14  | 114 | 359 |
| Reisemåtevalg 2-28-284-1        | 115 | 360 |
| Reisemåtevalg 2-28-284-2        | 116 | 361 |
| Reisemåtevalg 2-28-284-3        | 117 | 362 |
| Reisemåtevalg 2-28-284-4        | 118 | 363 |
| Reisemåtevalg 2-28-284-5        | 119 | 364 |
| Reisemåtevalg 2-28-284-6        | 120 | 365 |
| Ferieland sommer 2-28-285-1     | 121 | 366 |
| Ferieland høst 2-28-285-2       | 122 | 367 |
| Ferieland vinter/p 2-28-285-3   | 123 | 368 |
| Bekymret Kunstst i mat 2-41-317 | 124 | 369 |
| Ikkekjøp mat m Kunstst 2-41-318 | 125 | 370 |
| Påstander om mat 2-41-319-1     | 126 | 371 |
| Påstander om mat 2-41-319-2     | 127 | 372 |
| Påstander om mat 2-41-319-3     | 128 | 373 |
| Påstander om mat 2-41-319-4     | 129 | 374 |




|                                  |     |     |
|----------------------------------|-----|-----|
| Påstander om mat 2-41-319-5      | 130 | 375 |
| Påstander om mat 2-41-319-6      | 131 | 376 |
| Påstander om mat 2-41-319-7      | 132 | 377 |
| Påstander om mat 2-41-319-8      | 133 | 378 |
| Påstander om mat 2-41-319-9      | 134 | 379 |
| Gikk fottur i fjellet 2-29-288   | 135 | 380 |
| Fisket med flue/ sluk 2-29-288   | 136 | 381 |
| Fisket m snøre fra båt 2-29-288  | 137 | 382 |
| Besøkte bygdemuseum 2-29-288     | 138 | 383 |
| Besøkte bondegård 2-29-288       | 139 | 384 |
| Overnattet i DNT hytte 2-29-288  | 140 | 385 |
| Lekel.Badel.Fritidsp. 2-29-288   | 141 | 386 |
| Besøkte severdigheter 2-29-288   | 142 | 387 |
| Antall ferieaktiviteter          | 143 | 388 |
| Viktig: stort utvalg 2-51-335    | 144 | 389 |
| Viktig: god service 2-51-335     | 145 | 390 |
| Viktig: lave priser 2-51-335     | 146 | 391 |
| Viktig: gode varetilb 2-51-335   | 147 | 392 |
| Viktig: parkering 2-51-335       | 148 | 393 |
| Viktig: kyndig betj 2-51-335     | 149 | 394 |
| Viktig: gode ferskv 2-51-335     | 150 | 395 |
| Viktig: st utv frukt/gr 2-51-335 | 151 | 396 |
| Viktig: åpningstider 2-51-335    | 152 | 397 |
| Viktig: har det jeg øns2-51-335  | 153 | 398 |
| Viktig: ryddig plasser2-51-335   | 154 | 399 |
| Viktig: ligger i kjøps 2-51-335  | 155 | 400 |

Data Table=NM1991 Rapport 47 JMP5

**Contingency Analysis of FERIENATUR ØNSKE 2-29-289 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

FERIENATUR ØNSKE 2-29-289

|                              |         | FERIENATUR ØNSKE 2-29-289 |       |       |       |       |       |
|------------------------------|---------|---------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                         | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                           |       |       |       |       |       |
|                              | Total % |                           |       |       |       |       |       |
|                              | Col %   |                           |       |       |       |       |       |
|                              | Row %   |                           |       |       |       |       |       |
|                              |         |                           |       |       |       |       |       |
| 1                            | Count   | 211                       | 75    | 63    | 26    | 9     | 384   |
| 1                            | Total % | 7,45                      | 2,65  | 2,22  | 0,92  | 0,32  | 13,55 |
| 1                            | Col %   | 14,34                     | 13,09 | 15,63 | 9,56  | 7,89  |       |
| 1                            | Row %   | 54,95                     | 19,53 | 16,41 | 6,77  | 2,34  |       |
| 2                            | Count   | 220                       | 99    | 94    | 53    | 20    | 486   |
| 2                            | Total % | 7,77                      | 3,49  | 3,32  | 1,87  | 0,71  | 17,15 |
| 2                            | Col %   | 14,96                     | 17,28 | 23,33 | 19,49 | 17,54 |       |
| 2                            | Row %   | 45,27                     | 20,37 | 19,34 | 10,91 | 4,12  |       |
| 3                            | Count   | 365                       | 138   | 80    | 65    | 28    | 676   |
| 3                            | Total % | 12,88                     | 4,87  | 2,82  | 2,29  | 0,99  | 23,86 |
| 3                            | Col %   | 24,81                     | 24,08 | 19,85 | 23,90 | 24,56 |       |
| 3                            | Row %   | 53,99                     | 20,41 | 11,83 | 9,62  | 4,14  |       |
| 4                            | Count   | 675                       | 261   | 166   | 128   | 57    | 1287  |
| 4                            | Total % | 23,83                     | 9,21  | 5,86  | 4,52  | 2,01  | 45,43 |
| 4                            | Col %   | 45,89                     | 45,55 | 41,19 | 47,06 | 50,00 |       |
| 4                            | Row %   | 52,45                     | 20,28 | 12,90 | 9,95  | 4,43  |       |
|                              | Count   | 1471                      | 573   | 403   | 272   | 114   | 2833  |
|                              | Total % | 51,92                     | 20,23 | 14,23 | 9,60  | 4,02  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 13,8921   | 0,0038      |
| Error    | 2817 | 3655,5210 |             |
| C. Total | 2829 | 3669,4131 |             |
| N        | 2833 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 27,784    | 0,0059     |
| Pearson          | 27,573    | 0,0064     |

**Contingency Analysis of BONDE AVTALE 2-51-336 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

BONDE AVTALE 2-51-336

|         | 1                              | 2                              | 3                              |               |
|---------|--------------------------------|--------------------------------|--------------------------------|---------------|
| Count   |                                |                                |                                |               |
| Total % |                                |                                |                                |               |
| Col %   |                                |                                |                                |               |
| Row %   |                                |                                |                                |               |
| 1       | 174<br>6,08<br>15,44<br>44,85  | 131<br>4,58<br>12,46<br>33,76  | 83<br>2,90<br>12,13<br>21,39   | 388<br>13,56  |
| 2       | 238<br>8,32<br>21,12<br>48,47  | 156<br>5,45<br>14,84<br>31,77  | 97<br>3,39<br>14,18<br>19,76   | 491<br>17,16  |
| 3       | 244<br>8,53<br>21,65<br>35,78  | 250<br>8,74<br>23,79<br>36,66  | 188<br>6,57<br>27,49<br>27,57  | 682<br>23,83  |
| 4       | 471<br>16,46<br>41,79<br>36,20 | 514<br>17,96<br>48,91<br>39,51 | 316<br>11,04<br>46,20<br>24,29 | 1301<br>45,46 |
|         | 1127<br>39,38                  | 1051<br>36,72                  | 684<br>23,90                   | 2862          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 16,8871   | 0,0055      |
| Error    | 2854 | 3065,3243 |             |
| C. Total | 2860 | 3082,2114 |             |
| N        | 2862 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,774    | <.0001     |
| Pearson          | 34,254    | <.0001     |

**Contingency Analysis of KJØNN 1-19-P By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**


|                              |         | KJØNN 1-19-P |       |       |
|------------------------------|---------|--------------|-------|-------|
|                              |         | 1            | 2     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |              |       |       |
|                              | Total % |              |       |       |
|                              | Col %   |              |       |       |
|                              | Row %   |              |       |       |
|                              | 1       | 177          | 216   | 393   |
|                              |         | 6,10         | 7,44  | 13,54 |
|                              |         | 12,48        | 14,55 |       |
|                              |         | 45,04        | 54,96 |       |
|                              | 2       | 122          | 372   | 494   |
|                              |         | 4,20         | 12,81 | 17,02 |
|                              | 8,60    | 25,05        |       |       |
|                              | 24,70   | 75,30        |       |       |
| 3                            | 302     | 390          | 692   |       |
|                              | 10,40   | 13,43        | 23,84 |       |
|                              | 21,30   | 26,26        |       |       |
|                              | 43,64   | 56,36        |       |       |
| 4                            | 817     | 507          | 1324  |       |
|                              | 28,14   | 17,46        | 45,61 |       |
|                              | 57,62   | 34,14        |       |       |
|                              | 61,71   | 38,29        |       |       |
|                              | 1418    | 1485         | 2903  |       |
|                              | 48,85   | 51,15        |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 109,6875  | 0,0545      |
| Error    | 2899 | 1901,7455 |             |
| C. Total | 2902 | 2011,4330 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 219,375   | <.0001     |
| Pearson          | 212,729   | <.0001     |

**Oneway Analysis of ALDER 1-19-A By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,01607  |
| Adj Rsquare                | 0,015052 |
| Root Mean Square Error     | 17,09448 |
| Mean of Response           | 38,59559 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 13836,18       | 4612,06     | 15,7828 | <.0001   |
| Error                        | 2899 | 847149,05      | 292,22      |         |          |
| C. Total                     | 2902 | 860985,22      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 38,6361 | 0,86230   | 36,945    | 40,327    |
| 2     | 494    | 43,3320 | 0,76912   | 41,824    | 44,840    |
| 3     | 692    | 37,4003 | 0,64983   | 36,126    | 38,674    |
| 4     | 1324   | 37,4411 | 0,46980   | 36,520    | 38,362    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of HUSSTAND STILLING 1-19-B By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

HUSSTAND STILLING 1-19-B

|                              |   | HUSSTAND STILLING 1-19-B |       |       |       |       |       |
|------------------------------|---|--------------------------|-------|-------|-------|-------|-------|
| Count                        |   | 1                        | 2     | 3     | 4     | 5     |       |
| Total %                      |   |                          |       |       |       |       |       |
| Col %                        |   |                          |       |       |       |       |       |
| Row %                        |   |                          |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 148                      | 175   | 27    | 25    | 17    | 392   |
|                              |   | 5,12                     | 6,06  | 0,93  | 0,87  | 0,59  | 13,56 |
|                              |   | 13,36                    | 14,10 | 9,93  | 13,16 | 21,52 |       |
|                              |   | 37,76                    | 44,64 | 6,89  | 6,38  | 4,34  |       |
|                              |   |                          |       |       |       |       |       |
|                              | 2 | 113                      | 347   | 6     | 21    | 5     | 492   |
|                              |   | 3,91                     | 12,01 | 0,21  | 0,73  | 0,17  | 17,02 |
|                              |   | 10,20                    | 27,96 | 2,21  | 11,05 | 6,33  |       |
|                              |   | 22,97                    | 70,53 | 1,22  | 4,27  | 1,02  |       |
|                              | 3 | 224                      | 304   | 71    | 76    | 13    | 688   |
|                              |   | 7,75                     | 10,52 | 2,46  | 2,63  | 0,45  | 23,81 |
|                              |   | 20,22                    | 24,50 | 26,10 | 40,00 | 16,46 |       |
|                              |   | 32,56                    | 44,19 | 10,32 | 11,05 | 1,89  |       |
|                              | 4 | 623                      | 415   | 168   | 68    | 44    | 1318  |
|                              |   | 21,56                    | 14,36 | 5,81  | 2,35  | 1,52  | 45,61 |
|                              |   | 56,23                    | 33,44 | 61,76 | 35,79 | 55,70 |       |
|                              |   | 47,27                    | 31,49 | 12,75 | 5,16  | 3,34  |       |
|                              |   | 1108                     | 1241  | 272   | 190   | 79    | 2890  |
|                              |   | 38,34                    | 42,94 | 9,41  | 6,57  | 2,73  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 149,3896  | 0,0420      |
| Error    | 2874 | 3406,2518 |             |
| C. Total | 2886 | 3555,6415 |             |
| N        | 2890 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 298,779   | <.0001     |
| Pearson          | 287,155   | <.0001     |

**Contingency Analysis of #ARBEIDSTAKERE I HUSST 1-19-C By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

#ARBEIDSTAKERE I HUSST 1-19-C

|         | 0     | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |       |
| 1       | 41    | 130   | 180   | 29    | 8     | 2     | 390   |
|         | 1,42  | 4,51  | 6,24  | 1,01  | 0,28  | 0,07  | 13,52 |
|         | 11,02 | 14,18 | 13,85 | 12,66 | 14,04 | 22,22 |       |
|         | 10,51 | 33,33 | 46,15 | 7,44  | 2,05  | 0,51  |       |
| 2       | 65    | 146   | 244   | 30    | 4     | 1     | 490   |
|         | 2,25  | 5,06  | 8,46  | 1,04  | 0,14  | 0,03  | 16,99 |
|         | 17,47 | 15,92 | 18,77 | 13,10 | 7,02  | 11,11 |       |
|         | 13,27 | 29,80 | 49,80 | 6,12  | 0,82  | 0,20  |       |
| 3       | 93    | 197   | 322   | 51    | 23    | 2     | 688   |
|         | 3,22  | 6,83  | 11,17 | 1,77  | 0,80  | 0,07  | 23,86 |
|         | 25,00 | 21,48 | 24,77 | 22,27 | 40,35 | 22,22 |       |
|         | 13,52 | 28,63 | 46,80 | 7,41  | 3,34  | 0,29  |       |
| 4       | 173   | 444   | 554   | 119   | 22    | 4     | 1316  |
|         | 6,00  | 15,40 | 19,21 | 4,13  | 0,76  | 0,14  | 45,63 |
|         | 46,51 | 48,42 | 42,62 | 51,97 | 38,60 | 44,44 |       |
|         | 13,15 | 33,74 | 42,10 | 9,04  | 1,67  | 0,30  |       |
|         | 372   | 917   | 1300  | 229   | 57    | 9     | 2884  |
|         | 12,90 | 31,80 | 45,08 | 7,94  | 1,98  | 0,31  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 15   | 13,9338   | 0,0038      |
| Error    | 2864 | 3690,2117 |             |
| C. Total | 2879 | 3704,1455 |             |
| N        | 2884 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 27,868    | 0,0224     |
| Pearson          | 27,824    | 0,0227     |

**Contingency Analysis of HUSSTAND INNT BRUTTO 1-19-D By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

HUSSTAND INNT BRUTTO 1-19-D

|                              | 1       | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |       |       |
|------------------------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   | 21    | 24    | 15    | 22    | 29    | 71    | 74    | 105   | 9     | 16    | 386   |
|                              | Total % | 0,75  | 0,85  | 0,53  | 0,78  | 1,03  | 2,52  | 2,63  | 3,73  | 0,32  | 0,57  | 13,70 |
|                              | Col %   | 17,36 | 13,56 | 9,38  | 9,73  | 9,09  | 11,53 | 14,23 | 25,49 | 12,33 | 8,29  |       |
|                              | Row %   | 5,44  | 6,22  | 3,89  | 5,70  | 7,51  | 18,39 | 19,17 | 27,20 | 2,33  | 4,15  |       |
|                              | 1       | 13    | 33    | 27    | 41    | 60    | 97    | 102   | 74    | 15    | 21    | 483   |
|                              |         | 0,46  | 1,17  | 0,96  | 1,46  | 2,13  | 3,44  | 3,62  | 2,63  | 0,53  | 0,75  | 17,15 |
|                              |         | 10,74 | 18,64 | 16,88 | 18,14 | 18,81 | 15,75 | 19,62 | 17,96 | 20,55 | 10,88 |       |
|                              |         | 2,69  | 6,83  | 5,59  | 8,49  | 12,42 | 20,08 | 21,12 | 15,32 | 3,11  | 4,35  |       |
|                              | 3       | 26    | 43    | 40    | 60    | 82    | 153   | 121   | 70    | 20    | 59    | 674   |
|                              |         | 0,92  | 1,53  | 1,42  | 2,13  | 2,91  | 5,43  | 4,30  | 2,48  | 0,71  | 2,09  | 23,93 |
|                              |         | 21,49 | 24,29 | 25,00 | 26,55 | 25,71 | 24,84 | 23,27 | 16,99 | 27,40 | 30,57 |       |
|                              |         | 3,86  | 6,38  | 5,93  | 8,90  | 12,17 | 22,70 | 17,95 | 10,39 | 2,97  | 8,75  |       |
| 4                            | 61      | 77    | 78    | 103   | 148   | 295   | 223   | 163   | 29    | 97    | 1274  |       |
|                              | 2,17    | 2,73  | 2,77  | 3,66  | 5,25  | 10,47 | 7,92  | 5,79  | 1,03  | 3,44  | 45,23 |       |
|                              | 50,41   | 43,50 | 48,75 | 45,58 | 46,39 | 47,89 | 42,88 | 39,56 | 39,73 | 50,26 |       |       |
|                              | 4,79    | 6,04  | 6,12  | 8,08  | 11,62 | 23,16 | 17,50 | 12,79 | 2,28  | 7,61  |       |       |
|                              | 121     | 177   | 160   | 226   | 319   | 616   | 520   | 412   | 73    | 193   | 2817  |       |
|                              | 4,30    | 6,28  | 5,68  | 8,02  | 11,32 | 21,87 | 18,46 | 14,63 | 2,59  | 6,85  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 27   | 43,5373   | 0,0073      |
| Error    | 2781 | 5942,1894 |             |
| C. Total | 2808 | 5985,7267 |             |
| N        | 2817 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 87,075    | <.0001     |
| Pearson          | 91,967    | <.0001     |



**Contingency Analysis of PERSON INNT BRUTTO 1-19-E By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

PERSON INNT BRUTTO 1-19-E

|                              | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |       |       |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count                        |       |       |       |       |       |       |       |       |       |       |       |       |
| Total %                      |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %                        |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %                        |       |       |       |       |       |       |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 82    | 47    | 26    | 34    | 66    | 82    | 21    | 11    | 8     | 8     | 385   |
|                              |       | 2,96  | 1,70  | 0,94  | 1,23  | 2,38  | 2,96  | 0,76  | 0,40  | 0,29  | 0,29  | 13,89 |
|                              |       | 13,67 | 12,11 | 10,12 | 9,07  | 15,24 | 20,65 | 22,83 | 20,37 | 10,26 | 8,16  |       |
|                              |       | 21,30 | 12,21 | 6,75  | 8,83  | 17,14 | 21,30 | 5,45  | 2,86  | 2,08  | 2,08  |       |
|                              | 2     | 86    | 76    | 53    | 69    | 88    | 52    | 17    | 5     | 12    | 15    | 473   |
|                              | 3,10  | 2,74  | 1,91  | 2,49  | 3,17  | 1,88  | 0,61  | 0,18  | 0,43  | 0,54  | 17,06 |       |
|                              | 14,33 | 19,59 | 20,62 | 18,40 | 20,32 | 13,10 | 18,48 | 9,26  | 15,38 | 15,31 |       |       |
|                              | 18,18 | 16,07 | 11,21 | 14,59 | 18,60 | 10,99 | 3,59  | 1,06  | 2,54  | 3,17  |       |       |
| 3                            | 157   | 95    | 70    | 98    | 78    | 71    | 16    | 11    | 21    | 32    | 649   |       |
|                              | 5,66  | 3,43  | 2,53  | 3,54  | 2,81  | 2,56  | 0,58  | 0,40  | 0,76  | 1,15  | 23,41 |       |
|                              | 26,17 | 24,48 | 27,24 | 26,13 | 18,01 | 17,88 | 17,39 | 20,37 | 26,92 | 32,65 |       |       |
|                              | 24,19 | 14,64 | 10,79 | 15,10 | 12,02 | 10,94 | 2,47  | 1,69  | 3,24  | 4,93  |       |       |
| 4                            | 275   | 170   | 108   | 174   | 201   | 192   | 38    | 27    | 37    | 43    | 1265  |       |
|                              | 9,92  | 6,13  | 3,90  | 6,28  | 7,25  | 6,93  | 1,37  | 0,97  | 1,33  | 1,55  | 45,63 |       |
|                              | 45,83 | 43,81 | 42,02 | 46,40 | 46,42 | 48,36 | 41,30 | 50,00 | 47,44 | 43,88 |       |       |
|                              | 21,74 | 13,44 | 8,54  | 13,75 | 15,89 | 15,18 | 3,00  | 2,13  | 2,92  | 3,40  |       |       |
|                              | 600   | 388   | 257   | 375   | 433   | 397   | 92    | 54    | 78    | 98    | 2772  |       |
|                              | 21,65 | 14,00 | 9,27  | 13,53 | 15,62 | 14,32 | 3,32  | 1,95  | 2,81  | 3,54  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 27   | 36,0053   | 0,0063      |
| Error    | 2736 | 5713,9882 |             |
| C. Total | 2763 | 5749,9935 |             |
| N        | 2772 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 72,011    | <.0001     |
| Pearson          | 72,137    | <.0001     |

**Contingency Analysis of EKTESKAPELIG STATUS 1-19-F By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

EKTESKAPELIG STATUS 1-19-F

| Count   | 1     | 2     | 3     |       |
|---------|-------|-------|-------|-------|
| Total % |       |       |       |       |
| Col %   |       |       |       |       |
| Row %   |       |       |       |       |
| 1       | 226   | 114   | 52    | 392   |
|         | 7,81  | 3,94  | 1,80  | 13,55 |
|         | 13,41 | 13,35 | 14,73 |       |
|         | 57,65 | 29,08 | 13,27 |       |
| 2       | 336   | 75    | 83    | 494   |
|         | 11,62 | 2,59  | 2,87  | 17,08 |
|         | 19,94 | 8,78  | 23,51 |       |
|         | 68,02 | 15,18 | 16,80 |       |
| 3       | 397   | 217   | 73    | 687   |
|         | 13,73 | 7,50  | 2,52  | 23,76 |
|         | 23,56 | 25,41 | 20,68 |       |
|         | 57,79 | 31,59 | 10,63 |       |
| 4       | 726   | 448   | 145   | 1319  |
|         | 25,10 | 15,49 | 5,01  | 45,61 |
|         | 43,09 | 52,46 | 41,08 |       |
|         | 55,04 | 33,97 | 10,99 |       |
|         | 1685  | 854   | 353   | 2892  |
|         | 58,26 | 29,53 | 12,21 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 36,2650   | 0,0135      |
| Error    | 2884 | 2658,0707 |             |
| C. Total | 2890 | 2694,3357 |             |
| N        | 2892 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 72,530    | <.0001     |
| Pearson          | 66,604    | <.0001     |

**Contingency Analysis of #PERSONER I HUSST 1-19-G By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

#PERSONER I HUSST 1-19-G

| Count   | 1     | 2     | 3     | 4     | 5     | 6     | 7     |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |       |       |
| 1       | 76    | 138   | 65    | 72    | 31    | 8     | 2     | 392   |
|         | 2,64  | 4,79  | 2,26  | 2,50  | 1,08  | 0,28  | 0,07  | 13,60 |
|         | 15,32 | 16,08 | 10,89 | 11,61 | 13,19 | 13,56 | 11,76 |       |
|         | 19,39 | 35,20 | 16,58 | 18,37 | 7,91  | 2,04  | 0,51  |       |
| 2       | 78    | 152   | 100   | 110   | 41    | 9     | 2     | 492   |
|         | 2,71  | 5,27  | 3,47  | 3,82  | 1,42  | 0,31  | 0,07  | 17,07 |
|         | 15,73 | 17,72 | 16,75 | 17,74 | 17,45 | 15,25 | 11,76 |       |
|         | 15,85 | 30,89 | 20,33 | 22,36 | 8,33  | 1,83  | 0,41  |       |
| 3       | 95    | 198   | 138   | 168   | 71    | 15    | 5     | 690   |
|         | 3,30  | 6,87  | 4,79  | 5,83  | 2,46  | 0,52  | 0,17  | 23,94 |
|         | 19,15 | 23,08 | 23,12 | 27,10 | 30,21 | 25,42 | 29,41 |       |
|         | 13,77 | 28,70 | 20,00 | 24,35 | 10,29 | 2,17  | 0,72  |       |
| 4       | 247   | 370   | 294   | 270   | 92    | 27    | 8     | 1308  |
|         | 8,57  | 12,84 | 10,20 | 9,37  | 3,19  | 0,94  | 0,28  | 45,39 |
|         | 49,80 | 43,12 | 49,25 | 43,55 | 39,15 | 45,76 | 47,06 |       |
|         | 18,88 | 28,29 | 22,48 | 20,64 | 7,03  | 2,06  | 0,61  |       |
|         | 496   | 858   | 597   | 620   | 235   | 59    | 17    | 2882  |
|         | 17,21 | 29,77 | 20,71 | 21,51 | 8,15  | 2,05  | 0,59  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 18   | 15,4617   | 0,0033      |
| Error    | 2858 | 4695,1868 |             |
| C. Total | 2876 | 4710,6485 |             |
| N        | 2882 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 30,923    | 0,0294     |
| Pearson          | 30,858    | 0,0299     |

**Contingency Analysis of #BARN TOT I HUSST 1-19-H By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

#BARN TOT I HUSST 1-19-H

|                              | #BARN TOT I HUSST 1-19-H |       |       |       |       |       |       |       |       |       |
|------------------------------|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                              | 0                        | 1     | 2     | 3     | 4     | 5     | 6     | 8     |       |       |
| BESØKE I BYGDENORGE 2-29-290 | Count                    | 147   | 88    | 73    | 30    | 8     | 1     | 1     | 1     | 349   |
|                              | Total %                  | 5,58  | 3,34  | 2,77  | 1,14  | 0,30  | 0,04  | 0,04  | 0,04  | 13,25 |
|                              | Col %                    | 14,61 | 12,94 | 11,42 | 12,45 | 15,38 | 10,00 | 25,00 | 50,00 |       |
|                              | Row %                    | 42,12 | 25,21 | 20,92 | 8,60  | 2,29  | 0,29  | 0,29  | 0,29  |       |
|                              |                          |       |       |       |       |       |       |       |       |       |
| 2                            | Count                    | 160   | 129   | 106   | 45    | 9     | 1     | 1     | 0     | 451   |
|                              | Total %                  | 6,07  | 4,90  | 4,02  | 1,71  | 0,34  | 0,04  | 0,04  | 0,00  | 17,12 |
|                              | Col %                    | 15,90 | 18,97 | 16,59 | 18,67 | 17,31 | 10,00 | 25,00 | 0,00  |       |
|                              | Row %                    | 35,48 | 28,60 | 23,50 | 9,98  | 2,00  | 0,22  | 0,22  | 0,00  |       |
|                              |                          |       |       |       |       |       |       |       |       |       |
| 3                            | Count                    | 226   | 158   | 167   | 72    | 11    | 4     | 1     | 0     | 639   |
|                              | Total %                  | 8,58  | 6,00  | 6,34  | 2,73  | 0,42  | 0,15  | 0,04  | 0,00  | 24,26 |
|                              | Col %                    | 22,47 | 23,24 | 26,13 | 29,88 | 21,15 | 40,00 | 25,00 | 0,00  |       |
|                              | Row %                    | 35,37 | 24,73 | 26,13 | 11,27 | 1,72  | 0,63  | 0,16  | 0,00  |       |
|                              |                          |       |       |       |       |       |       |       |       |       |
| 4                            | Count                    | 473   | 305   | 293   | 94    | 24    | 4     | 1     | 1     | 1195  |
|                              | Total %                  | 17,96 | 11,58 | 11,12 | 3,57  | 0,91  | 0,15  | 0,04  | 0,04  | 45,37 |
|                              | Col %                    | 47,02 | 44,85 | 45,85 | 39,00 | 46,15 | 40,00 | 25,00 | 50,00 |       |
|                              | Row %                    | 39,58 | 25,52 | 24,52 | 7,87  | 2,01  | 0,33  | 0,08  | 0,08  |       |
|                              |                          |       |       |       |       |       |       |       |       |       |
| Total                        | Count                    | 1006  | 680   | 639   | 241   | 52    | 10    | 4     | 2     | 2634  |
|                              | Total %                  | 38,19 | 25,82 | 24,26 | 9,15  | 1,97  | 0,38  | 0,15  | 0,08  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 21   | 9,8840    | 0,0027      |
| Error    | 2606 | 3660,8020 |             |
| C. Total | 2627 | 3670,6860 |             |
| N        | 2634 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,768    | 0,5360     |
| Pearson          | 20,030    | 0,5194     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of ARB HELTID/DELTID 1-19-J By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

ARB HELTID/DELTID 1-19-J

|                              | 1 | 2     | 3     | 4     |       |       |
|------------------------------|---|-------|-------|-------|-------|-------|
| Count                        |   |       |       |       |       |       |
| Total %                      |   |       |       |       |       |       |
| Col %                        |   |       |       |       |       |       |
| Row %                        |   |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 185   | 81    | 23    | 98    | 387   |
|                              |   | 6,53  | 2,86  | 0,81  | 3,46  | 13,66 |
|                              |   | 14,65 | 15,73 | 19,49 | 10,46 |       |
|                              |   | 47,80 | 20,93 | 5,94  | 25,32 |       |
|                              | 2 | 198   | 124   | 16    | 141   | 479   |
|                              |   | 6,99  | 4,38  | 0,56  | 4,98  | 16,91 |
|                              |   | 15,68 | 24,08 | 13,56 | 15,05 |       |
|                              |   | 41,34 | 25,89 | 3,34  | 29,44 |       |
|                              | 3 | 279   | 121   | 23    | 250   | 673   |
|                              |   | 9,85  | 4,27  | 0,81  | 8,82  | 23,76 |
|                              |   | 22,09 | 23,50 | 19,49 | 26,68 |       |
|                              |   | 41,46 | 17,98 | 3,42  | 37,15 |       |
|                              | 4 | 601   | 189   | 56    | 448   | 1294  |
|                              |   | 21,21 | 6,67  | 1,98  | 15,81 | 45,68 |
|                              |   | 47,59 | 36,70 | 47,46 | 47,81 |       |
|                              |   | 46,45 | 14,61 | 4,33  | 34,62 |       |
|                              |   | 1263  | 515   | 118   | 937   | 2833  |
|                              |   | 44,58 | 18,18 | 4,17  | 33,07 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 9    | 23,9754   | 0,0072      |
| Error    | 2821 | 3286,1272 |             |
| C. Total | 2830 | 3310,1027 |             |
| N        | 2833 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 47,951    | <.0001     |
| Pearson          | 48,849    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,030404 | 0,009929 |

Kappa measures the degree of agreement.

**Contingency Analysis of FORSØRGINGSSTATUS EGEN 1-19-K By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS EGEN 1-19-K

|         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |       |       |       |       |       |       |
| 1       | 27    | 62    | 48    | 67    | 24    | 73    | 13    | 32    | 15    | 5     | 24    | 390   |
|         | 0,95  | 2,17  | 1,68  | 2,35  | 0,84  | 2,56  | 0,46  | 1,12  | 0,53  | 0,18  | 0,84  | 13,66 |
|         | 6,54  | 12,84 | 18,39 | 20,94 | 14,46 | 15,87 | 13,13 | 13,33 | 6,58  | 6,41  | 22,43 |       |
|         | 6,92  | 15,90 | 12,31 | 17,18 | 6,15  | 18,72 | 3,33  | 8,21  | 3,85  | 1,28  | 6,15  |       |
| 2       | 66    | 82    | 55    | 78    | 26    | 36    | 11    | 41    | 51    | 23    | 19    | 488   |
|         | 2,31  | 2,87  | 1,93  | 2,73  | 0,91  | 1,26  | 0,39  | 1,44  | 1,79  | 0,81  | 0,67  | 17,09 |
|         | 15,98 | 16,98 | 21,07 | 24,38 | 15,66 | 7,83  | 11,11 | 17,08 | 22,37 | 29,49 | 17,76 |       |
|         | 13,52 | 16,80 | 11,27 | 15,98 | 5,33  | 7,38  | 2,25  | 8,40  | 10,45 | 4,71  | 3,89  |       |
| 3       | 118   | 107   | 49    | 56    | 34    | 129   | 22    | 61    | 59    | 20    | 22    | 677   |
|         | 4,13  | 3,75  | 1,72  | 1,96  | 1,19  | 4,52  | 0,77  | 2,14  | 2,07  | 0,70  | 0,77  | 23,71 |
|         | 28,57 | 22,15 | 18,77 | 17,50 | 20,48 | 28,04 | 22,22 | 25,42 | 25,88 | 25,64 | 20,56 |       |
|         | 17,43 | 15,81 | 7,24  | 8,27  | 5,02  | 19,05 | 3,25  | 9,01  | 8,71  | 2,95  | 3,25  |       |
| 4       | 202   | 232   | 109   | 119   | 82    | 222   | 53    | 106   | 103   | 30    | 42    | 1300  |
|         | 7,08  | 8,13  | 3,82  | 4,17  | 2,87  | 7,78  | 1,86  | 3,71  | 3,61  | 1,05  | 1,47  | 45,53 |
|         | 48,91 | 48,03 | 41,76 | 37,19 | 49,40 | 48,26 | 53,54 | 44,17 | 45,18 | 38,46 | 39,25 |       |
|         | 15,54 | 17,85 | 8,38  | 9,15  | 6,31  | 17,08 | 4,08  | 8,15  | 7,92  | 2,31  | 3,23  |       |
|         | 413   | 483   | 261   | 320   | 166   | 460   | 99    | 240   | 228   | 78    | 107   | 2855  |
|         | 14,47 | 16,92 | 9,14  | 11,21 | 5,81  | 16,11 | 3,47  | 8,41  | 7,99  | 2,73  | 3,75  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 30   | 68,7821   | 0,0107      |
| Error    | 2815 | 6360,1937 |             |
| C. Total | 2845 | 6428,9758 |             |
| N        | 2855 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 137,564   | <.0001     |
| Pearson          | 130,457   | <.0001     |

**Contingency Analysis of FORSØRGINGSSTATUS E/S 1-19-K By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS E/S 1-19-K

|         | 1                             | 2                              | 3                            | 4                            | 5                            | 6                           | 7                           | 8                           | 9                           | 10                          | 11                          |              |
|---------|-------------------------------|--------------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------|
| Count   |                               |                                |                              |                              |                              |                             |                             |                             |                             |                             |                             |              |
| Total % |                               |                                |                              |                              |                              |                             |                             |                             |                             |                             |                             |              |
| Col %   |                               |                                |                              |                              |                              |                             |                             |                             |                             |                             |                             |              |
| Row %   |                               |                                |                              |                              |                              |                             |                             |                             |                             |                             |                             |              |
| 1       | 11<br>0,67<br>4,45<br>5,00    | 50<br>3,05<br>12,53<br>22,73   | 45<br>2,74<br>22,39<br>20,45 | 37<br>2,25<br>18,78<br>16,82 | 17<br>1,04<br>12,41<br>7,73  | 11<br>0,67<br>21,15<br>5,00 | 4<br>0,24<br>11,11<br>1,82  | 19<br>1,16<br>14,29<br>8,64 | 9<br>0,55<br>8,49<br>4,09   | 7<br>0,43<br>10,00<br>3,18  | 10<br>0,61<br>15,63<br>4,55 | 220<br>13,40 |
| 2       | 29<br>1,77<br>11,74<br>8,95   | 83<br>5,05<br>20,80<br>25,62   | 62<br>3,78<br>30,85<br>19,14 | 35<br>2,13<br>17,77<br>10,80 | 37<br>2,25<br>27,01<br>11,42 | 10<br>0,61<br>19,23<br>3,09 | 3<br>0,18<br>8,33<br>0,93   | 25<br>1,52<br>18,80<br>7,72 | 23<br>1,40<br>21,70<br>7,10 | 6<br>0,37<br>8,57<br>1,85   | 11<br>0,67<br>17,19<br>3,40 | 324<br>19,73 |
| 3       | 76<br>4,63<br>30,77<br>19,44  | 94<br>5,72<br>23,56<br>24,04   | 41<br>2,50<br>20,40<br>10,49 | 35<br>2,13<br>17,77<br>8,95  | 30<br>1,83<br>21,90<br>7,67  | 7<br>0,43<br>13,46<br>1,79  | 7<br>0,43<br>19,44<br>1,79  | 37<br>2,25<br>27,82<br>9,46 | 26<br>1,58<br>24,53<br>6,65 | 25<br>1,52<br>35,71<br>6,39 | 13<br>0,79<br>20,31<br>3,32 | 391<br>23,81 |
| 4       | 131<br>7,98<br>53,04<br>18,53 | 172<br>10,48<br>43,11<br>24,33 | 53<br>3,23<br>26,37<br>7,50  | 90<br>5,48<br>45,69<br>12,73 | 53<br>3,23<br>38,69<br>7,50  | 24<br>1,46<br>46,15<br>3,39 | 22<br>1,34<br>61,11<br>3,11 | 52<br>3,17<br>39,10<br>7,36 | 48<br>2,92<br>45,28<br>6,79 | 32<br>1,95<br>45,71<br>4,53 | 30<br>1,83<br>46,88<br>4,24 | 707<br>43,06 |
|         | 247<br>15,04                  | 399<br>24,30                   | 201<br>12,24                 | 197<br>12,00                 | 137<br>8,34                  | 52<br>3,17                  | 36<br>2,19                  | 133<br>8,10                 | 106<br>6,46                 | 70<br>4,26                  | 64<br>3,90                  | 1642         |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 30   | 57,2428   | 0,0160      |
| Error    | 1602 | 3525,6009 |             |
| C. Total | 1632 | 3582,8438 |             |
| N        | 1642 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 114,486   | <.0001     |
| Pearson          | 109,607   | <.0001     |

**Contingency Analysis of NÆRING 1-20-L By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

NÆRING 1-20-L

|                              | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |       |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count                        |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Total %                      |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %                        |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %                        |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 39    | 26    | 13    | 6     | 53    | 52    | 13    | 27    | 30    | 32    | 85    | 376   |
|                              |       | 1,38  | 0,92  | 0,46  | 0,21  | 1,88  | 1,85  | 0,46  | 0,96  | 1,07  | 1,14  | 3,02  | 13,35 |
|                              |       | 8,84  | 12,56 | 9,63  | 7,69  | 17,21 | 27,08 | 19,12 | 17,53 | 18,63 | 15,76 | 9,78  |       |
|                              |       | 10,37 | 6,91  | 3,46  | 1,60  | 14,10 | 13,83 | 3,46  | 7,18  | 7,98  | 8,51  | 22,61 |       |
|                              |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 2                            | 47    | 35    | 20    | 15    | 88    | 41    | 14    | 27    | 30    | 37    | 129   | 483   |       |
|                              | 1,67  | 1,24  | 0,71  | 0,53  | 3,13  | 1,46  | 0,50  | 0,96  | 1,07  | 1,31  | 4,58  | 17,15 |       |
|                              | 10,66 | 16,91 | 14,81 | 19,23 | 28,57 | 21,35 | 20,59 | 17,53 | 18,63 | 18,23 | 14,84 |       |       |
|                              | 9,73  | 7,25  | 4,14  | 3,11  | 18,22 | 8,49  | 2,90  | 5,59  | 6,21  | 7,66  | 26,71 |       |       |
|                              |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 3                            | 94    | 56    | 35    | 14    | 59    | 30    | 15    | 29    | 38    | 63    | 239   | 672   |       |
|                              | 3,34  | 1,99  | 1,24  | 0,50  | 2,10  | 1,07  | 0,53  | 1,03  | 1,35  | 2,24  | 8,49  | 23,86 |       |
|                              | 21,32 | 27,05 | 25,93 | 17,95 | 19,16 | 15,63 | 22,06 | 18,83 | 23,60 | 31,03 | 27,50 |       |       |
|                              | 13,99 | 8,33  | 5,21  | 2,08  | 8,78  | 4,46  | 2,23  | 4,32  | 5,65  | 9,38  | 35,57 |       |       |
|                              |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 4                            | 261   | 90    | 67    | 43    | 108   | 69    | 26    | 71    | 63    | 71    | 416   | 1285  |       |
|                              | 9,27  | 3,20  | 2,38  | 1,53  | 3,84  | 2,45  | 0,92  | 2,52  | 2,24  | 2,52  | 14,77 | 45,63 |       |
|                              | 59,18 | 43,48 | 49,63 | 55,13 | 35,06 | 35,94 | 38,24 | 46,10 | 39,13 | 34,98 | 47,87 |       |       |
|                              | 20,31 | 7,00  | 5,21  | 3,35  | 8,40  | 5,37  | 2,02  | 5,53  | 4,90  | 5,53  | 32,37 |       |       |
|                              |       |       |       |       |       |       |       |       |       |       |       |       |       |
|                              | 441   | 207   | 135   | 78    | 308   | 192   | 68    | 154   | 161   | 203   | 869   | 2816  |       |
|                              | 15,66 | 7,35  | 4,79  | 2,77  | 10,94 | 6,82  | 2,41  | 5,47  | 5,72  | 7,21  | 30,86 |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 30   | 76,4386   | 0,0128      |
| Error    | 2776 | 5885,6420 |             |
| C. Total | 2806 | 5962,0806 |             |
| N        | 2816 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 152,877   | <.0001     |
| Pearson          | 159,773   | <.0001     |



**Contingency Analysis of OFF/ PRIV SEKTOR EGEN 1-20-M By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR EGEN 1-20-M

| Count   | 1                              | 2                              | 3                             |               |
|---------|--------------------------------|--------------------------------|-------------------------------|---------------|
| Total % |                                |                                |                               |               |
| Col %   |                                |                                |                               |               |
| Row %   |                                |                                |                               |               |
| 1       | 141<br>6,27<br>17,41<br>43,52  | 147<br>6,54<br>13,42<br>45,37  | 36<br>1,60<br>10,50<br>11,11  | 324<br>14,41  |
| 2       | 178<br>7,92<br>21,98<br>43,84  | 166<br>7,38<br>15,16<br>40,89  | 62<br>2,76<br>18,08<br>15,27  | 406<br>18,06  |
| 3       | 172<br>7,65<br>21,23<br>33,86  | 253<br>11,25<br>23,11<br>49,80 | 83<br>3,69<br>24,20<br>16,34  | 508<br>22,60  |
| 4       | 319<br>14,19<br>39,38<br>31,58 | 529<br>23,53<br>48,31<br>52,38 | 162<br>7,21<br>47,23<br>16,04 | 1010<br>44,93 |
|         | 810<br>36,03                   | 1095<br>48,71                  | 343<br>15,26                  | 2248          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 15,7160   | 0,0070      |
| Error    | 2240 | 2243,5825 |             |
| C. Total | 2246 | 2259,2985 |             |
| N        | 2248 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 31,432    | <.0001     |
| Pearson          | 31,325    | <.0001     |

**Contingency Analysis of OFF/ PRIV SEKTOR E/S 1-20-M By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR E/S 1-20-M

| Count   | 1     | 2     | 3     |       |
|---------|-------|-------|-------|-------|
| Total % |       |       |       |       |
| Col %   |       |       |       |       |
| Row %   |       |       |       |       |
| 1       | 66    | 107   | 19    | 192   |
|         | 4,85  | 7,86  | 1,40  | 14,11 |
|         | 13,55 | 15,24 | 11,05 |       |
|         | 34,38 | 55,73 | 9,90  |       |
| 2       | 102   | 147   | 23    | 272   |
|         | 7,49  | 10,80 | 1,69  | 19,99 |
|         | 20,94 | 20,94 | 13,37 |       |
|         | 37,50 | 54,04 | 8,46  |       |
| 3       | 100   | 173   | 46    | 319   |
|         | 7,35  | 12,71 | 3,38  | 23,44 |
|         | 20,53 | 24,64 | 26,74 |       |
|         | 31,35 | 54,23 | 14,42 |       |
| 4       | 219   | 275   | 84    | 578   |
|         | 16,09 | 20,21 | 6,17  | 42,47 |
|         | 44,97 | 39,17 | 48,84 |       |
|         | 37,89 | 47,58 | 14,53 |       |
|         | 487   | 702   | 172   | 1361  |
|         | 35,78 | 51,58 | 12,64 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 6,9529    | 0,0053      |
| Error    | 1353 | 1314,0742 |             |
| C. Total | 1359 | 1321,0271 |             |
| N        | 1361 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,906    | 0,0307     |
| Pearson          | 13,342    | 0,0379     |

**Contingency Analysis of UTDANNING EGEN 1-20-N By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

UTDANNING EGEN 1-20-N

|                              |         | UTDANNING EGEN 1-20-N |       |       |       |       |
|------------------------------|---------|-----------------------|-------|-------|-------|-------|
|                              |         | 1                     | 2     | 3     | 4     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                       |       |       |       |       |
|                              | Total % |                       |       |       |       |       |
|                              | Col %   |                       |       |       |       |       |
|                              | Row %   |                       |       |       |       |       |
|                              |         |                       |       |       |       |       |
| 1                            | Count   | 23                    | 49    | 133   | 186   | 391   |
| 1                            | Total % | 0,80                  | 1,70  | 4,61  | 6,44  | 13,54 |
| 1                            | Col %   | 5,85                  | 7,30  | 12,27 | 25,17 |       |
| 1                            | Row %   | 5,88                  | 12,53 | 34,02 | 47,57 |       |
| 2                            | Count   | 66                    | 108   | 168   | 149   | 491   |
| 2                            | Total % | 2,29                  | 3,74  | 5,82  | 5,16  | 17,01 |
| 2                            | Col %   | 16,79                 | 16,10 | 15,50 | 20,16 |       |
| 2                            | Row %   | 13,44                 | 22,00 | 34,22 | 30,35 |       |
| 3                            | Count   | 123                   | 202   | 244   | 121   | 690   |
| 3                            | Total % | 4,26                  | 7,00  | 8,45  | 4,19  | 23,90 |
| 3                            | Col %   | 31,30                 | 30,10 | 22,51 | 16,37 |       |
| 3                            | Row %   | 17,83                 | 29,28 | 35,36 | 17,54 |       |
| 4                            | Count   | 181                   | 312   | 539   | 283   | 1315  |
| 4                            | Total % | 6,27                  | 10,81 | 18,67 | 9,80  | 45,55 |
| 4                            | Col %   | 46,06                 | 46,50 | 49,72 | 38,29 |       |
| 4                            | Row %   | 13,76                 | 23,73 | 40,99 | 21,52 |       |
|                              | Count   | 393                   | 671   | 1084  | 739   | 2887  |
|                              | Total % | 13,61                 | 23,24 | 37,55 | 25,60 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 9    | 81,5167   | 0,0213      |
| Error    | 2875 | 3750,1755 |             |
| C. Total | 2884 | 3831,6922 |             |
| N        | 2887 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 163,033   | <.0001     |
| Pearson          | 168,663   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,04945 | 0,009946 |

Kappa measures the degree of agreement.

**Contingency Analysis of UTDANNING E/S 1-20-N By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |       | UTDANNING E/S 1-20-N |       |       |       |       |
|------------------------------|-------|----------------------|-------|-------|-------|-------|
|                              |       | 1                    | 2     | 3     | 4     |       |
| Count                        |       |                      |       |       |       |       |
| Total %                      |       |                      |       |       |       |       |
| Col %                        |       |                      |       |       |       |       |
| Row %                        |       |                      |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 15                   | 28    | 67    | 102   | 212   |
|                              |       | 0,93                 | 1,73  | 4,14  | 6,30  | 13,09 |
|                              |       | 5,98                 | 7,18  | 11,63 | 25,37 |       |
|                              |       | 7,08                 | 13,21 | 31,60 | 48,11 |       |
|                              |       |                      |       |       |       |       |
| 2                            | 36    | 71                   | 111   | 103   | 321   |       |
|                              | 2,22  | 4,39                 | 6,86  | 6,36  | 19,83 |       |
|                              | 14,34 | 18,21                | 19,27 | 25,62 |       |       |
|                              | 11,21 | 22,12                | 34,58 | 32,09 |       |       |
|                              |       |                      |       |       |       |       |
| 3                            | 89    | 111                  | 118   | 68    | 386   |       |
|                              | 5,50  | 6,86                 | 7,29  | 4,20  | 23,84 |       |
|                              | 35,46 | 28,46                | 20,49 | 16,92 |       |       |
|                              | 23,06 | 28,76                | 30,57 | 17,62 |       |       |
|                              |       |                      |       |       |       |       |
| 4                            | 111   | 180                  | 280   | 129   | 700   |       |
|                              | 6,86  | 11,12                | 17,29 | 7,97  | 43,24 |       |
|                              | 44,22 | 46,15                | 48,61 | 32,09 |       |       |
|                              | 15,86 | 25,71                | 40,00 | 18,43 |       |       |
|                              |       |                      |       |       |       |       |
| Total                        | 251   | 390                  | 576   | 402   | 1619  |       |
|                              | 15,50 | 24,09                | 35,58 | 24,83 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 9    | 58,8248   | 0,0270      |
| Error    | 1607 | 2119,5016 |             |
| C. Total | 1616 | 2178,3264 |             |
| N        | 1619 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 117,650   | <.0001     |
| Pearson          | 123,315   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,07375 | 0,013042 |

Kappa measures the degree of agreement.

**Contingency Analysis of UNIV/ HØYSK. EKSAMEN 1-20-O By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |   | UNIV/ HØYSK. EKSAMEN 1-20-O    |                                |                            |              |
|------------------------------|---|--------------------------------|--------------------------------|----------------------------|--------------|
|                              |   | 1                              | 2                              | 3                          |              |
| Count                        |   |                                |                                |                            |              |
| Total %                      |   |                                |                                |                            |              |
| Col %                        |   |                                |                                |                            |              |
| Row %                        |   |                                |                                |                            |              |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 98<br>12,93<br>28,99<br>53,55  | 78<br>10,29<br>19,35<br>42,62  | 7<br>0,92<br>41,18<br>3,83 | 183<br>24,14 |
|                              | 2 | 65<br>8,58<br>19,23<br>44,22   | 81<br>10,69<br>20,10<br>55,10  | 1<br>0,13<br>5,88<br>0,68  | 147<br>19,39 |
|                              | 3 | 52<br>6,86<br>15,38<br>40,00   | 75<br>9,89<br>18,61<br>57,69   | 3<br>0,40<br>17,65<br>2,31 | 130<br>17,15 |
|                              | 4 | 123<br>16,23<br>36,39<br>41,28 | 169<br>22,30<br>41,94<br>56,71 | 6<br>0,79<br>35,29<br>2,01 | 298<br>39,31 |
|                              |   | 338<br>44,59                   | 403<br>53,17                   | 17<br>2,24                 | 758          |

**Tests**


| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 6   | 6,92080   | 0,0117      |
| Error    | 750 | 585,21163 |             |
| C. Total | 756 | 592,13243 |             |
| N        | 758 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,842    | 0,0315     |
| Pearson          | 13,500    | 0,0357     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of FARS UTDANNING 1-18-73 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

FARS UTDANNING 1-18-73

|                              |         | FARS UTDANNING 1-18-73 |       |       |       |       |       |
|------------------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                      | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                        |       |       |       |       |       |
|                              | Total % |                        |       |       |       |       |       |
|                              | Col %   |                        |       |       |       |       |       |
|                              | Row %   |                        |       |       |       |       |       |
|                              |         |                        |       |       |       |       |       |
| 1                            | Count   | 139                    | 67    | 83    | 90    | 10    | 389   |
| 1                            | Total % | 4,87                   | 2,35  | 2,91  | 3,15  | 0,35  | 13,62 |
| 1                            | Col %   | 10,37                  | 12,96 | 16,73 | 22,78 | 9,35  |       |
| 1                            | Row %   | 35,73                  | 17,22 | 21,34 | 23,14 | 2,57  |       |
| 2                            | Count   | 237                    | 90    | 76    | 64    | 16    | 483   |
| 2                            | Total % | 8,30                   | 3,15  | 2,66  | 2,24  | 0,56  | 16,91 |
| 2                            | Col %   | 17,67                  | 17,41 | 15,32 | 16,20 | 14,95 |       |
| 2                            | Row %   | 49,07                  | 18,63 | 15,73 | 13,25 | 3,31  |       |
| 3                            | Count   | 342                    | 138   | 106   | 66    | 27    | 679   |
| 3                            | Total % | 11,97                  | 4,83  | 3,71  | 2,31  | 0,95  | 23,77 |
| 3                            | Col %   | 25,50                  | 26,69 | 21,37 | 16,71 | 25,23 |       |
| 3                            | Row %   | 50,37                  | 20,32 | 15,61 | 9,72  | 3,98  |       |
| 4                            | Count   | 623                    | 222   | 231   | 175   | 54    | 1305  |
| 4                            | Total % | 21,81                  | 7,77  | 8,09  | 6,13  | 1,89  | 45,69 |
| 4                            | Col %   | 46,46                  | 42,94 | 46,57 | 44,30 | 50,47 |       |
| 4                            | Row %   | 47,74                  | 17,01 | 17,70 | 13,41 | 4,14  |       |
|                              | Count   | 1341                   | 517   | 496   | 395   | 107   | 2856  |
|                              | Total % | 46,95                  | 18,10 | 17,37 | 13,83 | 3,75  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 27,0894   | 0,0069      |
| Error    | 2840 | 3871,4865 |             |
| C. Total | 2852 | 3898,5759 |             |
| N        | 2856 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 54,179    | <.0001     |
| Pearson          | 56,502    | <.0001     |

**Contingency Analysis of MORS UTDANNING 1-18-73 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

MORS UTDANNING 1-18-73

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 148   | 101   | 74    | 57    | 8     | 388   |
|         | 5,20  | 3,55  | 2,60  | 2,00  | 0,28  | 13,63 |
|         | 10,03 | 15,37 | 18,55 | 25,00 | 9,20  |       |
|         | 38,14 | 26,03 | 19,07 | 14,69 | 2,06  |       |
| 2       | 278   | 107   | 58    | 29    | 10    | 482   |
|         | 9,76  | 3,76  | 2,04  | 1,02  | 0,35  | 16,93 |
|         | 18,83 | 16,29 | 14,54 | 12,72 | 11,49 |       |
|         | 57,68 | 22,20 | 12,03 | 6,02  | 2,07  |       |
| 3       | 365   | 163   | 77    | 54    | 23    | 682   |
|         | 12,82 | 5,73  | 2,70  | 1,90  | 0,81  | 23,96 |
|         | 24,73 | 24,81 | 19,30 | 23,68 | 26,44 |       |
|         | 53,52 | 23,90 | 11,29 | 7,92  | 3,37  |       |
| 4       | 685   | 286   | 190   | 88    | 46    | 1295  |
|         | 24,06 | 10,05 | 6,67  | 3,09  | 1,62  | 45,49 |
|         | 46,41 | 43,53 | 47,62 | 38,60 | 52,87 |       |
|         | 52,90 | 22,08 | 14,67 | 6,80  | 3,55  |       |
|         | 1476  | 657   | 399   | 228   | 87    | 2847  |
|         | 51,84 | 23,08 | 14,01 | 8,01  | 3,06  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 30,1601   | 0,0084      |
| Error    | 2831 | 3566,0028 |             |
| C. Total | 2843 | 3596,1629 |             |
| N        | 2847 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 60,320    | <.0001     |
| Pearson          | 63,126    | <.0001     |

**Contingency Analysis of HØYEST INNT I HUSSTAND 1-18-74 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

HØYEST INNT I HUSSTAND 1-18-74

|         | 1                              | 2                              | 3                           |               |
|---------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Count   |                                |                                |                             |               |
| Total % |                                |                                |                             |               |
| Col %   |                                |                                |                             |               |
| Row %   |                                |                                |                             |               |
| 1       | 178<br>6,65<br>12,99<br>48,50  | 179<br>6,69<br>14,20<br>48,77  | 10<br>0,37<br>22,73<br>2,72 | 367<br>13,72  |
| 2       | 214<br>8,00<br>15,62<br>46,52  | 240<br>8,97<br>19,03<br>52,17  | 6<br>0,22<br>13,64<br>1,30  | 460<br>17,20  |
| 3       | 295<br>11,03<br>21,53<br>47,20 | 320<br>11,96<br>25,38<br>51,20 | 10<br>0,37<br>22,73<br>1,60 | 625<br>23,36  |
| 4       | 683<br>25,53<br>49,85<br>55,85 | 522<br>19,51<br>41,40<br>42,68 | 18<br>0,67<br>40,91<br>1,47 | 1223<br>45,72 |
|         | 1370<br>51,21                  | 1261<br>47,14                  | 44<br>1,64                  | 2675          |

BESØKE I BYGDENORGE 2-29-290

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 11,1883   | 0,0055      |
| Error    | 2667 | 2034,5901 |             |
| C. Total | 2673 | 2045,7785 |             |
| N        | 2675 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 22,377    | 0,0010     |
| Pearson          | 22,774    | 0,0009     |



**Contingency Analysis of Har hytte ved sjøen 1-6-20 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Har hytte ved sjøen 1-6-20

|         | 0                               | 1                            |               |
|---------|---------------------------------|------------------------------|---------------|
| Count   |                                 |                              |               |
| Total % |                                 |                              |               |
| Col %   |                                 |                              |               |
| Row %   |                                 |                              |               |
| 1       | 327<br>11,26<br>12,69<br>83,21  | 66<br>2,27<br>20,25<br>16,79 | 393<br>13,54  |
| 2       | 425<br>14,64<br>16,49<br>86,03  | 69<br>2,38<br>21,17<br>13,97 | 494<br>17,02  |
| 3       | 629<br>21,67<br>24,41<br>90,90  | 63<br>2,17<br>19,33<br>9,10  | 692<br>23,84  |
| 4       | 1196<br>41,20<br>46,41<br>90,33 | 128<br>4,41<br>39,26<br>9,67 | 1324<br>45,61 |
|         | 2577<br>88,77                   | 326<br>11,23                 | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 10,4897   | 0,0103      |
| Error    | 2899 | 1009,3117 |             |
| C. Total | 2902 | 1019,8015 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,979    | 0,0001     |
| Pearson          | 22,297    | <.0001     |

**Contingency Analysis of Har hytte på fjellet 1-6-20 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Har hytte på fjellet 1-6-20

|                              |                                 | 0                              | 1                            |              |
|------------------------------|---------------------------------|--------------------------------|------------------------------|--------------|
| BESØKE I BYGDENORGE 2-29-290 | Count                           |                                |                              |              |
|                              | Total %                         |                                |                              |              |
|                              | Col %                           |                                |                              |              |
|                              | Row %                           |                                |                              |              |
|                              | 1                               | 324<br>11,16<br>12,86<br>82,44 | 69<br>2,38<br>17,97<br>17,56 | 393<br>13,54 |
| 2                            | 419<br>14,43<br>16,63<br>84,82  | 75<br>2,58<br>19,53<br>15,18   | 494<br>17,02                 |              |
| 3                            | 606<br>20,87<br>24,06<br>87,57  | 86<br>2,96<br>22,40<br>12,43   | 692<br>23,84                 |              |
| 4                            | 1170<br>40,30<br>46,45<br>88,37 | 154<br>5,30<br>40,10<br>11,63  | 1324<br>45,61                |              |
|                              | 2519<br>86,77                   | 384<br>13,23                   | 2903                         |              |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 5,4637    | 0,0048      |
| Error    | 2899 | 1128,7160 |             |
| C. Total | 2902 | 1134,1797 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 10,927    | 0,0121     |
| Pearson          | 11,387    | 0,0098     |

**Contingency Analysis of Har hytte i innlandet 1-6-20 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Har hytte i innlandet 1-6-20

|         | 0                               | 1                           |               |
|---------|---------------------------------|-----------------------------|---------------|
| Count   |                                 |                             |               |
| Total % |                                 |                             |               |
| Col %   |                                 |                             |               |
| Row %   |                                 |                             |               |
| 1       | 366<br>12,61<br>13,36<br>93,13  | 27<br>0,93<br>16,46<br>6,87 | 393<br>13,54  |
| 2       | 459<br>15,81<br>16,76<br>92,91  | 35<br>1,21<br>21,34<br>7,09 | 494<br>17,02  |
| 3       | 656<br>22,60<br>23,95<br>94,80  | 36<br>1,24<br>21,95<br>5,20 | 692<br>23,84  |
| 4       | 1258<br>43,33<br>45,93<br>95,02 | 66<br>2,27<br>40,24<br>4,98 | 1324<br>45,61 |
|         | 2739<br>94,35                   | 164<br>5,65                 | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 2,10627   | 0,0033      |
| Error    | 2899 | 628,44740 |             |
| C. Total | 2902 | 630,55367 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,213     | 0,2394     |
| Pearson          | 4,365     | 0,2246     |

**Contingency Analysis of Har hytte 1-6-19 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |   | Har hytte 1-6-19               |                                |               |
|------------------------------|---|--------------------------------|--------------------------------|---------------|
|                              |   | 0                              | 1                              |               |
| Count                        |   |                                |                                |               |
| Total %                      |   |                                |                                |               |
| Col %                        |   |                                |                                |               |
| Row %                        |   |                                |                                |               |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 246<br>8,47<br>11,82<br>62,60  | 147<br>5,06<br>17,90<br>37,40  | 393<br>13,54  |
|                              | 2 | 330<br>11,37<br>15,85<br>66,80 | 164<br>5,65<br>19,98<br>33,20  | 494<br>17,02  |
|                              | 3 | 513<br>17,67<br>24,64<br>74,13 | 179<br>6,17<br>21,80<br>25,87  | 692<br>23,84  |
|                              | 4 | 993<br>34,21<br>47,69<br>75,00 | 331<br>11,40<br>40,32<br>25,00 | 1324<br>45,61 |
|                              |   | 2082<br>71,72                  | 821<br>28,28                   | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 15,0960   | 0,0087      |
| Error    | 2899 | 1713,8975 |             |
| C. Total | 2902 | 1728,9935 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 30,192    | <.0001     |
| Pearson          | 31,033    | <.0001     |

**Contingency Analysis of # HYTTEBESØK ÅRLIG 1-6-21 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

# HYTTEBESØK ÅRLIG 1-6-21

| Count   | 0     | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |       |
| 1       | 2     | 49    | 25    | 35    | 22    | 11    | 144   |
|         | 0,25  | 6,12  | 3,12  | 4,37  | 2,75  | 1,37  | 17,98 |
|         | 22,22 | 18,85 | 13,23 | 19,89 | 28,95 | 12,09 |       |
|         | 1,39  | 34,03 | 17,36 | 24,31 | 15,28 | 7,64  |       |
| 2       | 0     | 37    | 37    | 39    | 22    | 25    | 160   |
|         | 0,00  | 4,62  | 4,62  | 4,87  | 2,75  | 3,12  | 19,98 |
|         | 0,00  | 14,23 | 19,58 | 22,16 | 28,95 | 27,47 |       |
|         | 0,00  | 23,13 | 23,13 | 24,38 | 13,75 | 15,63 |       |
| 3       | 3     | 62    | 42    | 35    | 13    | 18    | 173   |
|         | 0,37  | 7,74  | 5,24  | 4,37  | 1,62  | 2,25  | 21,60 |
|         | 33,33 | 23,85 | 22,22 | 19,89 | 17,11 | 19,78 |       |
|         | 1,73  | 35,84 | 24,28 | 20,23 | 7,51  | 10,40 |       |
| 4       | 4     | 112   | 85    | 67    | 19    | 37    | 324   |
|         | 0,50  | 13,98 | 10,61 | 8,36  | 2,37  | 4,62  | 40,45 |
|         | 44,44 | 43,08 | 44,97 | 38,07 | 25,00 | 40,66 |       |
|         | 1,23  | 34,57 | 26,23 | 20,68 | 5,86  | 11,42 |       |
|         | 9     | 260   | 189   | 176   | 76    | 91    | 801   |
|         | 1,12  | 32,46 | 23,60 | 21,97 | 9,49  | 11,36 |       |


**Tests**

| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 15  | 16,1514   | 0,0129      |
| Error    | 781 | 1233,3516 |             |
| C. Total | 796 | 1249,5031 |             |
| N        | 801 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 32,303    | 0,0059     |
| Pearson          | 30,396    | 0,0106     |

**Contingency Analysis of # BILER I HUSSTANDEN 1-6-22 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

# BILER I HUSSTANDEN 1-6-22

|         | 1                              | 2                              | 3                           | 4                           | 5                             |               |
|---------|--------------------------------|--------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------|
| Count   |                                |                                |                             |                             |                               |               |
| Total % |                                |                                |                             |                             |                               |               |
| Col %   |                                |                                |                             |                             |                               |               |
| Row %   |                                |                                |                             |                             |                               |               |
| 1       | 215<br>7,47<br>13,95<br>55,13  | 89<br>3,09<br>12,36<br>22,82   | 17<br>0,59<br>14,17<br>4,36 | 4<br>0,14<br>10,26<br>1,03  | 65<br>2,26<br>14,22<br>16,67  | 390<br>13,56  |
| 2       | 261<br>9,07<br>16,94<br>53,59  | 126<br>4,38<br>17,50<br>25,87  | 18<br>0,63<br>15,00<br>3,70 | 2<br>0,07<br>5,13<br>0,41   | 80<br>2,78<br>17,51<br>16,43  | 487<br>16,93  |
| 3       | 369<br>12,83<br>23,95<br>53,63 | 185<br>6,43<br>25,69<br>26,89  | 26<br>0,90<br>21,67<br>3,78 | 16<br>0,56<br>41,03<br>2,33 | 92<br>3,20<br>20,13<br>13,37  | 688<br>23,91  |
| 4       | 696<br>24,19<br>45,17<br>53,05 | 320<br>11,12<br>44,44<br>24,39 | 59<br>2,05<br>49,17<br>4,50 | 17<br>0,59<br>43,59<br>1,30 | 220<br>7,65<br>48,14<br>16,77 | 1312<br>45,60 |
|         | 1541<br>53,56                  | 720<br>25,03                   | 120<br>4,17                 | 39<br>1,36                  | 457<br>15,88                  | 2877          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 7,8455    | 0,0023      |
| Error    | 2861 | 3341,3836 |             |
| C. Total | 2873 | 3349,2292 |             |
| N        | 2877 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,691    | 0,2058     |
| Pearson          | 15,142    | 0,2337     |

**Contingency Analysis of Fridag bruk (1.v) 2-4-204 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (1.v) 2-4-204

|                              | 1     | 2     | 3     | 4     | 5     |       |       |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|
| Count                        |       |       |       |       |       |       |       |
| Total %                      |       |       |       |       |       |       |       |
| Col %                        |       |       |       |       |       |       |       |
| Row %                        |       |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 197   | 129   | 41    | 11    | 12    | 390   |
|                              |       | 6,86  | 4,49  | 1,43  | 0,38  | 0,42  | 13,59 |
|                              |       | 11,51 | 17,41 | 23,16 | 10,89 | 8,57  |       |
|                              |       | 50,51 | 33,08 | 10,51 | 2,82  | 3,08  |       |
|                              | 2     | 260   | 157   | 42    | 11    | 19    | 489   |
|                              | 9,06  | 5,47  | 1,46  | 0,38  | 0,66  | 17,04 |       |
|                              | 15,20 | 21,19 | 23,73 | 10,89 | 13,57 |       |       |
|                              | 53,17 | 32,11 | 8,59  | 2,25  | 3,89  |       |       |
| 3                            | 437   | 144   | 30    | 24    | 47    | 682   |       |
|                              | 15,23 | 5,02  | 1,05  | 0,84  | 1,64  | 23,76 |       |
|                              | 25,54 | 19,43 | 16,95 | 23,76 | 33,57 |       |       |
|                              | 64,08 | 21,11 | 4,40  | 3,52  | 6,89  |       |       |
| 4                            | 817   | 311   | 64    | 55    | 62    | 1309  |       |
|                              | 28,47 | 10,84 | 2,23  | 1,92  | 2,16  | 45,61 |       |
|                              | 47,75 | 41,97 | 36,16 | 54,46 | 44,29 |       |       |
|                              | 62,41 | 23,76 | 4,89  | 4,20  | 4,74  |       |       |
|                              | 1711  | 741   | 177   | 101   | 140   | 2870  |       |
|                              | 59,62 | 25,82 | 6,17  | 3,52  | 4,88  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 35,6663   | 0,0114      |
| Error    | 2854 | 3106,6930 |             |
| C. Total | 2866 | 3142,3594 |             |
| N        | 2870 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 71,333    | <.0001     |
| Pearson          | 73,601    | <.0001     |

**Contingency Analysis of Fridag bruk (2.V) 2-4-205 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (2.V) 2-4-205

|                              | 1       | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---------|-------|-------|-------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   |       |       |       |       |       |       |
|                              | Total % |       |       |       |       |       |       |
|                              | Col %   |       |       |       |       |       |       |
|                              | Row %   |       |       |       |       |       |       |
|                              | 1       | 150   | 132   | 58    | 29    | 21    | 390   |
|                              |         | 5,25  | 4,62  | 2,03  | 1,02  | 0,74  | 13,65 |
|                              |         | 15,89 | 13,10 | 18,41 | 12,13 | 5,98  |       |
|                              |         | 38,46 | 33,85 | 14,87 | 7,44  | 5,38  |       |
|                              | 2       | 165   | 188   | 54    | 31    | 47    | 485   |
|                              |         | 5,78  | 6,58  | 1,89  | 1,09  | 1,65  | 16,98 |
|                              | 17,48   | 18,65 | 17,14 | 12,97 | 13,39 |       |       |
|                              | 34,02   | 38,76 | 11,13 | 6,39  | 9,69  |       |       |
| 3                            | 215     | 225   | 67    | 67    | 109   | 683   |       |
|                              | 7,53    | 7,88  | 2,35  | 2,35  | 3,82  | 23,91 |       |
|                              | 22,78   | 22,32 | 21,27 | 28,03 | 31,05 |       |       |
|                              | 31,48   | 32,94 | 9,81  | 9,81  | 15,96 |       |       |
| 4                            | 414     | 463   | 136   | 112   | 174   | 1299  |       |
|                              | 14,49   | 16,21 | 4,76  | 3,92  | 6,09  | 45,47 |       |
|                              | 43,86   | 45,93 | 43,17 | 46,86 | 49,57 |       |       |
|                              | 31,87   | 35,64 | 10,47 | 8,62  | 13,39 |       |       |
|                              | 944     | 1008  | 315   | 239   | 351   | 2857  |       |
|                              | 33,04   | 35,28 | 11,03 | 8,37  | 12,29 |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 24,1306   | 0,0059      |
| Error    | 2841 | 4094,8857 |             |
| C. Total | 2853 | 4119,0163 |             |
| N        | 2857 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 48,261    | <.0001     |
| Pearson          | 45,216    | <.0001     |



**Contingency Analysis of BOSTEDSVALG 2-18-261 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

**BOSTEDSVALG 2-18-261**

|                              |         | BOSTEDSVALG 2-18-261 |       |       |       |       |       |
|------------------------------|---------|----------------------|-------|-------|-------|-------|-------|
|                              |         | 1                    | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                      |       |       |       |       |       |
|                              | Total % |                      |       |       |       |       |       |
|                              | Col %   |                      |       |       |       |       |       |
|                              | Row %   |                      |       |       |       |       |       |
|                              |         |                      |       |       |       |       |       |
| 1                            | Count   | 61                   | 94    | 101   | 92    | 36    | 384   |
| 1                            | Total % | 2,16                 | 3,33  | 3,58  | 3,26  | 1,28  | 13,61 |
| 1                            | Col %   | 28,37                | 17,44 | 14,33 | 10,51 | 7,38  |       |
| 1                            | Row %   | 15,89                | 24,48 | 26,30 | 23,96 | 9,38  |       |
| 2                            | Count   | 24                   | 78    | 132   | 143   | 98    | 475   |
| 2                            | Total % | 0,85                 | 2,76  | 4,68  | 5,07  | 3,47  | 16,83 |
| 2                            | Col %   | 11,16                | 14,47 | 18,72 | 16,34 | 20,08 |       |
| 2                            | Row %   | 5,05                 | 16,42 | 27,79 | 30,11 | 20,63 |       |
| 3                            | Count   | 39                   | 116   | 159   | 233   | 125   | 672   |
| 3                            | Total % | 1,38                 | 4,11  | 5,63  | 8,26  | 4,43  | 23,81 |
| 3                            | Col %   | 18,14                | 21,52 | 22,55 | 26,63 | 25,61 |       |
| 3                            | Row %   | 5,80                 | 17,26 | 23,66 | 34,67 | 18,60 |       |
| 4                            | Count   | 91                   | 251   | 313   | 407   | 229   | 1291  |
| 4                            | Total % | 3,22                 | 8,89  | 11,09 | 14,42 | 8,11  | 45,75 |
| 4                            | Col %   | 42,33                | 46,57 | 44,40 | 46,51 | 46,93 |       |
| 4                            | Row %   | 7,05                 | 19,44 | 24,24 | 31,53 | 17,74 |       |
|                              | Count   | 215                  | 539   | 705   | 875   | 488   | 2822  |
|                              | Total % | 7,62                 | 19,10 | 24,98 | 31,01 | 17,29 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 37,8356   | 0,0088      |
| Error    | 2806 | 4266,8289 |             |
| C. Total | 2818 | 4304,6645 |             |
| N        | 2822 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 75,671    | <.0001     |
| Pearson          | 80,491    | <.0001     |

**Contingency Analysis of BOSTEDSTYPE IDAG 2-19-262 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

BOSTEDSTYPE IDAG 2-19-262

|                              |         | BOSTEDSTYPE IDAG 2-19-262 |       |       |       |       |       |
|------------------------------|---------|---------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                         | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                           |       |       |       |       |       |
|                              | Total % |                           |       |       |       |       |       |
|                              | Col %   |                           |       |       |       |       |       |
|                              | Row %   |                           |       |       |       |       |       |
|                              |         |                           |       |       |       |       |       |
| 1                            | Count   | 77                        | 104   | 73    | 94    | 39    | 387   |
|                              | Total % | 2,70                      | 3,65  | 2,56  | 3,30  | 1,37  | 13,58 |
|                              | Col %   | 22,06                     | 18,77 | 14,54 | 9,78  | 8,07  |       |
|                              | Row %   | 19,90                     | 26,87 | 18,86 | 24,29 | 10,08 |       |
| 2                            | Count   | 47                        | 93    | 97    | 162   | 84    | 483   |
|                              | Total % | 1,65                      | 3,26  | 3,40  | 5,69  | 2,95  | 16,95 |
|                              | Col %   | 13,47                     | 16,79 | 19,32 | 16,86 | 17,39 |       |
|                              | Row %   | 9,73                      | 19,25 | 20,08 | 33,54 | 17,39 |       |
| 3                            | Count   | 71                        | 120   | 118   | 241   | 132   | 682   |
|                              | Total % | 2,49                      | 4,21  | 4,14  | 8,46  | 4,63  | 23,94 |
|                              | Col %   | 20,34                     | 21,66 | 23,51 | 25,08 | 27,33 |       |
|                              | Row %   | 10,41                     | 17,60 | 17,30 | 35,34 | 19,35 |       |
| 4                            | Count   | 154                       | 237   | 214   | 464   | 228   | 1297  |
|                              | Total % | 5,41                      | 8,32  | 7,51  | 16,29 | 8,00  | 45,52 |
|                              | Col %   | 44,13                     | 42,78 | 42,63 | 48,28 | 47,20 |       |
|                              | Row %   | 11,87                     | 18,27 | 16,50 | 35,77 | 17,58 |       |
|                              | Count   | 349                       | 554   | 502   | 961   | 483   | 2849  |
|                              | Total % | 12,25                     | 19,45 | 17,62 | 33,73 | 16,95 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 31,9413   | 0,0072      |
| Error    | 2833 | 4381,1274 |             |
| C. Total | 2845 | 4413,0687 |             |
| N        | 2849 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 63,883    | <.0001     |
| Pearson          | 64,908    | <.0001     |

**Contingency Analysis of ØNSKE OM REKKEHUS+? 2-19-263 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

ØNSKE OM REKKEHUS+? 2-19-263

|                              | 1 | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---|-------|-------|-------|-------|-------|-------|
| Count                        |   |       |       |       |       |       |       |
| Total %                      |   |       |       |       |       |       |       |
| Col %                        |   |       |       |       |       |       |       |
| Row %                        |   |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 129   | 16    | 98    | 45    | 100   | 388   |
|                              |   | 4,55  | 0,56  | 3,45  | 1,59  | 3,52  | 13,68 |
|                              |   | 14,24 | 14,55 | 13,86 | 14,56 | 12,42 |       |
|                              |   | 33,25 | 4,12  | 25,26 | 11,60 | 25,77 |       |
|                              | 2 | 156   | 10    | 118   | 54    | 137   | 475   |
|                              |   | 5,50  | 0,35  | 4,16  | 1,90  | 4,83  | 16,74 |
|                              |   | 17,22 | 9,09  | 16,69 | 17,48 | 17,02 |       |
|                              |   | 32,84 | 2,11  | 24,84 | 11,37 | 28,84 |       |
|                              | 3 | 204   | 23    | 174   | 71    | 210   | 682   |
|                              |   | 7,19  | 0,81  | 6,13  | 2,50  | 7,40  | 24,04 |
|                              |   | 22,52 | 20,91 | 24,61 | 22,98 | 26,09 |       |
|                              |   | 29,91 | 3,37  | 25,51 | 10,41 | 30,79 |       |
|                              | 4 | 417   | 61    | 317   | 139   | 358   | 1292  |
|                              |   | 14,70 | 2,15  | 11,17 | 4,90  | 12,62 | 45,54 |
|                              |   | 46,03 | 55,45 | 44,84 | 44,98 | 44,47 |       |
|                              |   | 32,28 | 4,72  | 24,54 | 10,76 | 27,71 |       |
|                              |   | 906   | 110   | 707   | 309   | 805   | 2837  |
|                              |   | 31,94 | 3,88  | 24,92 | 10,89 | 28,38 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 5,9135    | 0,0015      |
| Error    | 2821 | 4067,2403 |             |
| C. Total | 2833 | 4073,1538 |             |
| N        | 2837 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 11,827    | 0,4597     |
| Pearson          | 11,185    | 0,5131     |

**Contingency Analysis of KOMMUNETYPE SSB By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

**KOMMUNETYPE SSB**


|                              | 1       | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     |       |       |
|------------------------------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   | 12    | 31    | 12    | 2     | 7     | 32    | 209   | 79    | 9     | 393   |
|                              | Total % | 0,41  | 1,07  | 0,41  | 0,07  | 0,24  | 1,10  | 7,20  | 2,72  | 0,31  | 13,54 |
|                              | Col %   | 6,49  | 11,70 | 7,59  | 3,17  | 9,46  | 8,65  | 19,44 | 13,53 | 6,98  |       |
|                              | Row %   | 3,05  | 7,89  | 3,05  | 0,51  | 1,78  | 8,14  | 53,18 | 20,10 | 2,29  |       |
|                              | Count   | 31    | 34    | 24    | 7     | 15    | 70    | 179   | 115   | 19    | 494   |
|                              | Total % | 1,07  | 1,17  | 0,83  | 0,24  | 0,52  | 2,41  | 6,17  | 3,96  | 0,65  | 17,02 |
|                              | Col %   | 16,76 | 12,83 | 15,19 | 11,11 | 20,27 | 18,92 | 16,65 | 19,69 | 14,73 |       |
|                              | Row %   | 6,28  | 6,88  | 4,86  | 1,42  | 3,04  | 14,17 | 36,23 | 23,28 | 3,85  |       |
|                              | Count   | 45    | 68    | 39    | 23    | 23    | 102   | 219   | 136   | 37    | 692   |
|                              | Total % | 1,55  | 2,34  | 1,34  | 0,79  | 0,79  | 3,51  | 7,54  | 4,68  | 1,27  | 23,84 |
|                              | Col %   | 24,32 | 25,66 | 24,68 | 36,51 | 31,08 | 27,57 | 20,37 | 23,29 | 28,68 |       |
|                              | Row %   | 6,50  | 9,83  | 5,64  | 3,32  | 3,32  | 14,74 | 31,65 | 19,65 | 5,35  |       |
| Count                        | 97      | 132   | 83    | 31    | 29    | 166   | 468   | 254   | 64    | 1324  |       |
| Total %                      | 3,34    | 4,55  | 2,86  | 1,07  | 1,00  | 5,72  | 16,12 | 8,75  | 2,20  | 45,61 |       |
| Col %                        | 52,43   | 49,81 | 52,53 | 49,21 | 39,19 | 44,86 | 43,53 | 43,49 | 49,61 |       |       |
| Row %                        | 7,33    | 9,97  | 6,27  | 2,34  | 2,19  | 12,54 | 35,35 | 19,18 | 4,83  |       |       |
| Count                        | 185     | 265   | 158   | 63    | 74    | 370   | 1075  | 584   | 129   | 2903  |       |
| Total %                      | 6,37    | 9,13  | 5,44  | 2,17  | 2,55  | 12,75 | 37,03 | 20,12 | 4,44  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 24   | 44,9531   | 0,0085      |
| Error    | 2871 | 5239,7990 |             |
| C. Total | 2895 | 5284,7521 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 89,906    | <.0001     |
| Pearson          | 87,058    | <.0001     |

**Oneway Analysis of SESURBA By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,029705 |
| Adj Rsquare                | 0,028698 |
| Root Mean Square Error     | 149984   |
| Mean of Response           | 108590,7 |
| Observations (or Sum Wgts) | 2894     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 1,99028e12     | 6,6343e11   | 29,4919 | <.0001   |
| Error                        | 2890 | 6,50112e13     | 2,2495e10   |         |          |
| C. Total                     | 2893 | 6,70014e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 393    | 171824 | 7565,7    | 156990    | 186659    |
| 2     | 493    | 109656 | 6754,9    | 96411     | 122901    |
| 3     | 690    | 86316  | 5709,8    | 75121     | 97512     |
| 4     | 1318   | 100998 | 4131,3    | 92898     | 109099    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of FAMILISM By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00812  |
| Adj Rsquare                | 0,00709  |
| Root Mean Square Error     | 119550,6 |
| Mean of Response           | -3227,28 |
| Observations (or Sum Wgts) | 2894     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 3,38129e11     | 1,1271e11   | 7,8860  | <.0001   |
| Error                        | 2890 | 4,13049e13     | 1,4292e10   |         |          |
| C. Total                     | 2893 | 4,1643e+13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 393    | -26315 | 6030,5    | -38140    | -14491    |
| 2     | 493    | -7713  | 5384,3    | -18271    | 2844      |
| 3     | 690    | 9645   | 4551,2    | 721       | 18569     |
| 4     | 1318   | -1404  | 3293,0    | -7861     | 5053      |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of DEPRIVAT By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003488 |
| Adj Rsquare                | 0,002454 |
| Root Mean Square Error     | 85322,89 |
| Mean of Response           | 28041,05 |
| Observations (or Sum Wgts) | 2894     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 7,36408e10     | 2,4547e10   | 3,3718  | 0,0177   |
| Error                        | 2890 | 2,10392e13     | 7,28e+9     |         |          |
| C. Total                     | 2893 | 2,11128e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 39515,7 | 4304,0    | 31077     | 47955     |
| 2     | 493    | 28329,0 | 3842,7    | 20794     | 35864     |
| 3     | 690    | 22478,1 | 3248,2    | 16109     | 28847     |
| 4     | 1318   | 27424,2 | 2350,2    | 22816     | 32032     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of MANUFACT By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006774 |
| Adj Rsquare                | 0,005743 |
| Root Mean Square Error     | 88495,48 |
| Mean of Response           | 8708,435 |
| Observations (or Sum Wgts) | 2894     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 1,54357e11     | 5,1452e10   | 6,5699  | 0,0002   |
| Error                        | 2890 | 2,26329e13     | 7,83145e9   |         |          |
| C. Total                     | 2893 | 2,27872e13     |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean  | Std Error | Lower 95% | Upper 95% |
|-------|--------|-------|-----------|-----------|-----------|
| 1     | 393    | -5962 | 4464,0    | -14715    | 2791      |
| 2     | 493    | 11445 | 3985,6    | 3630      | 19260     |
| 3     | 690    | 18230 | 3369,0    | 11625     | 24836     |
| 4     | 1318   | 7074  | 2437,6    | 2294      | 11854     |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of AFFLUENC By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004487 |
| Adj Rsquare                | 0,003454 |
| Root Mean Square Error     | 73214,59 |
| Mean of Response           | 35728,54 |
| Observations (or Sum Wgts) | 2894     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 6,98299e10     | 2,3277e10   | 4,3423  | 0,0046   |
| Error                        | 2890 | 1,54915e13     | 5,36038e9   |         |          |
| C. Total                     | 2893 | 1,55613e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 44690,8 | 3693,2    | 37449     | 51932     |
| 2     | 493    | 41529,2 | 3297,4    | 35064     | 47995     |
| 3     | 690    | 33701,3 | 2787,2    | 28236     | 39166     |
| 4     | 1318   | 31947,8 | 2016,7    | 27993     | 35902     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of FECONOM By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,017056 |
| Adj Rsquare                | 0,016035 |
| Root Mean Square Error     | 85906,3  |
| Mean of Response           | 32769,79 |
| Observations (or Sum Wgts) | 2894     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 3,7007e+11     | 1,2336e11   | 16,7152 | <.0001   |
| Error                        | 2890 | 2,13279e13     | 7,37989e9   |         |          |
| C. Total                     | 2893 | 2,1698e+13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 59029,6 | 4333,4    | 50533     | 67526     |
| 2     | 493    | 23521,1 | 3869,0    | 15935     | 31107     |
| 3     | 690    | 23703,9 | 3270,4    | 17291     | 30116     |
| 4     | 1318   | 33145,3 | 2366,3    | 28506     | 37785     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Helse By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,043762 |
| Adj Rsquare                | 0,042772 |
| Root Mean Square Error     | 2,068691 |
| Mean of Response           | 4,085084 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 567,762        | 189,254     | 44,2235 | <.0001   |
| Error                        | 2899 | 12406,222      | 4,279       |         |          |
| C. Total                     | 2902 | 12973,984      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 4,65394 | 0,10435   | 4,4493    | 4,8586    |
| 2     | 494    | 4,79757 | 0,09307   | 4,6151    | 4,9801    |
| 3     | 692    | 3,95520 | 0,07864   | 3,8010    | 4,1094    |
| 4     | 1324   | 3,71828 | 0,05685   | 3,6068    | 3,8298    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Fysisk form By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006896 |
| Adj Rsquare                | 0,005869 |
| Root Mean Square Error     | 2,054048 |
| Mean of Response           | 5,661385 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 84,935         | 28,3117     | 6,7104  | 0,0002   |
| Error                        | 2899 | 12231,206      | 4,2191      |         |          |
| C. Total                     | 2902 | 12316,141      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 5,88550 | 0,10361   | 5,6823    | 6,0887    |
| 2     | 494    | 5,90486 | 0,09242   | 5,7237    | 6,0861    |
| 3     | 692    | 5,67486 | 0,07808   | 5,5218    | 5,8280    |
| 4     | 1324   | 5,49698 | 0,05645   | 5,3863    | 5,6077    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Selvrealisering By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,075558 |
| Adj Rsquare                | 0,074601 |
| Root Mean Square Error     | 3,329037 |
| Mean of Response           | 9,092663 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 2625,936       | 875,312     | 78,9815 | <.0001   |
| Error                        | 2899 | 32128,138      | 11,082      |         |          |
| C. Total                     | 2902 | 34754,074      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 11,1578 | 0,16793   | 10,828    | 11,487    |
| 2     | 494    | 9,7713  | 0,14978   | 9,478     | 10,065    |
| 3     | 692    | 8,2659  | 0,12655   | 8,018     | 8,514     |
| 4     | 1324   | 8,6586  | 0,09149   | 8,479     | 8,838     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Materialisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,033671 |
| Adj Rsquare                | 0,032671 |
| Root Mean Square Error     | 2,859496 |
| Mean of Response           | 7,195315 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 825,957        | 275,319     | 33,6711 | <.0001   |
| Error                        | 2899 | 23704,299      | 8,177       |         |          |
| C. Total                     | 2902 | 24530,256      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 6,46310 | 0,14424   | 6,1803    | 6,7459    |
| 2     | 494    | 6,34413 | 0,12865   | 6,0919    | 6,5964    |
| 3     | 692    | 7,45665 | 0,10870   | 7,2435    | 7,6698    |
| 4     | 1324   | 7,59366 | 0,07859   | 7,4396    | 7,7477    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Felleskap By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009031 |
| Adj Rsquare                | 0,008005 |
| Root Mean Square Error     | 3,116795 |
| Mean of Response           | 13,0465  |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 256,643        | 85,5477     | 8,8063  | <.0001   |
| Error                        | 2899 | 28162,079      | 9,7144      |         |          |
| C. Total                     | 2902 | 28418,722      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 13,7583 | 0,15722   | 13,450    | 14,067    |
| 2     | 494    | 13,1417 | 0,14023   | 12,867    | 13,417    |
| 3     | 692    | 12,8743 | 0,11848   | 12,642    | 13,107    |
| 4     | 1324   | 12,8897 | 0,08566   | 12,722    | 13,058    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Natur By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010034 |
| Adj Rsquare                | 0,009009 |
| Root Mean Square Error     | 3,106722 |
| Mean of Response           | 9,706511 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 283,598        | 94,5327     | 9,7944  | <.0001   |
| Error                        | 2899 | 27980,349      | 9,6517      |         |          |
| C. Total                     | 2902 | 28263,947      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 9,4224  | 0,15671   | 9,115     | 9,730     |
| 2     | 494    | 10,3826 | 0,13978   | 10,109    | 10,657    |
| 3     | 692    | 9,5578  | 0,11810   | 9,326     | 9,789     |
| 4     | 1324   | 9,6163  | 0,08538   | 9,449     | 9,784     |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Religion By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,014427 |
| Adj Rsquare                | 0,013407 |
| Root Mean Square Error     | 4,930969 |
| Mean of Response           | 5,595246 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 1031,808       | 343,936     | 14,1453 | <.0001   |
| Error                        | 2899 | 70487,607      | 24,314      |         |          |
| C. Total                     | 2902 | 71519,414      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 5,58524 | 0,24873   | 5,0975    | 6,0730    |
| 2     | 494    | 6,37045 | 0,22185   | 5,9354    | 6,8055    |
| 3     | 692    | 6,20087 | 0,18745   | 5,8333    | 6,5684    |
| 4     | 1324   | 4,99245 | 0,13552   | 4,7267    | 5,2582    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nøysomhet/ Hedonisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,013875 |
| Adj Rsquare                | 0,012854 |
| Root Mean Square Error     | 3,114141 |
| Mean of Response           | 7,537375 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 395,560        | 131,853     | 13,5961 | <.0001   |
| Error                        | 2899 | 28114,135      | 9,698       |         |          |
| C. Total                     | 2902 | 28509,695      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,34097 | 0,15709   | 7,0330    | 7,6490    |
| 2     | 494    | 6,83603 | 0,14011   | 6,5613    | 7,1108    |
| 3     | 692    | 7,53324 | 0,11838   | 7,3011    | 7,7654    |
| 4     | 1324   | 7,85952 | 0,08558   | 7,6917    | 8,0273    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Utseende By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000477 |
| Adj Rsquare                | -0,00056 |
| Root Mean Square Error     | 2,99598  |
| Mean of Response           | 8,333793 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 12,426         | 4,14211     | 0,4615  | 0,7092   |
| Error                        | 2899 | 26021,129      | 8,97590     |         |          |
| C. Total                     | 2902 | 26033,555      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 8,38931 | 0,15113   | 8,0930    | 8,6856    |
| 2     | 494    | 8,26113 | 0,13480   | 7,9968    | 8,5254    |
| 3     | 692    | 8,43064 | 0,11389   | 8,2073    | 8,6539    |
| 4     | 1324   | 8,29381 | 0,08234   | 8,1324    | 8,4553    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Polysensualisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,023192 |
| Adj Rsquare                | 0,022181 |
| Root Mean Square Error     | 2,393241 |
| Mean of Response           | 6,667241 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 394,236        | 131,412     | 22,9436 | <.0001   |
| Error                        | 2899 | 16604,318      | 5,728       |         |          |
| C. Total                     | 2902 | 16998,555      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,35623 | 0,12072   | 7,1195    | 7,5929    |
| 2     | 494    | 7,09717 | 0,10768   | 6,8860    | 7,3083    |
| 3     | 692    | 6,45087 | 0,09098   | 6,2725    | 6,6293    |
| 4     | 1324   | 6,41541 | 0,06577   | 6,2864    | 6,5444    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Forbruk/ Investering By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004889 |
| Adj Rsquare                | 0,00386  |
| Root Mean Square Error     | 2,583875 |
| Mean of Response           | 11,70479 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 95,098         | 31,6993     | 4,7480  | 0,0026   |
| Error                        | 2899 | 19354,906      | 6,6764      |         |          |
| C. Total                     | 2902 | 19450,003      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 11,5878 | 0,13034   | 11,332    | 11,843    |
| 2     | 494    | 12,1012 | 0,11625   | 11,873    | 12,329    |
| 3     | 692    | 11,6604 | 0,09822   | 11,468    | 11,853    |
| 4     | 1324   | 11,6148 | 0,07101   | 11,476    | 11,754    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tradisjoner/ Nyheter By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002026 |
| Adj Rsquare                | 0,000993 |
| Root Mean Square Error     | 2,271609 |
| Mean of Response           | 7,856011 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 30,372         | 10,1241     | 1,9620  | 0,1176   |
| Error                        | 2899 | 14959,440      | 5,1602      |         |          |
| C. Total                     | 2902 | 14989,813      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 8,07888 | 0,11459   | 7,8542    | 8,3036    |
| 2     | 494    | 7,79757 | 0,10220   | 7,5972    | 7,9980    |
| 3     | 692    | 7,74277 | 0,08635   | 7,5735    | 7,9121    |
| 4     | 1324   | 7,87085 | 0,06243   | 7,7484    | 7,9933    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Risiko/ Trygghet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,023646 |
| Adj Rsquare                | 0,022636 |
| Root Mean Square Error     | 3,92651  |
| Mean of Response           | 10,55253 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 1082,464       | 360,821     | 23,4034 | <.0001   |
| Error                        | 2899 | 44695,275      | 15,417      |         |          |
| C. Total                     | 2902 | 45777,739      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 9,7939  | 0,19807   | 9,406     | 10,182    |
| 2     | 494    | 11,7146 | 0,17666   | 11,368    | 12,061    |
| 3     | 692    | 10,7948 | 0,14926   | 10,502    | 11,087    |
| 4     | 1324   | 10,2175 | 0,10791   | 10,006    | 10,429    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Pessimisme/ Optimisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003905 |
| Adj Rsquare                | 0,002875 |
| Root Mean Square Error     | 1,846792 |
| Mean of Response           | 8,722356 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 38,7668        | 12,9223     | 3,7888  | 0,0100   |
| Error                        | 2899 | 9887,4523      | 3,4106      |         |          |
| C. Total                     | 2902 | 9926,2191      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 8,88550 | 0,09316   | 8,7028    | 9,0682    |
| 2     | 494    | 8,48988 | 0,08309   | 8,3270    | 8,6528    |
| 3     | 692    | 8,72977 | 0,07020   | 8,5921    | 8,8674    |
| 4     | 1324   | 8,75680 | 0,05075   | 8,6573    | 8,8563    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Spontanitet/ Rigiditet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005613 |
| Adj Rsquare                | 0,004584 |
| Root Mean Square Error     | 3,553083 |
| Mean of Response           | 8,576645 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 206,568        | 68,8561     | 5,4542  | 0,0010   |
| Error                        | 2899 | 36598,128      | 12,6244     |         |          |
| C. Total                     | 2902 | 36804,697      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,98982 | 0,17923   | 7,6384    | 8,3413    |
| 2     | 494    | 8,75101 | 0,15986   | 8,4376    | 9,0645    |
| 3     | 692    | 8,85694 | 0,13507   | 8,5921    | 9,1218    |
| 4     | 1324   | 8,53927 | 0,09765   | 8,3478    | 8,7307    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Fornuft By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003741 |
| Adj Rsquare                | 0,002711 |
| Root Mean Square Error     | 2,340652 |
| Mean of Response           | 5,130899 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 59,648         | 19,8826     | 3,6291  | 0,0125   |
| Error                        | 2899 | 15882,611      | 5,4787      |         |          |
| C. Total                     | 2902 | 15942,258      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 4,80407 | 0,11807   | 4,5726    | 5,0356    |
| 2     | 494    | 5,08907 | 0,10531   | 4,8826    | 5,2956    |
| 3     | 692    | 5,27890 | 0,08898   | 5,1044    | 5,4534    |
| 4     | 1324   | 5,16616 | 0,06433   | 5,0400    | 5,2923    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Følelser By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004004 |
| Adj Rsquare                | 0,002973 |
| Root Mean Square Error     | 2,369017 |
| Mean of Response           | 11,47089 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 65,408         | 21,8027     | 3,8848  | 0,0088   |
| Error                        | 2899 | 16269,882      | 5,6122      |         |          |
| C. Total                     | 2902 | 16335,290      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 11,8015 | 0,11950   | 11,567    | 12,036    |
| 2     | 494    | 11,3300 | 0,10659   | 11,121    | 11,539    |
| 3     | 692    | 11,3396 | 0,09006   | 11,163    | 11,516    |
| 4     | 1324   | 11,4940 | 0,06511   | 11,366    | 11,622    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Okkultisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001874 |
| Adj Rsquare                | 0,000841 |
| Root Mean Square Error     | 3,060457 |
| Mean of Response           | 6,016879 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 50,985         | 16,9951     | 1,8145  | 0,1423   |
| Error                        | 2899 | 27153,188      | 9,3664      |         |          |
| C. Total                     | 2902 | 27204,173      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 6,26972 | 0,15438   | 5,9670    | 6,5724    |
| 2     | 494    | 6,02429 | 0,13770   | 5,7543    | 6,2943    |
| 3     | 692    | 6,10549 | 0,11634   | 5,8774    | 6,3336    |
| 4     | 1324   | 5,89275 | 0,08411   | 5,7278    | 6,0577    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Ambisjonsmangel By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,018608 |
| Adj Rsquare                | 0,017593 |
| Root Mean Square Error     | 2,353908 |
| Mean of Response           | 4,305202 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 304,572        | 101,524     | 18,3227 | <.0001   |
| Error                        | 2899 | 16063,019      | 5,541       |         |          |
| C. Total                     | 2902 | 16367,591      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 3,59542 | 0,11874   | 3,3626    | 3,8282    |
| 2     | 494    | 4,07490 | 0,10591   | 3,8672    | 4,2826    |
| 3     | 692    | 4,56069 | 0,08948   | 4,3852    | 4,7361    |
| 4     | 1324   | 4,46828 | 0,06469   | 4,3414    | 4,5951    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Mobilitet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005143 |
| Adj Rsquare                | 0,004113 |
| Root Mean Square Error     | 2,13736  |
| Mean of Response           | 3,535997 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 68,461         | 22,8202     | 4,9953  | 0,0019   |
| Error                        | 2899 | 13243,528      | 4,5683      |         |          |
| C. Total                     | 2902 | 13311,988      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 3,78117 | 0,10782   | 3,5698    | 3,9926    |
| 2     | 494    | 3,28138 | 0,09616   | 3,0928    | 3,4699    |
| 3     | 692    | 3,44220 | 0,08125   | 3,2829    | 3,6015    |
| 4     | 1324   | 3,60725 | 0,05874   | 3,4921    | 3,7224    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Egoisme/ Uselviskhet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,027984 |
| Adj Rsquare                | 0,026978 |
| Root Mean Square Error     | 2,457327 |
| Mean of Response           | 10,30865 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 503,973        | 167,991     | 27,8202 | <.0001   |
| Error                        | 2899 | 17505,480      | 6,038       |         |          |
| C. Total                     | 2902 | 18009,453      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 11,1298 | 0,12396   | 10,887    | 11,373    |
| 2     | 494    | 10,7429 | 0,11056   | 10,526    | 10,960    |
| 3     | 692    | 10,0925 | 0,09341   | 9,909     | 10,276    |
| 4     | 1324   | 10,0159 | 0,06753   | 9,883     | 10,148    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Familie By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003431 |
| Adj Rsquare                | 0,0024   |
| Root Mean Square Error     | 2,375398 |
| Mean of Response           | 10,64588 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 56,321         | 18,7738     | 3,3272  | 0,0189   |
| Error                        | 2899 | 16357,647      | 5,6425      |         |          |
| C. Total                     | 2902 | 16413,968      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 10,5878 | 0,11982   | 10,353    | 10,823    |
| 2     | 494    | 10,9393 | 0,10687   | 10,730    | 11,149    |
| 3     | 692    | 10,5159 | 0,09030   | 10,339    | 10,693    |
| 4     | 1324   | 10,6216 | 0,06528   | 10,494    | 10,750    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Nærmiljø By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003021 |
| Adj Rsquare                | 0,00199  |
| Root Mean Square Error     | 2,455753 |
| Mean of Response           | 8,426455 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 52,985         | 17,6615     | 2,9286  | 0,0325   |
| Error                        | 2899 | 17483,064      | 6,0307      |         |          |
| C. Total                     | 2902 | 17536,048      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 8,13232 | 0,12388   | 7,8894    | 8,3752    |
| 2     | 494    | 8,56680 | 0,11049   | 8,3502    | 8,7834    |
| 3     | 692    | 8,53757 | 0,09335   | 8,3545    | 8,7206    |
| 4     | 1324   | 8,40332 | 0,06749   | 8,2710    | 8,5357    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Status By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,026393 |
| Adj Rsquare                | 0,025385 |
| Root Mean Square Error     | 2,539906 |
| Mean of Response           | 3,86979  |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 506,978        | 168,993     | 26,1958 | <.0001   |
| Error                        | 2899 | 18701,803      | 6,451       |         |          |
| C. Total                     | 2902 | 19208,781      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 3,34606 | 0,12812   | 3,0948    | 3,5973    |
| 2     | 494    | 3,18016 | 0,11428   | 2,9561    | 3,4042    |
| 3     | 692    | 4,26445 | 0,09655   | 4,0751    | 4,4538    |
| 4     | 1324   | 4,07628 | 0,06980   | 3,9394    | 4,2132    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Likestilling By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010035 |
| Adj Rsquare                | 0,009011 |
| Root Mean Square Error     | 2,505359 |
| Mean of Response           | 9,483638 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 184,454        | 61,4848     | 9,7955  | <.0001   |
| Error                        | 2899 | 18196,518      | 6,2768      |         |          |
| C. Total                     | 2902 | 18380,973      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 10,0992 | 0,12638   | 9,8514    | 10,347    |
| 2     | 494    | 9,2955  | 0,11272   | 9,0745    | 9,517     |
| 3     | 692    | 9,3280  | 0,09524   | 9,1413    | 9,515     |
| 4     | 1324   | 9,4524  | 0,06885   | 9,3174    | 9,587     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Intoleranse/ Toleranse By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,021704 |
| Adj Rsquare                | 0,020692 |
| Root Mean Square Error     | 2,642668 |
| Mean of Response           | 7,147434 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 449,170        | 149,723     | 21,4390 | <.0001   |
| Error                        | 2899 | 20245,728      | 6,984       |         |          |
| C. Total                     | 2902 | 20694,898      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 8,05344 | 0,13330   | 7,7921    | 8,3148    |
| 2     | 494    | 7,18826 | 0,11890   | 6,9551    | 7,4214    |
| 3     | 692    | 6,73121 | 0,10046   | 6,5342    | 6,9282    |
| 4     | 1324   | 7,08082 | 0,07263   | 6,9384    | 7,2232    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Individualitet/ Konformisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,052901 |
| Adj Rsquare                | 0,051921 |
| Root Mean Square Error     | 3,068209 |
| Mean of Response           | 9,676542 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 1524,358       | 508,119     | 53,9754 | <.0001   |
| Error                        | 2899 | 27290,915      | 9,414       |         |          |
| C. Total                     | 2902 | 28815,272      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,9822  | 0,15477   | 7,679     | 8,286     |
| 2     | 494    | 9,3907  | 0,13805   | 9,120     | 9,661     |
| 3     | 692    | 10,2529 | 0,11664   | 10,024    | 10,482    |
| 4     | 1324   | 9,9849  | 0,08432   | 9,820     | 10,150    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Puritanisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,019659 |
| Adj Rsquare                | 0,018645 |
| Root Mean Square Error     | 2,923642 |
| Mean of Response           | 5,916293 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 496,923        | 165,641     | 19,3785 | <.0001   |
| Error                        | 2899 | 24779,736      | 8,548       |         |          |
| C. Total                     | 2902 | 25276,659      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 5,86768 | 0,14748   | 5,5785    | 6,1569    |
| 2     | 494    | 6,65385 | 0,13154   | 6,3959    | 6,9118    |
| 3     | 692    | 6,14451 | 0,11114   | 5,9266    | 6,3624    |
| 4     | 1324   | 5,53625 | 0,08035   | 5,3787    | 5,6938    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Lovlydighet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,024814 |
| Adj Rsquare                | 0,023805 |
| Root Mean Square Error     | 2,497237 |
| Mean of Response           | 10,60661 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 460,029        | 153,343     | 24,5892 | <.0001   |
| Error                        | 2899 | 18078,724      | 6,236       |         |          |
| C. Total                     | 2902 | 18538,753      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 10,4707 | 0,12597   | 10,224    | 10,718    |
| 2     | 494    | 11,3887 | 0,11236   | 11,168    | 11,609    |
| 3     | 692    | 10,7428 | 0,09493   | 10,557    | 10,929    |
| 4     | 1324   | 10,2840 | 0,06863   | 10,149    | 10,419    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tillitsfulhet/ Fryktsomhet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,017554 |
| Adj Rsquare                | 0,016537 |
| Root Mean Square Error     | 2,33313  |
| Mean of Response           | 2,854633 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 281,961        | 93,9869     | 17,2659 | <.0001   |
| Error                        | 2899 | 15780,695      | 5,4435      |         |          |
| C. Total                     | 2902 | 16062,655      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 2,20611 | 0,11769   | 1,9753    | 2,4369    |
| 2     | 494    | 2,64575 | 0,10497   | 2,4399    | 2,8516    |
| 3     | 692    | 3,20520 | 0,08869   | 3,0313    | 3,3791    |
| 4     | 1324   | 2,94184 | 0,06412   | 2,8161    | 3,0676    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Avmakt/ Herredømme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,029543 |
| Adj Rsquare                | 0,028539 |
| Root Mean Square Error     | 3,093493 |
| Mean of Response           | 10,31381 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 844,558        | 281,519     | 29,4178 | <.0001   |
| Error                        | 2899 | 27742,558      | 9,570       |         |          |
| C. Total                     | 2902 | 28587,116      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 11,6158 | 0,15605   | 11,310    | 11,922    |
| 2     | 494    | 10,1417 | 0,13918   | 9,869     | 10,415    |
| 3     | 692    | 9,8382  | 0,11760   | 9,608     | 10,069    |
| 4     | 1324   | 10,2402 | 0,08502   | 10,073    | 10,407    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Autoritet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,034762 |
| Adj Rsquare                | 0,033763 |
| Root Mean Square Error     | 4,191071 |
| Mean of Response           | 9,272132 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 1833,858       | 611,286     | 34,8012 | <.0001   |
| Error                        | 2899 | 50921,157      | 17,565      |         |          |
| C. Total                     | 2902 | 52755,016      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,5980  | 0,21141   | 7,1834    | 8,012     |
| 2     | 494    | 8,8036  | 0,18857   | 8,4339    | 9,173     |
| 3     | 692    | 10,1821 | 0,15932   | 9,8697    | 10,494    |
| 4     | 1324   | 9,4683  | 0,11518   | 9,2424    | 9,694     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Romantikk By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,007792 |
| Adj Rsquare                | 0,006765 |
| Root Mean Square Error     | 2,422642 |
| Mean of Response           | 7,695832 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 133,620        | 44,5399     | 7,5888  | <.0001   |
| Error                        | 2899 | 17014,800      | 5,8692      |         |          |
| C. Total                     | 2902 | 17148,420      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,71756 | 0,12221   | 7,4779    | 7,9572    |
| 2     | 494    | 8,12955 | 0,10900   | 7,9158    | 8,3433    |
| 3     | 692    | 7,70809 | 0,09210   | 7,5275    | 7,8887    |
| 4     | 1324   | 7,52115 | 0,06658   | 7,3906    | 7,6517    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nasjonalisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,013798 |
| Adj Rsquare                | 0,012777 |
| Root Mean Square Error     | 2,656823 |
| Mean of Response           | 8,321736 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 286,301        | 95,4336     | 13,5200 | <.0001   |
| Error                        | 2899 | 20463,198      | 7,0587      |         |          |
| C. Total                     | 2902 | 20749,498      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,78626 | 0,13402   | 7,5235    | 8,0490    |
| 2     | 494    | 8,85628 | 0,11954   | 8,6219    | 9,0907    |
| 3     | 692    | 8,46676 | 0,10100   | 8,2687    | 8,6648    |
| 4     | 1324   | 8,20544 | 0,07302   | 8,0623    | 8,3486    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Ulikhet/ Likhet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001077 |
| Adj Rsquare                | 0,000043 |
| Root Mean Square Error     | 3,375914 |
| Mean of Response           | 10,0527  |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 35,621         | 11,8735     | 1,0418  | 0,3728   |
| Error                        | 2899 | 33039,316      | 11,3968     |         |          |
| C. Total                     | 2902 | 33074,936      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 9,8295  | 0,17029   | 9,4956    | 10,163    |
| 2     | 494    | 10,0688 | 0,15189   | 9,7710    | 10,367    |
| 3     | 692    | 10,2023 | 0,12833   | 9,9507    | 10,454    |
| 4     | 1324   | 10,0347 | 0,09278   | 9,8528    | 10,217    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Industrivekst/ Miljøvern By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,01559  |
| Adj Rsquare                | 0,014571 |
| Root Mean Square Error     | 2,703936 |
| Mean of Response           | 7,77196  |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 335,664        | 111,888     | 15,3035 | <.0001   |
| Error                        | 2899 | 21195,373      | 7,311       |         |          |
| C. Total                     | 2902 | 21531,038      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 8,36132 | 0,13640   | 8,0939    | 8,6288    |
| 2     | 494    | 8,21660 | 0,12166   | 7,9781    | 8,4551    |
| 3     | 692    | 7,56936 | 0,10279   | 7,3678    | 7,7709    |
| 4     | 1324   | 7,53701 | 0,07431   | 7,3913    | 7,6827    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kollektivisme/ Privatisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001576 |
| Adj Rsquare                | 0,000543 |
| Root Mean Square Error     | 3,483659 |
| Mean of Response           | 8,489838 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 55,531         | 18,5103     | 1,5253  | 0,2059   |
| Error                        | 2899 | 35181,919      | 12,1359     |         |          |
| C. Total                     | 2902 | 35237,450      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 8,40204 | 0,17573   | 8,0575    | 8,7466    |
| 2     | 494    | 8,59109 | 0,15674   | 8,2838    | 8,8984    |
| 3     | 692    | 8,27023 | 0,13243   | 8,0106    | 8,5299    |
| 4     | 1324   | 8,59290 | 0,09574   | 8,4052    | 8,7806    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Regulering/ Marked By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00423  |
| Adj Rsquare                | 0,0032   |
| Root Mean Square Error     | 2,512681 |
| Mean of Response           | 6,07475  |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 77,759         | 25,9196     | 4,1054  | 0,0064   |
| Error                        | 2899 | 18303,020      | 6,3136      |         |          |
| C. Total                     | 2902 | 18380,779      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 5,97710 | 0,12675   | 5,7286    | 6,2256    |
| 2     | 494    | 5,96559 | 0,11305   | 5,7439    | 6,1873    |
| 3     | 692    | 5,87428 | 0,09552   | 5,6870    | 6,0616    |
| 4     | 1324   | 6,24924 | 0,06905   | 6,1138    | 6,3846    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Politikertillit By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001558 |
| Adj Rsquare                | 0,000525 |
| Root Mean Square Error     | 2,776253 |
| Mean of Response           | 3,693421 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 34,869         | 11,6229     | 1,5080  | 0,2104   |
| Error                        | 2899 | 22344,276      | 7,7076      |         |          |
| C. Total                     | 2902 | 22379,144      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 3,81679 | 0,14004   | 3,5422    | 4,0914    |
| 2     | 494    | 3,63360 | 0,12491   | 3,3887    | 3,8785    |
| 3     | 692    | 3,84393 | 0,10554   | 3,6370    | 4,0509    |
| 4     | 1324   | 3,60045 | 0,07630   | 3,4508    | 3,7501    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Teknologi By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009204 |
| Adj Rsquare                | 0,008179 |
| Root Mean Square Error     | 2,567649 |
| Mean of Response           | 7,661385 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 177,554        | 59,1846     | 8,9771  | <.0001   |
| Error                        | 2899 | 19112,587      | 6,5928      |         |          |
| C. Total                     | 2902 | 19290,141      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 7,94911 | 0,12952   | 7,6951    | 8,2031    |
| 2     | 494    | 7,33603 | 0,11552   | 7,1095    | 7,5625    |
| 3     | 692    | 7,39017 | 0,09761   | 7,1988    | 7,5816    |
| 4     | 1324   | 7,83912 | 0,07057   | 7,7008    | 7,9775    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kunstprodukt/ Naturprodukt By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010336 |
| Adj Rsquare                | 0,009312 |
| Root Mean Square Error     | 2,398139 |
| Mean of Response           | 6,375129 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 174,131        | 58,0437     | 10,0927 | <.0001   |
| Error                        | 2899 | 16672,353      | 5,7511      |         |          |
| C. Total                     | 2902 | 16846,484      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 6,72774 | 0,12097   | 6,4905    | 6,9649    |
| 2     | 494    | 6,74291 | 0,10790   | 6,5314    | 6,9545    |
| 3     | 692    | 6,13150 | 0,09116   | 5,9528    | 6,3103    |
| 4     | 1324   | 6,26057 | 0,06591   | 6,1313    | 6,3898    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Reklameskepsis By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,015216 |
| Adj Rsquare                | 0,014197 |
| Root Mean Square Error     | 3,080589 |
| Mean of Response           | 12,75921 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 425,098        | 141,699     | 14,9314 | <.0001   |
| Error                        | 2899 | 27511,593      | 9,490       |         |          |
| C. Total                     | 2902 | 27936,691      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 13,1476 | 0,15540   | 12,843    | 13,452    |
| 2     | 494    | 12,9899 | 0,13860   | 12,718    | 13,262    |
| 3     | 692    | 12,0896 | 0,11711   | 11,860    | 12,319    |
| 4     | 1324   | 12,9079 | 0,08466   | 12,742    | 13,074    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kosmopolitisme/ Lokalisme By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,035941 |
| Adj Rsquare                | 0,034943 |
| Root Mean Square Error     | 2,478489 |
| Mean of Response           | 5,330348 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 663,909        | 221,303     | 36,0258 | <.0001   |
| Error                        | 2899 | 17808,287      | 6,143       |         |          |
| C. Total                     | 2902 | 18472,196      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 4,27735 | 0,12502   | 4,0322    | 4,5225    |
| 2     | 494    | 5,00810 | 0,11151   | 4,7894    | 5,2267    |
| 3     | 692    | 5,72977 | 0,09422   | 5,5450    | 5,9145    |
| 4     | 1324   | 5,55438 | 0,06812   | 5,4208    | 5,6879    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tett/ Spredt By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003209 |
| Adj Rsquare                | 0,002177 |
| Root Mean Square Error     | 2,21856  |
| Mean of Response           | 3,744058 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 45,932         | 15,3106     | 3,1106  | 0,0253   |
| Error                        | 2899 | 14268,903      | 4,9220      |         |          |
| C. Total                     | 2902 | 14314,835      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 3,89059 | 0,11191   | 3,6712    | 4,1100    |
| 2     | 494    | 3,51012 | 0,09982   | 3,3144    | 3,7058    |
| 3     | 692    | 3,86416 | 0,08434   | 3,6988    | 4,0295    |
| 4     | 1324   | 3,72508 | 0,06097   | 3,6055    | 3,8446    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kameratskap By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,022459 |
| Adj Rsquare                | 0,021447 |
| Root Mean Square Error     | 1,850317 |
| Mean of Response           | 3,892181 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 228,027        | 76,0091     | 22,2010 | <.0001   |
| Error                        | 2899 | 9925,225       | 3,4237      |         |          |
| C. Total                     | 2902 | 10153,252      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 3,49618 | 0,09334   | 3,3132    | 3,6792    |
| 2     | 494    | 3,49393 | 0,08325   | 3,3307    | 3,6572    |
| 3     | 692    | 4,22543 | 0,07034   | 4,0875    | 4,3634    |
| 4     | 1324   | 3,98414 | 0,05085   | 3,8844    | 4,0838    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Spill By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,032188 |
| Adj Rsquare                | 0,031186 |
| Root Mean Square Error     | 2,60292  |
| Mean of Response           | 4,289011 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 653,237        | 217,746     | 32,1387 | <.0001   |
| Error                        | 2899 | 19641,282      | 6,775       |         |          |
| C. Total                     | 2902 | 20294,519      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 3,33588 | 0,13130   | 3,0784    | 3,5933    |
| 2     | 494    | 3,81984 | 0,11711   | 3,5902    | 4,0495    |
| 3     | 692    | 4,52023 | 0,09895   | 4,3262    | 4,7142    |
| 4     | 1324   | 4,62613 | 0,07153   | 4,4859    | 4,7664    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Lojalitet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010553 |
| Adj Rsquare                | 0,009529 |
| Root Mean Square Error     | 1,823254 |
| Mean of Response           | 4,454702 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 102,7818       | 34,2606     | 10,3063 | <.0001   |
| Error                        | 2899 | 9637,0115      | 3,3243      |         |          |
| C. Total                     | 2902 | 9739,7933      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 4,71247 | 0,09197   | 4,5321    | 4,8928    |
| 2     | 494    | 4,71255 | 0,08203   | 4,5517    | 4,8734    |
| 3     | 692    | 4,21098 | 0,06931   | 4,0751    | 4,3469    |
| 4     | 1324   | 4,40937 | 0,05011   | 4,3111    | 4,5076    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Frihet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,007749 |
| Adj Rsquare                | 0,006723 |
| Root Mean Square Error     | 3,155162 |
| Mean of Response           | 15,48467 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**


| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 225,392        | 75,1307     | 7,5470  | <.0001   |
| Error                        | 2899 | 28859,676      | 9,9550      |         |          |
| C. Total                     | 2902 | 29085,068      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 15,9338 | 0,15916   | 15,622    | 16,246    |
| 2     | 494    | 15,5425 | 0,14196   | 15,264    | 15,821    |
| 3     | 692    | 15,0405 | 0,11994   | 14,805    | 15,276    |
| 4     | 1324   | 15,5619 | 0,08671   | 15,392    | 15,732    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Solidaritet By BESØKE I BYGDENORGE 2-29-290**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00773  |
| Adj Rsquare                | 0,006703 |
| Root Mean Square Error     | 2,977999 |
| Mean of Response           | 9,998622 |
| Observations (or Sum Wgts) | 2903     |

**Analysis of Variance**

| Source                       | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|------------------------------|------|----------------|-------------|---------|----------|
| BESØKE I BYGDENORGE 2-29-290 | 3    | 200,272        | 66,7572     | 7,5275  | <.0001   |
| Error                        | 2899 | 25709,723      | 8,8685      |         |          |
| C. Total                     | 2902 | 25909,994      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 393    | 9,3944  | 0,15022   | 9,100     | 9,689     |
| 2     | 494    | 9,9453  | 0,13399   | 9,683     | 10,208    |
| 3     | 692    | 10,2702 | 0,11321   | 10,048    | 10,492    |
| 4     | 1324   | 10,0559 | 0,08184   | 9,895     | 10,216    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of Enig/ uenig 1-9-50-1 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-1

|                              |   | Enig/ uenig 1-9-50-1        |                               |                                |                                |                             |               |
|------------------------------|---|-----------------------------|-------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
|                              |   | 1                           | 2                             | 3                              | 4                              | 5                           |               |
| Count                        |   |                             |                               |                                |                                |                             |               |
| Total %                      |   |                             |                               |                                |                                |                             |               |
| Col %                        |   |                             |                               |                                |                                |                             |               |
| Row %                        |   |                             |                               |                                |                                |                             |               |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 22<br>0,76<br>13,66<br>5,60 | 40<br>1,38<br>11,76<br>10,18  | 196<br>6,76<br>13,99<br>49,87  | 134<br>4,62<br>13,70<br>34,10  | 1<br>0,03<br>5,56<br>0,25   | 393<br>13,56  |
|                              | 2 | 22<br>0,76<br>13,66<br>4,45 | 36<br>1,24<br>10,59<br>7,29   | 247<br>8,52<br>17,63<br>50,00  | 187<br>6,45<br>19,12<br>37,85  | 2<br>0,07<br>11,11<br>0,40  | 494<br>17,05  |
|                              | 3 | 48<br>1,66<br>29,81<br>6,97 | 74<br>2,55<br>21,76<br>10,74  | 318<br>10,97<br>22,70<br>46,15 | 246<br>8,49<br>25,15<br>35,70  | 3<br>0,10<br>16,67<br>0,44  | 689<br>23,78  |
|                              | 4 | 69<br>2,38<br>42,86<br>5,22 | 190<br>6,56<br>55,88<br>14,37 | 640<br>22,08<br>45,68<br>48,41 | 411<br>14,18<br>42,02<br>31,09 | 12<br>0,41<br>66,67<br>0,91 | 1322<br>45,62 |
|                              |   | 161<br>5,56                 | 340<br>11,73                  | 1401<br>48,34                  | 978<br>33,75                   | 18<br>0,62                  | 2898          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 16,3749   | 0,0049      |
| Error    | 2882 | 3349,6664 |             |
| C. Total | 2894 | 3366,0413 |             |
| N        | 2898 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 32,750    | 0,0011     |
| Pearson          | 31,919    | 0,0014     |

**Contingency Analysis of Enig/ uenig 1-9-50-2 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |       | Enig/ uenig 1-9-50-2 |       |       |       |       |       |
|------------------------------|-------|----------------------|-------|-------|-------|-------|-------|
|                              |       | 1                    | 2     | 3     | 4     | 5     |       |
| Count                        |       |                      |       |       |       |       |       |
| Total %                      |       |                      |       |       |       |       |       |
| Col %                        |       |                      |       |       |       |       |       |
| Row %                        |       |                      |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 72                   | 83    | 124   | 108   | 5     | 392   |
|                              |       | 2,49                 | 2,87  | 4,29  | 3,74  | 0,17  | 13,57 |
|                              |       | 17,10                | 15,60 | 13,00 | 11,79 | 7,58  |       |
|                              |       | 18,37                | 21,17 | 31,63 | 27,55 | 1,28  |       |
|                              |       |                      |       |       |       |       |       |
| 2                            | 83    | 95                   | 167   | 139   | 10    | 494   |       |
|                              |       | 2,87                 | 3,29  | 5,78  | 4,81  | 0,35  | 17,10 |
|                              |       | 19,71                | 17,86 | 17,51 | 15,17 | 15,15 |       |
|                              |       | 16,80                | 19,23 | 33,81 | 28,14 | 2,02  |       |
| 3                            | 79    | 128                  | 226   | 240   | 13    | 686   |       |
|                              |       | 2,73                 | 4,43  | 7,82  | 8,31  | 0,45  | 23,75 |
|                              |       | 18,76                | 24,06 | 23,69 | 26,20 | 19,70 |       |
|                              |       | 11,52                | 18,66 | 32,94 | 34,99 | 1,90  |       |
| 4                            | 187   | 226                  | 437   | 429   | 38    | 1317  |       |
|                              |       | 6,47                 | 7,82  | 15,13 | 14,85 | 1,32  | 45,59 |
|                              |       | 44,42                | 42,48 | 45,81 | 46,83 | 57,58 |       |
|                              |       | 14,20                | 17,16 | 33,18 | 32,57 | 2,89  |       |
|                              | 421   | 532                  | 954   | 916   | 66    | 2889  |       |
|                              | 14,57 | 18,41                | 33,02 | 31,71 | 2,28  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 12,3877   | 0,0030      |
| Error    | 2873 | 4057,2394 |             |
| C. Total | 2885 | 4069,6271 |             |
| N        | 2889 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,775    | 0,0159     |
| Pearson          | 24,549    | 0,0171     |

**Contingency Analysis of Enig/ uenig 1-9-50-3 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-3

|                              | 1 | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---|-------|-------|-------|-------|-------|-------|
| Count                        |   |       |       |       |       |       |       |
| Total %                      |   |       |       |       |       |       |       |
| Col %                        |   |       |       |       |       |       |       |
| Row %                        |   |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 21    | 35    | 147   | 185   | 5     | 393   |
|                              |   | 0,73  | 1,22  | 5,11  | 6,43  | 0,17  | 13,65 |
|                              |   | 7,22  | 8,14  | 12,65 | 20,29 | 5,95  |       |
|                              |   | 5,34  | 8,91  | 37,40 | 47,07 | 1,27  |       |
|                              | 2 | 48    | 88    | 188   | 156   | 13    | 493   |
|                              |   | 1,67  | 3,06  | 6,53  | 5,42  | 0,45  | 17,12 |
|                              |   | 16,49 | 20,47 | 16,18 | 17,11 | 15,48 |       |
|                              |   | 9,74  | 17,85 | 38,13 | 31,64 | 2,64  |       |
|                              | 3 | 83    | 123   | 288   | 167   | 19    | 680   |
|                              |   | 2,88  | 4,27  | 10,00 | 5,80  | 0,66  | 23,62 |
|                              |   | 28,52 | 28,60 | 24,78 | 18,31 | 22,62 |       |
|                              |   | 12,21 | 18,09 | 42,35 | 24,56 | 2,79  |       |
|                              | 4 | 139   | 184   | 539   | 404   | 47    | 1313  |
|                              |   | 4,83  | 6,39  | 18,72 | 14,03 | 1,63  | 45,61 |
|                              |   | 47,77 | 42,79 | 46,39 | 44,30 | 55,95 |       |
|                              |   | 10,59 | 14,01 | 41,05 | 30,77 | 3,58  |       |
|                              |   | 291   | 430   | 1162  | 912   | 84    | 2879  |
|                              |   | 10,11 | 14,94 | 40,36 | 31,68 | 2,92  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 39,6431   | 0,0102      |
| Error    | 2863 | 3844,4684 |             |
| C. Total | 2875 | 3884,1115 |             |
| N        | 2879 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 79,286    | <.0001     |
| Pearson          | 78,490    | <.0001     |

**Contingency Analysis of Enig/ uenig 1-9-50-4 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-4

|                              |   | Enig/ uenig 1-9-50-4 |       |       |       |       |       |
|------------------------------|---|----------------------|-------|-------|-------|-------|-------|
|                              |   | 1                    | 2     | 3     | 4     | 5     |       |
| Count                        |   |                      |       |       |       |       |       |
| Total %                      |   |                      |       |       |       |       |       |
| Col %                        |   |                      |       |       |       |       |       |
| Row %                        |   |                      |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 8                    | 16    | 109   | 252   | 8     | 393   |
|                              |   | 0,28                 | 0,55  | 3,77  | 8,73  | 0,28  | 13,61 |
|                              |   | 7,69                 | 9,82  | 12,10 | 15,41 | 9,41  |       |
|                              |   | 2,04                 | 4,07  | 27,74 | 64,12 | 2,04  |       |
|                              |   |                      |       |       |       |       |       |
|                              | 2 | 19                   | 23    | 129   | 311   | 10    | 492   |
|                              |   | 0,66                 | 0,80  | 4,47  | 10,77 | 0,35  | 17,04 |
|                              |   | 18,27                | 14,11 | 14,32 | 19,02 | 11,76 |       |
|                              |   | 3,86                 | 4,67  | 26,22 | 63,21 | 2,03  |       |
|                              | 3 | 27                   | 39    | 243   | 354   | 24    | 687   |
|                              |   | 0,93                 | 1,35  | 8,41  | 12,26 | 0,83  | 23,79 |
|                              |   | 25,96                | 23,93 | 26,97 | 21,65 | 28,24 |       |
|                              |   | 3,93                 | 5,68  | 35,37 | 51,53 | 3,49  |       |
|                              | 4 | 50                   | 85    | 420   | 718   | 43    | 1316  |
|                              |   | 1,73                 | 2,94  | 14,54 | 24,86 | 1,49  | 45,57 |
|                              |   | 48,08                | 52,15 | 46,61 | 43,91 | 50,59 |       |
|                              |   | 3,80                 | 6,46  | 31,91 | 54,56 | 3,27  |       |
|                              |   | 104                  | 163   | 901   | 1635  | 85    | 2888  |
|                              |   | 3,60                 | 5,64  | 31,20 | 56,61 | 2,94  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 16,5001   | 0,0053      |
| Error    | 2872 | 3077,1092 |             |
| C. Total | 2884 | 3093,6093 |             |
| N        | 2888 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,000    | 0,0010     |
| Pearson          | 32,158    | 0,0013     |

**Contingency Analysis of Enig/ uenig 1-9-50-5 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |       | Enig/ uenig 1-9-50-5 |       |       |       |       |       |
|------------------------------|-------|----------------------|-------|-------|-------|-------|-------|
|                              |       | 1                    | 2     | 3     | 4     | 5     |       |
| Count                        |       |                      |       |       |       |       |       |
| Total %                      |       |                      |       |       |       |       |       |
| Col %                        |       |                      |       |       |       |       |       |
| Row %                        |       |                      |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 52                   | 85    | 113   | 133   | 9     | 392   |
|                              |       | 1,80                 | 2,94  | 3,91  | 4,60  | 0,31  | 13,56 |
|                              |       | 17,75                | 20,19 | 16,03 | 9,45  | 14,29 |       |
|                              |       | 13,27                | 21,68 | 28,83 | 33,93 | 2,30  |       |
|                              |       |                      |       |       |       |       |       |
| 2                            | 41    | 69                   | 113   | 257   | 14    | 494   |       |
|                              |       | 1,42                 | 2,39  | 3,91  | 8,89  | 0,48  | 17,09 |
|                              |       | 13,99                | 16,39 | 16,03 | 18,25 | 22,22 |       |
|                              |       | 8,30                 | 13,97 | 22,87 | 52,02 | 2,83  |       |
| 3                            | 50    | 90                   | 181   | 353   | 11    | 685   |       |
|                              |       | 1,73                 | 3,11  | 6,26  | 12,21 | 0,38  | 23,70 |
|                              |       | 17,06                | 21,38 | 25,67 | 25,07 | 17,46 |       |
|                              |       | 7,30                 | 13,14 | 26,42 | 51,53 | 1,61  |       |
| 4                            | 150   | 177                  | 298   | 665   | 29    | 1319  |       |
|                              |       | 5,19                 | 6,12  | 10,31 | 23,01 | 1,00  | 45,64 |
|                              |       | 51,19                | 42,04 | 42,27 | 47,23 | 46,03 |       |
|                              |       | 11,37                | 13,42 | 22,59 | 50,42 | 2,20  |       |
|                              | 293   | 421                  | 705   | 1408  | 63    | 2890  |       |
|                              | 10,14 | 14,57                | 24,39 | 48,72 | 2,18  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 29,2080   | 0,0078      |
| Error    | 2874 | 3700,5550 |             |
| C. Total | 2886 | 3729,7630 |             |
| N        | 2890 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 58,416    | <.0001     |
| Pearson          | 57,927    | <.0001     |



**Contingency Analysis of Enig/ uenig 1-9-50-9 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-9

|                              | 1 | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---|-------|-------|-------|-------|-------|-------|
| Count                        |   |       |       |       |       |       |       |
| Total %                      |   |       |       |       |       |       |       |
| Col %                        |   |       |       |       |       |       |       |
| Row %                        |   |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 62    | 87    | 120   | 120   | 2     | 391   |
|                              |   | 2,15  | 3,01  | 4,16  | 4,16  | 0,07  | 13,55 |
|                              |   | 17,92 | 14,10 | 12,16 | 13,68 | 3,39  |       |
|                              |   | 15,86 | 22,25 | 30,69 | 30,69 | 0,51  |       |
|                              | 2 | 71    | 100   | 158   | 158   | 5     | 492   |
|                              |   | 2,46  | 3,47  | 5,47  | 5,47  | 0,17  | 17,05 |
|                              |   | 20,52 | 16,21 | 16,01 | 18,02 | 8,47  |       |
|                              |   | 14,43 | 20,33 | 32,11 | 32,11 | 1,02  |       |
|                              | 3 | 63    | 146   | 254   | 207   | 16    | 686   |
|                              |   | 2,18  | 5,06  | 8,80  | 7,17  | 0,55  | 23,77 |
|                              |   | 18,21 | 23,66 | 25,73 | 23,60 | 27,12 |       |
|                              |   | 9,18  | 21,28 | 37,03 | 30,17 | 2,33  |       |
|                              | 4 | 150   | 284   | 455   | 392   | 36    | 1317  |
|                              |   | 5,20  | 9,84  | 15,77 | 13,58 | 1,25  | 45,63 |
|                              |   | 43,35 | 46,03 | 46,10 | 44,70 | 61,02 |       |
|                              |   | 11,39 | 21,56 | 34,55 | 29,76 | 2,73  |       |
|                              |   | 346   | 617   | 987   | 877   | 59    | 2886  |
|                              |   | 11,99 | 21,38 | 34,20 | 30,39 | 2,04  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 14,7087   | 0,0037      |
| Error    | 2870 | 4004,2394 |             |
| C. Total | 2882 | 4018,9481 |             |
| N        | 2886 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,417    | 0,0034     |
| Pearson          | 27,373    | 0,0068     |

**Contingency Analysis of Enig/ uenig 1-9-50-10 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |         | Enig/ uenig 1-9-50-10 |       |       |       |       |       |
|------------------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                              |         | 1                     | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                       |       |       |       |       |       |
|                              | Total % |                       |       |       |       |       |       |
|                              | Col %   |                       |       |       |       |       |       |
|                              | Row %   |                       |       |       |       |       |       |
|                              |         |                       |       |       |       |       |       |
| 1                            | Count   | 7                     | 18    | 124   | 237   | 7     | 393   |
|                              | Total % | 0,24                  | 0,62  | 4,28  | 8,19  | 0,24  | 13,58 |
|                              | Col %   | 14,89                 | 9,73  | 12,55 | 14,59 | 14,00 |       |
|                              | Row %   | 1,78                  | 4,58  | 31,55 | 60,31 | 1,78  |       |
| 2                            | Count   | 11                    | 35    | 167   | 271   | 8     | 492   |
|                              | Total % | 0,38                  | 1,21  | 5,77  | 9,36  | 0,28  | 17,00 |
|                              | Col %   | 23,40                 | 18,92 | 16,90 | 16,69 | 16,00 |       |
|                              | Row %   | 2,24                  | 7,11  | 33,94 | 55,08 | 1,63  |       |
| 3                            | Count   | 14                    | 62    | 251   | 351   | 11    | 689   |
|                              | Total % | 0,48                  | 2,14  | 8,67  | 12,13 | 0,38  | 23,81 |
|                              | Col %   | 29,79                 | 33,51 | 25,40 | 21,61 | 22,00 |       |
|                              | Row %   | 2,03                  | 9,00  | 36,43 | 50,94 | 1,60  |       |
| 4                            | Count   | 15                    | 70    | 446   | 765   | 24    | 1320  |
|                              | Total % | 0,52                  | 2,42  | 15,41 | 26,43 | 0,83  | 45,61 |
|                              | Col %   | 31,91                 | 37,84 | 45,14 | 47,11 | 48,00 |       |
|                              | Row %   | 1,14                  | 5,30  | 33,79 | 57,95 | 1,82  |       |
|                              | Count   | 47                    | 185   | 988   | 1624  | 50    | 2894  |
|                              | Total % | 1,62                  | 6,39  | 34,14 | 56,12 | 1,73  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 11,5640   | 0,0040      |
| Error    | 2878 | 2893,8409 |             |
| C. Total | 2890 | 2905,4049 |             |
| N        | 2894 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 23,128    | 0,0267     |
| Pearson          | 23,476    | 0,0239     |

**Contingency Analysis of Enig/ uenig 1-9-50-13 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-13

|                              |         | Enig/ uenig 1-9-50-13 |       |       |       |       |       |
|------------------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                              |         | 1                     | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                       |       |       |       |       |       |
|                              | Total % |                       |       |       |       |       |       |
|                              | Col %   |                       |       |       |       |       |       |
|                              | Row %   |                       |       |       |       |       |       |
|                              |         |                       |       |       |       |       |       |
| 1                            | Count   | 26                    | 82    | 162   | 108   | 15    | 393   |
| 1                            | Total % | 0,90                  | 2,85  | 5,62  | 3,75  | 0,52  | 13,64 |
| 1                            | Col %   | 12,81                 | 15,83 | 14,00 | 13,06 | 8,47  |       |
| 1                            | Row %   | 6,62                  | 20,87 | 41,22 | 27,48 | 3,82  |       |
| 2                            | Count   | 43                    | 79    | 207   | 131   | 31    | 491   |
| 2                            | Total % | 1,49                  | 2,74  | 7,18  | 4,55  | 1,08  | 17,04 |
| 2                            | Col %   | 21,18                 | 15,25 | 17,89 | 15,84 | 17,51 |       |
| 2                            | Row %   | 8,76                  | 16,09 | 42,16 | 26,68 | 6,31  |       |
| 3                            | Count   | 45                    | 108   | 283   | 197   | 48    | 681   |
| 3                            | Total % | 1,56                  | 3,75  | 9,82  | 6,84  | 1,67  | 23,63 |
| 3                            | Col %   | 22,17                 | 20,85 | 24,46 | 23,82 | 27,12 |       |
| 3                            | Row %   | 6,61                  | 15,86 | 41,56 | 28,93 | 7,05  |       |
| 4                            | Count   | 89                    | 249   | 505   | 391   | 83    | 1317  |
| 4                            | Total % | 3,09                  | 8,64  | 17,52 | 13,57 | 2,88  | 45,70 |
| 4                            | Col %   | 43,84                 | 48,07 | 43,65 | 47,28 | 46,89 |       |
| 4                            | Row %   | 6,76                  | 18,91 | 38,34 | 29,69 | 6,30  |       |
|                              | Count   | 203                   | 518   | 1157  | 827   | 177   | 2882  |
|                              | Total % | 7,04                  | 17,97 | 40,15 | 28,70 | 6,14  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 7,9114    | 0,0020      |
| Error    | 2866 | 4001,9220 |             |
| C. Total | 2878 | 4009,8334 |             |
| N        | 2882 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,823    | 0,1995     |
| Pearson          | 15,439    | 0,2183     |

**Contingency Analysis of Valg av A el B 1-10-51-1 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-1

|                              | 1       | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---------|-------|-------|-------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   | 217   | 84    | 26    | 37    | 28    | 392   |
|                              | Total % | 7,50  | 2,90  | 0,90  | 1,28  | 0,97  | 13,55 |
|                              | Col %   | 12,93 | 15,64 | 17,22 | 14,51 | 10,26 |       |
|                              | Row %   | 55,36 | 21,43 | 6,63  | 9,44  | 7,14  |       |
|                              | Count   | 289   | 93    | 25    | 36    | 49    | 492   |
|                              | Total % | 9,99  | 3,21  | 0,86  | 1,24  | 1,69  | 17,00 |
|                              | Col %   | 17,22 | 17,32 | 16,56 | 14,12 | 17,95 |       |
|                              | Row %   | 58,74 | 18,90 | 5,08  | 7,32  | 9,96  |       |
|                              | Count   | 402   | 124   | 34    | 61    | 69    | 690   |
|                              | Total % | 13,89 | 4,28  | 1,17  | 2,11  | 2,38  | 23,84 |
| Col %                        | 23,96   | 23,09 | 22,52 | 23,92 | 25,27 |       |       |
| Row %                        | 58,26   | 17,97 | 4,93  | 8,84  | 10,00 |       |       |
| Count                        | 770     | 236   | 66    | 121   | 127   | 1320  |       |
| Total %                      | 26,61   | 8,15  | 2,28  | 4,18  | 4,39  | 45,61 |       |
| Col %                        | 45,89   | 43,95 | 43,71 | 47,45 | 46,52 |       |       |
| Row %                        | 58,33   | 17,88 | 5,00  | 9,17  | 9,62  |       |       |
| Count                        | 1678    | 537   | 151   | 255   | 273   | 2894  |       |
| Total %                      | 57,98   | 18,56 | 5,22  | 8,81  | 9,43  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 4,4154    | 0,0013      |
| Error    | 2878 | 3524,5587 |             |
| C. Total | 2890 | 3528,9741 |             |
| N        | 2894 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 8,831     | 0,7173     |
| Pearson          | 8,754     | 0,7238     |

**Contingency Analysis of Valg av A el B 1-10-51-2 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-2

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 198   | 57    | 32    | 40    | 65    | 392   |
|         | 6,85  | 1,97  | 1,11  | 1,38  | 2,25  | 13,55 |
|         | 20,97 | 15,45 | 14,10 | 11,36 | 6,50  |       |
|         | 50,51 | 14,54 | 8,16  | 10,20 | 16,58 |       |
| 2       | 195   | 58    | 39    | 40    | 158   | 490   |
|         | 6,74  | 2,01  | 1,35  | 1,38  | 5,46  | 16,94 |
|         | 20,66 | 15,72 | 17,18 | 11,36 | 15,80 |       |
|         | 39,80 | 11,84 | 7,96  | 8,16  | 32,24 |       |
| 3       | 186   | 81    | 59    | 96    | 269   | 691   |
|         | 6,43  | 2,80  | 2,04  | 3,32  | 9,30  | 23,89 |
|         | 19,70 | 21,95 | 25,99 | 27,27 | 26,90 |       |
|         | 26,92 | 11,72 | 8,54  | 13,89 | 38,93 |       |
| 4       | 365   | 173   | 97    | 176   | 508   | 1319  |
|         | 12,62 | 5,98  | 3,35  | 6,09  | 17,57 | 45,61 |
|         | 38,67 | 46,88 | 42,73 | 50,00 | 50,80 |       |
|         | 27,67 | 13,12 | 7,35  | 13,34 | 38,51 |       |
|         | 944   | 369   | 227   | 352   | 1000  | 2892  |
|         | 32,64 | 12,76 | 7,85  | 12,17 | 34,58 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 64,0657   | 0,0153      |
| Error    | 2876 | 4133,4969 |             |
| C. Total | 2888 | 4197,5626 |             |
| N        | 2892 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 128,131   | <.0001     |
| Pearson          | 123,909   | <.0001     |

**Contingency Analysis of Valg av A el B 1-10-51-5 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-5

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 148   | 62    | 32    | 37    | 113   | 392   |
|         | 5,13  | 2,15  | 1,11  | 1,28  | 3,91  | 13,58 |
|         | 14,65 | 20,60 | 17,68 | 11,21 | 10,61 |       |
|         | 37,76 | 15,82 | 8,16  | 9,44  | 28,83 |       |
| 2       | 184   | 47    | 34    | 64    | 161   | 490   |
|         | 6,37  | 1,63  | 1,18  | 2,22  | 5,58  | 16,97 |
|         | 18,22 | 15,61 | 18,78 | 19,39 | 15,12 |       |
|         | 37,55 | 9,59  | 6,94  | 13,06 | 32,86 |       |
| 3       | 208   | 61    | 48    | 76    | 298   | 691   |
|         | 7,20  | 2,11  | 1,66  | 2,63  | 10,32 | 23,93 |
|         | 20,59 | 20,27 | 26,52 | 23,03 | 27,98 |       |
|         | 30,10 | 8,83  | 6,95  | 11,00 | 43,13 |       |
| 4       | 470   | 131   | 67    | 153   | 493   | 1314  |
|         | 16,28 | 4,54  | 2,32  | 5,30  | 17,08 | 45,51 |
|         | 46,53 | 43,52 | 37,02 | 46,36 | 46,29 |       |
|         | 35,77 | 9,97  | 5,10  | 11,64 | 37,52 |       |
|         | 1010  | 301   | 181   | 330   | 1065  | 2887  |
|         | 34,98 | 10,43 | 6,27  | 11,43 | 36,89 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 22,0637   | 0,0055      |
| Error    | 2871 | 3998,2959 |             |
| C. Total | 2883 | 4020,3596 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 44,127    | <.0001     |
| Pearson          | 45,060    | <.0001     |

**Contingency Analysis of Utnytte/ verne natur 1-10-52 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Utnytte/ verne natur 1-10-52

|                              |         | Utnytte/ verne natur 1-10-52 |       |       |       |       |       |
|------------------------------|---------|------------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                            | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                              |       |       |       |       |       |
|                              | Total % |                              |       |       |       |       |       |
|                              | Col %   |                              |       |       |       |       |       |
|                              | Row %   |                              |       |       |       |       |       |
|                              |         |                              |       |       |       |       |       |
| 1                            | Count   | 208                          | 69    | 23    | 53    | 38    | 391   |
| 1                            | Total % | 7,19                         | 2,39  | 0,80  | 1,83  | 1,31  | 13,52 |
| 1                            | Col %   | 13,15                        | 17,65 | 10,85 | 15,82 | 10,24 |       |
| 1                            | Row %   | 53,20                        | 17,65 | 5,88  | 13,55 | 9,72  |       |
| 2                            | Count   | 279                          | 74    | 34    | 50    | 56    | 493   |
| 2                            | Total % | 9,65                         | 2,56  | 1,18  | 1,73  | 1,94  | 17,05 |
| 2                            | Col %   | 17,64                        | 18,93 | 16,04 | 14,93 | 15,09 |       |
| 2                            | Row %   | 56,59                        | 15,01 | 6,90  | 10,14 | 11,36 |       |
| 3                            | Count   | 386                          | 80    | 47    | 82    | 95    | 690   |
| 3                            | Total % | 13,35                        | 2,77  | 1,63  | 2,84  | 3,29  | 23,87 |
| 3                            | Col %   | 24,40                        | 20,46 | 22,17 | 24,48 | 25,61 |       |
| 3                            | Row %   | 55,94                        | 11,59 | 6,81  | 11,88 | 13,77 |       |
| 4                            | Count   | 709                          | 168   | 108   | 150   | 182   | 1317  |
| 4                            | Total % | 24,52                        | 5,81  | 3,74  | 5,19  | 6,30  | 45,56 |
| 4                            | Col %   | 44,82                        | 42,97 | 50,94 | 44,78 | 49,06 |       |
| 4                            | Row %   | 53,83                        | 12,76 | 8,20  | 11,39 | 13,82 |       |
|                              | Count   | 1582                         | 391   | 212   | 335   | 371   | 2891  |
|                              | Total % | 54,72                        | 13,52 | 7,33  | 11,59 | 12,83 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 9,6935    | 0,0026      |
| Error    | 2875 | 3763,9978 |             |
| C. Total | 2887 | 3773,6914 |             |
| N        | 2891 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,387    | 0,0796     |
| Pearson          | 19,460    | 0,0780     |

**Contingency Analysis of Enig / uenig 1-11-53-5 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig / uenig 1-11-53-5

|                              |       | Enig / uenig 1-11-53-5 |       |       |       |       |       |
|------------------------------|-------|------------------------|-------|-------|-------|-------|-------|
|                              |       | 1                      | 2     | 3     | 4     | 5     |       |
| Count                        |       |                        |       |       |       |       |       |
| Total %                      |       |                        |       |       |       |       |       |
| Col %                        |       |                        |       |       |       |       |       |
| Row %                        |       |                        |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 126                    | 63    | 95    | 101   | 7     | 392   |
|                              |       | 4,36                   | 2,18  | 3,29  | 3,50  | 0,24  | 13,57 |
|                              |       | 11,16                  | 15,91 | 15,35 | 15,01 | 9,72  |       |
|                              |       | 32,14                  | 16,07 | 24,23 | 25,77 | 1,79  |       |
|                              |       |                        |       |       |       |       |       |
| 2                            | 236   | 63                     | 102   | 82    | 11    | 494   |       |
|                              | 8,17  | 2,18                   | 3,53  | 2,84  | 0,38  | 17,10 |       |
|                              | 20,90 | 15,91                  | 16,48 | 12,18 | 15,28 |       |       |
|                              | 47,77 | 12,75                  | 20,65 | 16,60 | 2,23  |       |       |
| 3                            | 280   | 102                    | 157   | 123   | 25    | 687   |       |
|                              | 9,69  | 3,53                   | 5,43  | 4,26  | 0,87  | 23,78 |       |
|                              | 24,80 | 25,76                  | 25,36 | 18,28 | 34,72 |       |       |
|                              | 40,76 | 14,85                  | 22,85 | 17,90 | 3,64  |       |       |
| 4                            | 487   | 168                    | 265   | 367   | 29    | 1316  |       |
|                              | 16,86 | 5,82                   | 9,17  | 12,70 | 1,00  | 45,55 |       |
|                              | 43,14 | 42,42                  | 42,81 | 54,53 | 40,28 |       |       |
|                              | 37,01 | 12,77                  | 20,14 | 27,89 | 2,20  |       |       |
|                              | 1129  | 396                    | 619   | 673   | 72    | 2889  |       |
|                              | 39,08 | 13,71                  | 21,43 | 23,30 | 2,49  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 29,6579   | 0,0073      |
| Error    | 2873 | 4018,0157 |             |
| C. Total | 2885 | 4047,6736 |             |
| N        | 2889 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,316    | <.0001     |
| Pearson          | 59,019    | <.0001     |



**Contingency Analysis of Enig / uenig 1-11-53-10 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig / uenig 1-11-53-10

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 61    | 89    | 133   | 107   | 3     | 393   |
|         | 2,11  | 3,07  | 4,59  | 3,70  | 0,10  | 13,58 |
|         | 23,83 | 16,01 | 13,75 | 10,02 | 6,25  |       |
|         | 15,52 | 22,65 | 33,84 | 27,23 | 0,76  |       |
| 2       | 58    | 108   | 166   | 149   | 13    | 494   |
|         | 2,00  | 3,73  | 5,73  | 5,15  | 0,45  | 17,06 |
|         | 22,66 | 19,42 | 17,17 | 13,95 | 27,08 |       |
|         | 11,74 | 21,86 | 33,60 | 30,16 | 2,63  |       |
| 3       | 47    | 120   | 244   | 264   | 15    | 690   |
|         | 1,62  | 4,15  | 8,43  | 9,12  | 0,52  | 23,83 |
|         | 18,36 | 21,58 | 25,23 | 24,72 | 31,25 |       |
|         | 6,81  | 17,39 | 35,36 | 38,26 | 2,17  |       |
| 4       | 90    | 239   | 424   | 548   | 17    | 1318  |
|         | 3,11  | 8,26  | 14,65 | 18,93 | 0,59  | 45,53 |
|         | 35,16 | 42,99 | 43,85 | 51,31 | 35,42 |       |
|         | 6,83  | 18,13 | 32,17 | 41,58 | 1,29  |       |
|         | 256   | 556   | 967   | 1068  | 48    | 2895  |
|         | 8,84  | 19,21 | 33,40 | 36,89 | 1,66  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 35,0903   | 0,0091      |
| Error    | 2879 | 3825,3790 |             |
| C. Total | 2891 | 3860,4693 |             |
| N        | 2895 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 70,181    | <.0001     |
| Pearson          | 72,534    | <.0001     |

**Contingency Analysis of Enig/ uenig 1-13-58-8 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-13-58-8

|                              |         | Enig/ uenig 1-13-58-8 |       |       |       |       |       |
|------------------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                              |         | 1                     | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                       |       |       |       |       |       |
|                              | Total % |                       |       |       |       |       |       |
|                              | Col %   |                       |       |       |       |       |       |
|                              | Row %   |                       |       |       |       |       |       |
|                              |         |                       |       |       |       |       |       |
| 1                            | Count   | 44                    | 33    | 114   | 196   | 3     | 390   |
| 1                            | Total % | 1,52                  | 1,14  | 3,95  | 6,79  | 0,10  | 13,51 |
| 1                            | Col %   | 20,00                 | 12,36 | 14,04 | 12,75 | 6,00  |       |
| 1                            | Row %   | 11,28                 | 8,46  | 29,23 | 50,26 | 0,77  |       |
| 2                            | Count   | 36                    | 37    | 110   | 304   | 5     | 492   |
| 2                            | Total % | 1,25                  | 1,28  | 3,81  | 10,53 | 0,17  | 17,05 |
| 2                            | Col %   | 16,36                 | 13,86 | 13,55 | 19,78 | 10,00 |       |
| 2                            | Row %   | 7,32                  | 7,52  | 22,36 | 61,79 | 1,02  |       |
| 3                            | Count   | 39                    | 81    | 204   | 350   | 15    | 689   |
| 3                            | Total % | 1,35                  | 2,81  | 7,07  | 12,13 | 0,52  | 23,87 |
| 3                            | Col %   | 17,73                 | 30,34 | 25,12 | 22,77 | 30,00 |       |
| 3                            | Row %   | 5,66                  | 11,76 | 29,61 | 50,80 | 2,18  |       |
| 4                            | Count   | 101                   | 116   | 384   | 687   | 27    | 1315  |
| 4                            | Total % | 3,50                  | 4,02  | 13,31 | 23,80 | 0,94  | 45,56 |
| 4                            | Col %   | 45,91                 | 43,45 | 47,29 | 44,70 | 54,00 |       |
| 4                            | Row %   | 7,68                  | 8,82  | 29,20 | 52,24 | 2,05  |       |
|                              | Count   | 220                   | 267   | 812   | 1537  | 50    | 2886  |
|                              | Total % | 7,62                  | 9,25  | 28,14 | 53,26 | 1,73  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 18,9100   | 0,0056      |
| Error    | 2870 | 3383,7995 |             |
| C. Total | 2882 | 3402,7095 |             |
| N        | 2886 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 37,820    | 0,0002     |
| Pearson          | 37,787    | 0,0002     |

**Contingency Analysis of Enig/ uenig 1-13-58-23 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |       | Enig/ uenig 1-13-58-23 |       |       |       |       |       |
|------------------------------|-------|------------------------|-------|-------|-------|-------|-------|
|                              |       | 1                      | 2     | 3     | 4     | 5     |       |
| Count                        |       |                        |       |       |       |       |       |
| Total %                      |       |                        |       |       |       |       |       |
| Col %                        |       |                        |       |       |       |       |       |
| Row %                        |       |                        |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 49                     | 89    | 130   | 123   | 2     | 393   |
|                              |       | 1,69                   | 3,08  | 4,50  | 4,25  | 0,07  | 13,59 |
|                              |       | 13,17                  | 15,40 | 13,14 | 13,49 | 4,88  |       |
|                              |       | 12,47                  | 22,65 | 33,08 | 31,30 | 0,51  |       |
|                              |       |                        |       |       |       |       |       |
| 2                            | 82    | 98                     | 166   | 141   | 5     | 492   |       |
|                              | 2,84  | 3,39                   | 5,74  | 4,88  | 0,17  | 17,01 |       |
|                              | 22,04 | 16,96                  | 16,78 | 15,46 | 12,20 |       |       |
|                              | 16,67 | 19,92                  | 33,74 | 28,66 | 1,02  |       |       |
| 3                            | 64    | 138                    | 244   | 234   | 9     | 689   |       |
|                              | 2,21  | 4,77                   | 8,44  | 8,09  | 0,31  | 23,82 |       |
|                              | 17,20 | 23,88                  | 24,67 | 25,66 | 21,95 |       |       |
|                              | 9,29  | 20,03                  | 35,41 | 33,96 | 1,31  |       |       |
| 4                            | 177   | 253                    | 449   | 414   | 25    | 1318  |       |
|                              | 6,12  | 8,75                   | 15,53 | 14,32 | 0,86  | 45,57 |       |
|                              | 47,58 | 43,77                  | 45,40 | 45,39 | 60,98 |       |       |
|                              | 13,43 | 19,20                  | 34,07 | 31,41 | 1,90  |       |       |
|                              | 372   | 578                    | 989   | 912   | 41    | 2892  |       |
|                              | 12,86 | 19,99                  | 34,20 | 31,54 | 1,42  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 11,7490   | 0,0030      |
| Error    | 2876 | 3970,0207 |             |
| C. Total | 2888 | 3981,7697 |             |
| N        | 2892 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 23,498    | 0,0238     |
| Pearson          | 22,671    | 0,0306     |

**Contingency Analysis of Enig/ uenig 2-1-201-1 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |       | Enig/ uenig 2-1-201-1 |       |       |       |       |       |
|------------------------------|-------|-----------------------|-------|-------|-------|-------|-------|
|                              |       | 1                     | 2     | 3     | 4     | 5     |       |
| Count                        |       |                       |       |       |       |       |       |
| Total %                      |       |                       |       |       |       |       |       |
| Col %                        |       |                       |       |       |       |       |       |
| Row %                        |       |                       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 39                    | 112   | 182   | 54    | 3     | 390   |
|                              |       | 1,36                  | 3,90  | 6,34  | 1,88  | 0,10  | 13,58 |
|                              |       | 15,12                 | 16,87 | 13,34 | 9,47  | 18,75 |       |
|                              |       | 10,00                 | 28,72 | 46,67 | 13,85 | 0,77  |       |
|                              |       |                       |       |       |       |       |       |
| 2                            | 75    | 141                   | 200   | 70    | 3     | 489   |       |
|                              | 2,61  | 4,91                  | 6,96  | 2,44  | 0,10  | 17,03 |       |
|                              | 29,07 | 21,23                 | 14,66 | 12,28 | 18,75 |       |       |
|                              | 15,34 | 28,83                 | 40,90 | 14,31 | 0,61  |       |       |
|                              |       |                       |       |       |       |       |       |
| 3                            | 58    | 149                   | 339   | 134   | 1     | 681   |       |
|                              | 2,02  | 5,19                  | 11,80 | 4,67  | 0,03  | 23,71 |       |
|                              | 22,48 | 22,44                 | 24,85 | 23,51 | 6,25  |       |       |
|                              | 8,52  | 21,88                 | 49,78 | 19,68 | 0,15  |       |       |
|                              |       |                       |       |       |       |       |       |
| 4                            | 86    | 262                   | 643   | 312   | 9     | 1312  |       |
|                              | 2,99  | 9,12                  | 22,39 | 10,86 | 0,31  | 45,68 |       |
|                              | 33,33 | 39,46                 | 47,14 | 54,74 | 56,25 |       |       |
|                              | 6,55  | 19,97                 | 49,01 | 23,78 | 0,69  |       |       |
|                              |       |                       |       |       |       |       |       |
|                              | 258   | 664                   | 1364  | 570   | 16    | 2872  |       |
|                              | 8,98  | 23,12                 | 47,49 | 19,85 | 0,56  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 40,7504   | 0,0113      |
| Error    | 2856 | 3573,8173 |             |
| C. Total | 2868 | 3614,5677 |             |
| N        | 2872 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 81,501    | <.0001     |
| Pearson          | 83,046    | <.0001     |

**Contingency Analysis of Enig/ uenig 2-1-201-2 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

|                              |   | Enig/ uenig 2-1-201-2       |                               |                                |                                |                             |               |
|------------------------------|---|-----------------------------|-------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
|                              |   | 1                           | 2                             | 3                              | 4                              | 5                           |               |
| Count                        |   |                             |                               |                                |                                |                             |               |
| Total %                      |   |                             |                               |                                |                                |                             |               |
| Col %                        |   |                             |                               |                                |                                |                             |               |
| Row %                        |   |                             |                               |                                |                                |                             |               |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 17<br>0,59<br>10,97<br>4,36 | 40<br>1,39<br>10,87<br>10,26  | 189<br>6,57<br>14,03<br>48,46  | 139<br>4,83<br>14,46<br>35,64  | 5<br>0,17<br>10,87<br>1,28  | 390<br>13,56  |
|                              | 2 | 18<br>0,63<br>11,61<br>3,70 | 44<br>1,53<br>11,96<br>9,03   | 208<br>7,23<br>15,44<br>42,71  | 203<br>7,06<br>21,12<br>41,68  | 14<br>0,49<br>30,43<br>2,87 | 487<br>16,93  |
|                              | 3 | 39<br>1,36<br>25,16<br>5,67 | 112<br>3,89<br>30,43<br>16,28 | 316<br>10,98<br>23,46<br>45,93 | 211<br>7,33<br>21,96<br>30,67  | 10<br>0,35<br>21,74<br>1,45 | 688<br>23,91  |
|                              | 4 | 81<br>2,82<br>52,26<br>6,17 | 172<br>5,98<br>46,74<br>13,11 | 634<br>22,04<br>47,07<br>48,32 | 408<br>14,18<br>42,46<br>31,10 | 17<br>0,59<br>36,96<br>1,30 | 1312<br>45,60 |
|                              |   | 155<br>5,39                 | 368<br>12,79                  | 1347<br>46,82                  | 961<br>33,40                   | 46<br>1,60                  | 2877          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 20,4876   | 0,0059      |
| Error    | 2861 | 3455,2517 |             |
| C. Total | 2873 | 3475,7393 |             |
| N        | 2877 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 40,975    | <.0001     |
| Pearson          | 41,925    | <.0001     |

**Contingency Analysis of Enig/ uenig 2-1-201-8 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-8

|                              |         | Enig/ uenig 2-1-201-8 |       |       |       |       |       |
|------------------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                              |         | 1                     | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                       |       |       |       |       |       |
|                              | Total % |                       |       |       |       |       |       |
|                              | Col %   |                       |       |       |       |       |       |
|                              | Row %   |                       |       |       |       |       |       |
|                              |         |                       |       |       |       |       |       |
| 1                            |         | 152                   | 160   | 56    | 18    | 4     | 390   |
|                              |         | 5,30                  | 5,57  | 1,95  | 0,63  | 0,14  | 13,59 |
|                              |         | 10,43                 | 18,43 | 13,63 | 17,48 | 12,90 |       |
|                              |         | 38,97                 | 41,03 | 14,36 | 4,62  | 1,03  |       |
| 2                            |         | 290                   | 139   | 44    | 11    | 6     | 490   |
|                              |         | 10,10                 | 4,84  | 1,53  | 0,38  | 0,21  | 17,07 |
|                              |         | 19,90                 | 16,01 | 10,71 | 10,68 | 19,35 |       |
|                              |         | 59,18                 | 28,37 | 8,98  | 2,24  | 1,22  |       |
| 3                            |         | 340                   | 196   | 110   | 31    | 6     | 683   |
|                              |         | 11,85                 | 6,83  | 3,83  | 1,08  | 0,21  | 23,80 |
|                              |         | 23,34                 | 22,58 | 26,76 | 30,10 | 19,35 |       |
|                              |         | 49,78                 | 28,70 | 16,11 | 4,54  | 0,88  |       |
| 4                            |         | 675                   | 373   | 201   | 43    | 15    | 1307  |
|                              |         | 23,52                 | 13,00 | 7,00  | 1,50  | 0,52  | 45,54 |
|                              |         | 46,33                 | 42,97 | 48,91 | 41,75 | 48,39 |       |
|                              |         | 51,64                 | 28,54 | 15,38 | 3,29  | 1,15  |       |
|                              |         | 1457                  | 868   | 411   | 103   | 31    | 2870  |
|                              |         | 50,77                 | 30,24 | 14,32 | 3,59  | 1,08  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 27,1487   | 0,0082      |
| Error    | 2854 | 3280,4732 |             |
| C. Total | 2866 | 3307,6219 |             |
| N        | 2870 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 54,297    | <.0001     |
| Pearson          | 53,582    | <.0001     |

**Contingency Analysis of Enig/ uenig 2-1-201-26 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-26

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 92    | 88    | 99    | 105   | 4     | 388   |
|         | 3,21  | 3,07  | 3,46  | 3,67  | 0,14  | 13,56 |
|         | 16,25 | 16,00 | 14,86 | 10,24 | 7,27  |       |
|         | 23,71 | 22,68 | 25,52 | 27,06 | 1,03  |       |
| 2       | 103   | 91    | 95    | 188   | 6     | 483   |
|         | 3,60  | 3,18  | 3,32  | 6,57  | 0,21  | 16,88 |
|         | 18,20 | 16,55 | 14,26 | 18,34 | 10,91 |       |
|         | 21,33 | 18,84 | 19,67 | 38,92 | 1,24  |       |
| 3       | 110   | 131   | 163   | 264   | 14    | 682   |
|         | 3,84  | 4,58  | 5,70  | 9,22  | 0,49  | 23,83 |
|         | 19,43 | 23,82 | 24,47 | 25,76 | 25,45 |       |
|         | 16,13 | 19,21 | 23,90 | 38,71 | 2,05  |       |
| 4       | 261   | 240   | 309   | 468   | 31    | 1309  |
|         | 9,12  | 8,39  | 10,80 | 16,35 | 1,08  | 45,74 |
|         | 46,11 | 43,64 | 46,40 | 45,66 | 56,36 |       |
|         | 19,94 | 18,33 | 23,61 | 35,75 | 2,37  |       |
|         | 566   | 550   | 666   | 1025  | 55    | 2862  |
|         | 19,78 | 19,22 | 23,27 | 35,81 | 1,92  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 15,7593   | 0,0039      |
| Error    | 2846 | 4049,5679 |             |
| C. Total | 2858 | 4065,3272 |             |
| N        | 2862 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 31,519    | 0,0016     |
| Pearson          | 30,311    | 0,0025     |

**Contingency Analysis of Enig/ uenig 2-1-201-60 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-60

|                              |         | Enig/ uenig 2-1-201-60 |       |       |       |       |       |
|------------------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                      | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                        |       |       |       |       |       |
|                              | Total % |                        |       |       |       |       |       |
|                              | Col %   |                        |       |       |       |       |       |
|                              | Row %   |                        |       |       |       |       |       |
|                              |         |                        |       |       |       |       |       |
| 1                            | Count   | 48                     | 97    | 155   | 87    | 2     | 389   |
| 1                            | Total % | 1,68                   | 3,39  | 5,41  | 3,04  | 0,07  | 13,58 |
| 1                            | Col %   | 14,20                  | 14,56 | 12,87 | 14,08 | 5,26  |       |
| 1                            | Row %   | 12,34                  | 24,94 | 39,85 | 22,37 | 0,51  |       |
| 2                            | Count   | 36                     | 77    | 227   | 142   | 1     | 483   |
| 2                            | Total % | 1,26                   | 2,69  | 7,93  | 4,96  | 0,03  | 16,86 |
| 2                            | Col %   | 10,65                  | 11,56 | 18,85 | 22,98 | 2,63  |       |
| 2                            | Row %   | 7,45                   | 15,94 | 47,00 | 29,40 | 0,21  |       |
| 3                            | Count   | 77                     | 175   | 289   | 130   | 11    | 682   |
| 3                            | Total % | 2,69                   | 6,11  | 10,09 | 4,54  | 0,38  | 23,81 |
| 3                            | Col %   | 22,78                  | 26,28 | 24,00 | 21,04 | 28,95 |       |
| 3                            | Row %   | 11,29                  | 25,66 | 42,38 | 19,06 | 1,61  |       |
| 4                            | Count   | 177                    | 317   | 533   | 259   | 24    | 1310  |
| 4                            | Total % | 6,18                   | 11,07 | 18,61 | 9,04  | 0,84  | 45,74 |
| 4                            | Col %   | 52,37                  | 47,60 | 44,27 | 41,91 | 63,16 |       |
| 4                            | Row %   | 13,51                  | 24,20 | 40,69 | 19,77 | 1,83  |       |
|                              | Count   | 338                    | 666   | 1204  | 618   | 38    | 2864  |
|                              | Total % | 11,80                  | 23,25 | 42,04 | 21,58 | 1,33  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 29,9606   | 0,0078      |
| Error    | 2848 | 3819,1008 |             |
| C. Total | 2860 | 3849,0613 |             |
| N        | 2864 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,921    | <.0001     |
| Pearson          | 56,097    | <.0001     |



**Contingency Analysis of Enig/ uenig 2-1-201-77 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-77

|                              |         | Enig/ uenig 2-1-201-77 |       |       |       |       |       |
|------------------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                      | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                        |       |       |       |       |       |
|                              | Total % |                        |       |       |       |       |       |
|                              | Col %   |                        |       |       |       |       |       |
|                              | Row %   |                        |       |       |       |       |       |
|                              |         |                        |       |       |       |       |       |
| 1                            | Count   | 87                     | 134   | 111   | 43    | 11    | 386   |
| 1                            | Total % | 3,06                   | 4,71  | 3,90  | 1,51  | 0,39  | 13,57 |
| 1                            | Col %   | 13,30                  | 16,67 | 12,88 | 9,86  | 12,36 |       |
| 1                            | Row %   | 22,54                  | 34,72 | 28,76 | 11,14 | 2,85  |       |
| 2                            | Count   | 117                    | 141   | 144   | 70    | 12    | 484   |
| 2                            | Total % | 4,11                   | 4,96  | 5,06  | 2,46  | 0,42  | 17,01 |
| 2                            | Col %   | 17,89                  | 17,54 | 16,71 | 16,06 | 13,48 |       |
| 2                            | Row %   | 24,17                  | 29,13 | 29,75 | 14,46 | 2,48  |       |
| 3                            | Count   | 132                    | 190   | 210   | 119   | 25    | 676   |
| 3                            | Total % | 4,64                   | 6,68  | 7,38  | 4,18  | 0,88  | 23,76 |
| 3                            | Col %   | 20,18                  | 23,63 | 24,36 | 27,29 | 28,09 |       |
| 3                            | Row %   | 19,53                  | 28,11 | 31,07 | 17,60 | 3,70  |       |
| 4                            | Count   | 318                    | 339   | 397   | 204   | 41    | 1299  |
| 4                            | Total % | 11,18                  | 11,92 | 13,95 | 7,17  | 1,44  | 45,66 |
| 4                            | Col %   | 48,62                  | 42,16 | 46,06 | 46,79 | 46,07 |       |
| 4                            | Row %   | 24,48                  | 26,10 | 30,56 | 15,70 | 3,16  |       |
|                              | Count   | 654                    | 804   | 862   | 436   | 89    | 2845  |
|                              | Total % | 22,99                  | 28,26 | 30,30 | 15,33 | 3,13  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 11,1611   | 0,0027      |
| Error    | 2829 | 4121,8209 |             |
| C. Total | 2841 | 4132,9820 |             |
| N        | 2845 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 22,322    | 0,0341     |
| Pearson          | 22,112    | 0,0363     |

**Contingency Analysis of Stemmer med min men 2-8-226-7 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-7

|         | 1     | 2     | 3     | 4     |       |
|---------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |
| Total % |       |       |       |       |       |
| Col %   |       |       |       |       |       |
| Row %   |       |       |       |       |       |
| 1       | 83    | 131   | 142   | 33    | 389   |
|         | 2,91  | 4,59  | 4,97  | 1,16  | 13,62 |
|         | 17,51 | 17,58 | 12,40 | 6,69  |       |
|         | 21,34 | 33,68 | 36,50 | 8,48  |       |
| 2       | 93    | 156   | 176   | 54    | 479   |
|         | 3,26  | 5,46  | 6,16  | 1,89  | 16,77 |
|         | 19,62 | 20,94 | 15,37 | 10,95 |       |
|         | 19,42 | 32,57 | 36,74 | 11,27 |       |
| 3       | 89    | 168   | 294   | 131   | 682   |
|         | 3,12  | 5,88  | 10,29 | 4,59  | 23,87 |
|         | 18,78 | 22,55 | 25,68 | 26,57 |       |
|         | 13,05 | 24,63 | 43,11 | 19,21 |       |
| 4       | 209   | 290   | 533   | 275   | 1307  |
|         | 7,32  | 10,15 | 18,66 | 9,63  | 45,75 |
|         | 44,09 | 38,93 | 46,55 | 55,78 |       |
|         | 15,99 | 22,19 | 40,78 | 21,04 |       |
|         | 474   | 745   | 1145  | 493   | 2857  |
|         | 16,59 | 26,08 | 40,08 | 17,26 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 9    | 42,5525   | 0,0113      |
| Error    | 2845 | 3723,4506 |             |
| C. Total | 2854 | 3766,0031 |             |
| N        | 2857 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 85,105    | <.0001     |
| Pearson          | 81,433    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,055193 | 0,010433 |

Kappa measures the degree of agreement.

**Contingency Analysis of Stemmer med min men 2-8-226-14 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-14

|                              | 1     | 2     | 3     | 4     |       |       |
|------------------------------|-------|-------|-------|-------|-------|-------|
| Count                        |       |       |       |       |       |       |
| Total %                      |       |       |       |       |       |       |
| Col %                        |       |       |       |       |       |       |
| Row %                        |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1     | 76    | 101   | 164   | 50    | 391   |
|                              |       | 2,65  | 3,53  | 5,73  | 1,75  | 13,65 |
|                              |       | 22,42 | 13,12 | 13,61 | 9,09  |       |
|                              |       | 19,44 | 25,83 | 41,94 | 12,79 |       |
|                              | 2     | 70    | 159   | 196   | 59    | 484   |
|                              |       | 2,44  | 5,55  | 6,84  | 2,06  | 16,90 |
|                              |       | 20,65 | 20,65 | 16,27 | 10,73 |       |
|                              |       | 14,46 | 32,85 | 40,50 | 12,19 |       |
|                              | 3     | 58    | 178   | 306   | 141   | 683   |
|                              |       | 2,03  | 6,22  | 10,68 | 4,92  | 23,85 |
|                              |       | 17,11 | 23,12 | 25,39 | 25,64 |       |
|                              |       | 8,49  | 26,06 | 44,80 | 20,64 |       |
|                              | 4     | 135   | 332   | 539   | 300   | 1306  |
|                              |       | 4,71  | 11,59 | 18,82 | 10,47 | 45,60 |
|                              |       | 39,82 | 43,12 | 44,73 | 54,55 |       |
|                              |       | 10,34 | 25,42 | 41,27 | 22,97 |       |
|                              | 339   | 770   | 1205  | 550   | 2864  |       |
|                              | 11,84 | 26,89 | 42,07 | 19,20 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 9    | 35,4860   | 0,0096      |
| Error    | 2852 | 3650,1382 |             |
| C. Total | 2861 | 3685,6243 |             |
| N        | 2864 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 70,972    | <.0001     |
| Pearson          | 71,488    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,058818 | 0,010703 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-1 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-1

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 136   | 170   | 61    | 10    | 3     | 380   |
|         | 4,82  | 6,02  | 2,16  | 0,35  | 0,11  | 13,46 |
|         | 14,81 | 14,12 | 11,84 | 7,81  | 5,17  |       |
|         | 35,79 | 44,74 | 16,05 | 2,63  | 0,79  |       |
| 2       | 150   | 189   | 100   | 24    | 7     | 470   |
|         | 5,31  | 6,70  | 3,54  | 0,85  | 0,25  | 16,65 |
|         | 16,34 | 15,70 | 19,42 | 18,75 | 12,07 |       |
|         | 31,91 | 40,21 | 21,28 | 5,11  | 1,49  |       |
| 3       | 196   | 285   | 133   | 35    | 22    | 671   |
|         | 6,94  | 10,10 | 4,71  | 1,24  | 0,78  | 23,77 |
|         | 21,35 | 23,67 | 25,83 | 27,34 | 37,93 |       |
|         | 29,21 | 42,47 | 19,82 | 5,22  | 3,28  |       |
| 4       | 436   | 560   | 221   | 59    | 26    | 1302  |
|         | 15,44 | 19,84 | 7,83  | 2,09  | 0,92  | 46,12 |
|         | 47,49 | 46,51 | 42,91 | 46,09 | 44,83 |       |
|         | 33,49 | 43,01 | 16,97 | 4,53  | 2,00  |       |
|         | 918   | 1204  | 515   | 128   | 58    | 2823  |
|         | 32,52 | 42,65 | 18,24 | 4,53  | 2,05  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 11,9155   | 0,0034      |
| Error    | 2807 | 3542,8395 |             |
| C. Total | 2819 | 3554,7551 |             |
| N        | 2823 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 23,831    | 0,0214     |
| Pearson          | 23,127    | 0,0267     |

**Contingency Analysis of Reisemåtevalg 2-28-284-2 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-2

|                              |         | Reisemåtevalg 2-28-284-2 |       |       |       |       |       |
|------------------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                        | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                          |       |       |       |       |       |
|                              | Total % |                          |       |       |       |       |       |
|                              | Col %   |                          |       |       |       |       |       |
|                              | Row %   |                          |       |       |       |       |       |
|                              |         |                          |       |       |       |       |       |
| 1                            | Count   | 174                      | 169   | 29    | 7     | 3     | 382   |
| 1                            | Total % | 6,10                     | 5,93  | 1,02  | 0,25  | 0,11  | 13,40 |
| 1                            | Col %   | 13,00                    | 14,54 | 11,89 | 12,50 | 5,88  |       |
| 1                            | Row %   | 45,55                    | 44,24 | 7,59  | 1,83  | 0,79  |       |
| 2                            | Count   | 239                      | 190   | 39    | 8     | 9     | 485   |
| 2                            | Total % | 8,38                     | 6,66  | 1,37  | 0,28  | 0,32  | 17,01 |
| 2                            | Col %   | 17,86                    | 16,35 | 15,98 | 14,29 | 17,65 |       |
| 2                            | Row %   | 49,28                    | 39,18 | 8,04  | 1,65  | 1,86  |       |
| 3                            | Count   | 331                      | 271   | 50    | 10    | 16    | 678   |
| 3                            | Total % | 11,61                    | 9,51  | 1,75  | 0,35  | 0,56  | 23,78 |
| 3                            | Col %   | 24,74                    | 23,32 | 20,49 | 17,86 | 31,37 |       |
| 3                            | Row %   | 48,82                    | 39,97 | 7,37  | 1,47  | 2,36  |       |
| 4                            | Count   | 594                      | 532   | 126   | 31    | 23    | 1306  |
| 4                            | Total % | 20,83                    | 18,66 | 4,42  | 1,09  | 0,81  | 45,81 |
| 4                            | Col %   | 44,39                    | 45,78 | 51,64 | 55,36 | 45,10 |       |
| 4                            | Row %   | 45,48                    | 40,74 | 9,65  | 2,37  | 1,76  |       |
|                              | Count   | 1338                     | 1162  | 244   | 56    | 51    | 2851  |
|                              | Total % | 46,93                    | 40,76 | 8,56  | 1,96  | 1,79  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 6,4650    | 0,0021      |
| Error    | 2835 | 3073,7526 |             |
| C. Total | 2847 | 3080,2177 |             |
| N        | 2851 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 12,930    | 0,3741     |
| Pearson          | 12,476    | 0,4083     |

**Contingency Analysis of Reisemåtevalg 2-28-284-3 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-3

|                              |         | Reisemåtevalg 2-28-284-3 |       |       |       |       |       |
|------------------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                        | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                          |       |       |       |       |       |
|                              | Total % |                          |       |       |       |       |       |
|                              | Col %   |                          |       |       |       |       |       |
|                              | Row %   |                          |       |       |       |       |       |
|                              |         |                          |       |       |       |       |       |
| 1                            | Count   | 139                      | 167   | 58    | 6     | 5     | 375   |
| 1                            | Total % | 4,93                     | 5,93  | 2,06  | 0,21  | 0,18  | 13,31 |
| 1                            | Col %   | 13,23                    | 14,22 | 12,89 | 6,74  | 9,26  |       |
| 1                            | Row %   | 37,07                    | 44,53 | 15,47 | 1,60  | 1,33  |       |
| 2                            | Count   | 191                      | 189   | 74    | 14    | 7     | 475   |
| 2                            | Total % | 6,78                     | 6,71  | 2,63  | 0,50  | 0,25  | 16,86 |
| 2                            | Col %   | 18,17                    | 16,10 | 16,44 | 15,73 | 12,96 |       |
| 2                            | Row %   | 40,21                    | 39,79 | 15,58 | 2,95  | 1,47  |       |
| 3                            | Count   | 242                      | 287   | 103   | 21    | 17    | 670   |
| 3                            | Total % | 8,59                     | 10,18 | 3,66  | 0,75  | 0,60  | 23,78 |
| 3                            | Col %   | 23,03                    | 24,45 | 22,89 | 23,60 | 31,48 |       |
| 3                            | Row %   | 36,12                    | 42,84 | 15,37 | 3,13  | 2,54  |       |
| 4                            | Count   | 479                      | 531   | 215   | 48    | 25    | 1298  |
| 4                            | Total % | 17,00                    | 18,84 | 7,63  | 1,70  | 0,89  | 46,06 |
| 4                            | Col %   | 45,58                    | 45,23 | 47,78 | 53,93 | 46,30 |       |
| 4                            | Row %   | 36,90                    | 40,91 | 16,56 | 3,70  | 1,93  |       |
|                              | Count   | 1051                     | 1174  | 450   | 89    | 54    | 2818  |
|                              | Total % | 37,30                    | 41,66 | 15,97 | 3,16  | 1,92  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 5,3308    | 0,0016      |
| Error    | 2802 | 3405,8299 |             |
| C. Total | 2814 | 3411,1608 |             |
| N        | 2818 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 10,662    | 0,5581     |
| Pearson          | 10,119    | 0,6055     |

**Contingency Analysis of Reisemåtevalg 2-28-284-4 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-4

|                              |         | Reisemåtevalg 2-28-284-4 |       |       |       |       |       |
|------------------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                        | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                          |       |       |       |       |       |
|                              | Total % |                          |       |       |       |       |       |
|                              | Col %   |                          |       |       |       |       |       |
|                              | Row %   |                          |       |       |       |       |       |
|                              |         |                          |       |       |       |       |       |
| 1                            | Count   | 62                       | 129   | 129   | 60    | 3     | 383   |
| 1                            | Total % | 2,20                     | 4,57  | 4,57  | 2,13  | 0,11  | 13,58 |
| 1                            | Col %   | 11,50                    | 13,37 | 13,58 | 18,81 | 6,25  |       |
| 1                            | Row %   | 16,19                    | 33,68 | 33,68 | 15,67 | 0,78  |       |
| 2                            | Count   | 82                       | 165   | 164   | 56    | 9     | 476   |
| 2                            | Total % | 2,91                     | 5,85  | 5,81  | 1,99  | 0,32  | 16,87 |
| 2                            | Col %   | 15,21                    | 17,10 | 17,26 | 17,55 | 18,75 |       |
| 2                            | Row %   | 17,23                    | 34,66 | 34,45 | 11,76 | 1,89  |       |
| 3                            | Count   | 134                      | 230   | 224   | 65    | 19    | 672   |
| 3                            | Total % | 4,75                     | 8,15  | 7,94  | 2,30  | 0,67  | 23,82 |
| 3                            | Col %   | 24,86                    | 23,83 | 23,58 | 20,38 | 39,58 |       |
| 3                            | Row %   | 19,94                    | 34,23 | 33,33 | 9,67  | 2,83  |       |
| 4                            | Count   | 261                      | 441   | 433   | 138   | 17    | 1290  |
| 4                            | Total % | 9,25                     | 15,63 | 15,35 | 4,89  | 0,60  | 45,73 |
| 4                            | Col %   | 48,42                    | 45,70 | 45,58 | 43,26 | 35,42 |       |
| 4                            | Row %   | 20,23                    | 34,19 | 33,57 | 10,70 | 1,32  |       |
|                              | Count   | 539                      | 965   | 950   | 319   | 48    | 2821  |
|                              | Total % | 19,11                    | 34,21 | 33,68 | 11,31 | 1,70  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 9,8730    | 0,0026      |
| Error    | 2805 | 3842,2268 |             |
| C. Total | 2817 | 3852,0998 |             |
| N        | 2821 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,746    | 0,0720     |
| Pearson          | 20,516    | 0,0579     |

**Contingency Analysis of Reisemåtevalg 2-28-284-5 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-5

|                              | 1       | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---------|-------|-------|-------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   |       |       |       |       |       |       |
|                              | Total % |       |       |       |       |       |       |
|                              | Col %   |       |       |       |       |       |       |
|                              | Row %   |       |       |       |       |       |       |
|                              | 1       | 118   | 179   | 64    | 20    | 3     | 384   |
|                              |         | 4,19  | 6,36  | 2,27  | 0,71  | 0,11  | 13,65 |
|                              |         | 14,96 | 14,09 | 11,87 | 13,25 | 4,62  |       |
|                              |         | 30,73 | 46,61 | 16,67 | 5,21  | 0,78  |       |
|                              | 2       | 132   | 210   | 98    | 22    | 14    | 476   |
|                              |         | 4,69  | 7,46  | 3,48  | 0,78  | 0,50  | 16,92 |
|                              | 16,73   | 16,54 | 18,18 | 14,57 | 21,54 |       |       |
|                              | 27,73   | 44,12 | 20,59 | 4,62  | 2,94  |       |       |
| 3                            | 169     | 301   | 135   | 40    | 21    | 666   |       |
|                              | 6,01    | 10,70 | 4,80  | 1,42  | 0,75  | 23,67 |       |
|                              | 21,42   | 23,70 | 25,05 | 26,49 | 32,31 |       |       |
|                              | 25,38   | 45,20 | 20,27 | 6,01  | 3,15  |       |       |
| 4                            | 370     | 580   | 242   | 69    | 27    | 1288  |       |
|                              | 13,15   | 20,61 | 8,60  | 2,45  | 0,96  | 45,77 |       |
|                              | 46,89   | 45,67 | 44,90 | 45,70 | 41,54 |       |       |
|                              | 28,73   | 45,03 | 18,79 | 5,36  | 2,10  |       |       |
|                              | 789     | 1270  | 539   | 151   | 65    | 2814  |       |
|                              | 28,04   | 45,13 | 19,15 | 5,37  | 2,31  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 7,3293    | 0,0020      |
| Error    | 2798 | 3583,7417 |             |
| C. Total | 2810 | 3591,0709 |             |
| N        | 2814 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 14,659    | 0,2606     |
| Pearson          | 13,511    | 0,3330     |



**Contingency Analysis of Reisemåtevalg 2-28-284-6 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-6

|                              |         | Reisemåtevalg 2-28-284-6 |       |       |       |       |       |
|------------------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                        | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                          |       |       |       |       |       |
|                              | Total % |                          |       |       |       |       |       |
|                              | Col %   |                          |       |       |       |       |       |
|                              | Row %   |                          |       |       |       |       |       |
|                              |         |                          |       |       |       |       |       |
| 1                            | Count   | 85                       | 125   | 125   | 42    | 5     | 382   |
| 1                            | Total % | 3,03                     | 4,45  | 4,45  | 1,50  | 0,18  | 13,60 |
| 1                            | Col %   | 22,25                    | 16,25 | 11,08 | 9,09  | 7,46  |       |
| 1                            | Row %   | 22,25                    | 32,72 | 32,72 | 10,99 | 1,31  |       |
| 2                            | Count   | 65                       | 141   | 189   | 69    | 10    | 474   |
| 2                            | Total % | 2,31                     | 5,02  | 6,73  | 2,46  | 0,36  | 16,88 |
| 2                            | Col %   | 17,02                    | 18,34 | 16,76 | 14,94 | 14,93 |       |
| 2                            | Row %   | 13,71                    | 29,75 | 39,87 | 14,56 | 2,11  |       |
| 3                            | Count   | 78                       | 193   | 279   | 99    | 19    | 668   |
| 3                            | Total % | 2,78                     | 6,87  | 9,94  | 3,53  | 0,68  | 23,79 |
| 3                            | Col %   | 20,42                    | 25,10 | 24,73 | 21,43 | 28,36 |       |
| 3                            | Row %   | 11,68                    | 28,89 | 41,77 | 14,82 | 2,84  |       |
| 4                            | Count   | 154                      | 310   | 535   | 252   | 33    | 1284  |
| 4                            | Total % | 5,48                     | 11,04 | 19,05 | 8,97  | 1,18  | 45,73 |
| 4                            | Col %   | 40,31                    | 40,31 | 47,43 | 54,55 | 49,25 |       |
| 4                            | Row %   | 11,99                    | 24,14 | 41,67 | 19,63 | 2,57  |       |
|                              | Count   | 382                      | 769   | 1128  | 462   | 67    | 2808  |
|                              | Total % | 13,60                    | 27,39 | 40,17 | 16,45 | 2,39  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 29,8638   | 0,0077      |
| Error    | 2792 | 3840,9135 |             |
| C. Total | 2804 | 3870,7773 |             |
| N        | 2808 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,728    | <.0001     |
| Pearson          | 61,790    | <.0001     |

**Contingency Analysis of Ferieland sommer 2-28-285-1 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Ferieland sommer 2-28-285-1

|                              |         | Ferieland sommer 2-28-285-1 |       |       |      |      |     |
|------------------------------|---------|-----------------------------|-------|-------|------|------|-----|
|                              |         | 1                           | 2     | 3     | 4    | 5    |     |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                             |       |       |      |      |     |
|                              | Total % |                             |       |       |      |      |     |
|                              | Col %   |                             |       |       |      |      |     |
|                              | Row %   |                             |       |       |      |      |     |
|                              | 1       | 188                         | 32    | 124   | 26   | 20   | 390 |
|                              | 2       | 265                         | 19    | 126   | 40   | 35   | 485 |
| 3                            | 357     | 55                          | 163   | 68    | 43   | 686  |     |
| 4                            | 678     | 87                          | 261   | 165   | 125  | 1316 |     |
|                              | 1488    | 193                         | 674   | 299   | 223  | 2877 |     |
|                              | 51,72   | 6,71                        | 23,43 | 10,39 | 7,75 |      |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 27,8427   | 0,0075      |
| Error    | 2861 | 3700,0652 |             |
| C. Total | 2873 | 3727,9079 |             |
| N        | 2877 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 55,685    | <.0001     |
| Pearson          | 54,862    | <.0001     |

**Contingency Analysis of Ferieland høst 2-28-285-2 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Ferieland høst 2-28-285-2

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 138   | 37    | 10    | 81    | 100   | 366   |
|         | 5,04  | 1,35  | 0,37  | 2,96  | 3,65  | 13,37 |
|         | 14,57 | 22,98 | 11,11 | 11,30 | 12,17 |       |
|         | 37,70 | 10,11 | 2,73  | 22,13 | 27,32 |       |
| 2       | 171   | 31    | 11    | 106   | 146   | 465   |
|         | 6,25  | 1,13  | 0,40  | 3,87  | 5,33  | 16,99 |
|         | 18,06 | 19,25 | 12,22 | 14,78 | 17,76 |       |
|         | 36,77 | 6,67  | 2,37  | 22,80 | 31,40 |       |
| 3       | 223   | 33    | 27    | 192   | 177   | 652   |
|         | 8,15  | 1,21  | 0,99  | 7,01  | 6,47  | 23,82 |
|         | 23,55 | 20,50 | 30,00 | 26,78 | 21,53 |       |
|         | 34,20 | 5,06  | 4,14  | 29,45 | 27,15 |       |
| 4       | 415   | 60    | 42    | 338   | 399   | 1254  |
|         | 15,16 | 2,19  | 1,53  | 12,35 | 14,58 | 45,82 |
|         | 43,82 | 37,27 | 46,67 | 47,14 | 48,54 |       |
|         | 33,09 | 4,78  | 3,35  | 26,95 | 31,82 |       |
|         | 947   | 161   | 90    | 717   | 822   | 2737  |
|         | 34,60 | 5,88  | 3,29  | 26,20 | 30,03 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 15,2087   | 0,0041      |
| Error    | 2721 | 3702,5568 |             |
| C. Total | 2733 | 3717,7655 |             |
| N        | 2737 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 30,417    | 0,0024     |
| Pearson          | 32,020    | 0,0014     |

**Contingency Analysis of Ferieland vinter/p 2-28-285-3 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Ferieland vinter/p 2-28-285-3

|                              |         | Ferieland vinter/p 2-28-285-3 |       |       |       |       |       |
|------------------------------|---------|-------------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                             | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                               |       |       |       |       |       |
|                              | Total % |                               |       |       |       |       |       |
|                              | Col %   |                               |       |       |       |       |       |
|                              | Row %   |                               |       |       |       |       |       |
|                              |         |                               |       |       |       |       |       |
| 1                            | Count   | 209                           | 24    | 18    | 79    | 44    | 374   |
| 1                            | Total % | 7,51                          | 0,86  | 0,65  | 2,84  | 1,58  | 13,44 |
| 1                            | Col %   | 15,21                         | 20,69 | 20,00 | 10,52 | 9,73  |       |
| 1                            | Row %   | 55,88                         | 6,42  | 4,81  | 21,12 | 11,76 |       |
| 2                            | Count   | 241                           | 18    | 14    | 128   | 72    | 473   |
| 2                            | Total % | 8,66                          | 0,65  | 0,50  | 4,60  | 2,59  | 17,00 |
| 2                            | Col %   | 17,54                         | 15,52 | 15,56 | 17,04 | 15,93 |       |
| 2                            | Row %   | 50,95                         | 3,81  | 2,96  | 27,06 | 15,22 |       |
| 3                            | Count   | 312                           | 27    | 22    | 198   | 100   | 659   |
| 3                            | Total % | 11,21                         | 0,97  | 0,79  | 7,11  | 3,59  | 23,68 |
| 3                            | Col %   | 22,71                         | 23,28 | 24,44 | 26,36 | 22,12 |       |
| 3                            | Row %   | 47,34                         | 4,10  | 3,34  | 30,05 | 15,17 |       |
| 4                            | Count   | 612                           | 47    | 36    | 346   | 236   | 1277  |
| 4                            | Total % | 21,99                         | 1,69  | 1,29  | 12,43 | 8,48  | 45,89 |
| 4                            | Col %   | 44,54                         | 40,52 | 40,00 | 46,07 | 52,21 |       |
| 4                            | Row %   | 47,92                         | 3,68  | 2,82  | 27,09 | 18,48 |       |
|                              | Count   | 1374                          | 116   | 90    | 751   | 452   | 2783  |
|                              | Total % | 49,37                         | 4,17  | 3,23  | 26,99 | 16,24 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 14,8020   | 0,0043      |
| Error    | 2767 | 3437,6927 |             |
| C. Total | 2779 | 3452,4946 |             |
| N        | 2783 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,604    | 0,0032     |
| Pearson          | 30,038    | 0,0028     |

**Contingency Analysis of Bekymret Kunstst i mat 2-41-317 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Bekymret Kunstst i mat 2-41-317

| Count   | 1                             | 2                              | 3                              |               |
|---------|-------------------------------|--------------------------------|--------------------------------|---------------|
| Total % |                               |                                |                                |               |
| Col %   |                               |                                |                                |               |
| Row %   |                               |                                |                                |               |
| 1       | 74<br>2,58<br>19,02<br>18,97  | 218<br>7,61<br>15,81<br>55,90  | 98<br>3,42<br>8,93<br>25,13    | 390<br>13,61  |
| 2       | 104<br>3,63<br>26,74<br>21,40 | 270<br>9,42<br>19,58<br>55,56  | 112<br>3,91<br>10,21<br>23,05  | 486<br>16,96  |
| 3       | 81<br>2,83<br>20,82<br>11,84  | 300<br>10,47<br>21,75<br>43,86 | 303<br>10,58<br>27,62<br>44,30 | 684<br>23,87  |
| 4       | 130<br>4,54<br>33,42<br>9,96  | 591<br>20,63<br>42,86<br>45,29 | 584<br>20,38<br>53,24<br>44,75 | 1305<br>45,55 |
|         | 389<br>13,58                  | 1379<br>48,13                  | 1097<br>38,29                  | 2865          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 65,2575   | 0,0230      |
| Error    | 2857 | 2772,9224 |             |
| C. Total | 2863 | 2838,1799 |             |
| N        | 2865 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 130,515   | <.0001     |
| Pearson          | 127,405   | <.0001     |

**Contingency Analysis of Ikkekjøp mat m Kunstst 2-41-318 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Ikkekjøp mat m Kunstst 2-41-318

| Count                        | 1    | 2     | 3     |       |       |
|------------------------------|------|-------|-------|-------|-------|
| Total %                      |      |       |       |       |       |
| Col %                        |      |       |       |       |       |
| Row %                        |      |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1    | 49    | 233   | 107   | 389   |
|                              |      | 1,71  | 8,12  | 3,73  | 13,55 |
|                              |      | 17,38 | 16,69 | 8,97  |       |
|                              |      | 12,60 | 59,90 | 27,51 |       |
|                              | 2    | 72    | 283   | 131   | 486   |
|                              |      | 2,51  | 9,86  | 4,56  | 16,93 |
|                              |      | 25,53 | 20,27 | 10,98 |       |
|                              |      | 14,81 | 58,23 | 26,95 |       |
|                              | 3    | 66    | 310   | 310   | 686   |
|                              |      | 2,30  | 10,80 | 10,80 | 23,89 |
|                              |      | 23,40 | 22,21 | 25,98 |       |
|                              |      | 9,62  | 45,19 | 45,19 |       |
|                              | 4    | 95    | 570   | 645   | 1310  |
|                              |      | 3,31  | 19,85 | 22,47 | 45,63 |
|                              |      | 33,69 | 40,83 | 54,07 |       |
|                              |      | 7,25  | 43,51 | 49,24 |       |
|                              | 282  | 1396  | 1193  | 2871  |       |
|                              | 9,82 | 48,62 | 41,55 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 59,7470   | 0,0221      |
| Error    | 2863 | 2648,9011 |             |
| C. Total | 2869 | 2708,6482 |             |
| N        | 2871 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 119,494   | <.0001     |
| Pearson          | 116,508   | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-1 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-1

| Count   | 1                           | 2                            | 3                              | 4                              | 5                           |               |
|---------|-----------------------------|------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Total % |                             |                              |                                |                                |                             |               |
| Col %   |                             |                              |                                |                                |                             |               |
| Row %   |                             |                              |                                |                                |                             |               |
| 1       | 9<br>0,31<br>10,00<br>2,33  | 54<br>1,88<br>24,32<br>13,99 | 180<br>6,28<br>13,01<br>46,63  | 136<br>4,74<br>12,05<br>35,23  | 7<br>0,24<br>16,67<br>1,81  | 386<br>13,46  |
| 2       | 17<br>0,59<br>18,89<br>3,48 | 44<br>1,53<br>19,82<br>9,02  | 245<br>8,55<br>17,70<br>50,20  | 178<br>6,21<br>15,77<br>36,48  | 4<br>0,14<br>9,52<br>0,82   | 488<br>17,02  |
| 3       | 18<br>0,63<br>20,00<br>2,62 | 55<br>1,92<br>24,77<br>8,02  | 349<br>12,17<br>25,22<br>50,87 | 258<br>9,00<br>22,85<br>37,61  | 6<br>0,21<br>14,29<br>0,87  | 686<br>23,93  |
| 4       | 46<br>1,60<br>51,11<br>3,52 | 69<br>2,41<br>31,08<br>5,28  | 610<br>21,28<br>44,08<br>46,67 | 557<br>19,43<br>49,34<br>42,62 | 25<br>0,87<br>59,52<br>1,91 | 1307<br>45,59 |
|         | 90<br>3,14                  | 222<br>7,74                  | 1384<br>48,27                  | 1129<br>39,38                  | 42<br>1,46                  | 2867          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 22,4929   | 0,0072      |
| Error    | 2851 | 3094,4537 |             |
| C. Total | 2863 | 3116,9466 |             |
| N        | 2867 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 44,986    | <.0001     |
| Pearson          | 47,086    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-2 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-2

|                              | 1 | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---|-------|-------|-------|-------|-------|-------|
| Count                        |   |       |       |       |       |       |       |
| Total %                      |   |       |       |       |       |       |       |
| Col %                        |   |       |       |       |       |       |       |
| Row %                        |   |       |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 45    | 107   | 171   | 53    | 12    | 388   |
|                              |   | 1,57  | 3,73  | 5,97  | 1,85  | 0,42  | 13,54 |
|                              |   | 9,49  | 13,75 | 14,88 | 15,45 | 9,92  |       |
|                              |   | 11,60 | 27,58 | 44,07 | 13,66 | 3,09  |       |
|                              | 2 | 38    | 117   | 226   | 85    | 20    | 486   |
|                              |   | 1,33  | 4,08  | 7,89  | 2,97  | 0,70  | 16,96 |
|                              |   | 8,02  | 15,04 | 19,67 | 24,78 | 16,53 |       |
|                              |   | 7,82  | 24,07 | 46,50 | 17,49 | 4,12  |       |
|                              | 3 | 120   | 197   | 276   | 68    | 27    | 688   |
|                              |   | 4,19  | 6,88  | 9,63  | 2,37  | 0,94  | 24,01 |
|                              |   | 25,32 | 25,32 | 24,02 | 19,83 | 22,31 |       |
|                              |   | 17,44 | 28,63 | 40,12 | 9,88  | 3,92  |       |
|                              | 4 | 271   | 357   | 476   | 137   | 62    | 1303  |
|                              |   | 9,46  | 12,46 | 16,61 | 4,78  | 2,16  | 45,48 |
|                              |   | 57,17 | 45,89 | 41,43 | 39,94 | 51,24 |       |
|                              |   | 20,80 | 27,40 | 36,53 | 10,51 | 4,76  |       |
|                              |   | 474   | 778   | 1149  | 343   | 121   | 2865  |
|                              |   | 16,54 | 27,16 | 40,10 | 11,97 | 4,22  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 39,8326   | 0,0099      |
| Error    | 2849 | 3987,9192 |             |
| C. Total | 2861 | 4027,7518 |             |
| N        | 2865 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 79,665    | <.0001     |
| Pearson          | 75,944    | <.0001     |



**Contingency Analysis of Påstander om mat 2-41-319-3 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-3

| Count   | 1                           | 2                             | 3                              | 4                              | 5                           |               |
|---------|-----------------------------|-------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Total % |                             |                               |                                |                                |                             |               |
| Col %   |                             |                               |                                |                                |                             |               |
| Row %   |                             |                               |                                |                                |                             |               |
| 1       | 19<br>0,66<br>10,67<br>4,92 | 55<br>1,92<br>13,45<br>14,25  | 176<br>6,15<br>13,56<br>45,60  | 128<br>4,47<br>14,41<br>33,16  | 8<br>0,28<br>9,09<br>2,07   | 386<br>13,49  |
| 2       | 13<br>0,45<br>7,30<br>2,67  | 33<br>1,15<br>8,07<br>6,78    | 225<br>7,86<br>17,33<br>46,20  | 208<br>7,27<br>23,42<br>42,71  | 8<br>0,28<br>9,09<br>1,64   | 487<br>17,02  |
| 3       | 50<br>1,75<br>28,09<br>7,35 | 119<br>4,16<br>29,10<br>17,50 | 296<br>10,35<br>22,80<br>43,53 | 189<br>6,61<br>21,28<br>27,79  | 26<br>0,91<br>29,55<br>3,82 | 680<br>23,77  |
| 4       | 96<br>3,36<br>53,93<br>7,34 | 202<br>7,06<br>49,39<br>15,44 | 601<br>21,01<br>46,30<br>45,95 | 363<br>12,69<br>40,88<br>27,75 | 46<br>1,61<br>52,27<br>3,52 | 1308<br>45,72 |
|         | 178<br>6,22                 | 409<br>14,30                  | 1298<br>45,37                  | 888<br>31,04                   | 88<br>3,08                  | 2861          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 40,9867   | 0,0112      |
| Error    | 2845 | 3620,1058 |             |
| C. Total | 2857 | 3661,0925 |             |
| N        | 2861 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 81,973    | <.0001     |
| Pearson          | 76,356    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-4 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-4

|                              |   | Påstander om mat 2-41-319-4 |       |       |       |       |       |
|------------------------------|---|-----------------------------|-------|-------|-------|-------|-------|
|                              |   | 1                           | 2     | 3     | 4     | 5     |       |
| Count                        |   |                             |       |       |       |       |       |
| Total %                      |   |                             |       |       |       |       |       |
| Col %                        |   |                             |       |       |       |       |       |
| Row %                        |   |                             |       |       |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 143                         | 81    | 82    | 53    | 26    | 385   |
|                              |   | 5,04                        | 2,86  | 2,89  | 1,87  | 0,92  | 13,58 |
|                              |   | 18,89                       | 11,98 | 11,68 | 12,68 | 9,19  |       |
|                              |   | 37,14                       | 21,04 | 21,30 | 13,77 | 6,75  |       |
|                              |   |                             |       |       |       |       |       |
|                              | 2 | 153                         | 123   | 89    | 76    | 39    | 480   |
|                              |   | 5,39                        | 4,34  | 3,14  | 2,68  | 1,38  | 16,93 |
|                              |   | 20,21                       | 18,20 | 12,68 | 18,18 | 13,78 |       |
|                              |   | 31,87                       | 25,62 | 18,54 | 15,83 | 8,13  |       |
|                              | 3 | 131                         | 162   | 188   | 111   | 82    | 674   |
|                              |   | 4,62                        | 5,71  | 6,63  | 3,91  | 2,89  | 23,77 |
|                              |   | 17,31                       | 23,96 | 26,78 | 26,56 | 28,98 |       |
|                              |   | 19,44                       | 24,04 | 27,89 | 16,47 | 12,17 |       |
|                              | 4 | 330                         | 310   | 343   | 178   | 136   | 1297  |
|                              |   | 11,64                       | 10,93 | 12,09 | 6,28  | 4,80  | 45,73 |
|                              |   | 43,59                       | 45,86 | 48,86 | 42,58 | 48,06 |       |
|                              |   | 25,44                       | 23,90 | 26,45 | 13,72 | 10,49 |       |
|                              |   | 757                         | 676   | 702   | 418   | 283   | 2836  |
|                              |   | 26,69                       | 23,84 | 24,75 | 14,74 | 9,98  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 31,3575   | 0,0071      |
| Error    | 2820 | 4370,5391 |             |
| C. Total | 2832 | 4401,8966 |             |
| N        | 2836 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 62,715    | <.0001     |
| Pearson          | 62,225    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-5 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-5

|                              |         | 1     | 2     | 3     | 4     | 5     |       |
|------------------------------|---------|-------|-------|-------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   |       |       |       |       |       |       |
|                              | Total % |       |       |       |       |       |       |
|                              | Col %   |       |       |       |       |       |       |
|                              | Row %   |       |       |       |       |       |       |
|                              | 1       | 16    | 26    | 161   | 174   | 7     | 384   |
|                              |         | 0,56  | 0,91  | 5,65  | 6,11  | 0,25  | 13,47 |
|                              |         | 8,16  | 7,81  | 13,08 | 18,11 | 5,43  |       |
|                              |         | 4,17  | 6,77  | 41,93 | 45,31 | 1,82  |       |
|                              | 2       | 30    | 58    | 212   | 160   | 22    | 482   |
|                              |         | 1,05  | 2,04  | 7,44  | 5,61  | 0,77  | 16,91 |
|                              | 15,31   | 17,42 | 17,22 | 16,65 | 17,05 |       |       |
|                              | 6,22    | 12,03 | 43,98 | 33,20 | 4,56  |       |       |
| 3                            | 51      | 101   | 295   | 198   | 37    | 682   |       |
|                              | 1,79    | 3,54  | 10,35 | 6,95  | 1,30  | 23,93 |       |
|                              | 26,02   | 30,33 | 23,96 | 20,60 | 28,68 |       |       |
|                              | 7,48    | 14,81 | 43,26 | 29,03 | 5,43  |       |       |
| 4                            | 99      | 148   | 563   | 429   | 63    | 1302  |       |
|                              | 3,47    | 5,19  | 19,75 | 15,05 | 2,21  | 45,68 |       |
|                              | 50,51   | 44,44 | 45,74 | 44,64 | 48,84 |       |       |
|                              | 7,60    | 11,37 | 43,24 | 32,95 | 4,84  |       |       |
|                              | 196     | 333   | 1231  | 961   | 129   | 2850  |       |
|                              | 6,88    | 11,68 | 43,19 | 33,72 | 4,53  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 24,7915   | 0,0067      |
| Error    | 2834 | 3692,2275 |             |
| C. Total | 2846 | 3717,0190 |             |
| N        | 2850 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 49,583    | <.0001     |
| Pearson          | 47,486    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-6 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-6

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 68    | 159   | 118   | 20    | 19    | 384   |
|         | 2,38  | 5,57  | 4,13  | 0,70  | 0,67  | 13,45 |
|         | 12,71 | 15,17 | 12,38 | 12,58 | 11,80 |       |
|         | 17,71 | 41,41 | 30,73 | 5,21  | 4,95  |       |
| 2       | 109   | 180   | 146   | 20    | 27    | 482   |
|         | 3,82  | 6,30  | 5,11  | 0,70  | 0,95  | 16,88 |
|         | 20,37 | 17,18 | 15,32 | 12,58 | 16,77 |       |
|         | 22,61 | 37,34 | 30,29 | 4,15  | 5,60  |       |
| 3       | 127   | 244   | 232   | 44    | 39    | 686   |
|         | 4,45  | 8,54  | 8,12  | 1,54  | 1,37  | 24,02 |
|         | 23,74 | 23,28 | 24,34 | 27,67 | 24,22 |       |
|         | 18,51 | 35,57 | 33,82 | 6,41  | 5,69  |       |
| 4       | 231   | 465   | 457   | 75    | 76    | 1304  |
|         | 8,09  | 16,28 | 16,00 | 2,63  | 2,66  | 45,66 |
|         | 43,18 | 44,37 | 47,95 | 47,17 | 47,20 |       |
|         | 17,71 | 35,66 | 35,05 | 5,75  | 5,83  |       |
|         | 535   | 1048  | 953   | 159   | 161   | 2856  |
|         | 18,73 | 36,69 | 33,37 | 5,57  | 5,64  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 7,1101    | 0,0018      |
| Error    | 2840 | 3907,8392 |             |
| C. Total | 2852 | 3914,9493 |             |
| N        | 2856 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 14,220    | 0,2869     |
| Pearson          | 14,343    | 0,2793     |

**Contingency Analysis of Påstander om mat 2-41-319-7 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-7

|                              |         | Påstander om mat 2-41-319-7 |       |       |       |       |       |
|------------------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                              |         | 1                           | 2     | 3     | 4     | 5     |       |
| BESØKE I BYGDENORGE 2-29-290 | Count   |                             |       |       |       |       |       |
|                              | Total % |                             |       |       |       |       |       |
|                              | Col %   |                             |       |       |       |       |       |
|                              | Row %   |                             |       |       |       |       |       |
|                              |         |                             |       |       |       |       |       |
| 1                            | Count   | 89                          | 151   | 122   | 21    | 3     | 386   |
| 1                            | Total % | 3,12                        | 5,29  | 4,28  | 0,74  | 0,11  | 13,53 |
| 1                            | Col %   | 13,51                       | 15,24 | 11,86 | 16,03 | 6,98  |       |
| 1                            | Row %   | 23,06                       | 39,12 | 31,61 | 5,44  | 0,78  |       |
| 2                            | Count   | 123                         | 158   | 182   | 17    | 4     | 484   |
| 2                            | Total % | 4,31                        | 5,54  | 6,38  | 0,60  | 0,14  | 16,96 |
| 2                            | Col %   | 18,66                       | 15,94 | 17,69 | 12,98 | 9,30  |       |
| 2                            | Row %   | 25,41                       | 32,64 | 37,60 | 3,51  | 0,83  |       |
| 3                            | Count   | 160                         | 223   | 268   | 26    | 8     | 685   |
| 3                            | Total % | 5,61                        | 7,82  | 9,39  | 0,91  | 0,28  | 24,01 |
| 3                            | Col %   | 24,28                       | 22,50 | 26,04 | 19,85 | 18,60 |       |
| 3                            | Row %   | 23,36                       | 32,55 | 39,12 | 3,80  | 1,17  |       |
| 4                            | Count   | 287                         | 459   | 457   | 67    | 28    | 1298  |
| 4                            | Total % | 10,06                       | 16,09 | 16,02 | 2,35  | 0,98  | 45,50 |
| 4                            | Col %   | 43,55                       | 46,32 | 44,41 | 51,15 | 65,12 |       |
| 4                            | Row %   | 22,11                       | 35,36 | 35,21 | 5,16  | 2,16  |       |
|                              | Count   | 659                         | 991   | 1029  | 131   | 43    | 2853  |
|                              | Total % | 23,10                       | 34,74 | 36,07 | 4,59  | 1,51  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 10,4920   | 0,0029      |
| Error    | 2837 | 3636,4444 |             |
| C. Total | 2849 | 3646,9364 |             |
| N        | 2853 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,984    | 0,0506     |
| Pearson          | 20,719    | 0,0546     |

**Contingency Analysis of Påstander om mat 2-41-319-8 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-8

|                              | 1       | 2     | 3     | 4     | 5     |       |       |
|------------------------------|---------|-------|-------|-------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   |       |       |       |       |       |       |
|                              | Total % |       |       |       |       |       |       |
|                              | Col %   |       |       |       |       |       |       |
|                              | Row %   |       |       |       |       |       |       |
|                              | 1       | 25    | 76    | 176   | 109   | 0     | 386   |
|                              |         | 0,87  | 2,65  | 6,14  | 3,80  | 0,00  | 13,46 |
|                              |         | 12,14 | 13,17 | 14,07 | 13,81 | 0,00  |       |
|                              |         | 6,48  | 19,69 | 45,60 | 28,24 | 0,00  |       |
|                              | 2       | 29    | 81    | 225   | 144   | 7     | 486   |
|                              |         | 1,01  | 2,82  | 7,85  | 5,02  | 0,24  | 16,95 |
|                              |         | 14,08 | 14,04 | 17,99 | 18,25 | 15,56 |       |
|                              |         | 5,97  | 16,67 | 46,30 | 29,63 | 1,44  |       |
|                              | 3       | 48    | 136   | 305   | 187   | 11    | 687   |
|                              |         | 1,67  | 4,74  | 10,63 | 6,52  | 0,38  | 23,95 |
|                              |         | 23,30 | 23,57 | 24,38 | 23,70 | 24,44 |       |
|                              |         | 6,99  | 19,80 | 44,40 | 27,22 | 1,60  |       |
|                              | 4       | 104   | 284   | 545   | 349   | 27    | 1309  |
|                              |         | 3,63  | 9,90  | 19,00 | 12,17 | 0,94  | 45,64 |
|                              |         | 50,49 | 49,22 | 43,57 | 44,23 | 60,00 |       |
|                              |         | 7,94  | 21,70 | 41,63 | 26,66 | 2,06  |       |
|                              | 206     | 577   | 1251  | 789   | 45    | 2868  |       |
|                              | 7,18    | 20,12 | 43,62 | 27,51 | 1,57  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 12,3792   | 0,0033      |
| Error    | 2852 | 3698,5238 |             |
| C. Total | 2864 | 3710,9030 |             |
| N        | 2868 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,758    | 0,0160     |
| Pearson          | 18,729    | 0,0953     |

**Contingency Analysis of Påstander om mat 2-41-319-9 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-9

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 77    | 107   | 100   | 54    | 49    | 387   |
|         | 2,70  | 3,75  | 3,51  | 1,89  | 1,72  | 13,56 |
|         | 15,78 | 14,62 | 12,69 | 14,29 | 10,49 |       |
|         | 19,90 | 27,65 | 25,84 | 13,95 | 12,66 |       |
| 2       | 89    | 118   | 132   | 70    | 74    | 483   |
|         | 3,12  | 4,14  | 4,63  | 2,45  | 2,59  | 16,93 |
|         | 18,24 | 16,12 | 16,75 | 18,52 | 15,85 |       |
|         | 18,43 | 24,43 | 27,33 | 14,49 | 15,32 |       |
| 3       | 107   | 164   | 194   | 84    | 133   | 682   |
|         | 3,75  | 5,75  | 6,80  | 2,94  | 4,66  | 23,90 |
|         | 21,93 | 22,40 | 24,62 | 22,22 | 28,48 |       |
|         | 15,69 | 24,05 | 28,45 | 12,32 | 19,50 |       |
| 4       | 215   | 343   | 362   | 170   | 211   | 1301  |
|         | 7,54  | 12,02 | 12,69 | 5,96  | 7,40  | 45,60 |
|         | 44,06 | 46,86 | 45,94 | 44,97 | 45,18 |       |
|         | 16,53 | 26,36 | 27,82 | 13,07 | 16,22 |       |
|         | 488   | 732   | 788   | 378   | 467   | 2853  |
|         | 17,10 | 25,66 | 27,62 | 13,25 | 16,37 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 7,3123    | 0,0016      |
| Error    | 2837 | 4473,2407 |             |
| C. Total | 2849 | 4480,5530 |             |
| N        | 2853 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 14,625    | 0,2626     |
| Pearson          | 14,651    | 0,2611     |

**Contingency Analysis of Gikk fottur i fjellet 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Gikk fottur i fjellet 2-29-288

|                              |                                 | 0                              | 1                             |              |
|------------------------------|---------------------------------|--------------------------------|-------------------------------|--------------|
| BESØKE I BYGDENORGE 2-29-290 | Count                           |                                |                               |              |
|                              | Total %                         |                                |                               |              |
|                              | Col %                           |                                |                               |              |
|                              | Row %                           |                                |                               |              |
|                              | 1                               | 249<br>8,58<br>11,59<br>63,36  | 144<br>4,96<br>19,07<br>36,64 | 393<br>13,54 |
| 2                            | 354<br>12,19<br>16,48<br>71,66  | 140<br>4,82<br>18,54<br>28,34  | 494<br>17,02                  |              |
| 3                            | 524<br>18,05<br>24,39<br>75,72  | 168<br>5,79<br>22,25<br>24,28  | 692<br>23,84                  |              |
| 4                            | 1021<br>35,17<br>47,53<br>77,11 | 303<br>10,44<br>40,13<br>22,89 | 1324<br>45,61                 |              |
|                              | 2148<br>73,99                   | 755<br>26,01                   | 2903                          |              |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 15,4083   | 0,0093      |
| Error    | 2899 | 1648,4060 |             |
| C. Total | 2902 | 1663,8143 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 30,817    | <.0001     |
| Pearson          | 32,273    | <.0001     |



**Contingency Analysis of Fisket med flue/ sluk 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Fisket med flue/ sluk 2-29-288

|                              |   | 0     | 1     |       |
|------------------------------|---|-------|-------|-------|
| Count                        |   |       |       |       |
| Total %                      |   |       |       |       |
| Col %                        |   |       |       |       |
| Row %                        |   |       |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 311   | 82    | 393   |
|                              |   | 10,71 | 2,82  | 13,54 |
|                              |   | 13,53 | 13,55 |       |
|                              |   | 79,13 | 20,87 |       |
|                              | 2 | 414   | 80    | 494   |
|                              |   | 14,26 | 2,76  | 17,02 |
|                              |   | 18,02 | 13,22 |       |
|                              |   | 83,81 | 16,19 |       |
|                              | 3 | 554   | 138   | 692   |
|                              |   | 19,08 | 4,75  | 23,84 |
|                              |   | 24,11 | 22,81 |       |
|                              |   | 80,06 | 19,94 |       |
|                              | 4 | 1019  | 305   | 1324  |
|                              |   | 35,10 | 10,51 | 45,61 |
|                              |   | 44,34 | 50,41 |       |
|                              |   | 76,96 | 23,04 |       |
|                              |   | 2298  | 605   | 2903  |
|                              |   | 79,16 | 20,84 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 5,4924    | 0,0037      |
| Error    | 2899 | 1480,3671 |             |
| C. Total | 2902 | 1485,8595 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 10,985    | 0,0118     |
| Pearson          | 10,672    | 0,0136     |

**Contingency Analysis of Fisket m snøre fra båt 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Fisket m snøre fra båt 2-29-288

|                              |                                | 0                              | 1                             |              |
|------------------------------|--------------------------------|--------------------------------|-------------------------------|--------------|
| BESØKE I BYGDENORGE 2-29-290 | Count                          |                                |                               |              |
|                              | Total %                        |                                |                               |              |
|                              | Col %                          |                                |                               |              |
|                              | Row %                          |                                |                               |              |
|                              | 1                              | 282<br>9,71<br>13,53<br>71,76  | 111<br>3,82<br>13,55<br>28,24 | 393<br>13,54 |
| 2                            | 357<br>12,30<br>17,13<br>72,27 | 137<br>4,72<br>16,73<br>27,73  | 494<br>17,02                  |              |
| 3                            | 506<br>17,43<br>24,28<br>73,12 | 186<br>6,41<br>22,71<br>26,88  | 692<br>23,84                  |              |
| 4                            | 939<br>32,35<br>45,06<br>70,92 | 385<br>13,26<br>47,01<br>29,08 | 1324<br>45,61                 |              |
|                              | 2084<br>71,79                  | 819<br>28,21                   | 2903                          |              |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 0,5789    | 0,0003      |
| Error    | 2899 | 1726,5501 |             |
| C. Total | 2902 | 1727,1290 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 1,158     | 0,7631     |
| Pearson          | 1,155     | 0,7639     |

**Contingency Analysis of Besøkte bygdemuseum 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Besøkte bygdemuseum 2-29-288

|         | 0                               | 1                            |               |
|---------|---------------------------------|------------------------------|---------------|
| Count   |                                 |                              |               |
| Total % |                                 |                              |               |
| Col %   |                                 |                              |               |
| Row %   |                                 |                              |               |
| 1       | 301<br>10,37<br>11,82<br>76,59  | 92<br>3,17<br>25,77<br>23,41 | 393<br>13,54  |
| 2       | 418<br>14,40<br>16,42<br>84,62  | 76<br>2,62<br>21,29<br>15,38 | 494<br>17,02  |
| 3       | 623<br>21,46<br>24,47<br>90,03  | 69<br>2,38<br>19,33<br>9,97  | 692<br>23,84  |
| 4       | 1204<br>41,47<br>47,29<br>90,94 | 120<br>4,13<br>33,61<br>9,06 | 1324<br>45,61 |
|         | 2546<br>87,70                   | 357<br>12,30                 | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 29,3110   | 0,0271      |
| Error    | 2899 | 1052,9659 |             |
| C. Total | 2902 | 1082,2769 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 58,622    | <.0001     |
| Pearson          | 65,672    | <.0001     |

**Contingency Analysis of Besøkte bondegård 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Besøkte bondegård 2-29-288

|         | 0                               | 1                           |               |
|---------|---------------------------------|-----------------------------|---------------|
| Count   |                                 |                             |               |
| Total % |                                 |                             |               |
| Col %   |                                 |                             |               |
| Row %   |                                 |                             |               |
| 1       | 380<br>13,09<br>13,51<br>96,69  | 13<br>0,45<br>14,29<br>3,31 | 393<br>13,54  |
| 2       | 473<br>16,29<br>16,82<br>95,75  | 21<br>0,72<br>23,08<br>4,25 | 494<br>17,02  |
| 3       | 663<br>22,84<br>23,58<br>95,81  | 29<br>1,00<br>31,87<br>4,19 | 692<br>23,84  |
| 4       | 1296<br>44,64<br>46,09<br>97,89 | 28<br>0,96<br>30,77<br>2,11 | 1324<br>45,61 |
|         | 2812<br>96,87                   | 91<br>3,13                  | 2903          |

BESØKE I BYGDENORGE 2-29-290


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 4,63991   | 0,0115      |
| Error    | 2899 | 400,01895 |             |
| C. Total | 2902 | 404,65886 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 9,280     | 0,0258     |
| Pearson          | 9,143     | 0,0274     |

**Contingency Analysis of Overnattet i DNT hytte 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Overnattet i DNT hytte 2-29-288

|                              |         | 0     | 1     |       |
|------------------------------|---------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   |       |       |       |
|                              | Total % |       |       |       |
|                              | Col %   |       |       |       |
|                              | Row %   |       |       |       |
|                              | 1       | 365   | 28    | 393   |
|                              |         | 12,57 | 0,96  | 13,54 |
|                              |         | 13,01 | 28,57 |       |
|                              |         | 92,88 | 7,12  |       |
|                              | 2       | 476   | 18    | 494   |
|                              |         | 16,40 | 0,62  | 17,02 |
|                              | 16,97   | 18,37 |       |       |
|                              | 96,36   | 3,64  |       |       |
| 3                            | 677     | 15    | 692   |       |
|                              | 23,32   | 0,52  | 23,84 |       |
|                              | 24,14   | 15,31 |       |       |
|                              | 97,83   | 2,17  |       |       |
| 4                            | 1287    | 37    | 1324  |       |
|                              | 44,33   | 1,27  | 45,61 |       |
|                              | 45,88   | 37,76 |       |       |
|                              | 97,21   | 2,79  |       |       |
|                              | 2805    | 98    | 2903  |       |
|                              | 96,62   | 3,38  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 9,01852   | 0,0211      |
| Error    | 2899 | 419,38458 |             |
| C. Total | 2902 | 428,40310 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 18,037    | 0,0004     |
| Pearson          | 21,510    | <.0001     |

**Contingency Analysis of Lekel.Badel.Fritidsp. 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Lekel.Badel.Fritidsp. 2-29-288

|         | 0                              | 1                              |               |
|---------|--------------------------------|--------------------------------|---------------|
| Count   |                                |                                |               |
| Total % |                                |                                |               |
| Col %   |                                |                                |               |
| Row %   |                                |                                |               |
| 1       | 293<br>10,09<br>14,00<br>74,55 | 100<br>3,44<br>12,35<br>25,45  | 393<br>13,54  |
| 2       | 341<br>11,75<br>16,29<br>69,03 | 153<br>5,27<br>18,89<br>30,97  | 494<br>17,02  |
| 3       | 468<br>16,12<br>22,36<br>67,63 | 224<br>7,72<br>27,65<br>32,37  | 692<br>23,84  |
| 4       | 991<br>34,14<br>47,35<br>74,85 | 333<br>11,47<br>41,11<br>25,15 | 1324<br>45,61 |
|         | 2093<br>72,10                  | 810<br>27,90                   | 2903          |

BESØKE I BYGDENORGE 2-29-290


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 7,6086    | 0,0044      |
| Error    | 2899 | 1711,0457 |             |
| C. Total | 2902 | 1718,6543 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,217    | 0,0016     |
| Pearson          | 15,341    | 0,0015     |

**Contingency Analysis of Besøkte severdigheter 2-29-288 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Besøkte severdigheter 2-29-288

|         | 0                              | 1                              |               |
|---------|--------------------------------|--------------------------------|---------------|
| Count   |                                |                                |               |
| Total % |                                |                                |               |
| Col %   |                                |                                |               |
| Row %   |                                |                                |               |
| 1       | 166<br>5,72<br>9,47<br>42,24   | 227<br>7,82<br>19,74<br>57,76  | 393<br>13,54  |
| 2       | 277<br>9,54<br>15,80<br>56,07  | 217<br>7,48<br>18,87<br>43,93  | 494<br>17,02  |
| 3       | 439<br>15,12<br>25,04<br>63,44 | 253<br>8,72<br>22,00<br>36,56  | 692<br>23,84  |
| 4       | 871<br>30,00<br>49,69<br>65,79 | 453<br>15,60<br>39,39<br>34,21 | 1324<br>45,61 |
|         | 1753<br>60,39                  | 1150<br>39,61                  | 2903          |

BESØKE I BYGDENORGE 2-29-290


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 37,7542   | 0,0194      |
| Error    | 2899 | 1911,3674 |             |
| C. Total | 2902 | 1949,1215 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 75,508    | <.0001     |
| Pearson          | 76,776    | <.0001     |

**Contingency Analysis of Antall ferieaktiviteter By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Antall ferieaktiviteter

|                              | Antall ferieaktiviteter |       |       |       |       |       |       |       |       |       | Total |
|------------------------------|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                              | 0                       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |       |       |
| BESØKE I BYGDENORGE 2-29-290 | 1                       | 47    | 111   | 105   | 71    | 43    | 9     | 4     | 2     | 1     | 393   |
|                              |                         | 1,62  | 3,82  | 3,62  | 2,45  | 1,48  | 0,31  | 0,14  | 0,07  | 0,03  | 13,54 |
|                              |                         | 9,98  | 10,50 | 13,46 | 18,30 | 28,29 | 21,95 | 44,44 | 66,67 | 50,00 |       |
|                              |                         | 11,96 | 28,24 | 26,72 | 18,07 | 10,94 | 2,29  | 1,02  | 0,51  | 0,25  |       |
|                              |                         |       |       |       |       |       |       |       |       |       |       |
| 2                            | 69                      | 172   | 138   | 76    | 30    | 8     | 1     | 0     | 0     | 494   |       |
|                              | 2,38                    | 5,92  | 4,75  | 2,62  | 1,03  | 0,28  | 0,03  | 0,00  | 0,00  | 17,02 |       |
|                              | 14,65                   | 16,27 | 17,69 | 19,59 | 19,74 | 19,51 | 11,11 | 0,00  | 0,00  |       |       |
|                              | 13,97                   | 34,82 | 27,94 | 15,38 | 6,07  | 1,62  | 0,20  | 0,00  | 0,00  |       |       |
|                              |                         |       |       |       |       |       |       |       |       |       |       |
| 3                            | 112                     | 272   | 180   | 85    | 26    | 14    | 1     | 1     | 1     | 692   |       |
|                              | 3,86                    | 9,37  | 6,20  | 2,93  | 0,90  | 0,48  | 0,03  | 0,03  | 0,03  | 23,84 |       |
|                              | 23,78                   | 25,73 | 23,08 | 21,91 | 17,11 | 34,15 | 11,11 | 33,33 | 50,00 |       |       |
|                              | 16,18                   | 39,31 | 26,01 | 12,28 | 3,76  | 2,02  | 0,14  | 0,14  | 0,14  |       |       |
|                              |                         |       |       |       |       |       |       |       |       |       |       |
| 4                            | 243                     | 502   | 357   | 156   | 53    | 10    | 3     | 0     | 0     | 1324  |       |
|                              | 8,37                    | 17,29 | 12,30 | 5,37  | 1,83  | 0,34  | 0,10  | 0,00  | 0,00  | 45,61 |       |
|                              | 51,59                   | 47,49 | 45,77 | 40,21 | 34,87 | 24,39 | 33,33 | 0,00  | 0,00  |       |       |
|                              | 18,35                   | 37,92 | 26,96 | 11,78 | 4,00  | 0,76  | 0,23  | 0,00  | 0,00  |       |       |
|                              |                         |       |       |       |       |       |       |       |       |       |       |
|                              | 471                     | 1057  | 780   | 388   | 152   | 41    | 9     | 3     | 2     | 2903  |       |
|                              | 16,22                   | 36,41 | 26,87 | 13,37 | 5,24  | 1,41  | 0,31  | 0,10  | 0,07  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 24   | 41,4181   | 0,0093      |
| Error    | 2871 | 4399,1596 |             |
| C. Total | 2895 | 4440,5776 |             |
| N        | 2903 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 82,836    | <.0001     |
| Pearson          | 90,594    | <.0001     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect



**Contingency Analysis of Viktig: stort utvalg 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: stort utvalg 2-51-335

|                              |         | 0     | 1     |       |
|------------------------------|---------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   |       |       |       |
|                              | Total % |       |       |       |
|                              | Col %   |       |       |       |
|                              | Row %   |       |       |       |
|                              | 1       | 271   | 122   | 393   |
|                              |         | 9,34  | 4,20  | 13,54 |
|                              |         | 12,89 | 15,23 |       |
|                              |         | 68,96 | 31,04 |       |
|                              | 2       | 373   | 121   | 494   |
|                              |         | 12,85 | 4,17  | 17,02 |
|                              | 17,75   | 15,11 |       |       |
|                              | 75,51   | 24,49 |       |       |
| 3                            | 512     | 180   | 692   |       |
|                              | 17,64   | 6,20  | 23,84 |       |
|                              | 24,36   | 22,47 |       |       |
|                              | 73,99   | 26,01 |       |       |
| 4                            | 946     | 378   | 1324  |       |
|                              | 32,59   | 13,02 | 45,61 |       |
|                              | 45,00   | 47,19 |       |       |
|                              | 71,45   | 28,55 |       |       |
|                              | 2102    | 801   | 2903  |       |
|                              | 72,41   | 27,59 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 3,0994    | 0,0018      |
| Error    | 2899 | 1706,9416 |             |
| C. Total | 2902 | 1710,0409 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 6,199     | 0,1023     |
| Pearson          | 6,189     | 0,1028     |

**Contingency Analysis of Viktig: god sevice 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: god sevice 2-51-335

|                              |   | 0                              | 1                              |               |
|------------------------------|---|--------------------------------|--------------------------------|---------------|
| Count                        |   |                                |                                |               |
| Total %                      |   |                                |                                |               |
| Col %                        |   |                                |                                |               |
| Row %                        |   |                                |                                |               |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 198<br>6,82<br>13,91<br>50,38  | 195<br>6,72<br>13,18<br>49,62  | 393<br>13,54  |
|                              | 2 | 219<br>7,54<br>15,39<br>44,33  | 275<br>9,47<br>18,58<br>55,67  | 494<br>17,02  |
|                              | 3 | 352<br>12,13<br>24,74<br>50,87 | 340<br>11,71<br>22,97<br>49,13 | 692<br>23,84  |
|                              | 4 | 654<br>22,53<br>45,96<br>49,40 | 670<br>23,08<br>45,27<br>50,60 | 1324<br>45,61 |
|                              |   | 1423<br>49,02                  | 1480<br>50,98                  | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 2,8335    | 0,0014      |
| Error    | 2899 | 2008,8132 |             |
| C. Total | 2902 | 2011,6466 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 5,667     | 0,1290     |
| Pearson          | 5,656     | 0,1296     |

**Contingency Analysis of Viktig: lave priser 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: lave priser 2-51-335

| BESØKE I BYGDENORGE 2-29-290 | Count   | 0     | 1     |       |
|------------------------------|---------|-------|-------|-------|
|                              | Total % |       |       |       |
|                              | Col %   |       |       |       |
|                              | Row %   |       |       |       |
|                              |         |       |       |       |
| 1                            | Count   | 143   | 250   | 393   |
|                              | Total % | 4,93  | 8,61  | 13,54 |
|                              | Col %   | 15,73 | 12,54 |       |
|                              | Row %   | 36,39 | 63,61 |       |
| 2                            | Count   | 177   | 317   | 494   |
|                              | Total % | 6,10  | 10,92 | 17,02 |
|                              | Col %   | 19,47 | 15,90 |       |
|                              | Row %   | 35,83 | 64,17 |       |
| 3                            | Count   | 208   | 484   | 692   |
|                              | Total % | 7,17  | 16,67 | 23,84 |
|                              | Col %   | 22,88 | 24,27 |       |
|                              | Row %   | 30,06 | 69,94 |       |
| 4                            | Count   | 381   | 943   | 1324  |
|                              | Total % | 13,12 | 32,48 | 45,61 |
|                              | Col %   | 41,91 | 47,29 |       |
|                              | Row %   | 28,78 | 71,22 |       |
|                              | Count   | 909   | 1994  | 2903  |
|                              | Total % | 31,31 | 68,69 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 6,8440    | 0,0038      |
| Error    | 2899 | 1797,5962 |             |
| C. Total | 2902 | 1804,4402 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,688    | 0,0034     |
| Pearson          | 13,858    | 0,0031     |

**Contingency Analysis of Viktig: gode varetilb 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: gode varetilb 2-51-335

|         | 0                              | 1                              |               |
|---------|--------------------------------|--------------------------------|---------------|
| Count   |                                |                                |               |
| Total % |                                |                                |               |
| Col %   |                                |                                |               |
| Row %   |                                |                                |               |
| 1       | 233<br>8,03<br>14,08<br>59,29  | 160<br>5,51<br>12,82<br>40,71  | 393<br>13,54  |
| 2       | 276<br>9,51<br>16,68<br>55,87  | 218<br>7,51<br>17,47<br>44,13  | 494<br>17,02  |
| 3       | 377<br>12,99<br>22,78<br>54,48 | 315<br>10,85<br>25,24<br>45,52 | 692<br>23,84  |
| 4       | 769<br>26,49<br>46,47<br>58,08 | 555<br>19,12<br>44,47<br>41,92 | 1324<br>45,61 |
|         | 1655<br>57,01                  | 1248<br>42,99                  | 2903          |

BESØKE I BYGDENORGE 2-29-290


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 1,7591    | 0,0009      |
| Error    | 2899 | 1981,8223 |             |
| C. Total | 2902 | 1983,5814 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 3,518     | 0,3184     |
| Pearson          | 3,521     | 0,3180     |

**Contingency Analysis of Viktig: parkering 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: parkering 2-51-335

| BESØKE I BYGDENORGE 2-29-290 | Count   | 0     | 1     |     |
|------------------------------|---------|-------|-------|-----|
|                              | Total % |       |       |     |
|                              | Col %   |       |       |     |
|                              | Row %   |       |       |     |
|                              | 1       | 266   | 127   | 393 |
|                              | 9,16    | 4,37  | 13,54 |     |
|                              | 14,04   | 12,60 |       |     |
|                              | 67,68   | 32,32 |       |     |
| 2                            | 331     | 163   | 494   |     |
|                              | 11,40   | 5,61  | 17,02 |     |
|                              | 17,47   | 16,17 |       |     |
|                              | 67,00   | 33,00 |       |     |
| 3                            | 446     | 246   | 692   |     |
|                              | 15,36   | 8,47  | 23,84 |     |
|                              | 23,54   | 24,40 |       |     |
|                              | 64,45   | 35,55 |       |     |
| 4                            | 852     | 472   | 1324  |     |
|                              | 29,35   | 16,26 | 45,61 |     |
|                              | 44,96   | 46,83 |       |     |
|                              | 64,35   | 35,65 |       |     |
|                              | 1895    | 1008  | 2903  |     |
|                              | 65,28   | 34,72 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 1,1894    | 0,0006      |
| Error    | 2899 | 1873,3158 |             |
| C. Total | 2902 | 1874,5052 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 2,379     | 0,4976     |
| Pearson          | 2,365     | 0,5002     |

**Contingency Analysis of Viktig: kyndig betj 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: kyndig betj 2-51-335

| BESØKE I BYGDENORGE 2-29-290 | Count   | 0     | 1     |     |
|------------------------------|---------|-------|-------|-----|
|                              | Total % |       |       |     |
|                              | Col %   |       |       |     |
|                              | Row %   |       |       |     |
|                              | 1       | 325   | 68    | 393 |
|                              | 11,20   | 2,34  | 13,54 |     |
|                              | 13,40   | 14,23 |       |     |
|                              | 82,70   | 17,30 |       |     |
| 2                            | 395     | 99    | 494   |     |
|                              | 13,61   | 3,41  | 17,02 |     |
|                              | 16,29   | 20,71 |       |     |
|                              | 79,96   | 20,04 |       |     |
| 3                            | 583     | 109   | 692   |     |
|                              | 20,08   | 3,75  | 23,84 |     |
|                              | 24,04   | 22,80 |       |     |
|                              | 84,25   | 15,75 |       |     |
| 4                            | 1122    | 202   | 1324  |     |
|                              | 38,65   | 6,96  | 45,61 |     |
|                              | 46,27   | 42,26 |       |     |
|                              | 84,74   | 15,26 |       |     |
|                              | 2425    | 478   | 2903  |     |
|                              | 83,53   | 16,47 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 3,1214    | 0,0024      |
| Error    | 2899 | 1295,4271 |             |
| C. Total | 2902 | 1298,5485 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 6,243     | 0,1004     |
| Pearson          | 6,453     | 0,0915     |

**Contingency Analysis of Viktig: gode ferskv 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: gode ferskv 2-51-335

|         | 0                              | 1                              |               |
|---------|--------------------------------|--------------------------------|---------------|
| Count   |                                |                                |               |
| Total % |                                |                                |               |
| Col %   |                                |                                |               |
| Row %   |                                |                                |               |
| 1       | 154<br>5,30<br>14,10<br>39,19  | 239<br>8,23<br>13,20<br>60,81  | 393<br>13,54  |
| 2       | 165<br>5,68<br>15,11<br>33,40  | 329<br>11,33<br>18,17<br>66,60 | 494<br>17,02  |
| 3       | 275<br>9,47<br>25,18<br>39,74  | 417<br>14,36<br>23,03<br>60,26 | 692<br>23,84  |
| 4       | 498<br>17,15<br>45,60<br>37,61 | 826<br>28,45<br>45,61<br>62,39 | 1324<br>45,61 |
|         | 1092<br>37,62                  | 1811<br>62,38                  | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 2,7667    | 0,0014      |
| Error    | 2899 | 1919,4670 |             |
| C. Total | 2902 | 1922,2337 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 5,533     | 0,1367     |
| Pearson          | 5,483     | 0,1396     |

**Contingency Analysis of Viktig:st utv frukt/gr 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig:st utv frukt/gr 2-51-335

|         | 0     | 1     |       |
|---------|-------|-------|-------|
| Count   |       |       |       |
| Total % |       |       |       |
| Col %   |       |       |       |
| Row %   |       |       |       |
| 1       | 164   | 229   | 393   |
|         | 5,65  | 7,89  | 13,54 |
|         | 10,68 | 16,75 |       |
|         | 41,73 | 58,27 |       |
| 2       | 191   | 303   | 494   |
|         | 6,58  | 10,44 | 17,02 |
|         | 12,43 | 22,17 |       |
|         | 38,66 | 61,34 |       |
| 3       | 390   | 302   | 692   |
|         | 13,43 | 10,40 | 23,84 |
|         | 25,39 | 22,09 |       |
|         | 56,36 | 43,64 |       |
| 4       | 791   | 533   | 1324  |
|         | 27,25 | 18,36 | 45,61 |
|         | 51,50 | 38,99 |       |
|         | 59,74 | 40,26 |       |
|         | 1536  | 1367  | 2903  |
|         | 52,91 | 47,09 |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 44,1951   | 0,0220      |
| Error    | 2899 | 1963,0892 |             |
| C. Total | 2902 | 2007,2843 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 88,390    | <.0001     |
| Pearson          | 88,069    | <.0001     |



**Contingency Analysis of Viktig: åpningstider 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: åpningstider 2-51-335

|         | 0                              | 1                              |               |
|---------|--------------------------------|--------------------------------|---------------|
| Count   |                                |                                |               |
| Total % |                                |                                |               |
| Col %   |                                |                                |               |
| Row %   |                                |                                |               |
| 1       | 168<br>5,79<br>12,99<br>42,75  | 225<br>7,75<br>13,98<br>57,25  | 393<br>13,54  |
| 2       | 249<br>8,58<br>19,26<br>50,40  | 245<br>8,44<br>15,22<br>49,60  | 494<br>17,02  |
| 3       | 326<br>11,23<br>25,21<br>47,11 | 366<br>12,61<br>22,73<br>52,89 | 692<br>23,84  |
| 4       | 550<br>18,95<br>42,54<br>41,54 | 774<br>26,66<br>48,07<br>58,46 | 1324<br>45,61 |
|         | 1293<br>44,54                  | 1610<br>55,46                  | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 7,0189    | 0,0035      |
| Error    | 2899 | 1987,8451 |             |
| C. Total | 2902 | 1994,8639 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 14,038    | 0,0029     |
| Pearson          | 14,061    | 0,0028     |

**Contingency Analysis of Viktig: har det jeg ønsker 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: har det jeg ønsker 2-51-335

|                              |         | 0     | 1     |       |
|------------------------------|---------|-------|-------|-------|
| BESØKE I BYGDENORGE 2-29-290 | Count   |       |       |       |
|                              | Total % |       |       |       |
|                              | Col %   |       |       |       |
|                              | Row %   |       |       |       |
|                              | 1       | 325   | 68    | 393   |
|                              |         | 11,20 | 2,34  | 13,54 |
|                              |         | 14,06 | 11,51 |       |
|                              |         | 82,70 | 17,30 |       |
|                              | 2       | 384   | 110   | 494   |
|                              |         | 13,23 | 3,79  | 17,02 |
|                              |         | 16,61 | 18,61 |       |
|                              |         | 77,73 | 22,27 |       |
| 3                            | 558     | 134   | 692   |       |
|                              | 19,22   | 4,62  | 23,84 |       |
|                              | 24,13   | 22,67 |       |       |
|                              | 80,64   | 19,36 |       |       |
| 4                            | 1045    | 279   | 1324  |       |
|                              | 36,00   | 9,61  | 45,61 |       |
|                              | 45,20   | 47,21 |       |       |
|                              | 78,93   | 21,07 |       |       |
|                              | 2312    | 591   | 2903  |       |
|                              | 79,64   | 20,36 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 2,1402    | 0,0015      |
| Error    | 2899 | 1464,8295 |             |
| C. Total | 2902 | 1466,9698 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,280     | 0,2327     |
| Pearson          | 4,212     | 0,2395     |

**Contingency Analysis of Viktig: ryddig plasser 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: ryddig plasser 2-51-335

|                              |   | 0                              | 1                              |               |
|------------------------------|---|--------------------------------|--------------------------------|---------------|
| Count                        |   |                                |                                |               |
| Total %                      |   |                                |                                |               |
| Col %                        |   |                                |                                |               |
| Row %                        |   |                                |                                |               |
| BESØKE I BYGDENORGE 2-29-290 | 1 | 215<br>7,41<br>13,82<br>54,71  | 178<br>6,13<br>13,21<br>45,29  | 393<br>13,54  |
|                              | 2 | 249<br>8,58<br>16,00<br>50,40  | 245<br>8,44<br>18,19<br>49,60  | 494<br>17,02  |
|                              | 3 | 390<br>13,43<br>25,06<br>56,36 | 302<br>10,40<br>22,42<br>43,64 | 692<br>23,84  |
|                              | 4 | 702<br>24,18<br>45,12<br>53,02 | 622<br>21,43<br>46,18<br>46,98 | 1324<br>45,61 |
|                              |   | 1556<br>53,60                  | 1347<br>46,40                  | 2903          |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 2,2595    | 0,0011      |
| Error    | 2899 | 2002,4168 |             |
| C. Total | 2902 | 2004,6763 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,519     | 0,2106     |
| Pearson          | 4,517     | 0,2108     |

**Contingency Analysis of Viktig: ligger i kjøps 2-51-335 By BESØKE I BYGDENORGE 2-29-290**

**Mosaic Plot**



**Contingency Table**

Viktig: ligger i kjøps 2-51-335

|         | 0                               | 1                             |               |
|---------|---------------------------------|-------------------------------|---------------|
| Count   |                                 |                               |               |
| Total % |                                 |                               |               |
| Col %   |                                 |                               |               |
| Row %   |                                 |                               |               |
| 1       | 358<br>12,33<br>14,23<br>91,09  | 35<br>1,21<br>9,04<br>8,91    | 393<br>13,54  |
| 2       | 429<br>14,78<br>17,05<br>86,84  | 65<br>2,24<br>16,80<br>13,16  | 494<br>17,02  |
| 3       | 556<br>19,15<br>22,10<br>80,35  | 136<br>4,68<br>35,14<br>19,65 | 692<br>23,84  |
| 4       | 1173<br>40,41<br>46,62<br>88,60 | 151<br>5,20<br>39,02<br>11,40 | 1324<br>45,61 |
|         | 2516<br>86,67                   | 387<br>13,33                  | 2903          |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 3    | 16,6094   | 0,0146      |
| Error    | 2899 | 1123,1998 |             |
| C. Total | 2902 | 1139,8092 |             |
| N        | 2903 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,219    | <.0001     |
| Pearson          | 34,864    | <.0001     |

## **DEL 5**

### **KRYSSTABELLERING AV «BONDE AVTALE» MOT RESTEN AV VARIABLANE**

## KRYSSTABELLERING AV «BONDE AVTALE» MOT RESTEN AV VARIABLANE

| Variabel namn <sup>1</sup>     | Tabell nr | Side |
|--------------------------------|-----------|------|
| BONDE AVTALE 2-51-336          |           |      |
| FERIENATUR ØNSKE 2-29-289      | 1         | 407  |
| BESØKE I BYGDENORGE 2-29-290   | 2         | 408  |
| KJØNN 1-20-P                   | 3         | 409  |
| ALDER 1-19-A                   | 4         | 410  |
| HUSSTAND STILLING 1-19-B       | 5         | 411  |
| #ARBEIDSTAKERE I HUSST 1-19-C  | 6         | 412  |
| HUSSTAND INNT BRUTTO 1-19-D    | 7         | 413  |
| PERSON INNT BRUTTO 1-19-E      | 8         | 414  |
| EKTESKAPELIG STATUS 1-19-F     | 9         | 415  |
| #PERSONER I HUSST 1-19-G       | 10        | 416  |
| #BARN TOT I HUSST 1-19-H       | 11        | 417  |
| ARB HELTID/DELTID 1-19-J       | 12        | 418  |
| FORSØRGINGSSTATUS EGEN 1-19-K  | 13        | 419  |
| FORSØRGINGSSTATUS E/S 1-19-K   | 14        | 420  |
| NÆRING 1-20-L                  | 15        | 421  |
| OFF/ PRIV SEKTOR EGEN 1-20-M   | 16        | 422  |
| OFF/ PRIV SEKTOR E/S 1-20-M    | 17        | 423  |
| UTDANNING EGEN 1-20-N          | 18        | 424  |
| UTDANNING E/S 1-20-N           | 19        | 425  |
| UNIV/ HØYSK. EKSAMEN 1-20-O    | 20        | 426  |
| FARS UTDANNING 1-18-73         | 21        | 427  |
| MORS UTDANNING 1-18-73         | 22        | 428  |
| HØYEST INNT I HUSSTAND 1-18-74 | 23        | 429  |
| Har hytte ved sjøen 1-6-20     | 24        | 430  |
| Har hytte på fjellet 1-6-20    | 25        | 431  |
| Har hytte i innlandet 1-6-20   | 26        | 432  |
| Har hytte 1-6-19               | 27        | 433  |

<sup>1</sup> Tallkode bak variabelnamnet:: nn-xx-zz = skjema nr - side i skjema - spørsmål nr - i MMI sin dokumentasjon av Norsk Monitor 1991

|                              |    |     |
|------------------------------|----|-----|
| # HYTTEBESØK ÅRLIG 1-6-21    | 28 | 434 |
| # BILER I HUSSTANDEN 1-6-22  | 29 | 435 |
| Fridag bruk (1.v) 2-4-204    | 30 | 436 |
| Fridag bruk (2.V) 2-4-205    | 31 | 437 |
| BOSTEDSVALG 2-18-261         | 32 | 438 |
| BOSTEDSTYPE IDAG 2-19-262    | 33 | 439 |
| ØNSKE OM REKKEHUS+? 2-19-263 | 34 | 440 |
| KOMMUNETYPE SSB              | 35 | 441 |
| SESURBA                      | 36 | 442 |
| FAMILISM                     | 37 | 443 |
| DEPRIVAT                     | 38 | 444 |
| MANUFACT                     | 39 | 445 |
| AFFLUENC                     | 40 | 446 |
| FECONOM                      | 41 | 447 |
| IND Helse                    | 42 | 448 |
| IND Fysisk form              | 43 | 449 |
| IND Selvrealisering          | 44 | 450 |
| IND Materialisme             | 45 | 451 |
| IND Fellesskap               | 46 | 452 |
| IND Natur                    | 47 | 453 |
| IND Religion                 | 48 | 454 |
| IND Nøysomhet/ Hedonisme     | 49 | 455 |
| IND Utseende                 | 50 | 456 |
| IND Polysensualisme          | 51 | 457 |
| IND Forbruk/ Investering     | 52 | 458 |
| IND Tradisjoner/ Nyheter     | 53 | 459 |
| IND Risiko/ Trygghet         | 54 | 460 |
| IND Pessimisme/ Optimisme    | 55 | 461 |
| IND Spontanitet/ Rigiditet   | 56 | 462 |
| IND Fornuft                  | 57 | 463 |
| IND Følelser                 | 58 | 464 |
| IND Okkultisme               | 59 | 465 |
| IND Ambisjonsmangel          | 60 | 466 |
| IND Mobilitet                | 61 | 467 |

|                                 |    |     |
|---------------------------------|----|-----|
| IND Egoisme/ Uselviskhet        | 62 | 468 |
| IND Familie                     | 63 | 469 |
| IND Nærmiljø                    | 64 | 470 |
| IND Status                      | 65 | 471 |
| IND Likestilling                | 66 | 472 |
| IND Intoleranse/ Toleranse      | 67 | 473 |
| IND Individualitet/ Konformisme | 68 | 474 |
| IND Puritanisme                 | 69 | 475 |
| IND Lovlydighet                 | 70 | 476 |
| IND Tillitsfullhet/ Fryktsomhet | 71 | 477 |
| IND Avmakt/ Herredømme          | 72 | 478 |
| IND Autoritet                   | 73 | 479 |
| IND Romantikk                   | 74 | 480 |
| IND Nasjonalisme                | 75 | 481 |
| IND Ulikhet/ Likhet             | 76 | 482 |
| IND Industrivekst/ Miljøvern    | 77 | 483 |
| IND Kollektivism/ Privatisme    | 78 | 484 |
| IND Regulering/ Marked          | 79 | 485 |
| IND Politikertillit             | 80 | 486 |
| IND Teknologi                   | 81 | 487 |
| IND Kunstprodukt/ Naturprodukt  | 82 | 488 |
| IND Reklameskepsis              | 83 | 489 |
| IND Kosmopolitisme/ Lokalisme   | 84 | 490 |
| IND Tett/ Spredt                | 85 | 491 |
| IND Kameratskap                 | 86 | 492 |
| IND Spill                       | 87 | 493 |
| IND Lojalitet                   | 88 | 494 |
| IND Frihet                      | 89 | 495 |
| IND Solidaritet                 | 90 | 496 |
| Enig/ uenig 1-9-50-1            | 91 | 497 |
| Enig/ uenig 1-9-50-2            | 92 | 498 |
| Enig/ uenig 1-9-50-3            | 93 | 499 |
| Enig/ uenig 1-9-50-4            | 94 | 500 |
| Enig/ uenig 1-9-50-5            | 95 | 501 |




|                                 |     |     |
|---------------------------------|-----|-----|
| Enig/ uenig 1-9-50-9            | 96  | 502 |
| Enig/ uenig 1-9-50-10           | 97  | 503 |
| Enig/ uenig 1-9-50-13           | 98  | 504 |
| Valg av A el B 1-10-51-1        | 99  | 505 |
| Valg av A el B 1-10-51-2        | 100 | 506 |
| Valg av A el B 1-10-51-5        | 101 | 507 |
| Utnytte/ verne natur 1-10-52    | 102 | 508 |
| Enig / uenig 1-11-53-5          | 103 | 509 |
| Enig / uenig 1-11-53-10         | 104 | 510 |
| Enig/ uenig 1-13-58-8           | 105 | 511 |
| Enig/ uenig 1-13-58-23          | 106 | 512 |
| Enig/ uenig 2-1-201-1           | 107 | 513 |
| Enig/ uenig 2-1-201-2           | 108 | 514 |
| Enig/ uenig 2-1-201-8           | 109 | 515 |
| Enig/ uenig 2-1-201-26          | 110 | 516 |
| Enig/ uenig 2-1-201-60          | 111 | 517 |
| Enig/ uenig 2-1-201-77          | 112 | 518 |
| Stemmer med min men 2-8-226-7   | 113 | 519 |
| Stemmer med min men 2-8-226-14  | 114 | 520 |
| Reisemåtevalg 2-28-284-1        | 115 | 521 |
| Reisemåtevalg 2-28-284-2        | 116 | 522 |
| Reisemåtevalg 2-28-284-3        | 117 | 523 |
| Reisemåtevalg 2-28-284-4        | 118 | 524 |
| Reisemåtevalg 2-28-284-5        | 119 | 525 |
| Reisemåtevalg 2-28-284-6        | 120 | 526 |
| Ferieland sommer 2-28-285-1     | 121 | 527 |
| Ferieland høst 2-28-285-2       | 122 | 528 |
| Ferieland vinter/p 2-28-285-3   | 123 | 529 |
| Bekymret Kunstst i mat 2-41-317 | 124 | 530 |
| Ikkekjøp mat m Kunstst 2-41-318 | 125 | 531 |
| Påstander om mat 2-41-319-1     | 126 | 532 |
| Påstander om mat 2-41-319-2     | 127 | 533 |
| Påstander om mat 2-41-319-3     | 128 | 534 |
| Påstander om mat 2-41-319-4     | 129 | 535 |

|                                  |     |     |
|----------------------------------|-----|-----|
| Påstander om mat 2-41-319-5      | 130 | 536 |
| Påstander om mat 2-41-319-6      | 131 | 537 |
| Påstander om mat 2-41-319-7      | 132 | 538 |
| Påstander om mat 2-41-319-8      | 133 | 539 |
| Påstander om mat 2-41-319-9      | 134 | 540 |
| Gikk fottur i fjellet 2-29-288   | 135 | 541 |
| Fisket med flue/ sluk 2-29-288   | 136 | 542 |
| Fisket m snøre fra båt 2-29-288  | 137 | 543 |
| Besøkte bygdemuseum 2-29-288     | 138 | 544 |
| Besøkte bondegård 2-29-288       | 139 | 545 |
| Overnattet i DNT hytte 2-29-288  | 140 | 546 |
| Lekel.Badel.Fritidsp. 2-29-288   | 141 | 547 |
| Besøkte severdigheter 2-29-288   | 142 | 548 |
| Antall ferieaktiviteter          | 143 | 549 |
| Viktig: stort utvalg 2-51-335    | 144 | 550 |
| Viktig: god service 2-51-335     | 145 | 551 |
| Viktig: lave priser 2-51-335     | 146 | 552 |
| Viktig: gode varetilb 2-51-335   | 147 | 553 |
| Viktig: parkering 2-51-335       | 148 | 554 |
| Viktig: kyndig betj 2-51-335     | 149 | 555 |
| Viktig: gode ferskv 2-51-335     | 150 | 556 |
| Viktig: st utv frukt/gr 2-51-335 | 151 | 557 |
| Viktig: åpningstider 2-51-335    | 152 | 558 |
| Viktig: har det jeg øns2-51-335  | 153 | 559 |
| Viktig: ryddig plasser2-51-335   | 154 | 560 |
| Viktig: ligger i kjøps 2-51-335  | 155 | 561 |

Data Table=NM1991 Rapport 47

**Contingency Analysis of FERIENTATUR ØNSKE 2-29-289 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

FERIENTATUR ØNSKE 2-29-289

|                       |         | FERIENTATUR ØNSKE 2-29-289 |       |       |       |       |       |
|-----------------------|---------|----------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                          | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                            |       |       |       |       |       |
|                       | Total % |                            |       |       |       |       |       |
|                       | Col %   |                            |       |       |       |       |       |
|                       | Row %   |                            |       |       |       |       |       |
|                       |         |                            |       |       |       |       |       |
| 1                     | Count   | 592                        | 201   | 165   | 105   | 44    | 1107  |
| 1                     | Total % | 21,09                      | 7,16  | 5,88  | 3,74  | 1,57  | 39,44 |
| 1                     | Col %   | 40,58                      | 35,58 | 41,25 | 39,03 | 38,60 |       |
| 1                     | Row %   | 53,48                      | 18,16 | 14,91 | 9,49  | 3,97  |       |
| 2                     | Count   | 506                        | 221   | 170   | 96    | 41    | 1034  |
| 2                     | Total % | 18,03                      | 7,87  | 6,06  | 3,42  | 1,46  | 36,84 |
| 2                     | Col %   | 34,68                      | 39,12 | 42,50 | 35,69 | 35,96 |       |
| 2                     | Row %   | 48,94                      | 21,37 | 16,44 | 9,28  | 3,97  |       |
| 3                     | Count   | 361                        | 143   | 65    | 68    | 29    | 666   |
| 3                     | Total % | 12,86                      | 5,09  | 2,32  | 2,42  | 1,03  | 23,73 |
| 3                     | Col %   | 24,74                      | 25,31 | 16,25 | 25,28 | 25,44 |       |
| 3                     | Row %   | 54,20                      | 21,47 | 9,76  | 10,21 | 4,35  |       |
|                       | Count   | 1459                       | 565   | 400   | 269   | 114   | 2807  |
|                       | Total % | 51,98                      | 20,13 | 14,25 | 9,58  | 4,06  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,6815   | 0,0029      |
| Error    | 2795 | 3625,1876 |             |
| C. Total | 2803 | 3635,8691 |             |
| N        | 2807 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,363    | 0,0062     |
| Pearson          | 20,290    | 0,0093     |

**Contingency Analysis of BESØKE I BYGDENORGE 2-29-290 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

BESØKE I BYGDENORGE 2-29-290

|                       |         | 1     | 2     | 3     | 4     |       |
|-----------------------|---------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |
|                       | 1       | 174   | 238   | 244   | 471   | 1127  |
|                       |         | 6,08  | 8,32  | 8,53  | 16,46 | 39,38 |
|                       |         | 44,85 | 48,47 | 35,78 | 36,20 |       |
|                       |         | 15,44 | 21,12 | 21,65 | 41,79 |       |
|                       | 2       | 131   | 156   | 250   | 514   | 1051  |
|                       |         | 4,58  | 5,45  | 8,74  | 17,96 | 36,72 |
|                       |         | 33,76 | 31,77 | 36,66 | 39,51 |       |
|                       |         | 12,46 | 14,84 | 23,79 | 48,91 |       |
|                       | 3       | 83    | 97    | 188   | 316   | 684   |
|                       | 2,90    | 3,39  | 6,57  | 11,04 | 23,90 |       |
|                       | 21,39   | 19,76 | 27,57 | 24,29 |       |       |
|                       | 12,13   | 14,18 | 27,49 | 46,20 |       |       |
|                       | 388     | 491   | 682   | 1301  | 2862  |       |
|                       | 13,56   | 17,16 | 23,83 | 45,46 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 16,8871   | 0,0046      |
| Error    | 2853 | 3627,8404 |             |
| C. Total | 2859 | 3644,7275 |             |
| N        | 2862 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,774    | <.0001     |
| Pearson          | 34,254    | <.0001     |

**Contingency Analysis of KJØNN 1-19-P By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**


|                       |         | KJØNN 1-19-P |       |       |
|-----------------------|---------|--------------|-------|-------|
|                       |         | 1            | 2     |       |
| BONDE AVTALE 2-51-336 | Count   |              |       |       |
|                       | Total % |              |       |       |
|                       | Col %   |              |       |       |
|                       | Row %   |              |       |       |
|                       |         |              |       |       |
| 1                     |         | 514          | 625   | 1139  |
|                       |         | 17,69        | 21,51 | 39,19 |
|                       |         | 36,20        | 42,06 |       |
|                       |         | 45,13        | 54,87 |       |
| 2                     |         | 622          | 452   | 1074  |
|                       |         | 21,40        | 15,55 | 36,96 |
|                       |         | 43,80        | 30,42 |       |
|                       |         | 57,91        | 42,09 |       |
| 3                     |         | 284          | 409   | 693   |
|                       |         | 9,77         | 14,07 | 23,85 |
|                       |         | 20,00        | 27,52 |       |
|                       |         | 40,98        | 59,02 |       |
|                       |         | 1420         | 1486  | 2906  |
|                       |         | 48,86        | 51,14 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 29,5143   | 0,0147      |
| Error    | 2903 | 1984,0219 |             |
| C. Total | 2905 | 2013,5362 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,029    | <.0001     |
| Pearson          | 58,804    | <.0001     |

**Oneway Analysis of ALDER 1-19-A By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,051223 |
| Adj Rsquare                | 0,05057  |
| Root Mean Square Error     | 16,9371  |
| Mean of Response           | 38,8362  |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 44960,26       | 22480,1     | 78,3648 | <.0001   |
| Error                 | 2903 | 832769,77      | 286,9       |         |          |
| C. Total              | 2905 | 877730,03      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 36,3073 | 0,50185   | 35,323    | 37,291    |
| 2     | 1074   | 43,9367 | 0,51682   | 42,923    | 44,950    |
| 3     | 693    | 35,0880 | 0,64339   | 33,826    | 36,350    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of HUSSTAND STILLING 1-19-B By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

HUSSTAND STILLING 1-19-B

|                       |   | HUSSTAND STILLING 1-19-B |       |       |       |       |       |
|-----------------------|---|--------------------------|-------|-------|-------|-------|-------|
| Count                 |   | 1                        | 2     | 3     | 4     | 5     |       |
| Total %               |   |                          |       |       |       |       |       |
| Col %                 |   |                          |       |       |       |       |       |
| Row %                 |   |                          |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 393                      | 528   | 109   | 72    | 32    | 1134  |
|                       |   | 13,59                    | 18,26 | 3,77  | 2,49  | 1,11  | 39,21 |
|                       |   | 35,31                    | 42,38 | 40,67 | 38,50 | 41,03 |       |
|                       |   | 34,66                    | 46,56 | 9,61  | 6,35  | 2,82  |       |
|                       |   |                          |       |       |       |       |       |
|                       | 2 | 533                      | 403   | 69    | 33    | 29    | 1067  |
|                       |   | 18,43                    | 13,93 | 2,39  | 1,14  | 1,00  | 36,89 |
|                       |   | 47,89                    | 32,34 | 25,75 | 17,65 | 37,18 |       |
|                       |   | 49,95                    | 37,77 | 6,47  | 3,09  | 2,72  |       |
|                       | 3 | 187                      | 315   | 90    | 82    | 17    | 691   |
|                       |   | 6,47                     | 10,89 | 3,11  | 2,84  | 0,59  | 23,89 |
|                       |   | 16,80                    | 25,28 | 33,58 | 43,85 | 21,79 |       |
|                       |   | 27,06                    | 45,59 | 13,02 | 11,87 | 2,46  |       |
|                       |   | 1113                     | 1246  | 268   | 187   | 78    | 2892  |
|                       |   | 38,49                    | 43,08 | 9,27  | 6,47  | 2,70  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 71,7007   | 0,0202      |
| Error    | 2880 | 3471,6622 |             |
| C. Total | 2888 | 3543,3629 |             |
| N        | 2892 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 143,401   | <.0001     |
| Pearson          | 145,277   | <.0001     |

**Contingency Analysis of #ARBEIDSTAKERE I HUSST 1-19-C By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

#ARBEIDSTAKERE I HUSST 1-19-C

|                       |   | 0       | 1     | 2     | 3     | 4     | 5     |       |       |
|-----------------------|---|---------|-------|-------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | 1 | Count   | 128   | 345   | 552   | 86    | 19    | 5     | 1135  |
|                       |   | Total % | 4,44  | 11,96 | 19,13 | 2,98  | 0,66  | 0,17  | 39,34 |
|                       |   | Col %   | 34,13 | 37,30 | 42,76 | 38,05 | 32,20 | 55,56 |       |
|                       |   | Row %   | 11,28 | 30,40 | 48,63 | 7,58  | 1,67  | 0,44  |       |
|                       | 2 | Count   | 155   | 380   | 440   | 72    | 16    | 1     | 1064  |
|                       |   | Total % | 5,37  | 13,17 | 15,25 | 2,50  | 0,55  | 0,03  | 36,88 |
|                       |   | Col %   | 41,33 | 41,08 | 34,08 | 31,86 | 27,12 | 11,11 |       |
|                       |   | Row %   | 14,57 | 35,71 | 41,35 | 6,77  | 1,50  | 0,09  |       |
|                       | 3 | Count   | 92    | 200   | 299   | 68    | 24    | 3     | 686   |
|                       |   | Total % | 3,19  | 6,93  | 10,36 | 2,36  | 0,83  | 0,10  | 23,78 |
| Col %                 |   | 24,53   | 21,62 | 23,16 | 30,09 | 40,68 | 33,33 |       |       |
| Row %                 |   | 13,41   | 29,15 | 43,59 | 9,91  | 3,50  | 0,44  |       |       |
|                       |   | 375     | 925   | 1291  | 226   | 59    | 9     | 2885  |       |
|                       |   | 13,00   | 32,06 | 44,75 | 7,83  | 2,05  | 0,31  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 10   | 17,6122   | 0,0047      |
| Error    | 2870 | 3694,7885 |             |
| C. Total | 2880 | 3712,4007 |             |
| N        | 2885 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 35,224    | 0,0001     |
| Pearson          | 36,055    | <.0001     |



**Contingency Analysis of HUSSTAND INNT BRUTTO 1-19-D By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

HUSSTAND INNT BRUTTO 1-19-D

|                       | 1    | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |       |       |
|-----------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count                 |      |       |       |       |       |       |       |       |       |       |       |       |
| Total %               |      |       |       |       |       |       |       |       |       |       |       |       |
| Col %                 |      |       |       |       |       |       |       |       |       |       |       |       |
| Row %                 |      |       |       |       |       |       |       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1    | 43    | 70    | 52    | 88    | 117   | 257   | 208   | 178   | 28    | 69    | 1110  |
|                       |      | 1,53  | 2,49  | 1,85  | 3,13  | 4,16  | 9,13  | 7,39  | 6,32  | 0,99  | 2,45  | 39,43 |
|                       |      | 35,83 | 37,84 | 32,10 | 38,43 | 36,79 | 42,13 | 40,55 | 43,20 | 37,84 | 35,94 |       |
|                       |      | 3,87  | 6,31  | 4,68  | 7,93  | 10,54 | 23,15 | 18,74 | 16,04 | 2,52  | 6,22  |       |
|                       | 2    | 39    | 63    | 72    | 91    | 120   | 220   | 204   | 152   | 25    | 47    | 1033  |
|                       |      | 1,39  | 2,24  | 2,56  | 3,23  | 4,26  | 7,82  | 7,25  | 5,40  | 0,89  | 1,67  | 36,70 |
|                       |      | 32,50 | 34,05 | 44,44 | 39,74 | 37,74 | 36,07 | 39,77 | 36,89 | 33,78 | 24,48 |       |
|                       |      | 3,78  | 6,10  | 6,97  | 8,81  | 11,62 | 21,30 | 19,75 | 14,71 | 2,42  | 4,55  |       |
|                       | 3    | 38    | 52    | 38    | 50    | 81    | 133   | 101   | 82    | 21    | 76    | 672   |
|                       |      | 1,35  | 1,85  | 1,35  | 1,78  | 2,88  | 4,72  | 3,59  | 2,91  | 0,75  | 2,70  | 23,87 |
|                       |      | 31,67 | 28,11 | 23,46 | 21,83 | 25,47 | 21,80 | 19,69 | 19,90 | 28,38 | 39,58 |       |
|                       |      | 5,65  | 7,74  | 5,65  | 7,44  | 12,05 | 19,79 | 15,03 | 12,20 | 3,13  | 11,31 |       |
|                       | 120  | 185   | 162   | 229   | 318   | 610   | 513   | 412   | 74    | 192   | 2815  |       |
|                       | 4,26 | 6,57  | 5,75  | 8,13  | 11,30 | 21,67 | 18,22 | 14,64 | 2,63  | 6,82  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 18   | 25,6741   | 0,0043      |
| Error    | 2788 | 5969,8926 |             |
| C. Total | 2806 | 5995,5667 |             |
| N        | 2815 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 51,348    | <.0001     |
| Pearson          | 53,631    | <.0001     |

**Contingency Analysis of PERSON INNT BRUTTO 1-19-E By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

PERSON INNT BRUTTO 1-19-E

|                       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |       |       |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count                 |       |       |       |       |       |       |       |       |       |       |       |       |
| Total %               |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %                 |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %                 |       |       |       |       |       |       |       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 232   | 156   | 113   | 156   | 165   | 145   | 41    | 18    | 32    | 35    | 1093  |
|                       |       | 8,37  | 5,63  | 4,08  | 5,63  | 5,95  | 5,23  | 1,48  | 0,65  | 1,15  | 1,26  | 39,44 |
|                       |       | 38,54 | 40,00 | 43,63 | 41,82 | 38,55 | 36,90 | 44,57 | 31,58 | 40,00 | 36,08 |       |
|                       |       | 21,23 | 14,27 | 10,34 | 14,27 | 15,10 | 13,27 | 3,75  | 1,65  | 2,93  | 3,20  |       |
|                       | 2     | 182   | 149   | 87    | 136   | 160   | 178   | 43    | 35    | 26    | 28    | 1024  |
|                       |       | 6,57  | 5,38  | 3,14  | 4,91  | 5,77  | 6,42  | 1,55  | 1,26  | 0,94  | 1,01  | 36,95 |
|                       |       | 30,23 | 38,21 | 33,59 | 36,46 | 37,38 | 45,29 | 46,74 | 61,40 | 32,50 | 28,87 |       |
|                       |       | 17,77 | 14,55 | 8,50  | 13,28 | 15,63 | 17,38 | 4,20  | 3,42  | 2,54  | 2,73  |       |
|                       | 3     | 188   | 85    | 59    | 81    | 103   | 70    | 8     | 4     | 22    | 34    | 654   |
|                       |       | 6,78  | 3,07  | 2,13  | 2,92  | 3,72  | 2,53  | 0,29  | 0,14  | 0,79  | 1,23  | 23,60 |
|                       |       | 31,23 | 21,79 | 22,78 | 21,72 | 24,07 | 17,81 | 8,70  | 7,02  | 27,50 | 35,05 |       |
|                       |       | 28,75 | 13,00 | 9,02  | 12,39 | 15,75 | 10,70 | 1,22  | 0,61  | 3,36  | 5,20  |       |
|                       | 602   | 390   | 259   | 373   | 428   | 393   | 92    | 57    | 80    | 97    | 2771  |       |
|                       | 21,73 | 14,07 | 9,35  | 13,46 | 15,45 | 14,18 | 3,32  | 2,06  | 2,89  | 3,50  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 18   | 39,4809   | 0,0069      |
| Error    | 2744 | 5716,6362 |             |
| C. Total | 2762 | 5756,1171 |             |
| N        | 2771 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 78,962    | <.0001     |
| Pearson          | 76,716    | <.0001     |

**Contingency Analysis of EKTESKAPELIG STATUS 1-19-F By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

EKTESKAPELIG STATUS 1-19-F

|                       |   | EKTESKAPELIG STATUS 1-19-F |       |       |       |
|-----------------------|---|----------------------------|-------|-------|-------|
| Count                 |   | 1                          | 2     | 3     |       |
| Total %               |   |                            |       |       |       |
| Col %                 |   |                            |       |       |       |
| Row %                 |   |                            |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 683                        | 321   | 129   | 1133  |
|                       |   | 23,59                      | 11,09 | 4,46  | 39,14 |
|                       |   | 40,56                      | 37,54 | 36,24 |       |
|                       |   | 60,28                      | 28,33 | 11,39 |       |
|                       | 2 | 655                        | 264   | 151   | 1070  |
|                       |   | 22,63                      | 9,12  | 5,22  | 36,96 |
|                       |   | 38,90                      | 30,88 | 42,42 |       |
|                       |   | 61,21                      | 24,67 | 14,11 |       |
|                       | 3 | 346                        | 270   | 76    | 692   |
|                       |   | 11,95                      | 9,33  | 2,63  | 23,90 |
|                       |   | 20,55                      | 31,58 | 21,35 |       |
|                       |   | 50,00                      | 39,02 | 10,98 |       |
|                       |   | 1684                       | 855   | 356   | 2895  |
|                       |   | 58,17                      | 29,53 | 12,30 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 22,0810   | 0,0082      |
| Error    | 2889 | 2679,2319 |             |
| C. Total | 2893 | 2701,3129 |             |
| N        | 2895 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 44,162    | <.0001     |
| Pearson          | 45,307    | <.0001     |

| Kappa    | Std Err |
|----------|---------|
| -0,02025 | 0,01256 |

Kappa measures the degree of agreement.

**Contingency Analysis of #PERSONER I HUSST 1-19-G By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

#PERSONER I HUSST 1-19-G

| Count                 | 1     | 2     | 3     | 4     | 5     | 6     | 7     |       |       |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total %               |       |       |       |       |       |       |       |       |       |
| Col %                 |       |       |       |       |       |       |       |       |       |
| Row %                 |       |       |       |       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 166   | 316   | 243   | 273   | 101   | 25    | 6     | 1130  |
|                       |       | 5,76  | 10,96 | 8,43  | 9,47  | 3,50  | 0,87  | 0,21  | 39,21 |
|                       |       | 32,94 | 36,62 | 41,12 | 44,54 | 43,16 | 43,10 | 31,58 |       |
|                       |       | 14,69 | 27,96 | 21,50 | 24,16 | 8,94  | 2,21  | 0,53  |       |
|                       | 2     | 229   | 364   | 205   | 174   | 69    | 17    | 9     | 1067  |
|                       |       | 7,95  | 12,63 | 7,11  | 6,04  | 2,39  | 0,59  | 0,31  | 37,02 |
|                       |       | 45,44 | 42,18 | 34,69 | 28,38 | 29,49 | 29,31 | 47,37 |       |
|                       |       | 21,46 | 34,11 | 19,21 | 16,31 | 6,47  | 1,59  | 0,84  |       |
|                       | 3     | 109   | 183   | 143   | 166   | 64    | 16    | 4     | 685   |
|                       |       | 3,78  | 6,35  | 4,96  | 5,76  | 2,22  | 0,56  | 0,14  | 23,77 |
|                       |       | 21,63 | 21,21 | 24,20 | 27,08 | 27,35 | 27,59 | 21,05 |       |
|                       |       | 15,91 | 26,72 | 20,88 | 24,23 | 9,34  | 2,34  | 0,58  |       |
|                       | 504   | 863   | 591   | 613   | 234   | 58    | 19    | 2882  |       |
|                       | 17,49 | 29,94 | 20,51 | 21,27 | 8,12  | 2,01  | 0,66  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 27,7590   | 0,0059      |
| Error    | 2864 | 4686,4215 |             |
| C. Total | 2876 | 4714,1806 |             |
| N        | 2882 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 55,518    | <.0001     |
| Pearson          | 54,997    | <.0001     |

**Contingency Analysis of #BARN TOT I HUSST 1-19-H By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

#BARN TOT I HUSST 1-19-H

|                       | #BARN TOT I HUSST 1-19-H |       |       |       |       |       |       |       |       |       |
|-----------------------|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                       | 0                        | 1     | 2     | 3     | 4     | 5     | 6     | 8     |       |       |
| BONDE AVTALE 2-51-336 | 1                        | 325   | 276   | 286   | 111   | 22    | 5     | 2     | 1     | 1028  |
|                       |                          | 12,36 | 10,49 | 10,87 | 4,22  | 0,84  | 0,19  | 0,08  | 0,04  | 39,09 |
|                       |                          | 32,02 | 41,01 | 45,04 | 46,44 | 43,14 | 45,45 | 50,00 | 50,00 |       |
|                       |                          | 31,61 | 26,85 | 27,82 | 10,80 | 2,14  | 0,49  | 0,19  | 0,10  |       |
|                       | 2                        | 470   | 233   | 170   | 70    | 12    | 4     | 1     | 1     | 961   |
|                       |                          | 17,87 | 8,86  | 6,46  | 2,66  | 0,46  | 0,15  | 0,04  | 0,04  | 36,54 |
|                       |                          | 46,31 | 34,62 | 26,77 | 29,29 | 23,53 | 36,36 | 25,00 | 50,00 |       |
|                       |                          | 48,91 | 24,25 | 17,69 | 7,28  | 1,25  | 0,42  | 0,10  | 0,10  |       |
|                       | 3                        | 220   | 164   | 179   | 58    | 17    | 2     | 1     | 0     | 641   |
|                       |                          | 8,37  | 6,24  | 6,81  | 2,21  | 0,65  | 0,08  | 0,04  | 0,00  | 24,37 |
|                       |                          | 21,67 | 24,37 | 28,19 | 24,27 | 33,33 | 18,18 | 25,00 | 0,00  |       |
|                       |                          | 34,32 | 25,59 | 27,93 | 9,05  | 2,65  | 0,31  | 0,16  | 0,00  |       |
|                       | 1015                     | 673   | 635   | 239   | 51    | 11    | 4     | 2     | 2630  |       |
|                       | 38,59                    | 25,59 | 24,14 | 9,09  | 1,94  | 0,42  | 0,15  | 0,08  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 14   | 41,5089   | 0,0113      |
| Error    | 2609 | 3619,4087 |             |
| C. Total | 2623 | 3660,9177 |             |
| N        | 2630 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 83,018    | <.0001     |
| Pearson          | 82,148    | <.0001     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of ARB HELTID/DELTID 1-19-J By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

ARB HELTID/DELTID 1-19-J

|                       |     | ARB HELTID/DELTID 1-19-J |       |       |       |       |
|-----------------------|-----|--------------------------|-------|-------|-------|-------|
|                       |     | 1                        | 2     | 3     | 4     |       |
| Count                 |     |                          |       |       |       |       |
| Total %               |     |                          |       |       |       |       |
| Col %                 |     |                          |       |       |       |       |
| Row %                 |     |                          |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1   | 504                      | 232   | 46    | 336   | 1118  |
|                       |     | 17,77                    | 8,18  | 1,62  | 11,85 | 39,42 |
|                       |     | 40,00                    | 44,87 | 39,32 | 35,67 |       |
|                       |     | 45,08                    | 20,75 | 4,11  | 30,05 |       |
| 2                     | 507 | 138                      | 36    | 360   | 1041  |       |
|                       |     | 17,88                    | 4,87  | 1,27  | 12,69 | 36,71 |
|                       |     | 40,24                    | 26,69 | 30,77 | 38,22 |       |
|                       |     | 48,70                    | 13,26 | 3,46  | 34,58 |       |
| 3                     | 249 | 147                      | 35    | 246   | 677   |       |
|                       |     | 8,78                     | 5,18  | 1,23  | 8,67  | 23,87 |
|                       |     | 19,76                    | 28,43 | 29,91 | 26,11 |       |
|                       |     | 36,78                    | 21,71 | 5,17  | 36,34 |       |
|                       |     | 1260                     | 517   | 117   | 942   | 2836  |
|                       |     | 44,43                    | 18,23 | 4,13  | 33,22 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 23,0763   | 0,0070      |
| Error    | 2827 | 3290,3429 |             |
| C. Total | 2833 | 3313,4192 |             |
| N        | 2836 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 46,153    | <.0001     |
| Pearson          | 44,683    | <.0001     |

**Contingency Analysis of FORSØRGINGSSTATUS EGEN 1-19-K By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS EGEN 1-19-K

|                       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |       |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count                 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Total %               |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %                 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %                 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 169   | 199   | 106   | 136   | 65    | 177   | 45    | 72    | 85    | 26    | 42    | 1122  |
|                       |       | 5,91  | 6,96  | 3,71  | 4,76  | 2,27  | 6,19  | 1,57  | 2,52  | 2,97  | 0,91  | 1,47  | 39,26 |
|                       |       | 40,92 | 41,37 | 40,93 | 42,50 | 38,92 | 38,90 | 45,45 | 29,15 | 36,80 | 32,91 | 39,25 |       |
|                       |       | 15,06 | 17,74 | 9,45  | 12,12 | 5,79  | 15,78 | 4,01  | 6,42  | 7,58  | 2,32  | 3,74  |       |
|                       | 2     | 126   | 181   | 116   | 123   | 70    | 126   | 16    | 127   | 101   | 37    | 36    | 1059  |
|                       |       | 4,41  | 6,33  | 4,06  | 4,30  | 2,45  | 4,41  | 0,56  | 4,44  | 3,53  | 1,29  | 1,26  | 37,05 |
|                       |       | 30,51 | 37,63 | 44,79 | 38,44 | 41,92 | 27,69 | 16,16 | 51,42 | 43,72 | 46,84 | 33,64 |       |
|                       |       | 11,90 | 17,09 | 10,95 | 11,61 | 6,61  | 11,90 | 1,51  | 11,99 | 9,54  | 3,49  | 3,40  |       |
|                       | 3     | 118   | 101   | 37    | 61    | 32    | 152   | 38    | 48    | 45    | 16    | 29    | 677   |
|                       |       | 4,13  | 3,53  | 1,29  | 2,13  | 1,12  | 5,32  | 1,33  | 1,68  | 1,57  | 0,56  | 1,01  | 23,69 |
|                       |       | 28,57 | 21,00 | 14,29 | 19,06 | 19,16 | 33,41 | 38,38 | 19,43 | 19,48 | 20,25 | 27,10 |       |
|                       |       | 17,43 | 14,92 | 5,47  | 9,01  | 4,73  | 22,45 | 5,61  | 7,09  | 6,65  | 2,36  | 4,28  |       |
|                       | 413   | 481   | 259   | 320   | 167   | 455   | 99    | 247   | 231   | 79    | 107   | 2858  |       |
|                       | 14,45 | 16,83 | 9,06  | 11,20 | 5,84  | 15,92 | 3,46  | 8,64  | 8,08  | 2,76  | 3,74  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 20   | 57,3979   | 0,0089      |
| Error    | 2828 | 6385,3048 |             |
| C. Total | 2848 | 6442,7027 |             |
| N        | 2858 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 114,796   | <.0001     |
| Pearson          | 113,346   | <.0001     |

**Contingency Analysis of FORSØRGINGSSTATUS E/S 1-19-K By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS E/S 1-19-K

|                       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |       |
|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count                 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Total %               |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %                 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %                 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 87    | 185   | 79    | 82    | 59    | 21    | 16    | 43    | 39    | 25    | 31    | 667   |
|                       |       | 5,30  | 11,28 | 4,82  | 5,00  | 3,60  | 1,28  | 0,98  | 2,62  | 2,38  | 1,52  | 1,89  | 40,67 |
|                       |       | 35,66 | 46,13 | 40,10 | 41,62 | 44,03 | 40,38 | 42,11 | 32,58 | 36,79 | 34,25 | 46,97 |       |
|                       |       | 13,04 | 27,74 | 11,84 | 12,29 | 8,85  | 3,15  | 2,40  | 6,45  | 5,85  | 3,75  | 4,65  |       |
|                       | 2     | 107   | 131   | 74    | 81    | 45    | 18    | 11    | 66    | 48    | 34    | 23    | 638   |
|                       |       | 6,52  | 7,99  | 4,51  | 4,94  | 2,74  | 1,10  | 0,67  | 4,02  | 2,93  | 2,07  | 1,40  | 38,90 |
|                       |       | 43,85 | 32,67 | 37,56 | 41,12 | 33,58 | 34,62 | 28,95 | 50,00 | 45,28 | 46,58 | 34,85 |       |
|                       |       | 16,77 | 20,53 | 11,60 | 12,70 | 7,05  | 2,82  | 1,72  | 10,34 | 7,52  | 5,33  | 3,61  |       |
|                       | 3     | 50    | 85    | 44    | 34    | 30    | 13    | 11    | 23    | 19    | 14    | 12    | 335   |
|                       |       | 3,05  | 5,18  | 2,68  | 2,07  | 1,83  | 0,79  | 0,67  | 1,40  | 1,16  | 0,85  | 0,73  | 20,43 |
|                       |       | 20,49 | 21,20 | 22,34 | 17,26 | 22,39 | 25,00 | 28,95 | 17,42 | 17,92 | 19,18 | 18,18 |       |
|                       |       | 14,93 | 25,37 | 13,13 | 10,15 | 8,96  | 3,88  | 3,28  | 6,87  | 5,67  | 4,18  | 3,58  |       |
|                       | 244   | 401   | 197   | 197   | 134   | 52    | 38    | 132   | 106   | 73    | 66    | 1640  |       |
|                       | 14,88 | 24,45 | 12,01 | 12,01 | 8,17  | 3,17  | 2,32  | 8,05  | 6,46  | 4,45  | 4,02  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 20   | 14,0580   | 0,0039      |
| Error    | 1610 | 3570,9140 |             |
| C. Total | 1630 | 3584,9720 |             |
| N        | 1640 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 28,116    | 0,1067     |
| Pearson          | 28,247    | 0,1037     |



**Contingency Analysis of NÆRING 1-20-L By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |         | NÆRING 1-20-L |       |       |       |       |       |       |       |       |       |       |       |
|-----------------------|---------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                       |         | 1             | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |
| Count                 | Total % |               |       |       |       |       |       |       |       |       |       |       |       |
| Col %                 | Row %   |               |       |       |       |       |       |       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1       | 160           | 82    | 57    | 20    | 144   | 76    | 35    | 74    | 58    | 92    | 313   | 1111  |
|                       |         | 5,68          | 2,91  | 2,02  | 0,71  | 5,11  | 2,70  | 1,24  | 2,63  | 2,06  | 3,26  | 11,11 | 39,43 |
|                       |         | 36,12         | 39,81 | 42,22 | 25,00 | 47,21 | 40,00 | 52,24 | 47,13 | 36,02 | 45,77 | 35,85 |       |
|                       |         | 14,40         | 7,38  | 5,13  | 1,80  | 12,96 | 6,84  | 3,15  | 6,66  | 5,22  | 8,28  | 28,17 |       |
|                       | 2       | 182           | 75    | 54    | 33    | 80    | 74    | 26    | 52    | 71    | 63    | 329   | 1039  |
|                       |         | 6,46          | 2,66  | 1,92  | 1,17  | 2,84  | 2,63  | 0,92  | 1,85  | 2,52  | 2,24  | 11,67 | 36,87 |
|                       |         | 41,08         | 36,41 | 40,00 | 41,25 | 26,23 | 38,95 | 38,81 | 33,12 | 44,10 | 31,34 | 37,69 |       |
|                       |         | 17,52         | 7,22  | 5,20  | 3,18  | 7,70  | 7,12  | 2,50  | 5,00  | 6,83  | 6,06  | 31,67 |       |
|                       | 3       | 101           | 49    | 24    | 27    | 81    | 40    | 6     | 31    | 32    | 46    | 231   | 668   |
|                       |         | 3,58          | 1,74  | 0,85  | 0,96  | 2,87  | 1,42  | 0,21  | 1,10  | 1,14  | 1,63  | 8,20  | 23,70 |
|                       |         | 22,80         | 23,79 | 17,78 | 33,75 | 26,56 | 21,05 | 8,96  | 19,75 | 19,88 | 22,89 | 26,46 |       |
|                       |         | 15,12         | 7,34  | 3,59  | 4,04  | 12,13 | 5,99  | 0,90  | 4,64  | 4,79  | 6,89  | 34,58 |       |
|                       | 443     | 206           | 135   | 80    | 305   | 190   | 67    | 157   | 161   | 201   | 873   | 2818  |       |
|                       | 15,72   | 7,31          | 4,79  | 2,84  | 10,82 | 6,74  | 2,38  | 5,57  | 5,71  | 7,13  | 30,98 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 20   | 29,5353   | 0,0050      |
| Error    | 2788 | 5933,1314 |             |
| C. Total | 2808 | 5962,6667 |             |
| N        | 2818 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,071    | <.0001     |
| Pearson          | 56,430    | <.0001     |

**Contingency Analysis of OFF/ PRIV SEKTOR EGEN 1-20-M By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR EGEN 1-20-M

|                       |       | OFF/ PRIV SEKTOR EGEN 1-20-M |       |       |       |
|-----------------------|-------|------------------------------|-------|-------|-------|
| Count                 |       | 1                            | 2     | 3     |       |
| Total %               |       |                              |       |       |       |
| Col %                 |       |                              |       |       |       |
| Row %                 |       |                              |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 329                          | 447   | 143   | 919   |
|                       |       | 14,67                        | 19,94 | 6,38  | 40,99 |
|                       |       | 40,67                        | 40,90 | 42,06 |       |
|                       |       | 35,80                        | 48,64 | 15,56 |       |
|                       | 2     | 290                          | 406   | 126   | 822   |
|                       |       | 12,93                        | 18,11 | 5,62  | 36,66 |
|                       |       | 35,85                        | 37,15 | 37,06 |       |
|                       |       | 35,28                        | 49,39 | 15,33 |       |
|                       | 3     | 190                          | 240   | 71    | 501   |
|                       |       | 8,47                         | 10,70 | 3,17  | 22,35 |
|                       |       | 23,49                        | 21,96 | 20,88 |       |
|                       |       | 37,92                        | 47,90 | 14,17 |       |
|                       | 809   | 1093                         | 340   | 2242  |       |
|                       | 36,08 | 48,75                        | 15,17 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 0,6092    | 0,0003      |
| Error    | 2236 | 2250,5822 |             |
| C. Total | 2240 | 2251,1914 |             |
| N        | 2242 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 1,218     | 0,8750     |
| Pearson          | 1,218     | 0,8750     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00162 | 0,015082 |

Kappa measures the degree of agreement.

**Contingency Analysis of OFF/ PRIV SEKTOR E/S 1-20-M By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR E/S 1-20-M

|                       |         | OFF/ PRIV SEKTOR E/S 1-20-M |       |       |       |
|-----------------------|---------|-----------------------------|-------|-------|-------|
| Count                 |         | 1                           | 2     | 3     |       |
| BONDE AVTALE 2-51-336 | Total % |                             |       |       |       |
|                       | Col %   |                             |       |       |       |
|                       | Row %   |                             |       |       |       |
|                       | 1       | 197                         | 297   | 60    | 554   |
|                       |         | 14,57                       | 21,97 | 4,44  | 40,98 |
|                       |         | 40,53                       | 42,67 | 35,29 |       |
|                       |         | 35,56                       | 53,61 | 10,83 |       |
|                       | 2       | 201                         | 246   | 76    | 523   |
|                       |         | 14,87                       | 18,20 | 5,62  | 38,68 |
|                       |         | 41,36                       | 35,34 | 44,71 |       |
|                       |         | 38,43                       | 47,04 | 14,53 |       |
|                       | 3       | 88                          | 153   | 34    | 275   |
|                       |         | 6,51                        | 11,32 | 2,51  | 20,34 |
|                       |         | 18,11                       | 21,98 | 20,00 |       |
|                       |         | 32,00                       | 55,64 | 12,36 |       |
|                       |         | 486                         | 696   | 170   | 1352  |
|                       |         | 35,95                       | 51,48 | 12,57 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 4,2599    | 0,0032      |
| Error    | 1346 | 1307,6217 |             |
| C. Total | 1350 | 1311,8815 |             |
| N        | 1352 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 8,520     | 0,0743     |
| Pearson          | 8,474     | 0,0757     |

| Kappa    | Std Err  |
|----------|----------|
| -0,03058 | 0,019791 |

Kappa measures the degree of agreement.

**Contingency Analysis of UTDANNING EGEN 1-20-N By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

UTDANNING EGEN 1-20-N

|                       |       | UTDANNING EGEN 1-20-N |       |       |       |       |
|-----------------------|-------|-----------------------|-------|-------|-------|-------|
| Count                 |       | 1                     | 2     | 3     | 4     |       |
| Total %               |       |                       |       |       |       |       |
| Col %                 |       |                       |       |       |       |       |
| Row %                 |       |                       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 120                   | 259   | 432   | 322   | 1133  |
|                       |       | 4,15                  | 8,97  | 14,95 | 11,15 | 39,22 |
|                       |       | 29,41                 | 38,77 | 40,19 | 43,63 |       |
|                       |       | 10,59                 | 22,86 | 38,13 | 28,42 |       |
| 2                     | 198   | 237                   | 354   | 278   | 1067  |       |
|                       |       | 6,85                  | 8,20  | 12,25 | 9,62  | 36,93 |
|                       |       | 48,53                 | 35,48 | 32,93 | 37,67 |       |
|                       |       | 18,56                 | 22,21 | 33,18 | 26,05 |       |
| 3                     | 90    | 172                   | 289   | 138   | 689   |       |
|                       |       | 3,12                  | 5,95  | 10,00 | 4,78  | 23,85 |
|                       |       | 22,06                 | 25,75 | 26,88 | 18,70 |       |
|                       |       | 13,06                 | 24,96 | 41,94 | 20,03 |       |
|                       | 408   | 668                   | 1075  | 738   | 2889  |       |
|                       | 14,12 | 23,12                 | 37,21 | 25,55 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 24,0162   | 0,0062      |
| Error    | 2880 | 3822,7053 |             |
| C. Total | 2886 | 3846,7215 |             |
| N        | 2889 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 48,032    | <.0001     |
| Pearson          | 47,887    | <.0001     |

**Contingency Analysis of UTDANNING E/S 1-20-N By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

UTDANNING E/S 1-20-N

|                       |         | UTDANNING E/S 1-20-N |       |       |       |       |
|-----------------------|---------|----------------------|-------|-------|-------|-------|
|                       |         | 1                    | 2     | 3     | 4     |       |
| BONDE AVTALE 2-51-336 | Count   |                      |       |       |       |       |
|                       | Total % |                      |       |       |       |       |
|                       | Col %   |                      |       |       |       |       |
|                       | Row %   |                      |       |       |       |       |
|                       |         |                      |       |       |       |       |
| 1                     | Count   | 76                   | 150   | 237   | 191   | 654   |
| 1                     | Total % | 4,70                 | 9,28  | 14,67 | 11,82 | 40,47 |
| 1                     | Col %   | 30,16                | 38,46 | 41,29 | 47,75 |       |
| 1                     | Row %   | 11,62                | 22,94 | 36,24 | 29,20 |       |
| 2                     | Count   | 131                  | 162   | 205   | 136   | 634   |
| 2                     | Total % | 8,11                 | 10,02 | 12,69 | 8,42  | 39,23 |
| 2                     | Col %   | 51,98                | 41,54 | 35,71 | 34,00 |       |
| 2                     | Row %   | 20,66                | 25,55 | 32,33 | 21,45 |       |
| 3                     | Count   | 45                   | 78    | 132   | 73    | 328   |
| 3                     | Total % | 2,78                 | 4,83  | 8,17  | 4,52  | 20,30 |
| 3                     | Col %   | 17,86                | 20,00 | 23,00 | 18,25 |       |
| 3                     | Row %   | 13,72                | 23,78 | 40,24 | 22,26 |       |
|                       | Count   | 252                  | 390   | 574   | 400   | 1616  |
|                       | Total % | 15,59                | 24,13 | 35,52 | 24,75 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 15,5515   | 0,0071      |
| Error    | 1607 | 2159,7781 |             |
| C. Total | 1613 | 2175,3297 |             |
| N        | 1616 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 31,103    | <.0001     |
| Pearson          | 31,561    | <.0001     |

**Contingency Analysis of UNIV/ HØYSK. EKSAMEN 1-20-O By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

UNIV/ HØYSK. EKSAMEN 1-20-O

|                       |         | UNIV/ HØYSK. EKSAMEN 1-20-O |       |       |       |
|-----------------------|---------|-----------------------------|-------|-------|-------|
|                       |         | 1                           | 2     | 3     |       |
| BONDE AVTALE 2-51-336 | Count   |                             |       |       |       |
|                       | Total % |                             |       |       |       |
|                       | Col %   |                             |       |       |       |
|                       | Row %   |                             |       |       |       |
|                       |         |                             |       |       |       |
| 1                     |         | 143                         | 174   | 9     | 326   |
|                       |         | 18,87                       | 22,96 | 1,19  | 43,01 |
|                       |         | 42,56                       | 42,96 | 52,94 |       |
|                       |         | 43,87                       | 53,37 | 2,76  |       |
| 2                     |         | 125                         | 152   | 6     | 283   |
|                       |         | 16,49                       | 20,05 | 0,79  | 37,34 |
|                       |         | 37,20                       | 37,53 | 35,29 |       |
|                       |         | 44,17                       | 53,71 | 2,12  |       |
| 3                     |         | 68                          | 79    | 2     | 149   |
|                       |         | 8,97                        | 10,42 | 0,26  | 19,66 |
|                       |         | 20,24                       | 19,51 | 11,76 |       |
|                       |         | 45,64                       | 53,02 | 1,34  |       |
|                       |         | 336                         | 405   | 17    | 758   |
|                       |         | 44,33                       | 53,43 | 2,24  |       |

**Tests**

| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 4   | 0,54799   | 0,0009      |
| Error    | 752 | 591,22178 |             |
| C. Total | 756 | 591,76977 |             |
| N        | 758 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 1,096     | 0,8949     |
| Pearson          | 1,032     | 0,9049     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00448 | 0,026745 |

Kappa measures the degree of agreement.

**Contingency Analysis of FARS UTDANNING 1-18-73 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

FARS UTDANNING 1-18-73

|                       |         | FARS UTDANNING 1-18-73 |       |       |       |       |       |
|-----------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                      | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                        |       |       |       |       |       |
|                       | Total % |                        |       |       |       |       |       |
|                       | Col %   |                        |       |       |       |       |       |
|                       | Row %   |                        |       |       |       |       |       |
|                       |         |                        |       |       |       |       |       |
| 1                     | Count   | 482                    | 206   | 200   | 179   | 48    | 1115  |
| 1                     | Total % | 16,86                  | 7,21  | 7,00  | 6,26  | 1,68  | 39,01 |
| 1                     | Col %   | 35,84                  | 39,92 | 40,49 | 45,78 | 42,86 |       |
| 1                     | Row %   | 43,23                  | 18,48 | 17,94 | 16,05 | 4,30  |       |
| 2                     | Count   | 542                    | 175   | 169   | 135   | 43    | 1064  |
| 2                     | Total % | 18,96                  | 6,12  | 5,91  | 4,72  | 1,50  | 37,23 |
| 2                     | Col %   | 40,30                  | 33,91 | 34,21 | 34,53 | 38,39 |       |
| 2                     | Row %   | 50,94                  | 16,45 | 15,88 | 12,69 | 4,04  |       |
| 3                     | Count   | 321                    | 135   | 125   | 77    | 21    | 679   |
| 3                     | Total % | 11,23                  | 4,72  | 4,37  | 2,69  | 0,73  | 23,76 |
| 3                     | Col %   | 23,87                  | 26,16 | 25,30 | 19,69 | 18,75 |       |
| 3                     | Row %   | 47,28                  | 19,88 | 18,41 | 11,34 | 3,09  |       |
|                       | Count   | 1345                   | 516   | 494   | 391   | 112   | 2858  |
|                       | Total % | 47,06                  | 18,05 | 17,28 | 13,68 | 3,92  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,7686   | 0,0028      |
| Error    | 2846 | 3893,9839 |             |
| C. Total | 2854 | 3904,7525 |             |
| N        | 2858 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,537    | 0,0058     |
| Pearson          | 21,478    | 0,0060     |

**Contingency Analysis of MORS UTDANNING 1-18-73 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

MORS UTDANNING 1-18-73

|                       |       | MORS UTDANNING 1-18-73 |       |       |       |       |       |
|-----------------------|-------|------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                      | 2     | 3     | 4     | 5     |       |
| Count                 |       |                        |       |       |       |       |       |
| Total %               |       |                        |       |       |       |       |       |
| Col %                 |       |                        |       |       |       |       |       |
| Row %                 |       |                        |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 540                    | 251   | 169   | 110   | 42    | 1112  |
|                       |       | 18,95                  | 8,81  | 5,93  | 3,86  | 1,47  | 39,03 |
|                       |       | 36,49                  | 38,38 | 42,68 | 48,46 | 45,65 |       |
|                       |       | 48,56                  | 22,57 | 15,20 | 9,89  | 3,78  |       |
|                       |       |                        |       |       |       |       |       |
| 2                     |       | 594                    | 239   | 126   | 65    | 35    | 1059  |
|                       |       | 20,85                  | 8,39  | 4,42  | 2,28  | 1,23  | 37,17 |
|                       |       | 40,14                  | 36,54 | 31,82 | 28,63 | 38,04 |       |
|                       |       | 56,09                  | 22,57 | 11,90 | 6,14  | 3,31  |       |
| 3                     |       | 346                    | 164   | 101   | 52    | 15    | 678   |
|                       |       | 12,14                  | 5,76  | 3,55  | 1,83  | 0,53  | 23,80 |
|                       |       | 23,38                  | 25,08 | 25,51 | 22,91 | 16,30 |       |
|                       |       | 51,03                  | 24,19 | 14,90 | 7,67  | 2,21  |       |
|                       | 1480  | 654                    | 396   | 227   | 92    | 2849  |       |
|                       | 51,95 | 22,96                  | 13,90 | 7,97  | 3,23  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 12,3776   | 0,0034      |
| Error    | 2837 | 3590,8686 |             |
| C. Total | 2845 | 3603,2462 |             |
| N        | 2849 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,755    | 0,0017     |
| Pearson          | 24,456    | 0,0019     |



**Contingency Analysis of HØYEST INNT I HUSSTAND 1-18-74 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

HØYEST INNT I HUSSTAND 1-18-74

| Count   | 1                              | 2                              | 3                           |               |
|---------|--------------------------------|--------------------------------|-----------------------------|---------------|
| Total % |                                |                                |                             |               |
| Col %   |                                |                                |                             |               |
| Row %   |                                |                                |                             |               |
| 1       | 509<br>19,01<br>36,91<br>48,25 | 525<br>19,61<br>41,83<br>49,76 | 21<br>0,78<br>48,84<br>1,99 | 1055<br>39,41 |
| 2       | 615<br>22,97<br>44,60<br>62,00 | 365<br>13,63<br>29,08<br>36,79 | 12<br>0,45<br>27,91<br>1,21 | 992<br>37,06  |
| 3       | 255<br>9,53<br>18,49<br>40,48  | 365<br>13,63<br>29,08<br>57,94 | 10<br>0,37<br>23,26<br>1,59 | 630<br>23,53  |
|         | 1379<br>51,51                  | 1255<br>46,88                  | 43<br>1,61                  | 2677          |

BONDE AVTALE 2-51-336

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 40,2551   | 0,0197      |
| Error    | 2671 | 2002,8713 |             |
| C. Total | 2675 | 2043,1265 |             |
| N        | 2677 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 80,510    | <.0001     |
| Pearson          | 80,010    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,08119 | 0,013624 |

Kappa measures the degree of agreement.

## Contingency Analysis of Har hytte ved sjøen 1-6-20 By BONDE AVTALE 2-51-336

## Mosaic Plot



## Contingency Table

Har hytte ved sjøen 1-6-20

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 994   | 145   | 1139  |
|                       |         | 34,21 | 4,99  | 39,19 |
|                       |         | 38,53 | 44,48 |       |
|                       |         | 87,27 | 12,73 |       |
|                       | 2       | 968   | 106   | 1074  |
|                       |         | 33,31 | 3,65  | 36,96 |
|                       | 37,52   | 32,52 |       |       |
|                       | 90,13   | 9,87  |       |       |
| 3                     | 618     | 75    | 693   |       |
|                       | 21,27   | 2,58  | 23,85 |       |
|                       | 23,95   | 23,01 |       |       |
|                       | 89,18   | 10,82 |       |       |
|                       | 2580    | 326   | 2906  |       |
|                       | 88,78   | 11,22 |       |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 2,3318    | 0,0023      |
| Error    | 2903 | 1017,8269 |             |
| C. Total | 2905 | 1020,1586 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,664     | 0,0971     |
| Pearson          | 4,685     | 0,0961     |

**Contingency Analysis of Har hytte på fjellet 1-6-20 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Har hytte på fjellet 1-6-20

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 974   | 165   | 1139  |
|                       |   | 33,52 | 5,68  | 39,19 |
|                       |   | 38,62 | 42,97 |       |
|                       |   | 85,51 | 14,49 |       |
| 2                     |   | 934   | 140   | 1074  |
|                       |   | 32,14 | 4,82  | 36,96 |
|                       |   | 37,03 | 36,46 |       |
|                       |   | 86,96 | 13,04 |       |
| 3                     |   | 614   | 79    | 693   |
|                       |   | 21,13 | 2,72  | 23,85 |
|                       |   | 24,35 | 20,57 |       |
|                       |   | 88,60 | 11,40 |       |
|                       |   | 2522  | 384   | 2906  |
|                       |   | 86,79 | 13,21 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 1,8343    | 0,0016      |
| Error    | 2903 | 1132,7709 |             |
| C. Total | 2905 | 1134,6051 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 3,669     | 0,1597     |
| Pearson          | 3,627     | 0,1631     |

## Contingency Analysis of Har hytte i innlandet 1-6-20 By BONDE AVTALE 2-51-336

## Mosaic Plot



## Contingency Table

Har hytte i innlandet 1-6-20

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 1074  | 65    | 1139  |
|                       |         | 36,96 | 2,24  | 39,19 |
|                       |         | 39,20 | 39,16 |       |
|                       |         | 94,29 | 5,71  |       |
|                       | 2       | 1009  | 65    | 1074  |
|                       |         | 34,72 | 2,24  | 36,96 |
|                       | 36,82   | 39,16 |       |       |
|                       | 93,95   | 6,05  |       |       |
| 3                     | 657     | 36    | 693   |       |
|                       | 22,61   | 1,24  | 23,85 |       |
|                       | 23,98   | 21,69 |       |       |
|                       | 94,81   | 5,19  |       |       |
|                       | 2740    | 166   | 2906  |       |
|                       | 94,29   | 5,71  |       |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,29051   | 0,0005      |
| Error    | 2903 | 636,05780 |             |
| C. Total | 2905 | 636,34831 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,581     | 0,7479     |
| Pearson          | 0,575     | 0,7502     |

**Contingency Analysis of Har hytte 1-6-19 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Har hytte 1-6-19

|                       |   | Har hytte 1-6-19 |       |       |
|-----------------------|---|------------------|-------|-------|
| Count                 |   | 0                | 1     |       |
| Total %               |   |                  |       |       |
| Col %                 |   |                  |       |       |
| Row %                 |   |                  |       |       |
| BONDE AVTALE 2-51-336 | 1 | 804              | 335   | 1139  |
|                       |   | 27,67            | 11,53 | 39,19 |
|                       |   | 38,58            | 40,75 |       |
|                       |   | 70,59            | 29,41 |       |
|                       | 2 | 772              | 302   | 1074  |
|                       |   | 26,57            | 10,39 | 36,96 |
|                       |   | 37,04            | 36,74 |       |
|                       |   | 71,88            | 28,12 |       |
|                       | 3 | 508              | 185   | 693   |
|                       |   | 17,48            | 6,37  | 23,85 |
|                       |   | 24,38            | 22,51 |       |
|                       |   | 73,30            | 26,70 |       |
|                       |   | 2084             | 822   | 2906  |
|                       |   | 71,71            | 28,29 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,7976    | 0,0005      |
| Error    | 2903 | 1730,1237 |             |
| C. Total | 2905 | 1730,9213 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 1,595     | 0,4504     |
| Pearson          | 1,591     | 0,4515     |

**Contingency Analysis of # HYTTEBESØK ÅRLIG 1-6-21 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

# HYTTEBESØK ÅRLIG 1-6-21

| Count   | 0     | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |       |
| 1       | 4     | 105   | 75    | 87    | 32    | 27    | 330   |
|         | 0,50  | 13,09 | 9,35  | 10,85 | 3,99  | 3,37  | 41,15 |
|         | 44,44 | 40,38 | 39,27 | 48,88 | 42,11 | 30,68 |       |
|         | 1,21  | 31,82 | 22,73 | 26,36 | 9,70  | 8,18  |       |
| 2       | 4     | 87    | 77    | 64    | 25    | 34    | 291   |
|         | 0,50  | 10,85 | 9,60  | 7,98  | 3,12  | 4,24  | 36,28 |
|         | 44,44 | 33,46 | 40,31 | 35,96 | 32,89 | 38,64 |       |
|         | 1,37  | 29,90 | 26,46 | 21,99 | 8,59  | 11,68 |       |
| 3       | 1     | 68    | 39    | 27    | 19    | 27    | 181   |
|         | 0,12  | 8,48  | 4,86  | 3,37  | 2,37  | 3,37  | 22,57 |
|         | 11,11 | 26,15 | 20,42 | 15,17 | 25,00 | 30,68 |       |
|         | 0,55  | 37,57 | 21,55 | 14,92 | 10,50 | 14,92 |       |
|         | 9     | 260   | 191   | 178   | 76    | 88    | 802   |
|         | 1,12  | 32,42 | 23,82 | 22,19 | 9,48  | 10,97 |       |


**Tests**

| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 10  | 8,5218    | 0,0068      |
| Error    | 787 | 1240,3040 |             |
| C. Total | 797 | 1248,8258 |             |
| N        | 802 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,044    | 0,0734     |
| Pearson          | 16,620    | 0,0832     |

**Contingency Analysis of # BILER I HUSSTANDEN 1-6-22 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

# BILER I HUSSTANDEN 1-6-22

|                       | # BILER I HUSSTANDEN 1-6-22 |       |       |       |       | Total |       |
|-----------------------|-----------------------------|-------|-------|-------|-------|-------|-------|
|                       | 1                           | 2     | 3     | 4     | 5     |       |       |
| BONDE AVTALE 2-51-336 | Count                       | 608   | 291   | 51    | 8     | 171   | 1129  |
|                       | Total %                     | 21,11 | 10,10 | 1,77  | 0,28  | 5,94  | 39,20 |
|                       | Col %                       | 39,53 | 40,70 | 43,22 | 21,05 | 36,31 |       |
|                       | Row %                       | 53,85 | 25,78 | 4,52  | 0,71  | 15,15 |       |
|                       |                             |       |       |       |       |       |       |
|                       | Count                       | 576   | 253   | 41    | 15    | 180   | 1065  |
|                       | Total %                     | 20,00 | 8,78  | 1,42  | 0,52  | 6,25  | 36,98 |
|                       | Col %                       | 37,45 | 35,38 | 34,75 | 39,47 | 38,22 |       |
|                       | Row %                       | 54,08 | 23,76 | 3,85  | 1,41  | 16,90 |       |
|                       | Count                       | 354   | 171   | 26    | 15    | 120   | 686   |
|                       | Total %                     | 12,29 | 5,94  | 0,90  | 0,52  | 4,17  | 23,82 |
|                       | Col %                       | 23,02 | 23,92 | 22,03 | 39,47 | 25,48 |       |
|                       | Row %                       | 51,60 | 24,93 | 3,79  | 2,19  | 17,49 |       |
|                       | Count                       | 1538  | 715   | 118   | 38    | 471   | 2880  |
|                       | Total %                     | 53,40 | 24,83 | 4,10  | 1,32  | 16,35 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 5,5896    | 0,0017      |
| Error    | 2868 | 3349,6821 |             |
| C. Total | 2876 | 3355,2717 |             |
| N        | 2880 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 11,179    | 0,1917     |
| Pearson          | 11,171    | 0,1922     |

**Contingency Analysis of Fridag bruk (1.v) 2-4-204 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (1.v) 2-4-204

|                       | 1       | 2     | 3     | 4     | 5     |       |       |
|-----------------------|---------|-------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |       |
|                       | 1       | 661   | 296   | 73    | 36    | 54    | 1120  |
|                       |         | 23,02 | 10,31 | 2,54  | 1,25  | 1,88  | 39,00 |
|                       |         | 38,84 | 39,26 | 41,48 | 35,64 | 38,85 |       |
|                       |         | 59,02 | 26,43 | 6,52  | 3,21  | 4,82  |       |
|                       | 2       | 602   | 309   | 64    | 42    | 48    | 1065  |
|                       |         | 20,96 | 10,76 | 2,23  | 1,46  | 1,67  | 37,08 |
|                       |         | 35,37 | 40,98 | 36,36 | 41,58 | 34,53 |       |
|                       |         | 56,53 | 29,01 | 6,01  | 3,94  | 4,51  |       |
|                       | 3       | 439   | 149   | 39    | 23    | 37    | 687   |
|                       |         | 15,29 | 5,19  | 1,36  | 0,80  | 1,29  | 23,92 |
|                       |         | 25,79 | 19,76 | 22,16 | 22,77 | 26,62 |       |
|                       | 63,90   | 21,69 | 5,68  | 3,35  | 5,39  |       |       |
|                       | 1702    | 754   | 176   | 101   | 139   | 2872  |       |
|                       | 59,26   | 26,25 | 6,13  | 3,52  | 4,84  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 7,3440    | 0,0023      |
| Error    | 2860 | 3142,0140 |             |
| C. Total | 2868 | 3149,3580 |             |
| N        | 2872 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 14,688    | 0,0655     |
| Pearson          | 14,506    | 0,0695     |



**Contingency Analysis of Fridag bruk (2.V) 2-4-205 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (2.V) 2-4-205

|                       |         | Fridag bruk (2.V) 2-4-205 |       |       |       |       |       |
|-----------------------|---------|---------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                         | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                           |       |       |       |       |       |
|                       | Total % |                           |       |       |       |       |       |
|                       | Col %   |                           |       |       |       |       |       |
|                       | Row %   |                           |       |       |       |       |       |
|                       |         |                           |       |       |       |       |       |
| 1                     |         | 360                       | 399   | 136   | 97    | 125   | 1117  |
|                       |         | 12,59                     | 13,95 | 4,76  | 3,39  | 4,37  | 39,06 |
|                       |         | 38,10                     | 39,74 | 42,63 | 41,10 | 35,11 |       |
|                       |         | 32,23                     | 35,72 | 12,18 | 8,68  | 11,19 |       |
| 2                     |         | 367                       | 366   | 110   | 84    | 130   | 1057  |
|                       |         | 12,83                     | 12,80 | 3,85  | 2,94  | 4,55  | 36,96 |
|                       |         | 38,84                     | 36,45 | 34,48 | 35,59 | 36,52 |       |
|                       |         | 34,72                     | 34,63 | 10,41 | 7,95  | 12,30 |       |
| 3                     |         | 218                       | 239   | 73    | 55    | 101   | 686   |
|                       |         | 7,62                      | 8,36  | 2,55  | 1,92  | 3,53  | 23,99 |
|                       |         | 23,07                     | 23,80 | 22,88 | 23,31 | 28,37 |       |
|                       |         | 31,78                     | 34,84 | 10,64 | 8,02  | 14,72 |       |
|                       |         | 945                       | 1004  | 319   | 236   | 356   | 2860  |
|                       |         | 33,04                     | 35,10 | 11,15 | 8,25  | 12,45 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 3,9832    | 0,0010      |
| Error    | 2848 | 4123,7471 |             |
| C. Total | 2856 | 4127,7303 |             |
| N        | 2860 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 7,966     | 0,4368     |
| Pearson          | 8,103     | 0,4235     |

**Contingency Analysis of BOSTEDSVALG 2-18-261 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

BOSTEDSVALG 2-18-261

|                       |         | BOSTEDSVALG 2-18-261 |       |       |       |       |       |
|-----------------------|---------|----------------------|-------|-------|-------|-------|-------|
|                       |         | 1                    | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                      |       |       |       |       |       |
|                       | Total % |                      |       |       |       |       |       |
|                       | Col %   |                      |       |       |       |       |       |
|                       | Row %   |                      |       |       |       |       |       |
|                       |         |                      |       |       |       |       |       |
| 1                     | Count   | 85                   | 205   | 272   | 348   | 192   | 1102  |
|                       | Total % | 3,01                 | 7,27  | 9,64  | 12,34 | 6,81  | 39,06 |
|                       | Col %   | 39,17                | 38,10 | 38,69 | 40,05 | 38,87 |       |
|                       | Row %   | 7,71                 | 18,60 | 24,68 | 31,58 | 17,42 |       |
| 2                     | Count   | 86                   | 205   | 254   | 322   | 180   | 1047  |
|                       | Total % | 3,05                 | 7,27  | 9,00  | 11,41 | 6,38  | 37,11 |
|                       | Col %   | 39,63                | 38,10 | 36,13 | 37,05 | 36,44 |       |
|                       | Row %   | 8,21                 | 19,58 | 24,26 | 30,75 | 17,19 |       |
| 3                     | Count   | 46                   | 128   | 177   | 199   | 122   | 672   |
|                       | Total % | 1,63                 | 4,54  | 6,27  | 7,05  | 4,32  | 23,82 |
|                       | Col %   | 21,20                | 23,79 | 25,18 | 22,90 | 24,70 |       |
|                       | Row %   | 6,85                 | 19,05 | 26,34 | 29,61 | 18,15 |       |
|                       | Count   | 217                  | 538   | 703   | 869   | 494   | 2821  |
|                       | Total % | 7,69                 | 19,07 | 24,92 | 30,80 | 17,51 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 1,3883    | 0,0003      |
| Error    | 2809 | 4307,4290 |             |
| C. Total | 2817 | 4308,8173 |             |
| N        | 2821 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 2,777     | 0,9476     |
| Pearson          | 2,768     | 0,9481     |

**Contingency Analysis of BOSTEDSTYPE IDAG 2-19-262 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

BOSTEDSTYPE IDAG 2-19-262

|                       |         | BOSTEDSTYPE IDAG 2-19-262 |       |       |       |       |       |
|-----------------------|---------|---------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                         | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                           |       |       |       |       |       |
|                       | Total % |                           |       |       |       |       |       |
|                       | Col %   |                           |       |       |       |       |       |
|                       | Row %   |                           |       |       |       |       |       |
|                       |         |                           |       |       |       |       |       |
| 1                     | Count   | 132                       | 232   | 195   | 399   | 160   | 1118  |
| 1                     | Total % | 4,63                      | 8,14  | 6,84  | 14,00 | 5,62  | 39,24 |
| 1                     | Col %   | 37,71                     | 41,88 | 38,46 | 41,87 | 32,99 |       |
| 1                     | Row %   | 11,81                     | 20,75 | 17,44 | 35,69 | 14,31 |       |
| 2                     | Count   | 147                       | 201   | 185   | 341   | 182   | 1056  |
| 2                     | Total % | 5,16                      | 7,06  | 6,49  | 11,97 | 6,39  | 37,07 |
| 2                     | Col %   | 42,00                     | 36,28 | 36,49 | 35,78 | 37,53 |       |
| 2                     | Row %   | 13,92                     | 19,03 | 17,52 | 32,29 | 17,23 |       |
| 3                     | Count   | 71                        | 121   | 127   | 213   | 143   | 675   |
| 3                     | Total % | 2,49                      | 4,25  | 4,46  | 7,48  | 5,02  | 23,69 |
| 3                     | Col %   | 20,29                     | 21,84 | 25,05 | 22,35 | 29,48 |       |
| 3                     | Row %   | 10,52                     | 17,93 | 18,81 | 31,56 | 21,19 |       |
|                       | Count   | 350                       | 554   | 507   | 953   | 485   | 2849  |
|                       | Total % | 12,29                     | 19,45 | 17,80 | 33,45 | 17,02 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,4576   | 0,0024      |
| Error    | 2837 | 4408,1830 |             |
| C. Total | 2845 | 4418,6406 |             |
| N        | 2849 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,915    | 0,0074     |
| Pearson          | 21,163    | 0,0067     |

**Contingency Analysis of ØNSKE OM REKKEHUS+? 2-19-263 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

ØNSKE OM REKKEHUS+? 2-19-263

|                       |         | 1     | 2     | 3     | 4     | 5     |       |
|-----------------------|---------|-------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |       |
|                       |         |       |       |       |       |       |       |
| 1                     |         | 377   | 49    | 239   | 118   | 327   | 1110  |
|                       |         | 13,29 | 1,73  | 8,43  | 4,16  | 11,53 | 39,14 |
|                       |         | 41,66 | 44,14 | 34,09 | 37,58 | 40,62 |       |
|                       |         | 33,96 | 4,41  | 21,53 | 10,63 | 29,46 |       |
| 2                     |         | 314   | 34    | 308   | 107   | 287   | 1050  |
|                       |         | 11,07 | 1,20  | 10,86 | 3,77  | 10,12 | 37,02 |
|                       |         | 34,70 | 30,63 | 43,94 | 34,08 | 35,65 |       |
|                       |         | 29,90 | 3,24  | 29,33 | 10,19 | 27,33 |       |
| 3                     |         | 214   | 28    | 154   | 89    | 191   | 676   |
|                       |         | 7,55  | 0,99  | 5,43  | 3,14  | 6,73  | 23,84 |
|                       |         | 23,65 | 25,23 | 21,97 | 28,34 | 23,73 |       |
|                       |         | 31,66 | 4,14  | 22,78 | 13,17 | 28,25 |       |
|                       |         | 905   | 111   | 701   | 314   | 805   | 2836  |
|                       |         | 31,91 | 3,91  | 24,72 | 11,07 | 28,39 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 11,7862   | 0,0029      |
| Error    | 2824 | 4066,1544 |             |
| C. Total | 2832 | 4077,9406 |             |
| N        | 2836 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 23,572    | 0,0027     |
| Pearson          | 23,937    | 0,0023     |

**Contingency Analysis of KOMMUNETYPE SSB By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

KOMMUNETYPE SSB


|                       |         | KOMMUNETYPE SSB |       |       |       |       |       |       |       |       |       |
|-----------------------|---------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                       |         | 1               | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     |       |
| BONDE AVTALE 2-51-336 | Count   |                 |       |       |       |       |       |       |       |       |       |
|                       | Total % |                 |       |       |       |       |       |       |       |       |       |
|                       | Col %   |                 |       |       |       |       |       |       |       |       |       |
|                       | Row %   |                 |       |       |       |       |       |       |       |       |       |
| 1                     | Count   | 76              | 91    | 58    | 23    | 34    | 143   | 426   | 237   | 51    | 1139  |
|                       | Total % | 2,62            | 3,13  | 2,00  | 0,79  | 1,17  | 4,92  | 14,66 | 8,16  | 1,75  | 39,19 |
|                       | Col %   | 41,76           | 33,83 | 36,71 | 36,51 | 45,33 | 38,96 | 39,55 | 40,37 | 39,84 |       |
|                       | Row %   | 6,67            | 7,99  | 5,09  | 2,02  | 2,99  | 12,55 | 37,40 | 20,81 | 4,48  |       |
| 2                     | Count   | 56              | 108   | 58    | 23    | 24    | 143   | 411   | 204   | 47    | 1074  |
|                       | Total % | 1,93            | 3,72  | 2,00  | 0,79  | 0,83  | 4,92  | 14,14 | 7,02  | 1,62  | 36,96 |
|                       | Col %   | 30,77           | 40,15 | 36,71 | 36,51 | 32,00 | 38,96 | 38,16 | 34,75 | 36,72 |       |
|                       | Row %   | 5,21            | 10,06 | 5,40  | 2,14  | 2,23  | 13,31 | 38,27 | 18,99 | 4,38  |       |
| 3                     | Count   | 50              | 70    | 42    | 17    | 17    | 81    | 240   | 146   | 30    | 693   |
|                       | Total % | 1,72            | 2,41  | 1,45  | 0,58  | 0,58  | 2,79  | 8,26  | 5,02  | 1,03  | 23,85 |
|                       | Col %   | 27,47           | 26,02 | 26,58 | 26,98 | 22,67 | 22,07 | 22,28 | 24,87 | 23,44 |       |
|                       | Row %   | 7,22            | 10,10 | 6,06  | 2,45  | 2,45  | 11,69 | 34,63 | 21,07 | 4,33  |       |
|                       | Count   | 182             | 269   | 158   | 63    | 75    | 367   | 1077  | 587   | 128   | 2906  |
|                       | Total % | 6,26            | 9,26  | 5,44  | 2,17  | 2,58  | 12,63 | 37,06 | 20,20 | 4,40  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 6,3394    | 0,0012      |
| Error    | 2882 | 5280,8165 |             |
| C. Total | 2898 | 5287,1559 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 12,679    | 0,6961     |
| Pearson          | 12,551    | 0,7052     |

**Oneway Analysis of SESURBA By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001312 |
| Adj Rsquare                | 0,000622 |
| Root Mean Square Error     | 152561,1 |
| Mean of Response           | 108837,9 |
| Observations (or Sum Wgts) | 2897     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 8,84822e10     | 4,4241e10   | 1,9008  | 0,1496   |
| Error                 | 2894 | 6,73576e13     | 2,3275e10   |         |          |
| C. Total              | 2896 | 6,7446e+13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 1134   | 110119 | 4530,4    | 101236    | 119002    |
| 2     | 1071   | 113609 | 4661,8    | 104468    | 122750    |
| 3     | 692    | 99354  | 5799,5    | 87983     | 110726    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of FAMILISM By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001139 |
| Adj Rsquare                | 0,000449 |
| Root Mean Square Error     | 120430,7 |
| Mean of Response           | -3999,12 |
| Observations (or Sum Wgts) | 2897     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 4,78613e10     | 2,3931e10   | 1,6500  | 0,1922   |
| Error                 | 2894 | 4,19733e13     | 1,4504e10   |         |          |
| C. Total              | 2896 | 4,20211e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1134   | 747,7   | 3576,3    | -6265     | 7760      |
| 2     | 1071   | -8519,7 | 3680,0    | -15735    | -1304     |
| 3     | 692    | -4781,4 | 4578,1    | -13758    | 4195      |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of DEPRIVAT By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000329 |
| Adj Rsquare                | -0,00036 |
| Root Mean Square Error     | 85287,85 |
| Mean of Response           | 28292,26 |
| Observations (or Sum Wgts) | 2897     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 6934952745     | 3,46748e9   | 0,4767  | 0,6209   |
| Error                 | 2894 | 2,1051e+13     | 7,27402e9   |         |          |
| C. Total              | 2896 | 2,10579e13     |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1134   | 28728,5 | 2532,7    | 23762     | 33695     |
| 2     | 1071   | 29564,6 | 2606,1    | 24455     | 34675     |
| 3     | 692    | 25608,2 | 3242,2    | 19251     | 31965     |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of MANUFACT By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000716 |
| Adj Rsquare                | 0,000026 |
| Root Mean Square Error     | 88587,11 |
| Mean of Response           | 8846,347 |
| Observations (or Sum Wgts) | 2897     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 1,62806e10     | 8,14031e9   | 1,0373  | 0,3545   |
| Error                 | 2894 | 2,27112e13     | 7,84768e9   |         |          |
| C. Total              | 2896 | 2,27275e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1134   | 6432,7  | 2630,7    | 1274,6    | 11591     |
| 2     | 1071   | 11808,9 | 2706,9    | 6501,2    | 17117     |
| 3     | 692    | 8216,6  | 3367,6    | 1613,5    | 14820     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of AFFLUENC By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001034 |
| Adj Rsquare                | 0,000344 |
| Root Mean Square Error     | 72975,26 |
| Mean of Response           | 35740,65 |
| Observations (or Sum Wgts) | 2897     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 1,59564e10     | 7,97822e9   | 1,4981  | 0,2237   |
| Error                 | 2894 | 1,54117e13     | 5,32539e9   |         |          |
| C. Total              | 2896 | 1,54276e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1134   | 38666,4 | 2167,1    | 34417     | 42916     |
| 2     | 1071   | 33904,0 | 2229,9    | 29532     | 38276     |
| 3     | 692    | 33788,7 | 2774,1    | 28349     | 39228     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of FECONOM By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001955 |
| Adj Rsquare                | 0,001266 |
| Root Mean Square Error     | 86809,31 |
| Mean of Response           | 32913,51 |
| Observations (or Sum Wgts) | 2897     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 4,27267e10     | 2,1363e10   | 2,8349  | 0,0589   |
| Error                 | 2894 | 2,18088e13     | 7,53586e9   |         |          |
| C. Total              | 2896 | 2,18515e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1134   | 30444,5 | 2577,9    | 25390     | 35499     |
| 2     | 1071   | 37892,2 | 2652,6    | 32691     | 43093     |
| 3     | 692    | 29254,1 | 3300,0    | 22784     | 35725     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Helse By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000907 |
| Adj Rsquare                | 0,000218 |
| Root Mean Square Error     | 2,118518 |
| Mean of Response           | 4,091191 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 11,822         | 5,91077     | 1,3170  | 0,2681   |
| Error                 | 2903 | 13029,013      | 4,48812     |         |          |
| C. Total              | 2905 | 13040,834      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 4,16769 | 0,06277   | 4,0446    | 4,2908    |
| 2     | 1074   | 4,05959 | 0,06464   | 3,9328    | 4,1863    |
| 3     | 693    | 4,01443 | 0,08048   | 3,8566    | 4,1722    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Fysisk form By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000019 |
| Adj Rsquare                | -0,00067 |
| Root Mean Square Error     | 2,055603 |
| Mean of Response           | 5,669649 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 0,230          | 0,11490     | 0,0272  | 0,9732   |
| Error                 | 2903 | 12266,633      | 4,22550     |         |          |
| C. Total              | 2905 | 12266,863      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 5,66813 | 0,06091   | 5,5487    | 5,7876    |
| 2     | 1074   | 5,67970 | 0,06272   | 5,5567    | 5,8027    |
| 3     | 693    | 5,65657 | 0,07809   | 5,5035    | 5,8097    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Selvrealisering By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004294 |
| Adj Rsquare                | 0,003608 |
| Root Mean Square Error     | 3,456172 |
| Mean of Response           | 9,099449 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 149,558        | 74,7790     | 6,2602  | 0,0019   |
| Error                 | 2903 | 34676,701      | 11,9451     |         |          |
| C. Total              | 2905 | 34826,259      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 9,32221 | 0,10241   | 9,1214    | 9,5230    |
| 2     | 1074   | 9,09963 | 0,10546   | 8,8928    | 9,3064    |
| 3     | 693    | 8,73304 | 0,13129   | 8,4756    | 8,9905    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Materialisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002511 |
| Adj Rsquare                | 0,001824 |
| Root Mean Square Error     | 2,896041 |
| Mean of Response           | 7,186511 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 61,290         | 30,6450     | 3,6538  | 0,0260   |
| Error                 | 2903 | 24347,621      | 8,3871      |         |          |
| C. Total              | 2905 | 24408,911      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 7,00615 | 0,08581   | 6,8379    | 7,1744    |
| 2     | 1074   | 7,29143 | 0,08837   | 7,1182    | 7,4647    |
| 3     | 693    | 7,32035 | 0,11001   | 7,1046    | 7,5361    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Felleskap By BONDE AVTALE 2-51-336



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005287 |
| Adj Rsquare                | 0,004601 |
| Root Mean Square Error     | 3,134797 |
| Mean of Response           | 13,02443 |
| Observations (or Sum Wgts) | 2906     |

#### Analysis of Variance

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 151,618        | 75,8090     | 7,7144  | 0,0005   |
| Error                 | 2903 | 28527,647      | 9,8270      |         |          |
| C. Total              | 2905 | 28679,265      |             |         |          |


#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 13,2063 | 0,09289   | 13,024    | 13,388    |
| 2     | 1074   | 12,7263 | 0,09565   | 12,539    | 12,914    |
| 3     | 693    | 13,1876 | 0,11908   | 12,954    | 13,421    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Natur By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000662 |
| Adj Rsquare                | -0,00003 |
| Root Mean Square Error     | 3,135963 |
| Mean of Response           | 9,713696 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 18,918         | 9,45888     | 0,9618  | 0,3823   |
| Error                 | 2903 | 28548,877      | 9,83427     |         |          |
| C. Total              | 2905 | 28567,795      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 9,81036 | 0,09292   | 9,6282    | 9,9926    |
| 2     | 1074   | 9,67412 | 0,09569   | 9,4865    | 9,8617    |
| 3     | 693    | 9,61616 | 0,11913   | 9,3826    | 9,8497    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Religion By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001026 |
| Adj Rsquare                | 0,000338 |
| Root Mean Square Error     | 4,986814 |
| Mean of Response           | 5,628011 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 74,173         | 37,0865     | 1,4913  | 0,2252   |
| Error                 | 2903 | 72192,707      | 24,8683     |         |          |
| C. Total              | 2905 | 72266,880      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 5,47410 | 0,14776   | 5,1844    | 5,7638    |
| 2     | 1074   | 5,62291 | 0,15217   | 5,3245    | 5,9213    |
| 3     | 693    | 5,88889 | 0,18943   | 5,5175    | 6,2603    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nøysomhet/ Hedonisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004887 |
| Adj Rsquare                | 0,004201 |
| Root Mean Square Error     | 3,133164 |
| Mean of Response           | 7,539917 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 139,947        | 69,9734     | 7,1280  | 0,0008   |
| Error                 | 2903 | 28497,923      | 9,8167      |         |          |
| C. Total              | 2905 | 28637,870      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 7,65145 | 0,09284   | 7,4694    | 7,8335    |
| 2     | 1074   | 7,26164 | 0,09561   | 7,0742    | 7,4491    |
| 3     | 693    | 7,78788 | 0,11902   | 7,5545    | 8,0212    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Utseende By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000213 |
| Adj Rsquare                | -0,00048 |
| Root Mean Square Error     | 2,988618 |
| Mean of Response           | 8,347213 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 5,532          | 2,76579     | 0,3097  | 0,7337   |
| Error                 | 2903 | 25929,131      | 8,93184     |         |          |
| C. Total              | 2905 | 25934,662      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,35996 | 0,08855   | 8,1863    | 8,5336    |
| 2     | 1074   | 8,38268 | 0,09119   | 8,2039    | 8,5615    |
| 3     | 693    | 8,27128 | 0,11353   | 8,0487    | 8,4939    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Polysensualisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000129 |
| Adj Rsquare                | -0,00056 |
| Root Mean Square Error     | 2,414897 |
| Mean of Response           | 6,658293 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 2,182          | 1,09103     | 0,1871  | 0,8294   |
| Error                 | 2903 | 16929,503      | 5,83173     |         |          |
| C. Total              | 2905 | 16931,685      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 6,68306 | 0,07155   | 6,5428    | 6,8234    |
| 2     | 1074   | 6,62291 | 0,07369   | 6,4784    | 6,7674    |
| 3     | 693    | 6,67244 | 0,09173   | 6,4926    | 6,8523    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Forbruk/ Investering By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,008573 |
| Adj Rsquare                | 0,00789  |
| Root Mean Square Error     | 2,578492 |
| Mean of Response           | 11,73365 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 166,907        | 83,4537     | 12,5520 | <.0001   |
| Error                 | 2903 | 19300,941      | 6,6486      |         |          |
| C. Total              | 2905 | 19467,849      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 11,5891 | 0,07640   | 11,439    | 11,739    |
| 2     | 1074   | 12,0428 | 0,07868   | 11,889    | 12,197    |
| 3     | 693    | 11,4921 | 0,09795   | 11,300    | 11,684    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tradisjoner/ Nyheter By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000313 |
| Adj Rsquare                | -0,00038 |
| Root Mean Square Error     | 2,281723 |
| Mean of Response           | 7,842051 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 4,732          | 2,36583     | 0,4544  | 0,6349   |
| Error                 | 2903 | 15113,770      | 5,20626     |         |          |
| C. Total              | 2905 | 15118,501      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 7,88674 | 0,06761   | 7,7542    | 8,0193    |
| 2     | 1074   | 7,79423 | 0,06962   | 7,6577    | 7,9307    |
| 3     | 693    | 7,84271 | 0,08668   | 7,6728    | 8,0127    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Risiko/ Trygghet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,015587 |
| Adj Rsquare                | 0,014909 |
| Root Mean Square Error     | 3,943277 |
| Mean of Response           | 10,57364 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 714,731        | 357,365     | 22,9825 | <.0001   |
| Error                 | 2903 | 45140,010      | 15,549      |         |          |
| C. Total              | 2905 | 45854,741      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 10,0641 | 0,11684   | 9,835     | 10,293    |
| 2     | 1074   | 11,1909 | 0,12032   | 10,955    | 11,427    |
| 3     | 693    | 10,4545 | 0,14979   | 10,161    | 10,748    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Pessimisme/ Optimisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001455 |
| Adj Rsquare                | 0,000767 |
| Root Mean Square Error     | 1,858164 |
| Mean of Response           | 8,722987 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 14,607         | 7,30372     | 2,1153  | 0,1208   |
| Error                 | 2903 | 10023,397      | 3,45277     |         |          |
| C. Total              | 2905 | 10038,004      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,73486 | 0,05506   | 8,6269    | 8,8428    |
| 2     | 1074   | 8,78771 | 0,05670   | 8,6765    | 8,8989    |
| 3     | 693    | 8,60317 | 0,07059   | 8,4648    | 8,7416    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Spontanitet/ Rigiditet By BONDE AVTALE 2-51-336



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,007028 |
| Adj Rsquare                | 0,006343 |
| Root Mean Square Error     | 3,55065  |
| Mean of Response           | 8,609773 |
| Observations (or Sum Wgts) | 2906     |

##### Analysis of Variance


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 259,017        | 129,508     | 10,2726 | <.0001   |
| Error                 | 2903 | 36598,466      | 12,607      |         |          |
| C. Total              | 2905 | 36857,482      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,27919 | 0,10521   | 8,0729    | 8,4855    |
| 2     | 1074   | 8,96369 | 0,10834   | 8,7512    | 9,1761    |
| 3     | 693    | 8,60462 | 0,13488   | 8,3402    | 8,8691    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Fornuft By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,007479 |
| Adj Rsquare                | 0,006795 |
| Root Mean Square Error     | 2,33268  |
| Mean of Response           | 5,126635 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 119,028        | 59,5139     | 10,9372 | <.0001   |
| Error                 | 2903 | 15796,371      | 5,4414      |         |          |
| C. Total              | 2905 | 15915,398      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 4,99561 | 0,06912   | 4,8601    | 5,1311    |
| 2     | 1074   | 5,38920 | 0,07118   | 5,2496    | 5,5288    |
| 3     | 693    | 4,93506 | 0,08861   | 4,7613    | 5,1088    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Følelser By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004955 |
| Adj Rsquare                | 0,00427  |
| Root Mean Square Error     | 2,371221 |
| Mean of Response           | 11,46043 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 81,287         | 40,6433     | 7,2284  | 0,0007   |
| Error                 | 2903 | 16322,662      | 5,6227      |         |          |
| C. Total              | 2905 | 16403,949      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 11,6269 | 0,07026   | 11,489    | 11,765    |
| 2     | 1074   | 11,2495 | 0,07236   | 11,108    | 11,391    |
| 3     | 693    | 11,5137 | 0,09008   | 11,337    | 11,690    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Okkultisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,015469 |
| Adj Rsquare                | 0,014791 |
| Root Mean Square Error     | 3,040645 |
| Mean of Response           | 6,013765 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 421,707        | 210,854     | 22,8060 | <.0001   |
| Error                 | 2903 | 26839,742      | 9,246       |         |          |
| C. Total              | 2905 | 27261,449      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 6,34065 | 0,09010   | 6,1640    | 6,5173    |
| 2     | 1074   | 5,51862 | 0,09278   | 5,3367    | 5,7005    |
| 3     | 693    | 6,24387 | 0,11550   | 6,0174    | 6,4703    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Ambisjonsmangel By BONDE AVTALE 2-51-336



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00311  |
| Adj Rsquare                | 0,002423 |
| Root Mean Square Error     | 2,372625 |
| Mean of Response           | 4,307639 |
| Observations (or Sum Wgts) | 2906     |

#### Analysis of Variance


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 50,975         | 25,4874     | 4,5276  | 0,0109   |
| Error                 | 2903 | 16341,996      | 5,6293      |         |          |
| C. Total              | 2905 | 16392,970      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 4,15013 | 0,07030   | 4,0123    | 4,2880    |
| 2     | 1074   | 4,44972 | 0,07240   | 4,3078    | 4,5917    |
| 3     | 693    | 4,34632 | 0,09013   | 4,1696    | 4,5230    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Mobilitet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003703 |
| Adj Rsquare                | 0,003017 |
| Root Mean Square Error     | 2,140212 |
| Mean of Response           | 3,536476 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 49,425         | 24,7124     | 5,3951  | 0,0046   |
| Error                 | 2903 | 13297,209      | 4,5805      |         |          |
| C. Total              | 2905 | 13346,634      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 3,66901 | 0,06342   | 3,5447    | 3,7934    |
| 2     | 1074   | 3,37337 | 0,06531   | 3,2453    | 3,5014    |
| 3     | 693    | 3,57143 | 0,08130   | 3,4120    | 3,7308    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Egoisme/ Uselviskhet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003876 |
| Adj Rsquare                | 0,00319  |
| Root Mean Square Error     | 2,493249 |
| Mean of Response           | 10,30867 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 70,226         | 35,1128     | 5,6485  | 0,0036   |
| Error                 | 2903 | 18045,896      | 6,2163      |         |          |
| C. Total              | 2905 | 18116,121      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 10,5004 | 0,07388   | 10,356    | 10,645    |
| 2     | 1074   | 10,1629 | 0,07608   | 10,014    | 10,312    |
| 3     | 693    | 10,2193 | 0,09471   | 10,034    | 10,405    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Familie By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002313 |
| Adj Rsquare                | 0,001626 |
| Root Mean Square Error     | 2,382951 |
| Mean of Response           | 10,65038 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 38,223         | 19,1117     | 3,3657  | 0,0347   |
| Error                 | 2903 | 16484,561      | 5,6785      |         |          |
| C. Total              | 2905 | 16522,785      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 10,7796 | 0,07061   | 10,641    | 10,918    |
| 2     | 1074   | 10,5168 | 0,07271   | 10,374    | 10,659    |
| 3     | 693    | 10,6450 | 0,09052   | 10,468    | 10,823    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nærmiljø By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000043 |
| Adj Rsquare                | -0,00065 |
| Root Mean Square Error     | 2,458703 |
| Mean of Response           | 8,429456 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 0,758          | 0,37924     | 0,0627  | 0,9392   |
| Error                 | 2903 | 17549,280      | 6,04522     |         |          |
| C. Total              | 2905 | 17550,039      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,41176 | 0,07285   | 8,2689    | 8,5546    |
| 2     | 1074   | 8,44879 | 0,07502   | 8,3017    | 8,5959    |
| 3     | 693    | 8,42857 | 0,09340   | 8,2454    | 8,6117    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Status By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001734 |
| Adj Rsquare                | 0,001046 |
| Root Mean Square Error     | 2,571006 |
| Mean of Response           | 3,85203  |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 33,329         | 16,6647     | 2,5211  | 0,0805   |
| Error                 | 2903 | 19189,044      | 6,6101      |         |          |
| C. Total              | 2905 | 19222,373      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 3,79631 | 0,07618   | 3,6469    | 3,9457    |
| 2     | 1074   | 3,78771 | 0,07845   | 3,6339    | 3,9415    |
| 3     | 693    | 4,04329 | 0,09766   | 3,8518    | 4,2348    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Likestilling By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003727 |
| Adj Rsquare                | 0,003041 |
| Root Mean Square Error     | 2,531788 |
| Mean of Response           | 9,459394 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 69,618         | 34,8089     | 5,4304  | 0,0044   |
| Error                 | 2903 | 18608,091      | 6,4100      |         |          |
| C. Total              | 2905 | 18677,709      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 9,54785 | 0,07502   | 9,4008    | 9,6949    |
| 2     | 1074   | 9,26071 | 0,07725   | 9,1092    | 9,4122    |
| 3     | 693    | 9,62193 | 0,09617   | 9,4334    | 9,8105    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Intolerance/ Tolerance By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,010905 |
| Adj Rsquare                | 0,010224 |
| Root Mean Square Error     | 2,665142 |
| Mean of Response           | 7,144529 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 227,346        | 113,673     | 16,0035 | <.0001   |
| Error                 | 2903 | 20619,952      | 7,103       |         |          |
| C. Total              | 2905 | 20847,298      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 7,47147 | 0,07897   | 7,3166    | 7,6263    |
| 2     | 1074   | 6,83426 | 0,08132   | 6,6748    | 6,9937    |
| 3     | 693    | 7,08802 | 0,10124   | 6,8895    | 7,2865    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Individualitet/ Konformisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,008204 |
| Adj Rsquare                | 0,00752  |
| Root Mean Square Error     | 3,145163 |
| Mean of Response           | 9,685822 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 237,526        | 118,763     | 12,0059 | <.0001   |
| Error                 | 2903 | 28716,630      | 9,892       |         |          |
| C. Total              | 2905 | 28954,156      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 9,3863  | 0,09319   | 9,2036    | 9,569     |
| 2     | 1074   | 10,0382 | 0,09597   | 9,8500    | 10,226    |
| 3     | 693    | 9,6320  | 0,11947   | 9,3978    | 9,866     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Puritanism By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002832 |
| Adj Rsquare                | 0,002145 |
| Root Mean Square Error     | 2,954645 |
| Mean of Response           | 5,93565  |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 71,984         | 35,9921     | 4,1228  | 0,0163   |
| Error                 | 2903 | 25342,983      | 8,7299      |         |          |
| C. Total              | 2905 | 25414,967      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 5,74100 | 0,08755   | 5,5693    | 5,9127    |
| 2     | 1074   | 6,04190 | 0,09016   | 5,8651    | 6,2187    |
| 3     | 693    | 6,09091 | 0,11224   | 5,8708    | 6,3110    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Lovlydighet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004785 |
| Adj Rsquare                | 0,0041   |
| Root Mean Square Error     | 2,529284 |
| Mean of Response           | 10,61115 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 89,295         | 44,6476     | 6,9792  | 0,0009   |
| Error                 | 2903 | 18571,304      | 6,3973      |         |          |
| C. Total              | 2905 | 18660,599      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 10,3977 | 0,07494   | 10,251    | 10,545    |
| 2     | 1074   | 10,7868 | 0,07718   | 10,635    | 10,938    |
| 3     | 693    | 10,6898 | 0,09608   | 10,501    | 10,878    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Tillitsfulhet/ Fryktsomhet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000756 |
| Adj Rsquare                | 0,000067 |
| Root Mean Square Error     | 2,345006 |
| Mean of Response           | 2,842395 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 12,070         | 6,03505     | 1,0975  | 0,3339   |
| Error                 | 2903 | 15963,747      | 5,49905     |         |          |
| C. Total              | 2905 | 15975,817      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 2,79280 | 0,06948   | 2,6566    | 2,9290    |
| 2     | 1074   | 2,82216 | 0,07156   | 2,6819    | 2,9625    |
| 3     | 693    | 2,95527 | 0,08908   | 2,7806    | 3,1299    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Avmakt/ Herredømme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006954 |
| Adj Rsquare                | 0,00627  |
| Root Mean Square Error     | 3,127599 |
| Mean of Response           | 10,31934 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 198,862        | 99,4310     | 10,1648 | <.0001   |
| Error                 | 2903 | 28396,791      | 9,7819      |         |          |
| C. Total              | 2905 | 28595,653      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 10,3486 | 0,09267   | 10,167    | 10,530    |
| 2     | 1074   | 10,5689 | 0,09544   | 10,382    | 10,756    |
| 3     | 693    | 9,8846  | 0,11881   | 9,652     | 10,118    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Autoritet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005951 |
| Adj Rsquare                | 0,005266 |
| Root Mean Square Error     | 4,251197 |
| Mean of Response           | 9,313145 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 314,067        | 157,033     | 8,6890  | 0,0002   |
| Error                 | 2903 | 52464,971      | 18,073      |         |          |
| C. Total              | 2905 | 52779,038      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,96137 | 0,12596   | 8,7144    | 9,2084    |
| 2     | 1074   | 9,71322 | 0,12972   | 9,4589    | 9,9676    |
| 3     | 693    | 9,27128 | 0,16149   | 8,9546    | 9,5879    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Romantikk By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001867 |
| Adj Rsquare                | 0,001179 |
| Root Mean Square Error     | 2,42582  |
| Mean of Response           | 7,707846 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 31,956         | 15,9779     | 2,7152  | 0,0664   |
| Error                 | 2903 | 17083,005      | 5,8846      |         |          |
| C. Total              | 2905 | 17114,961      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 7,83670 | 0,07188   | 7,6958    | 7,9776    |
| 2     | 1074   | 7,64246 | 0,07402   | 7,4973    | 7,7876    |
| 3     | 693    | 7,59740 | 0,09215   | 7,4167    | 7,7781    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nasjonalisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00039  |
| Adj Rsquare                | -0,0003  |
| Root Mean Square Error     | 2,682856 |
| Mean of Response           | 8,31693  |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 8,144          | 4,07180     | 0,5657  | 0,5680   |
| Error                 | 2903 | 20894,963      | 7,19771     |         |          |
| C. Total              | 2905 | 20903,107      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,38016 | 0,07949   | 8,2243    | 8,5360    |
| 2     | 1074   | 8,26071 | 0,08186   | 8,1002    | 8,4212    |
| 3     | 693    | 8,30014 | 0,10191   | 8,1003    | 8,5000    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Ulikhet/ Likhet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003944 |
| Adj Rsquare                | 0,003257 |
| Root Mean Square Error     | 3,380525 |
| Mean of Response           | 10,03372 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 131,351        | 65,6756     | 5,7469  | 0,0032   |
| Error                 | 2903 | 33175,344      | 11,4280     |         |          |
| C. Total              | 2905 | 33306,695      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 10,1203 | 0,10017   | 9,924     | 10,317    |
| 2     | 1074   | 9,7709  | 0,10315   | 9,569     | 9,973     |
| 3     | 693    | 10,2987 | 0,12842   | 10,047    | 10,550    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Industrivekst/ Miljøvern By BONDE AVTALE 2-51-336



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,008884 |
| Adj Rsquare                | 0,008202 |
| Root Mean Square Error     | 2,717598 |
| Mean of Response           | 7,760151 |
| Observations (or Sum Wgts) | 2906     |

#### Analysis of Variance


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 192,187        | 96,0936     | 13,0114 | <.0001   |
| Error                 | 2903 | 21439,638      | 7,3853      |         |          |
| C. Total              | 2905 | 21631,826      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,01580 | 0,08052   | 7,8579    | 8,1737    |
| 2     | 1074   | 7,43575 | 0,08292   | 7,2732    | 7,5984    |
| 3     | 693    | 7,84271 | 0,10323   | 7,6403    | 8,0451    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kollektivisme/ Privatisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00555  |
| Adj Rsquare                | 0,004865 |
| Root Mean Square Error     | 3,477318 |
| Mean of Response           | 8,490365 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 195,898        | 97,9490     | 8,1005  | 0,0003   |
| Error                 | 2903 | 35102,332      | 12,0917     |         |          |
| C. Total              | 2905 | 35298,230      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 8,42932 | 0,10303   | 8,2273    | 8,6314    |
| 2     | 1074   | 8,79236 | 0,10611   | 8,5843    | 9,0004    |
| 3     | 693    | 8,12266 | 0,13209   | 7,8637    | 8,3817    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Regulating/ Marked By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003309 |
| Adj Rsquare                | 0,002622 |
| Root Mean Square Error     | 2,522885 |
| Mean of Response           | 6,074673 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 61,346         | 30,6730     | 4,8190  | 0,0081   |
| Error                 | 2903 | 18477,450      | 6,3650      |         |          |
| C. Total              | 2905 | 18538,796      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 5,96400 | 0,07475   | 5,8174    | 6,1106    |
| 2     | 1074   | 6,26443 | 0,07698   | 6,1135    | 6,4154    |
| 3     | 693    | 5,96248 | 0,09584   | 5,7746    | 6,1504    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Politikertillit By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003261 |
| Adj Rsquare                | 0,002574 |
| Root Mean Square Error     | 2,773436 |
| Mean of Response           | 3,688919 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 73,060         | 36,5298     | 4,7491  | 0,0087   |
| Error                 | 2903 | 22329,724      | 7,6919      |         |          |
| C. Total              | 2905 | 22402,783      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 3,50044 | 0,08218   | 3,3393    | 3,6616    |
| 2     | 1074   | 3,76164 | 0,08463   | 3,5957    | 3,9276    |
| 3     | 693    | 3,88600 | 0,10535   | 3,6794    | 4,0926    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Teknologi By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006313 |
| Adj Rsquare                | 0,005629 |
| Root Mean Square Error     | 2,579283 |
| Mean of Response           | 7,671025 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 122,703        | 61,3517     | 9,2221  | 0,0001   |
| Error                 | 2903 | 19312,797      | 6,6527      |         |          |
| C. Total              | 2905 | 19435,500      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 7,67954 | 0,07643   | 7,5297    | 7,8294    |
| 2     | 1074   | 7,87709 | 0,07870   | 7,7228    | 8,0314    |
| 3     | 693    | 7,33766 | 0,09798   | 7,1455    | 7,5298    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kunstprodukt/ Naturprodukt By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,016076 |
| Adj Rsquare                | 0,015399 |
| Root Mean Square Error     | 2,389716 |
| Mean of Response           | 6,375086 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 270,875        | 135,437     | 23,7163 | <.0001   |
| Error                 | 2903 | 16578,281      | 5,711       |         |          |
| C. Total              | 2905 | 16849,156      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 6,68920 | 0,07081   | 6,5504    | 6,8280    |
| 2     | 1074   | 5,99534 | 0,07292   | 5,8524    | 6,1383    |
| 3     | 693    | 6,44733 | 0,09078   | 6,2693    | 6,6253    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Reklameskepsis By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003769 |
| Adj Rsquare                | 0,003083 |
| Root Mean Square Error     | 3,102279 |
| Mean of Response           | 12,7543  |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 105,708        | 52,8541     | 5,4918  | 0,0042   |
| Error                 | 2903 | 27938,863      | 9,6241      |         |          |
| C. Total              | 2905 | 28044,571      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 12,9860 | 0,09192   | 12,806    | 13,166    |
| 2     | 1074   | 12,5615 | 0,09466   | 12,376    | 12,747    |
| 3     | 693    | 12,6724 | 0,11785   | 12,441    | 12,904    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kosmopolitisme/ Lokalisme By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001911 |
| Adj Rsquare                | 0,001224 |
| Root Mean Square Error     | 2,528826 |
| Mean of Response           | 5,327598 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 35,551         | 17,7756     | 2,7796  | 0,0622   |
| Error                 | 2903 | 18564,575      | 6,3950      |         |          |
| C. Total              | 2905 | 18600,127      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 5,23003 | 0,07493   | 5,0831    | 5,3769    |
| 2     | 1074   | 5,31006 | 0,07716   | 5,1588    | 5,4614    |
| 3     | 693    | 5,51515 | 0,09606   | 5,3268    | 5,7035    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tett/ Spredd By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00225  |
| Adj Rsquare                | 0,001562 |
| Root Mean Square Error     | 2,215666 |
| Mean of Response           | 3,742602 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 32,131         | 16,0657     | 3,2726  | 0,0380   |
| Error                 | 2903 | 14251,335      | 4,9092      |         |          |
| C. Total              | 2905 | 14283,466      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 3,61194 | 0,06565   | 3,4832    | 3,7407    |
| 2     | 1074   | 3,83426 | 0,06761   | 3,7017    | 3,9668    |
| 3     | 693    | 3,81530 | 0,08417   | 3,6503    | 3,9803    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kameratskap By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006515 |
| Adj Rsquare                | 0,005831 |
| Root Mean Square Error     | 1,862091 |
| Mean of Response           | 3,896421 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 66,009         | 33,0045     | 9,5186  | <.0001   |
| Error                 | 2903 | 10065,814      | 3,4674      |         |          |
| C. Total              | 2905 | 10131,823      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 3,78929 | 0,05517   | 3,6811    | 3,8975    |
| 2     | 1074   | 3,83799 | 0,05682   | 3,7266    | 3,9494    |
| 3     | 693    | 4,16306 | 0,07073   | 4,0244    | 4,3018    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Spill By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000029 |
| Adj Rsquare                | -0,00066 |
| Root Mean Square Error     | 2,649578 |
| Mean of Response           | 4,27426  |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 0,594          | 0,29704     | 0,0423  | 0,9586   |
| Error                 | 2903 | 20379,821      | 7,02026     |         |          |
| C. Total              | 2905 | 20380,415      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 4,25724 | 0,07851   | 4,1033    | 4,4112    |
| 2     | 1074   | 4,28957 | 0,08085   | 4,1310    | 4,4481    |
| 3     | 693    | 4,27850 | 0,10065   | 4,0811    | 4,4759    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Lojalitet By BONDE AVTALE 2-51-336



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001868 |
| Adj Rsquare                | 0,00118  |
| Root Mean Square Error     | 1,822734 |
| Mean of Response           | 4,448727 |
| Observations (or Sum Wgts) | 2906     |

#### Analysis of Variance


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 18,0484        | 9,02421     | 2,7162  | 0,0663   |
| Error                 | 2903 | 9644,8119      | 3,32236     |         |          |
| C. Total              | 2905 | 9662,8603      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 4,51185 | 0,05401   | 4,4060    | 4,6178    |
| 2     | 1074   | 4,47020 | 0,05562   | 4,3611    | 4,5793    |
| 3     | 693    | 4,31169 | 0,06924   | 4,1759    | 4,4475    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Frihet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00266  |
| Adj Rsquare                | 0,001973 |
| Root Mean Square Error     | 3,170634 |
| Mean of Response           | 15,48107 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**


| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 77,830         | 38,9148     | 3,8710  | 0,0209   |
| Error                 | 2903 | 29183,629      | 10,0529     |         |          |
| C. Total              | 2905 | 29261,459      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 15,6848 | 0,09395   | 15,501    | 15,869    |
| 2     | 1074   | 15,3445 | 0,09675   | 15,155    | 15,534    |
| 3     | 693    | 15,3579 | 0,12044   | 15,122    | 15,594    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Solidaritet By BONDE AVTALE 2-51-336**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001306 |
| Adj Rsquare                | 0,000618 |
| Root Mean Square Error     | 2,988958 |
| Mean of Response           | 9,994838 |
| Observations (or Sum Wgts) | 2906     |

**Analysis of Variance**

| Source                | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|-----------------------|------|----------------|-------------|---------|----------|
| BONDE AVTALE 2-51-336 | 2    | 33,905         | 16,9524     | 1,8975  | 0,1501   |
| Error                 | 2903 | 25935,018      | 8,9339      |         |          |
| C. Total              | 2905 | 25968,923      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 1139   | 10,0746 | 0,08856   | 9,9010    | 10,248    |
| 2     | 1074   | 9,8538  | 0,09120   | 9,6750    | 10,033    |
| 3     | 693    | 10,0823 | 0,11354   | 9,8596    | 10,305    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of Enig/ uenig 1-9-50-1 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-1

|                       |   | Enig/ uenig 1-9-50-1 |       |       |       |       |       |
|-----------------------|---|----------------------|-------|-------|-------|-------|-------|
|                       |   | 1                    | 2     | 3     | 4     | 5     |       |
| Count                 |   |                      |       |       |       |       |       |
| Total %               |   |                      |       |       |       |       |       |
| Col %                 |   |                      |       |       |       |       |       |
| Row %                 |   |                      |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 59                   | 138   | 576   | 360   | 5     | 1138  |
|                       |   | 2,03                 | 4,76  | 19,86 | 12,41 | 0,17  | 39,23 |
|                       |   | 37,58                | 40,83 | 41,17 | 36,40 | 27,78 |       |
|                       |   | 5,18                 | 12,13 | 50,62 | 31,63 | 0,44  |       |
|                       | 2 | 59                   | 116   | 481   | 410   | 6     | 1072  |
|                       |   | 2,03                 | 4,00  | 16,58 | 14,13 | 0,21  | 36,95 |
|                       |   | 37,58                | 34,32 | 34,38 | 41,46 | 33,33 |       |
|                       |   | 5,50                 | 10,82 | 44,87 | 38,25 | 0,56  |       |
|                       | 3 | 39                   | 84    | 342   | 219   | 7     | 691   |
|                       |   | 1,34                 | 2,90  | 11,79 | 7,55  | 0,24  | 23,82 |
|                       |   | 24,84                | 24,85 | 24,45 | 22,14 | 38,89 |       |
|                       |   | 5,64                 | 12,16 | 49,49 | 31,69 | 1,01  |       |
|                       |   | 157                  | 338   | 1399  | 989   | 18    | 2901  |
|                       |   | 5,41                 | 11,65 | 48,22 | 34,09 | 0,62  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 7,9919    | 0,0024      |
| Error    | 2889 | 3352,5801 |             |
| C. Total | 2897 | 3360,5719 |             |
| N        | 2901 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,984    | 0,0426     |
| Pearson          | 16,273    | 0,0386     |

**Contingency Analysis of Enig/ uenig 1-9-50-2 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |         | Enig/ uenig 1-9-50-2 |       |       |       |       |       |
|-----------------------|---------|----------------------|-------|-------|-------|-------|-------|
|                       |         | 1                    | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                      |       |       |       |       |       |
|                       | Total % |                      |       |       |       |       |       |
|                       | Col %   |                      |       |       |       |       |       |
|                       | Row %   |                      |       |       |       |       |       |
|                       |         |                      |       |       |       |       |       |
| 1                     |         | 178                  | 220   | 372   | 346   | 19    | 1135  |
|                       |         | 6,15                 | 7,61  | 12,86 | 11,96 | 0,66  | 39,25 |
|                       |         | 42,18                | 41,67 | 38,99 | 37,65 | 27,54 |       |
|                       |         | 15,68                | 19,38 | 32,78 | 30,48 | 1,67  |       |
| 2                     |         | 160                  | 190   | 347   | 344   | 28    | 1069  |
|                       |         | 5,53                 | 6,57  | 12,00 | 11,89 | 0,97  | 36,96 |
|                       |         | 37,91                | 35,98 | 36,37 | 37,43 | 40,58 |       |
|                       |         | 14,97                | 17,77 | 32,46 | 32,18 | 2,62  |       |
| 3                     |         | 84                   | 118   | 235   | 229   | 22    | 688   |
|                       |         | 2,90                 | 4,08  | 8,13  | 7,92  | 0,76  | 23,79 |
|                       |         | 19,91                | 22,35 | 24,63 | 24,92 | 31,88 |       |
|                       |         | 12,21                | 17,15 | 34,16 | 33,28 | 3,20  |       |
|                       |         | 422                  | 528   | 954   | 919   | 69    | 2892  |
|                       |         | 14,59                | 18,26 | 32,99 | 31,78 | 2,39  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 5,7003    | 0,0014      |
| Error    | 2880 | 4073,7810 |             |
| C. Total | 2888 | 4079,4812 |             |
| N        | 2892 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 11,401    | 0,1800     |
| Pearson          | 11,181    | 0,1917     |

**Contingency Analysis of Enig/ uenig 1-9-50-3 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |       | Enig/ uenig 1-9-50-3 |       |       |       |       |       |
|-----------------------|-------|----------------------|-------|-------|-------|-------|-------|
|                       |       | 1                    | 2     | 3     | 4     | 5     |       |
| Count                 |       |                      |       |       |       |       |       |
| Total %               |       |                      |       |       |       |       |       |
| Col %                 |       |                      |       |       |       |       |       |
| Row %                 |       |                      |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 89                   | 170   | 452   | 387   | 31    | 1129  |
|                       |       | 3,09                 | 5,90  | 15,69 | 13,44 | 1,08  | 39,20 |
|                       |       | 30,07                | 39,91 | 38,90 | 42,62 | 35,23 |       |
|                       |       | 7,88                 | 15,06 | 40,04 | 34,28 | 2,75  |       |
|                       |       |                      |       |       |       |       |       |
| 2                     | 141   | 157                  | 408   | 328   | 31    | 1065  |       |
|                       | 4,90  | 5,45                 | 14,17 | 11,39 | 1,08  | 36,98 |       |
|                       | 47,64 | 36,85                | 35,11 | 36,12 | 35,23 |       |       |
|                       | 13,24 | 14,74                | 38,31 | 30,80 | 2,91  |       |       |
|                       |       |                      |       |       |       |       |       |
| 3                     | 66    | 99                   | 302   | 193   | 26    | 686   |       |
|                       | 2,29  | 3,44                 | 10,49 | 6,70  | 0,90  | 23,82 |       |
|                       | 22,30 | 23,24                | 25,99 | 21,26 | 29,55 |       |       |
|                       | 9,62  | 14,43                | 44,02 | 28,13 | 3,79  |       |       |
|                       |       |                      |       |       |       |       |       |
|                       |       | 296                  | 426   | 1162  | 908   | 88    | 2880  |
|                       |       | 10,28                | 14,79 | 40,35 | 31,53 | 3,06  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 12,9715   | 0,0033      |
| Error    | 2868 | 3884,3692 |             |
| C. Total | 2876 | 3897,3408 |             |
| N        | 2880 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 25,943    | 0,0011     |
| Pearson          | 26,246    | 0,0010     |

**Contingency Analysis of Enig/ uenig 1-9-50-4 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-4

|                       |       | Enig/ uenig 1-9-50-4 |       |       |       |       |       |
|-----------------------|-------|----------------------|-------|-------|-------|-------|-------|
|                       |       | 1                    | 2     | 3     | 4     | 5     |       |
| Count                 |       |                      |       |       |       |       |       |
| Total %               |       |                      |       |       |       |       |       |
| Col %                 |       |                      |       |       |       |       |       |
| Row %                 |       |                      |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 42                   | 55    | 343   | 669   | 29    | 1138  |
|                       |       | 1,45                 | 1,90  | 11,86 | 23,14 | 1,00  | 39,36 |
|                       |       | 39,25                | 33,95 | 38,20 | 40,94 | 32,22 |       |
|                       |       | 3,69                 | 4,83  | 30,14 | 58,79 | 2,55  |       |
|                       | 2     | 45                   | 77    | 321   | 588   | 35    | 1066  |
|                       |       | 1,56                 | 2,66  | 11,10 | 20,34 | 1,21  | 36,87 |
|                       |       | 42,06                | 47,53 | 35,75 | 35,99 | 38,89 |       |
|                       |       | 4,22                 | 7,22  | 30,11 | 55,16 | 3,28  |       |
|                       | 3     | 20                   | 30    | 234   | 377   | 26    | 687   |
|                       |       | 0,69                 | 1,04  | 8,09  | 13,04 | 0,90  | 23,76 |
|                       | 18,69 | 18,52                | 26,06 | 23,07 | 28,89 |       |       |
|                       | 2,91  | 4,37                 | 34,06 | 54,88 | 3,78  |       |       |
|                       | 107   | 162                  | 898   | 1634  | 90    | 2891  |       |
|                       | 3,70  | 5,60                 | 31,06 | 56,52 | 3,11  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,1966    | 0,0026      |
| Error    | 2879 | 3105,8810 |             |
| C. Total | 2887 | 3114,0776 |             |
| N        | 2891 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 16,393    | 0,0371     |
| Pearson          | 16,592    | 0,0346     |



**Contingency Analysis of Enig/ uenig 1-9-50-5 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-5

|                       |         | Enig/ uenig 1-9-50-5 |       |       |       |       |       |
|-----------------------|---------|----------------------|-------|-------|-------|-------|-------|
|                       |         | 1                    | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                      |       |       |       |       |       |
|                       | Total % |                      |       |       |       |       |       |
|                       | Col %   |                      |       |       |       |       |       |
|                       | Row %   |                      |       |       |       |       |       |
|                       |         |                      |       |       |       |       |       |
| 1                     | Count   | 113                  | 178   | 271   | 555   | 18    | 1135  |
| 1                     | Total % | 3,91                 | 6,15  | 9,37  | 19,19 | 0,62  | 39,25 |
| 1                     | Col %   | 38,05                | 43,00 | 38,60 | 39,25 | 27,69 |       |
| 1                     | Row %   | 9,96                 | 15,68 | 23,88 | 48,90 | 1,59  |       |
| 2                     | Count   | 131                  | 148   | 234   | 531   | 22    | 1066  |
| 2                     | Total % | 4,53                 | 5,12  | 8,09  | 18,36 | 0,76  | 36,86 |
| 2                     | Col %   | 44,11                | 35,75 | 33,33 | 37,55 | 33,85 |       |
| 2                     | Row %   | 12,29                | 13,88 | 21,95 | 49,81 | 2,06  |       |
| 3                     | Count   | 53                   | 88    | 197   | 328   | 25    | 691   |
| 3                     | Total % | 1,83                 | 3,04  | 6,81  | 11,34 | 0,86  | 23,89 |
| 3                     | Col %   | 17,85                | 21,26 | 28,06 | 23,20 | 38,46 |       |
| 3                     | Row %   | 7,67                 | 12,74 | 28,51 | 47,47 | 3,62  |       |
|                       | Count   | 297                  | 414   | 702   | 1414  | 65    | 2892  |
|                       | Total % | 10,27                | 14,32 | 24,27 | 48,89 | 2,25  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 13,6163   | 0,0036      |
| Error    | 2880 | 3719,4156 |             |
| C. Total | 2888 | 3733,0319 |             |
| N        | 2892 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 27,233    | 0,0006     |
| Pearson          | 27,881    | 0,0005     |

**Contingency Analysis of Enig/ uenig 1-9-50-9 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |         | Enig/ uenig 1-9-50-9 |       |       |       |       |       |
|-----------------------|---------|----------------------|-------|-------|-------|-------|-------|
|                       |         | 1                    | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                      |       |       |       |       |       |
|                       | Total % |                      |       |       |       |       |       |
|                       | Col %   |                      |       |       |       |       |       |
|                       | Row %   |                      |       |       |       |       |       |
|                       |         |                      |       |       |       |       |       |
| 1                     | Count   | 143                  | 243   | 386   | 343   | 19    | 1134  |
|                       | Total % | 4,95                 | 8,41  | 13,36 | 11,87 | 0,66  | 39,25 |
|                       | Col %   | 40,97                | 39,71 | 39,15 | 38,98 | 30,65 |       |
|                       | Row %   | 12,61                | 21,43 | 34,04 | 30,25 | 1,68  |       |
| 2                     | Count   | 132                  | 207   | 358   | 348   | 23    | 1068  |
|                       | Total % | 4,57                 | 7,17  | 12,39 | 12,05 | 0,80  | 36,97 |
|                       | Col %   | 37,82                | 33,82 | 36,31 | 39,55 | 37,10 |       |
|                       | Row %   | 12,36                | 19,38 | 33,52 | 32,58 | 2,15  |       |
| 3                     | Count   | 74                   | 162   | 242   | 189   | 20    | 687   |
|                       | Total % | 2,56                 | 5,61  | 8,38  | 6,54  | 0,69  | 23,78 |
|                       | Col %   | 21,20                | 26,47 | 24,54 | 21,48 | 32,26 |       |
|                       | Row %   | 10,77                | 23,58 | 35,23 | 27,51 | 2,91  |       |
|                       | Count   | 349                  | 612   | 986   | 880   | 62    | 2889  |
|                       | Total % | 12,08                | 21,18 | 34,13 | 30,46 | 2,15  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 5,8775    | 0,0015      |
| Error    | 2877 | 4025,7787 |             |
| C. Total | 2885 | 4031,6562 |             |
| N        | 2889 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 11,755    | 0,1625     |
| Pearson          | 11,805    | 0,1601     |

**Contingency Analysis of Enig/ uenig 1-9-50-10 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |   | Enig/ uenig 1-9-50-10       |                             |                                |                                |                             |               |
|-----------------------|---|-----------------------------|-----------------------------|--------------------------------|--------------------------------|-----------------------------|---------------|
|                       |   | 1                           | 2                           | 3                              | 4                              | 5                           |               |
| Count                 |   |                             |                             |                                |                                |                             |               |
| Total %               |   |                             |                             |                                |                                |                             |               |
| Col %                 |   |                             |                             |                                |                                |                             |               |
| Row %                 |   |                             |                             |                                |                                |                             |               |
| BONDE AVTALE 2-51-336 | 1 | 17<br>0,59<br>35,42<br>1,50 | 73<br>2,52<br>38,83<br>6,43 | 398<br>13,74<br>40,49<br>35,07 | 633<br>21,85<br>38,98<br>55,77 | 14<br>0,48<br>25,93<br>1,23 | 1135<br>39,18 |
|                       | 2 | 23<br>0,79<br>47,92<br>2,15 | 68<br>2,35<br>36,17<br>6,36 | 354<br>12,22<br>36,01<br>33,08 | 599<br>20,68<br>36,88<br>55,98 | 26<br>0,90<br>48,15<br>2,43 | 1070<br>36,93 |
|                       | 3 | 8<br>0,28<br>16,67<br>1,16  | 47<br>1,62<br>25,00<br>6,79 | 231<br>7,97<br>23,50<br>33,38  | 392<br>13,53<br>24,14<br>56,65 | 14<br>0,48<br>25,93<br>2,02 | 692<br>23,89  |
|                       |   | 48<br>1,66                  | 188<br>6,49                 | 983<br>33,93                   | 1624<br>56,06                  | 54<br>1,86                  | 2897          |
|                       |   |                             |                             |                                |                                |                             |               |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 4,1060    | 0,0014      |
| Error    | 2885 | 2924,3274 |             |
| C. Total | 2893 | 2928,4334 |             |
| N        | 2897 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 8,212     | 0,4130     |
| Pearson          | 8,054     | 0,4282     |

**Contingency Analysis of Enig/ uenig 1-9-50-13 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |         | Enig/ uenig 1-9-50-13 |       |       |       |       |       |
|-----------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                       |         | 1                     | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                       |       |       |       |       |       |
|                       | Total % |                       |       |       |       |       |       |
|                       | Col %   |                       |       |       |       |       |       |
|                       | Row %   |                       |       |       |       |       |       |
|                       |         |                       |       |       |       |       |       |
| 1                     |         | 80                    | 207   | 481   | 305   | 61    | 1134  |
|                       |         | 2,77                  | 7,18  | 16,67 | 10,57 | 2,11  | 39,31 |
|                       |         | 39,41                 | 40,04 | 41,65 | 36,88 | 33,33 |       |
|                       |         | 7,05                  | 18,25 | 42,42 | 26,90 | 5,38  |       |
| 2                     |         | 83                    | 200   | 395   | 319   | 65    | 1062  |
|                       |         | 2,88                  | 6,93  | 13,69 | 11,06 | 2,25  | 36,81 |
|                       |         | 40,89                 | 38,68 | 34,20 | 38,57 | 35,52 |       |
|                       |         | 7,82                  | 18,83 | 37,19 | 30,04 | 6,12  |       |
| 3                     |         | 40                    | 110   | 279   | 203   | 57    | 689   |
|                       |         | 1,39                  | 3,81  | 9,67  | 7,04  | 1,98  | 23,88 |
|                       |         | 19,70                 | 21,28 | 24,16 | 24,55 | 31,15 |       |
|                       |         | 5,81                  | 15,97 | 40,49 | 29,46 | 8,27  |       |
|                       |         | 203                   | 517   | 1155  | 827   | 183   | 2885  |
|                       |         | 7,04                  | 17,92 | 40,03 | 28,67 | 6,34  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 7,9881    | 0,0020      |
| Error    | 2873 | 4014,9426 |             |
| C. Total | 2881 | 4022,9306 |             |
| N        | 2885 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,976    | 0,0427     |
| Pearson          | 16,095    | 0,0410     |

**Contingency Analysis of Valg av A el B 1-10-51-1 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-1

|                       |       | Valg av A el B 1-10-51-1 |       |       |       |       |       |
|-----------------------|-------|--------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                        | 2     | 3     | 4     | 5     |       |
| Count                 |       |                          |       |       |       |       |       |
| Total %               |       |                          |       |       |       |       |       |
| Col %                 |       |                          |       |       |       |       |       |
| Row %                 |       |                          |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 642                      | 227   | 57    | 105   | 103   | 1134  |
|                       |       | 22,18                    | 7,84  | 1,97  | 3,63  | 3,56  | 39,17 |
|                       |       | 38,24                    | 42,43 | 37,50 | 41,02 | 37,73 |       |
|                       |       | 56,61                    | 20,02 | 5,03  | 9,26  | 9,08  |       |
|                       |       |                          |       |       |       |       |       |
|                       | 2     | 637                      | 178   | 58    | 92    | 108   | 1073  |
|                       |       | 22,00                    | 6,15  | 2,00  | 3,18  | 3,73  | 37,06 |
|                       |       | 37,94                    | 33,27 | 38,16 | 35,94 | 39,56 |       |
|                       |       | 59,37                    | 16,59 | 5,41  | 8,57  | 10,07 |       |
|                       |       |                          |       |       |       |       |       |
|                       | 3     | 400                      | 130   | 37    | 59    | 62    | 688   |
|                       |       | 13,82                    | 4,49  | 1,28  | 2,04  | 2,14  | 23,77 |
|                       |       | 23,82                    | 24,30 | 24,34 | 23,05 | 22,71 |       |
|                       |       | 58,14                    | 18,90 | 5,38  | 8,58  | 9,01  |       |
|                       |       |                          |       |       |       |       |       |
|                       | 1679  | 535                      | 152   | 256   | 273   | 2895  |       |
|                       | 58,00 | 18,48                    | 5,25  | 8,84  | 9,43  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 2,8097    | 0,0008      |
| Error    | 2883 | 3528,7138 |             |
| C. Total | 2891 | 3531,5235 |             |
| N        | 2895 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 5,619     | 0,6898     |
| Pearson          | 5,591     | 0,6930     |

**Contingency Analysis of Valg av A el B 1-10-51-2 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-2

|                       |         | Valg av A el B 1-10-51-2 |       |       |       |       |       |
|-----------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                        | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                          |       |       |       |       |       |
|                       | Total % |                          |       |       |       |       |       |
|                       | Col %   |                          |       |       |       |       |       |
|                       | Row %   |                          |       |       |       |       |       |
|                       |         |                          |       |       |       |       |       |
| 1                     | Count   | 370                      | 154   | 89    | 140   | 379   | 1132  |
| 1                     | Total % | 12,79                    | 5,32  | 3,08  | 4,84  | 13,10 | 39,13 |
| 1                     | Col %   | 38,99                    | 42,08 | 38,36 | 40,23 | 37,98 |       |
| 1                     | Row %   | 32,69                    | 13,60 | 7,86  | 12,37 | 33,48 |       |
| 2                     | Count   | 387                      | 122   | 76    | 119   | 369   | 1073  |
| 2                     | Total % | 13,38                    | 4,22  | 2,63  | 4,11  | 12,75 | 37,09 |
| 2                     | Col %   | 40,78                    | 33,33 | 32,76 | 34,20 | 36,97 |       |
| 2                     | Row %   | 36,07                    | 11,37 | 7,08  | 11,09 | 34,39 |       |
| 3                     | Count   | 192                      | 90    | 67    | 89    | 250   | 688   |
| 3                     | Total % | 6,64                     | 3,11  | 2,32  | 3,08  | 8,64  | 23,78 |
| 3                     | Col %   | 20,23                    | 24,59 | 28,88 | 25,57 | 25,05 |       |
| 3                     | Row %   | 27,91                    | 13,08 | 9,74  | 12,94 | 36,34 |       |
|                       | Count   | 949                      | 366   | 232   | 348   | 998   | 2893  |
|                       | Total % | 32,80                    | 12,65 | 8,02  | 12,03 | 34,50 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,5116    | 0,0020      |
| Error    | 2881 | 4190,5430 |             |
| C. Total | 2889 | 4199,0546 |             |
| N        | 2893 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,023    | 0,0299     |
| Pearson          | 16,948    | 0,0307     |

**Contingency Analysis of Valg av A el B 1-10-51-5 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-5

|                       |         | Valg av A el B 1-10-51-5 |       |       |       |       |       |
|-----------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                        | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                          |       |       |       |       |       |
|                       | Total % |                          |       |       |       |       |       |
|                       | Col %   |                          |       |       |       |       |       |
|                       | Row %   |                          |       |       |       |       |       |
|                       |         |                          |       |       |       |       |       |
| 1                     | Count   | 437                      | 114   | 64    | 131   | 386   | 1132  |
| 1                     | Total % | 15,13                    | 3,95  | 2,22  | 4,54  | 13,37 | 39,20 |
| 1                     | Col %   | 43,14                    | 38,51 | 34,97 | 39,34 | 36,31 |       |
| 1                     | Row %   | 38,60                    | 10,07 | 5,65  | 11,57 | 34,10 |       |
| 2                     | Count   | 373                      | 89    | 70    | 116   | 423   | 1071  |
| 2                     | Total % | 12,92                    | 3,08  | 2,42  | 4,02  | 14,65 | 37,08 |
| 2                     | Col %   | 36,82                    | 30,07 | 38,25 | 34,83 | 39,79 |       |
| 2                     | Row %   | 34,83                    | 8,31  | 6,54  | 10,83 | 39,50 |       |
| 3                     | Count   | 203                      | 93    | 49    | 86    | 254   | 685   |
| 3                     | Total % | 7,03                     | 3,22  | 1,70  | 2,98  | 8,80  | 23,72 |
| 3                     | Col %   | 20,04                    | 31,42 | 26,78 | 25,83 | 23,89 |       |
| 3                     | Row %   | 29,64                    | 13,58 | 7,15  | 12,55 | 37,08 |       |
|                       | Count   | 1013                     | 296   | 183   | 333   | 1063  | 2888  |
|                       | Total % | 35,08                    | 10,25 | 6,34  | 11,53 | 36,81 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 14,0184   | 0,0035      |
| Error    | 2876 | 4008,1663 |             |
| C. Total | 2884 | 4022,1847 |             |
| N        | 2888 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 28,037    | 0,0005     |
| Pearson          | 28,256    | 0,0004     |

**Contingency Analysis of Utnytte/ verne natur 1-10-52 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Utnytte/ verne natur 1-10-52

|                       |         | Utnytte/ verne natur 1-10-52 |       |       |       |       |       |
|-----------------------|---------|------------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                            | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                              |       |       |       |       |       |
|                       | Total % |                              |       |       |       |       |       |
|                       | Col %   |                              |       |       |       |       |       |
|                       | Row %   |                              |       |       |       |       |       |
|                       |         |                              |       |       |       |       |       |
| 1                     | Count   | 626                          | 152   | 77    | 132   | 145   | 1132  |
|                       | Total % | 21,64                        | 5,25  | 2,66  | 4,56  | 5,01  | 39,13 |
|                       | Col %   | 39,70                        | 38,97 | 35,98 | 39,40 | 38,46 |       |
|                       | Row %   | 55,30                        | 13,43 | 6,80  | 11,66 | 12,81 |       |
| 2                     | Count   | 549                          | 152   | 77    | 134   | 160   | 1072  |
|                       | Total % | 18,98                        | 5,25  | 2,66  | 4,63  | 5,53  | 37,05 |
|                       | Col %   | 34,81                        | 38,97 | 35,98 | 40,00 | 42,44 |       |
|                       | Row %   | 51,21                        | 14,18 | 7,18  | 12,50 | 14,93 |       |
| 3                     | Count   | 402                          | 86    | 60    | 69    | 72    | 689   |
|                       | Total % | 13,90                        | 2,97  | 2,07  | 2,39  | 2,49  | 23,82 |
|                       | Col %   | 25,49                        | 22,05 | 28,04 | 20,60 | 19,10 |       |
|                       | Row %   | 58,35                        | 12,48 | 8,71  | 10,01 | 10,45 |       |
|                       | Count   | 1577                         | 390   | 214   | 335   | 377   | 2893  |
|                       | Total % | 54,51                        | 13,48 | 7,40  | 11,58 | 13,03 |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,0578    | 0,0021      |
| Error    | 2881 | 3778,0967 |             |
| C. Total | 2889 | 3786,1545 |             |
| N        | 2893 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 16,116    | 0,0408     |
| Pearson          | 16,002    | 0,0423     |



**Contingency Analysis of Enig / uenig 1-11-53-5 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Enig / uenig 1-11-53-5

|                       |   | Enig / uenig 1-11-53-5 |       |       |       |       |       |
|-----------------------|---|------------------------|-------|-------|-------|-------|-------|
|                       |   | 1                      | 2     | 3     | 4     | 5     |       |
| Count                 |   |                        |       |       |       |       |       |
| Total %               |   |                        |       |       |       |       |       |
| Col %                 |   |                        |       |       |       |       |       |
| Row %                 |   |                        |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 351                    | 166   | 279   | 315   | 25    | 1136  |
|                       |   | 12,14                  | 5,74  | 9,65  | 10,89 | 0,86  | 39,28 |
|                       |   | 31,14                  | 41,92 | 45,07 | 46,53 | 34,25 |       |
|                       |   | 30,90                  | 14,61 | 24,56 | 27,73 | 2,20  |       |
|                       |   |                        |       |       |       |       |       |
|                       | 2 | 514                    | 128   | 191   | 211   | 23    | 1067  |
|                       |   | 17,77                  | 4,43  | 6,60  | 7,30  | 0,80  | 36,89 |
|                       |   | 45,61                  | 32,32 | 30,86 | 31,17 | 31,51 |       |
|                       |   | 48,17                  | 12,00 | 17,90 | 19,78 | 2,16  |       |
|                       | 3 | 262                    | 102   | 149   | 151   | 25    | 689   |
|                       |   | 9,06                   | 3,53  | 5,15  | 5,22  | 0,86  | 23,82 |
|                       |   | 23,25                  | 25,76 | 24,07 | 22,30 | 34,25 |       |
|                       |   | 38,03                  | 14,80 | 21,63 | 21,92 | 3,63  |       |
|                       |   | 1127                   | 396   | 619   | 677   | 73    | 2892  |
|                       |   | 38,97                  | 13,69 | 21,40 | 23,41 | 2,52  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 38,4721   | 0,0095      |
| Error    | 2880 | 4016,8230 |             |
| C. Total | 2888 | 4055,2951 |             |
| N        | 2892 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 76,944    | <.0001     |
| Pearson          | 77,430    | <.0001     |

**Contingency Analysis of Enig / uenig 1-11-53-10 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |       | Enig / uenig 1-11-53-10 |       |       |       |       |       |
|-----------------------|-------|-------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                       | 2     | 3     | 4     | 5     |       |
| Count                 |       |                         |       |       |       |       |       |
| Total %               |       |                         |       |       |       |       |       |
| Col %                 |       |                         |       |       |       |       |       |
| Row %                 |       |                         |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 118                     | 250   | 382   | 371   | 18    | 1139  |
|                       |       | 4,07                    | 8,63  | 13,18 | 12,80 | 0,62  | 39,30 |
|                       |       | 45,56                   | 45,13 | 39,54 | 34,74 | 35,29 |       |
|                       |       | 10,36                   | 21,95 | 33,54 | 32,57 | 1,58  |       |
|                       |       |                         |       |       |       |       |       |
| 2                     | 83    | 171                     | 346   | 454   | 16    | 1070  |       |
|                       | 2,86  | 5,90                    | 11,94 | 15,67 | 0,55  | 36,92 |       |
|                       | 32,05 | 30,87                   | 35,82 | 42,51 | 31,37 |       |       |
|                       | 7,76  | 15,98                   | 32,34 | 42,43 | 1,50  |       |       |
|                       |       |                         |       |       |       |       |       |
| 3                     | 58    | 133                     | 238   | 243   | 17    | 689   |       |
|                       | 2,00  | 4,59                    | 8,21  | 8,39  | 0,59  | 23,78 |       |
|                       | 22,39 | 24,01                   | 24,64 | 22,75 | 33,33 |       |       |
|                       | 8,42  | 19,30                   | 34,54 | 35,27 | 2,47  |       |       |
|                       |       |                         |       |       |       |       |       |
| Total                 |       | 259                     | 554   | 966   | 1068  | 51    | 2898  |
|                       |       | 8,94                    | 19,12 | 33,33 | 36,85 | 1,76  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 16,4162   | 0,0042      |
| Error    | 2886 | 3859,1200 |             |
| C. Total | 2894 | 3875,5362 |             |
| N        | 2898 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 32,832    | <.0001     |
| Pearson          | 33,142    | <.0001     |

**Contingency Analysis of Enig/ uenig 1-13-58-8 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |         | Enig/ uenig 1-13-58-8 |       |       |       |       |       |
|-----------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                       |         | 1                     | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                       |       |       |       |       |       |
|                       | Total % |                       |       |       |       |       |       |
|                       | Col %   |                       |       |       |       |       |       |
|                       | Row %   |                       |       |       |       |       |       |
|                       |         |                       |       |       |       |       |       |
| 1                     |         | 83                    | 110   | 304   | 623   | 13    | 1133  |
|                       |         | 2,87                  | 3,81  | 10,53 | 21,57 | 0,45  | 39,23 |
|                       |         | 37,56                 | 41,67 | 37,72 | 40,38 | 24,07 |       |
|                       |         | 7,33                  | 9,71  | 26,83 | 54,99 | 1,15  |       |
| 2                     |         | 77                    | 108   | 298   | 566   | 19    | 1068  |
|                       |         | 2,67                  | 3,74  | 10,32 | 19,60 | 0,66  | 36,98 |
|                       |         | 34,84                 | 40,91 | 36,97 | 36,68 | 35,19 |       |
|                       |         | 7,21                  | 10,11 | 27,90 | 53,00 | 1,78  |       |
| 3                     |         | 61                    | 46    | 204   | 354   | 22    | 687   |
|                       |         | 2,11                  | 1,59  | 7,06  | 12,26 | 0,76  | 23,79 |
|                       |         | 27,60                 | 17,42 | 25,31 | 22,94 | 40,74 |       |
|                       |         | 8,88                  | 6,70  | 29,69 | 51,53 | 3,20  |       |
|                       |         | 221                   | 264   | 806   | 1543  | 54    | 2888  |
|                       |         | 7,65                  | 9,14  | 27,91 | 53,43 | 1,87  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 9,7439    | 0,0029      |
| Error    | 2876 | 3400,5841 |             |
| C. Total | 2884 | 3410,3280 |             |
| N        | 2888 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,488    | 0,0125     |
| Pearson          | 19,784    | 0,0112     |

**Contingency Analysis of Enig/ uenig 1-13-58-23 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |       | Enig/ uenig 1-13-58-23 |       |       |       |       |       |
|-----------------------|-------|------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                      | 2     | 3     | 4     | 5     |       |
| Count                 |       |                        |       |       |       |       |       |
| Total %               |       |                        |       |       |       |       |       |
| Col %                 |       |                        |       |       |       |       |       |
| Row %                 |       |                        |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 134                    | 233   | 401   | 351   | 17    | 1136  |
|                       |       | 4,63                   | 8,05  | 13,85 | 12,12 | 0,59  | 39,24 |
|                       |       | 36,31                  | 40,38 | 40,51 | 38,28 | 40,48 |       |
|                       |       | 11,80                  | 20,51 | 35,30 | 30,90 | 1,50  |       |
|                       |       |                        |       |       |       |       |       |
|                       | 2     | 160                    | 211   | 328   | 355   | 16    | 1070  |
|                       |       | 5,53                   | 7,29  | 11,33 | 12,26 | 0,55  | 36,96 |
|                       |       | 43,36                  | 36,57 | 33,13 | 38,71 | 38,10 |       |
|                       |       | 14,95                  | 19,72 | 30,65 | 33,18 | 1,50  |       |
|                       |       |                        |       |       |       |       |       |
|                       | 3     | 75                     | 133   | 261   | 211   | 9     | 689   |
|                       |       | 2,59                   | 4,59  | 9,02  | 7,29  | 0,31  | 23,80 |
|                       |       | 20,33                  | 23,05 | 26,36 | 23,01 | 21,43 |       |
|                       |       | 10,89                  | 19,30 | 37,88 | 30,62 | 1,31  |       |
|                       |       |                        |       |       |       |       |       |
|                       | 369   | 577                    | 990   | 917   | 42    | 2895  |       |
|                       | 12,75 | 19,93                  | 34,20 | 31,68 | 1,45  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 7,7378    | 0,0019      |
| Error    | 2883 | 3977,3311 |             |
| C. Total | 2891 | 3985,0689 |             |
| N        | 2895 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,476    | 0,0505     |
| Pearson          | 15,533    | 0,0496     |

**Contingency Analysis of Enig/ uenig 2-1-201-1 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |   | Enig/ uenig 2-1-201-1 |       |       |       |       |       |
|-----------------------|---|-----------------------|-------|-------|-------|-------|-------|
|                       |   | 1                     | 2     | 3     | 4     | 5     |       |
| Count                 |   |                       |       |       |       |       |       |
| Total %               |   |                       |       |       |       |       |       |
| Col %                 |   |                       |       |       |       |       |       |
| Row %                 |   |                       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 109                   | 277   | 525   | 217   | 3     | 1131  |
|                       |   | 3,79                  | 9,64  | 18,27 | 7,55  | 0,10  | 39,35 |
|                       |   | 41,13                 | 41,65 | 38,69 | 38,00 | 18,75 |       |
|                       |   | 9,64                  | 24,49 | 46,42 | 19,19 | 0,27  |       |
|                       |   |                       |       |       |       |       |       |
| 2                     |   | 111                   | 237   | 487   | 219   | 5     | 1059  |
|                       |   | 3,86                  | 8,25  | 16,95 | 7,62  | 0,17  | 36,85 |
|                       |   | 41,89                 | 35,64 | 35,89 | 38,35 | 31,25 |       |
|                       |   | 10,48                 | 22,38 | 45,99 | 20,68 | 0,47  |       |
| 3                     |   | 45                    | 151   | 345   | 135   | 8     | 684   |
|                       |   | 1,57                  | 5,25  | 12,00 | 4,70  | 0,28  | 23,80 |
|                       |   | 16,98                 | 22,71 | 25,42 | 23,64 | 50,00 |       |
|                       |   | 6,58                  | 22,08 | 50,44 | 19,74 | 1,17  |       |
|                       |   | 265                   | 665   | 1357  | 571   | 16    | 2874  |
|                       |   | 9,22                  | 23,14 | 47,22 | 19,87 | 0,56  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,7833    | 0,0024      |
| Error    | 2862 | 3620,4095 |             |
| C. Total | 2870 | 3629,1928 |             |
| N        | 2874 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,567    | 0,0247     |
| Pearson          | 17,802    | 0,0228     |

**Contingency Analysis of Enig/ uenig 2-1-201-2 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-2

|                       |   | Enig/ uenig 2-1-201-2 |       |       |       |       |       |
|-----------------------|---|-----------------------|-------|-------|-------|-------|-------|
|                       |   | 1                     | 2     | 3     | 4     | 5     |       |
| Count                 |   |                       |       |       |       |       |       |
| Total %               |   |                       |       |       |       |       |       |
| Col %                 |   |                       |       |       |       |       |       |
| Row %                 |   |                       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 57                    | 131   | 516   | 406   | 22    | 1132  |
|                       |   | 1,98                  | 4,55  | 17,92 | 14,10 | 0,76  | 39,32 |
|                       |   | 36,08                 | 35,41 | 38,62 | 41,81 | 50,00 |       |
|                       |   | 5,04                  | 11,57 | 45,58 | 35,87 | 1,94  |       |
|                       |   |                       |       |       |       |       |       |
|                       | 2 | 61                    | 145   | 481   | 368   | 9     | 1064  |
|                       |   | 2,12                  | 5,04  | 16,71 | 12,78 | 0,31  | 36,96 |
|                       |   | 38,61                 | 39,19 | 36,00 | 37,90 | 20,45 |       |
|                       |   | 5,73                  | 13,63 | 45,21 | 34,59 | 0,85  |       |
|                       | 3 | 40                    | 94    | 339   | 197   | 13    | 683   |
|                       |   | 1,39                  | 3,27  | 11,77 | 6,84  | 0,45  | 23,72 |
|                       |   | 25,32                 | 25,41 | 25,37 | 20,29 | 29,55 |       |
|                       |   | 5,86                  | 13,76 | 49,63 | 28,84 | 1,90  |       |
|                       |   | 158                   | 370   | 1336  | 971   | 44    | 2879  |
|                       |   | 5,49                  | 12,85 | 46,41 | 33,73 | 1,53  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,7864    | 0,0025      |
| Error    | 2867 | 3474,0004 |             |
| C. Total | 2875 | 3482,7868 |             |
| N        | 2879 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,573    | 0,0247     |
| Pearson          | 16,864    | 0,0316     |

**Contingency Analysis of Enig/ uenig 2-1-201-8 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-8

|                       |   | Enig/ uenig 2-1-201-8 |       |       |       |       |       |
|-----------------------|---|-----------------------|-------|-------|-------|-------|-------|
|                       |   | 1                     | 2     | 3     | 4     | 5     |       |
| Count                 |   |                       |       |       |       |       |       |
| Total %               |   |                       |       |       |       |       |       |
| Col %                 |   |                       |       |       |       |       |       |
| Row %                 |   |                       |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 571                   | 359   | 148   | 32    | 17    | 1127  |
|                       |   | 19,87                 | 12,50 | 5,15  | 1,11  | 0,59  | 39,23 |
|                       |   | 39,06                 | 41,60 | 35,84 | 30,77 | 54,84 |       |
|                       |   | 50,67                 | 31,85 | 13,13 | 2,84  | 1,51  |       |
|                       |   |                       |       |       |       |       |       |
| 2                     |   | 552                   | 284   | 166   | 48    | 11    | 1061  |
|                       |   | 19,21                 | 9,89  | 5,78  | 1,67  | 0,38  | 36,93 |
|                       |   | 37,76                 | 32,91 | 40,19 | 46,15 | 35,48 |       |
|                       |   | 52,03                 | 26,77 | 15,65 | 4,52  | 1,04  |       |
| 3                     |   | 339                   | 220   | 99    | 24    | 3     | 685   |
|                       |   | 11,80                 | 7,66  | 3,45  | 0,84  | 0,10  | 23,84 |
|                       |   | 23,19                 | 25,49 | 23,97 | 23,08 | 9,68  |       |
|                       |   | 49,49                 | 32,12 | 14,45 | 3,50  | 0,44  |       |
|                       |   | 1462                  | 863   | 413   | 104   | 31    | 2873  |
|                       |   | 50,89                 | 30,04 | 14,38 | 3,62  | 1,08  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 9,2251    | 0,0028      |
| Error    | 2861 | 3302,9902 |             |
| C. Total | 2869 | 3312,2153 |             |
| N        | 2873 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 18,450    | 0,0181     |
| Pearson          | 17,823    | 0,0226     |

**Contingency Analysis of Enig/ uenig 2-1-201-26 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |         | Enig/ uenig 2-1-201-26 |       |       |       |       |       |
|-----------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                      | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                        |       |       |       |       |       |
|                       | Total % |                        |       |       |       |       |       |
|                       | Col %   |                        |       |       |       |       |       |
|                       | Row %   |                        |       |       |       |       |       |
|                       |         |                        |       |       |       |       |       |
| 1                     | Count   | 237                    | 240   | 269   | 361   | 20    | 1127  |
| 1                     | Total % | 8,26                   | 8,37  | 9,38  | 12,59 | 0,70  | 39,30 |
| 1                     | Col %   | 41,87                  | 43,32 | 41,07 | 34,88 | 34,48 |       |
| 1                     | Row %   | 21,03                  | 21,30 | 23,87 | 32,03 | 1,77  |       |
| 2                     | Count   | 201                    | 178   | 213   | 447   | 19    | 1058  |
| 2                     | Total % | 7,01                   | 6,21  | 7,43  | 15,59 | 0,66  | 36,89 |
| 2                     | Col %   | 35,51                  | 32,13 | 32,52 | 43,19 | 32,76 |       |
| 2                     | Row %   | 19,00                  | 16,82 | 20,13 | 42,25 | 1,80  |       |
| 3                     | Count   | 128                    | 136   | 173   | 227   | 19    | 683   |
| 3                     | Total % | 4,46                   | 4,74  | 6,03  | 7,91  | 0,66  | 23,81 |
| 3                     | Col %   | 22,61                  | 24,55 | 26,41 | 21,93 | 32,76 |       |
| 3                     | Row %   | 18,74                  | 19,91 | 25,33 | 33,24 | 2,78  |       |
|                       | Count   | 566                    | 554   | 655   | 1035  | 58    | 2868  |
|                       | Total % | 19,74                  | 19,32 | 22,84 | 36,09 | 2,02  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 16,5813   | 0,0041      |
| Error    | 2856 | 4061,2010 |             |
| C. Total | 2864 | 4077,7823 |             |
| N        | 2868 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,163    | <.0001     |
| Pearson          | 33,540    | <.0001     |



**Contingency Analysis of Enig/ uenig 2-1-201-60 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |       | Enig/ uenig 2-1-201-60 |       |       |       |       |       |
|-----------------------|-------|------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                      | 2     | 3     | 4     | 5     |       |
| Count                 |       |                        |       |       |       |       |       |
| Total %               |       |                        |       |       |       |       |       |
| Col %                 |       |                        |       |       |       |       |       |
| Row %                 |       |                        |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 128                    | 255   | 475   | 252   | 16    | 1126  |
|                       |       | 4,46                   | 8,89  | 16,55 | 8,78  | 0,56  | 39,23 |
|                       |       | 37,65                  | 38,40 | 39,45 | 40,32 | 43,24 |       |
|                       |       | 11,37                  | 22,65 | 42,18 | 22,38 | 1,42  |       |
|                       |       |                        |       |       |       |       |       |
| 2                     |       | 146                    | 231   | 433   | 247   | 7     | 1064  |
|                       |       | 5,09                   | 8,05  | 15,09 | 8,61  | 0,24  | 37,07 |
|                       |       | 42,94                  | 34,79 | 35,96 | 39,52 | 18,92 |       |
|                       |       | 13,72                  | 21,71 | 40,70 | 23,21 | 0,66  |       |
| 3                     |       | 66                     | 178   | 296   | 126   | 14    | 680   |
|                       |       | 2,30                   | 6,20  | 10,31 | 4,39  | 0,49  | 23,69 |
|                       |       | 19,41                  | 26,81 | 24,58 | 20,16 | 37,84 |       |
|                       |       | 9,71                   | 26,18 | 43,53 | 18,53 | 2,06  |       |
|                       | 340   | 664                    | 1204  | 625   | 37    | 2870  |       |
|                       | 11,85 | 23,14                  | 41,95 | 21,78 | 1,29  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,9858   | 0,0028      |
| Error    | 2858 | 3845,7886 |             |
| C. Total | 2866 | 3856,7744 |             |
| N        | 2870 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,972    | 0,0050     |
| Pearson          | 21,649    | 0,0056     |

**Contingency Analysis of Enig/ uenig 2-1-201-77 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

|                       |       | Enig/ uenig 2-1-201-77 |       |       |       |       |       |
|-----------------------|-------|------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                      | 2     | 3     | 4     | 5     |       |
| Count                 |       |                        |       |       |       |       |       |
| Total %               |       |                        |       |       |       |       |       |
| Col %                 |       |                        |       |       |       |       |       |
| Row %                 |       |                        |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 291                    | 326   | 309   | 152   | 36    | 1114  |
|                       |       | 10,22                  | 11,45 | 10,85 | 5,34  | 1,26  | 39,12 |
|                       |       | 44,36                  | 40,75 | 35,97 | 34,31 | 40,00 |       |
|                       |       | 26,12                  | 29,26 | 27,74 | 13,64 | 3,23  |       |
|                       | 2     | 197                    | 275   | 351   | 213   | 19    | 1055  |
|                       |       | 6,92                   | 9,66  | 12,32 | 7,48  | 0,67  | 37,04 |
|                       |       | 30,03                  | 34,38 | 40,86 | 48,08 | 21,11 |       |
|                       |       | 18,67                  | 26,07 | 33,27 | 20,19 | 1,80  |       |
|                       | 3     | 168                    | 199   | 199   | 78    | 35    | 679   |
|                       |       | 5,90                   | 6,99  | 6,99  | 2,74  | 1,23  | 23,84 |
|                       |       | 25,61                  | 24,88 | 23,17 | 17,61 | 38,89 |       |
|                       |       | 24,74                  | 29,31 | 29,31 | 11,49 | 5,15  |       |
|                       | 656   | 800                    | 859   | 443   | 90    | 2848  |       |
|                       | 23,03 | 28,09                  | 30,16 | 15,55 | 3,16  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 30,5939   | 0,0074      |
| Error    | 2836 | 4113,2077 |             |
| C. Total | 2844 | 4143,8016 |             |
| N        | 2848 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 61,188    | <.0001     |
| Pearson          | 61,477    | <.0001     |

**Contingency Analysis of Stemmer med min men 2-8-226-7 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-7

|                       |         | 1     | 2     | 3     | 4     |       |
|-----------------------|---------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |
|                       | 1       | 233   | 303   | 417   | 167   | 1120  |
|                       |         | 8,15  | 10,60 | 14,59 | 5,84  | 39,19 |
|                       |         | 48,95 | 40,67 | 36,42 | 33,94 |       |
|                       |         | 20,80 | 27,05 | 37,23 | 14,91 |       |
|                       | 2       | 146   | 278   | 440   | 196   | 1060  |
|                       |         | 5,11  | 9,73  | 15,40 | 6,86  | 37,09 |
|                       |         | 30,67 | 37,32 | 38,43 | 39,84 |       |
|                       |         | 13,77 | 26,23 | 41,51 | 18,49 |       |
|                       | 3       | 97    | 164   | 288   | 129   | 678   |
|                       |         | 3,39  | 5,74  | 10,08 | 4,51  | 23,72 |
|                       |         | 20,38 | 22,01 | 25,15 | 26,22 |       |
|                       |         | 14,31 | 24,19 | 42,48 | 19,03 |       |
|                       | 476     | 745   | 1145  | 492   | 2858  |       |
|                       | 16,66   | 26,07 | 40,06 | 17,21 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 14,8572   | 0,0039      |
| Error    | 2849 | 3752,9766 |             |
| C. Total | 2855 | 3767,8337 |             |
| N        | 2858 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,714    | <.0001     |
| Pearson          | 29,978    | <.0001     |

**Contingency Analysis of Stemmer med min men 2-8-226-14 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-14

|                       |         | 1     | 2     | 3     | 4     |       |
|-----------------------|---------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |
|                       | 1       | 159   | 314   | 439   | 212   | 1124  |
|                       |         | 5,54  | 10,95 | 15,31 | 7,39  | 39,19 |
|                       |         | 47,18 | 40,78 | 36,22 | 38,62 |       |
|                       |         | 14,15 | 27,94 | 39,06 | 18,86 |       |
|                       | 2       | 105   | 287   | 470   | 200   | 1062  |
|                       |         | 3,66  | 10,01 | 16,39 | 6,97  | 37,03 |
|                       | 31,16   | 37,27 | 38,78 | 36,43 |       |       |
|                       | 9,89    | 27,02 | 44,26 | 18,83 |       |       |
| 3                     | 73      | 169   | 303   | 137   | 682   |       |
|                       | 2,55    | 5,89  | 10,56 | 4,78  | 23,78 |       |
|                       | 21,66   | 21,95 | 25,00 | 24,95 |       |       |
|                       | 10,70   | 24,78 | 44,43 | 20,09 |       |       |
|                       | 337     | 770   | 1212  | 549   | 2868  |       |
|                       | 11,75   | 26,85 | 42,26 | 19,14 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 6    | 7,8434    | 0,0021      |
| Error    | 2859 | 3677,8987 |             |
| C. Total | 2865 | 3685,7421 |             |
| N        | 2868 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,687    | 0,0155     |
| Pearson          | 15,764    | 0,0151     |

**Contingency Analysis of Reisemåtevalg 2-28-284-1 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-1

|                       |   | Reisemåtevalg 2-28-284-1 |       |       |       |       |       |
|-----------------------|---|--------------------------|-------|-------|-------|-------|-------|
|                       |   | 1                        | 2     | 3     | 4     | 5     |       |
| Count                 |   |                          |       |       |       |       |       |
| Total %               |   |                          |       |       |       |       |       |
| Col %                 |   |                          |       |       |       |       |       |
| Row %                 |   |                          |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 404                      | 436   | 200   | 46    | 20    | 1106  |
|                       |   | 14,36                    | 15,50 | 7,11  | 1,64  | 0,71  | 39,32 |
|                       |   | 44,20                    | 36,42 | 39,14 | 35,66 | 32,26 |       |
|                       |   | 36,53                    | 39,42 | 18,08 | 4,16  | 1,81  |       |
|                       |   |                          |       |       |       |       |       |
| 2                     |   | 330                      | 451   | 179   | 46    | 28    | 1034  |
|                       |   | 11,73                    | 16,03 | 6,36  | 1,64  | 1,00  | 36,76 |
|                       |   | 36,11                    | 37,68 | 35,03 | 35,66 | 45,16 |       |
|                       |   | 31,91                    | 43,62 | 17,31 | 4,45  | 2,71  |       |
| 3                     |   | 180                      | 310   | 132   | 37    | 14    | 673   |
|                       |   | 6,40                     | 11,02 | 4,69  | 1,32  | 0,50  | 23,92 |
|                       |   | 19,69                    | 25,90 | 25,83 | 28,68 | 22,58 |       |
|                       |   | 26,75                    | 46,06 | 19,61 | 5,50  | 2,08  |       |
|                       |   |                          |       |       |       |       |       |
|                       |   | 914                      | 1197  | 511   | 129   | 62    | 2813  |
|                       |   | 32,49                    | 42,55 | 18,17 | 4,59  | 2,20  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 11,1606   | 0,0031      |
| Error    | 2801 | 3544,7987 |             |
| C. Total | 2809 | 3555,9593 |             |
| N        | 2813 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 22,321    | 0,0044     |
| Pearson          | 22,184    | 0,0046     |

**Contingency Analysis of Reisemåtevalg 2-28-284-2 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-2

|                       |         | Reisemåtevalg 2-28-284-2 |       |       |       |       |       |
|-----------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                        | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                          |       |       |       |       |       |
|                       | Total % |                          |       |       |       |       |       |
|                       | Col %   |                          |       |       |       |       |       |
|                       | Row %   |                          |       |       |       |       |       |
|                       |         |                          |       |       |       |       |       |
| 1                     | Count   | 568                      | 422   | 89    | 20    | 15    | 1114  |
| 1                     | Total % | 19,99                    | 14,85 | 3,13  | 0,70  | 0,53  | 39,21 |
| 1                     | Col %   | 42,58                    | 36,54 | 36,63 | 35,71 | 28,30 |       |
| 1                     | Row %   | 50,99                    | 37,88 | 7,99  | 1,80  | 1,35  |       |
| 2                     | Count   | 451                      | 436   | 105   | 29    | 26    | 1047  |
| 2                     | Total % | 15,87                    | 15,35 | 3,70  | 1,02  | 0,92  | 36,85 |
| 2                     | Col %   | 33,81                    | 37,75 | 43,21 | 51,79 | 49,06 |       |
| 2                     | Row %   | 43,08                    | 41,64 | 10,03 | 2,77  | 2,48  |       |
| 3                     | Count   | 315                      | 297   | 49    | 7     | 12    | 680   |
| 3                     | Total % | 11,09                    | 10,45 | 1,72  | 0,25  | 0,42  | 23,94 |
| 3                     | Col %   | 23,61                    | 25,71 | 20,16 | 12,50 | 22,64 |       |
| 3                     | Row %   | 46,32                    | 43,68 | 7,21  | 1,03  | 1,76  |       |
|                       | Count   | 1334                     | 1155  | 243   | 56    | 53    | 2841  |
|                       | Total % | 46,96                    | 40,65 | 8,55  | 1,97  | 1,87  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 13,1448   | 0,0043      |
| Error    | 2829 | 3063,3029 |             |
| C. Total | 2837 | 3076,4476 |             |
| N        | 2841 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 26,290    | 0,0009     |
| Pearson          | 26,090    | 0,0010     |

**Contingency Analysis of Reisemåtevalg 2-28-284-3 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-3

|                       |   | Reisemåtevalg 2-28-284-3 |       |       |       |       |       |
|-----------------------|---|--------------------------|-------|-------|-------|-------|-------|
|                       |   | 1                        | 2     | 3     | 4     | 5     |       |
| Count                 |   |                          |       |       |       |       |       |
| Total %               |   |                          |       |       |       |       |       |
| Col %                 |   |                          |       |       |       |       |       |
| Row %                 |   |                          |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 419                      | 456   | 181   | 33    | 19    | 1108  |
|                       |   | 14,91                    | 16,23 | 6,44  | 1,17  | 0,68  | 39,43 |
|                       |   | 39,83                    | 38,94 | 40,86 | 37,08 | 34,55 |       |
|                       |   | 37,82                    | 41,16 | 16,34 | 2,98  | 1,71  |       |
|                       |   |                          |       |       |       |       |       |
|                       | 2 | 406                      | 428   | 134   | 36    | 26    | 1030  |
|                       |   | 14,45                    | 15,23 | 4,77  | 1,28  | 0,93  | 36,65 |
|                       |   | 38,59                    | 36,55 | 30,25 | 40,45 | 47,27 |       |
|                       |   | 39,42                    | 41,55 | 13,01 | 3,50  | 2,52  |       |
|                       | 3 | 227                      | 287   | 128   | 20    | 10    | 672   |
|                       |   | 8,08                     | 10,21 | 4,56  | 0,71  | 0,36  | 23,91 |
|                       |   | 21,58                    | 24,51 | 28,89 | 22,47 | 18,18 |       |
|                       |   | 33,78                    | 42,71 | 19,05 | 2,98  | 1,49  |       |
|                       |   | 1052                     | 1171  | 443   | 89    | 55    | 2810  |
|                       |   | 37,44                    | 41,67 | 15,77 | 3,17  | 1,96  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,4527    | 0,0025      |
| Error    | 2798 | 3392,1237 |             |
| C. Total | 2806 | 3400,5764 |             |
| N        | 2810 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 16,905    | 0,0311     |
| Pearson          | 16,884    | 0,0313     |

**Contingency Analysis of Reisemåtevalg 2-28-284-4 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-4

|                       |         | Reisemåtevalg 2-28-284-4 |       |       |       |       |       |
|-----------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                        | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                          |       |       |       |       |       |
|                       | Total % |                          |       |       |       |       |       |
|                       | Col %   |                          |       |       |       |       |       |
|                       | Row %   |                          |       |       |       |       |       |
|                       |         |                          |       |       |       |       |       |
| 1                     | Count   | 237                      | 393   | 352   | 109   | 17    | 1108  |
| 1                     | Total % | 8,44                     | 14,00 | 12,54 | 3,88  | 0,61  | 39,46 |
| 1                     | Col %   | 43,97                    | 41,07 | 37,29 | 34,28 | 34,00 |       |
| 1                     | Row %   | 21,39                    | 35,47 | 31,77 | 9,84  | 1,53  |       |
| 2                     | Count   | 195                      | 316   | 358   | 136   | 22    | 1027  |
| 2                     | Total % | 6,94                     | 11,25 | 12,75 | 4,84  | 0,78  | 36,57 |
| 2                     | Col %   | 36,18                    | 33,02 | 37,92 | 42,77 | 44,00 |       |
| 2                     | Row %   | 18,99                    | 30,77 | 34,86 | 13,24 | 2,14  |       |
| 3                     | Count   | 107                      | 248   | 234   | 73    | 11    | 673   |
| 3                     | Total % | 3,81                     | 8,83  | 8,33  | 2,60  | 0,39  | 23,97 |
| 3                     | Col %   | 19,85                    | 25,91 | 24,79 | 22,96 | 22,00 |       |
| 3                     | Row %   | 15,90                    | 36,85 | 34,77 | 10,85 | 1,63  |       |
|                       | Count   | 539                      | 957   | 944   | 318   | 50    | 2808  |
|                       | Total % | 19,20                    | 34,08 | 33,62 | 11,32 | 1,78  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,4443   | 0,0027      |
| Error    | 2796 | 3832,4461 |             |
| C. Total | 2804 | 3842,8904 |             |
| N        | 2808 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,889    | 0,0074     |
| Pearson          | 20,768    | 0,0078     |



**Contingency Analysis of Reisemåtevalg 2-28-284-5 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-5

|                       |         | Reisemåtevalg 2-28-284-5 |       |       |       |       |       |
|-----------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                        | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                          |       |       |       |       |       |
|                       | Total % |                          |       |       |       |       |       |
|                       | Col %   |                          |       |       |       |       |       |
|                       | Row %   |                          |       |       |       |       |       |
|                       | 1       | 352                      | 501   | 177   | 54    | 21    | 1105  |
|                       |         | 12,55                    | 17,87 | 6,31  | 1,93  | 0,75  | 39,41 |
| 2                     | 276     | 453                      | 215   | 54    | 31    | 1029  |       |
|                       | 9,84    | 16,16                    | 7,67  | 1,93  | 1,11  | 36,70 |       |
| 3                     | 155     | 314                      | 141   | 45    | 15    | 670   |       |
|                       | 5,53    | 11,20                    | 5,03  | 1,60  | 0,53  | 23,89 |       |
|                       | 19,80   | 24,76                    | 26,45 | 29,41 | 22,39 |       |       |
|                       | 23,13   | 46,87                    | 21,04 | 6,72  | 2,24  |       |       |
|                       | 783     | 1268                     | 533   | 153   | 67    | 2804  |       |
|                       | 27,92   | 45,22                    | 19,01 | 5,46  | 2,39  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 13,5133   | 0,0038      |
| Error    | 2792 | 3571,7233 |             |
| C. Total | 2800 | 3585,2366 |             |
| N        | 2804 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 27,027    | 0,0007     |
| Pearson          | 26,913    | 0,0007     |

**Contingency Analysis of Reisemåtevalg 2-28-284-6 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-6

|                       |         | Reisemåtevalg 2-28-284-6 |       |       |       |       |       |
|-----------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                        | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                          |       |       |       |       |       |
|                       | Total % |                          |       |       |       |       |       |
|                       | Col %   |                          |       |       |       |       |       |
|                       | Row %   |                          |       |       |       |       |       |
|                       |         |                          |       |       |       |       |       |
| 1                     |         | 185                      | 343   | 397   | 158   | 21    | 1104  |
|                       |         | 6,62                     | 12,28 | 14,21 | 5,65  | 0,75  | 39,51 |
|                       |         | 48,43                    | 44,84 | 35,64 | 34,05 | 30,43 |       |
|                       |         | 16,76                    | 31,07 | 35,96 | 14,31 | 1,90  |       |
| 2                     |         | 118                      | 233   | 439   | 201   | 29    | 1020  |
|                       |         | 4,22                     | 8,34  | 15,71 | 7,19  | 1,04  | 36,51 |
|                       |         | 30,89                    | 30,46 | 39,41 | 43,32 | 42,03 |       |
|                       |         | 11,57                    | 22,84 | 43,04 | 19,71 | 2,84  |       |
| 3                     |         | 79                       | 189   | 278   | 105   | 19    | 670   |
|                       |         | 2,83                     | 6,76  | 9,95  | 3,76  | 0,68  | 23,98 |
|                       |         | 20,68                    | 24,71 | 24,96 | 22,63 | 27,54 |       |
|                       |         | 11,79                    | 28,21 | 41,49 | 15,67 | 2,84  |       |
|                       |         | 382                      | 765   | 1114  | 464   | 69    | 2794  |
|                       |         | 13,67                    | 27,38 | 39,87 | 16,61 | 2,47  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 22,6999   | 0,0059      |
| Error    | 2782 | 3841,1123 |             |
| C. Total | 2790 | 3863,8122 |             |
| N        | 2794 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 45,400    | <.0001     |
| Pearson          | 45,421    | <.0001     |

**Contingency Analysis of Ferieland sommer 2-28-285-1 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Ferieland sommer 2-28-285-1

|                       |   | Ferieland sommer 2-28-285-1 |       |       |       |       |       |
|-----------------------|---|-----------------------------|-------|-------|-------|-------|-------|
| Count                 |   | 1                           | 2     | 3     | 4     | 5     |       |
| Total %               |   |                             |       |       |       |       |       |
| Col %                 |   |                             |       |       |       |       |       |
| Row %                 |   |                             |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 586                         | 78    | 263   | 103   | 96    | 1126  |
|                       |   | 20,39                       | 2,71  | 9,15  | 3,58  | 3,34  | 39,18 |
|                       |   | 39,73                       | 39,80 | 39,31 | 33,66 | 42,11 |       |
|                       |   | 52,04                       | 6,93  | 23,36 | 9,15  | 8,53  |       |
|                       |   |                             |       |       |       |       |       |
|                       | 2 | 543                         | 75    | 242   | 127   | 73    | 1060  |
|                       |   | 18,89                       | 2,61  | 8,42  | 4,42  | 2,54  | 36,88 |
|                       |   | 36,81                       | 38,27 | 36,17 | 41,50 | 32,02 |       |
|                       |   | 51,23                       | 7,08  | 22,83 | 11,98 | 6,89  |       |
|                       | 3 | 346                         | 43    | 164   | 76    | 59    | 688   |
|                       |   | 12,04                       | 1,50  | 5,71  | 2,64  | 2,05  | 23,94 |
|                       |   | 23,46                       | 21,94 | 24,51 | 24,84 | 25,88 |       |
|                       |   | 50,29                       | 6,25  | 23,84 | 11,05 | 8,58  |       |
|                       |   | 1475                        | 196   | 669   | 306   | 228   | 2874  |
|                       |   | 51,32                       | 6,82  | 23,28 | 10,65 | 7,93  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 3,7857    | 0,0010      |
| Error    | 2862 | 3744,8011 |             |
| C. Total | 2870 | 3748,5868 |             |
| N        | 2874 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 7,571     | 0,4764     |
| Pearson          | 7,466     | 0,4873     |

**Contingency Analysis of Ferieland høst 2-28-285-2 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Ferieland høst 2-28-285-2

|                       |         | 1     | 2     | 3     | 4     | 5     |       |
|-----------------------|---------|-------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |       |
|                       | 1       | 371   | 62    | 34    | 270   | 331   | 1068  |
|                       |         | 13,59 | 2,27  | 1,25  | 9,89  | 12,13 | 39,14 |
|                       |         | 39,64 | 38,27 | 37,78 | 37,50 | 40,32 |       |
|                       |         | 34,74 | 5,81  | 3,18  | 25,28 | 30,99 |       |
|                       | 2       | 339   | 69    | 38    | 257   | 304   | 1007  |
|                       |         | 12,42 | 2,53  | 1,39  | 9,42  | 11,14 | 36,90 |
|                       |         | 36,22 | 42,59 | 42,22 | 35,69 | 37,03 |       |
|                       |         | 33,66 | 6,85  | 3,77  | 25,52 | 30,19 |       |
|                       | 3       | 226   | 31    | 18    | 193   | 186   | 654   |
|                       | 8,28    | 1,14  | 0,66  | 7,07  | 6,82  | 23,96 |       |
|                       | 24,15   | 19,14 | 20,00 | 26,81 | 22,66 |       |       |
|                       | 34,56   | 4,74  | 2,75  | 29,51 | 28,44 |       |       |
|                       | 936     | 162   | 90    | 720   | 821   | 2729  |       |
|                       | 34,30   | 5,94  | 3,30  | 26,38 | 30,08 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 4,3060    | 0,0012      |
| Error    | 2717 | 3707,3716 |             |
| C. Total | 2725 | 3711,6775 |             |
| N        | 2729 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 8,612     | 0,3761     |
| Pearson          | 8,628     | 0,3746     |

**Contingency Analysis of Ferieland vinter/p 2-28-285-3 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Ferieland vinter/p 2-28-285-3

|                       |   | Ferieland vinter/p 2-28-285-3 |       |       |       |       |       |
|-----------------------|---|-------------------------------|-------|-------|-------|-------|-------|
|                       |   | 1                             | 2     | 3     | 4     | 5     |       |
| Count                 |   |                               |       |       |       |       |       |
| Total %               |   |                               |       |       |       |       |       |
| Col %                 |   |                               |       |       |       |       |       |
| Row %                 |   |                               |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 555                           | 50    | 39    | 273   | 170   | 1087  |
|                       |   | 20,01                         | 1,80  | 1,41  | 9,84  | 6,13  | 39,20 |
|                       |   | 40,81                         | 43,10 | 43,82 | 36,40 | 37,12 |       |
|                       |   | 51,06                         | 4,60  | 3,59  | 25,11 | 15,64 |       |
|                       |   |                               |       |       |       |       |       |
|                       | 2 | 487                           | 43    | 29    | 283   | 184   | 1026  |
|                       |   | 17,56                         | 1,55  | 1,05  | 10,21 | 6,64  | 37,00 |
|                       |   | 35,81                         | 37,07 | 32,58 | 37,73 | 40,17 |       |
|                       |   | 47,47                         | 4,19  | 2,83  | 27,58 | 17,93 |       |
|                       | 3 | 318                           | 23    | 21    | 194   | 104   | 660   |
|                       |   | 11,47                         | 0,83  | 0,76  | 7,00  | 3,75  | 23,80 |
|                       |   | 23,38                         | 19,83 | 23,60 | 25,87 | 22,71 |       |
|                       |   | 48,18                         | 3,48  | 3,18  | 29,39 | 15,76 |       |
|                       |   | 1360                          | 116   | 89    | 750   | 458   | 2773  |
|                       |   | 49,04                         | 4,18  | 3,21  | 27,05 | 16,52 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 4,3197    | 0,0013      |
| Error    | 2761 | 3444,3584 |             |
| C. Total | 2769 | 3448,6782 |             |
| N        | 2773 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 8,639     | 0,3736     |
| Pearson          | 8,633     | 0,3742     |

**Contingency Analysis of Bekymret Kunstst i mat 2-41-317 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Bekymret Kunstst i mat 2-41-317

|                       |         | 1     | 2     | 3     |       |
|-----------------------|---------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |
|                       | Total % |       |       |       |       |
|                       | Col %   |       |       |       |       |
|                       | Row %   |       |       |       |       |
|                       | 1       | 182   | 546   | 397   | 1125  |
|                       |         | 6,35  | 19,04 | 13,84 | 39,23 |
|                       |         | 46,31 | 39,68 | 36,12 |       |
|                       |         | 16,18 | 48,53 | 35,29 |       |
|                       | 2       | 139   | 495   | 422   | 1056  |
|                       |         | 4,85  | 17,26 | 14,71 | 36,82 |
|                       |         | 35,37 | 35,97 | 38,40 |       |
|                       |         | 13,16 | 46,88 | 39,96 |       |
|                       | 3       | 72    | 335   | 280   | 687   |
|                       | 2,51    | 11,68 | 9,76  | 23,95 |       |
|                       | 18,32   | 24,35 | 25,48 |       |       |
|                       | 10,48   | 48,76 | 40,76 |       |       |
|                       | 393     | 1376  | 1099  | 2868  |       |
|                       | 13,70   | 47,98 | 38,32 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 7,8127    | 0,0027      |
| Error    | 2862 | 2838,0565 |             |
| C. Total | 2866 | 2845,8692 |             |
| N        | 2868 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,625    | 0,0036     |
| Pearson          | 15,393    | 0,0040     |

| Kappa    | Std Err  |
|----------|----------|
| 0,016947 | 0,012247 |

Kappa measures the degree of agreement.

**Contingency Analysis of Ikkekjøp mat m Kunstst 2-41-318 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Ikkekjøp mat m Kunstst 2-41-318

|                       |         | 1     | 2     | 3     |       |
|-----------------------|---------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |
|                       | Total % |       |       |       |       |
|                       | Col %   |       |       |       |       |
|                       | Row %   |       |       |       |       |
|                       | 1       | 126   | 563   | 441   | 1130  |
|                       |         | 4,38  | 19,59 | 15,34 | 39,32 |
|                       |         | 44,06 | 40,47 | 36,84 |       |
|                       |         | 11,15 | 49,82 | 39,03 |       |
|                       | 2       | 107   | 495   | 457   | 1059  |
|                       |         | 3,72  | 17,22 | 15,90 | 36,85 |
|                       |         | 37,41 | 35,59 | 38,18 |       |
|                       |         | 10,10 | 46,74 | 43,15 |       |
| 3                     | 53      | 333   | 299   | 685   |       |
|                       | 1,84    | 11,59 | 10,40 | 23,83 |       |
|                       | 18,53   | 23,94 | 24,98 |       |       |
|                       | 7,74    | 48,61 | 43,65 |       |       |
|                       | 286     | 1391  | 1197  | 2874  |       |
|                       | 9,95    | 48,40 | 41,65 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 4,7294    | 0,0017      |
| Error    | 2868 | 2713,0660 |             |
| C. Total | 2872 | 2717,7954 |             |
| N        | 2874 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 9,459     | 0,0506     |
| Pearson          | 9,213     | 0,0560     |

| Kappa    | Std Err  |
|----------|----------|
| 0,004941 | 0,011734 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-1 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-1

|                       |         | 1     | 2     | 3     | 4     | 5     |       |
|-----------------------|---------|-------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |       |
|                       | 1       | 26    | 78    | 567   | 446   | 10    | 1127  |
|                       |         | 0,91  | 2,72  | 19,76 | 15,55 | 0,35  | 39,28 |
|                       |         | 28,57 | 35,29 | 40,88 | 39,47 | 25,00 |       |
|                       |         | 2,31  | 6,92  | 50,31 | 39,57 | 0,89  |       |
|                       | 2       | 43    | 94    | 462   | 445   | 13    | 1057  |
|                       |         | 1,50  | 3,28  | 16,10 | 15,51 | 0,45  | 36,84 |
|                       |         | 47,25 | 42,53 | 33,31 | 39,38 | 32,50 |       |
|                       |         | 4,07  | 8,89  | 43,71 | 42,10 | 1,23  |       |
|                       | 3       | 22    | 49    | 358   | 239   | 17    | 685   |
|                       |         | 0,77  | 1,71  | 12,48 | 8,33  | 0,59  | 23,88 |
|                       |         | 24,18 | 22,17 | 25,81 | 21,15 | 42,50 |       |
|                       | 3,21    | 7,15  | 52,26 | 34,89 | 2,48  |       |       |
|                       | 91      | 221   | 1387  | 1130  | 40    | 2869  |       |
|                       | 3,17    | 7,70  | 48,34 | 39,39 | 1,39  |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 14,6109   | 0,0047      |
| Error    | 2857 | 3097,8495 |             |
| C. Total | 2865 | 3112,4604 |             |
| N        | 2869 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,222    | 0,0003     |
| Pearson          | 29,815    | 0,0002     |



**Contingency Analysis of Påstander om mat 2-41-319-2 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-2

|                       |         | Påstander om mat 2-41-319-2 |       |       |       |       |       |
|-----------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                           | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                             |       |       |       |       |       |
|                       | Total % |                             |       |       |       |       |       |
|                       | Col %   |                             |       |       |       |       |       |
|                       | Row %   |                             |       |       |       |       |       |
|                       |         |                             |       |       |       |       |       |
| 1                     |         | 184                         | 287   | 459   | 155   | 41    | 1126  |
|                       |         | 6,42                        | 10,02 | 16,02 | 5,41  | 1,43  | 39,30 |
|                       |         | 38,02                       | 36,98 | 40,12 | 45,72 | 33,61 |       |
|                       |         | 16,34                       | 25,49 | 40,76 | 13,77 | 3,64  |       |
| 2                     |         | 214                         | 280   | 392   | 123   | 44    | 1053  |
|                       |         | 7,47                        | 9,77  | 13,68 | 4,29  | 1,54  | 36,75 |
|                       |         | 44,21                       | 36,08 | 34,27 | 36,28 | 36,07 |       |
|                       |         | 20,32                       | 26,59 | 37,23 | 11,68 | 4,18  |       |
| 3                     |         | 86                          | 209   | 293   | 61    | 37    | 686   |
|                       |         | 3,00                        | 7,29  | 10,23 | 2,13  | 1,29  | 23,94 |
|                       |         | 17,77                       | 26,93 | 25,61 | 17,99 | 30,33 |       |
|                       |         | 12,54                       | 30,47 | 42,71 | 8,89  | 5,39  |       |
|                       |         | 484                         | 776   | 1144  | 339   | 122   | 2865  |
|                       |         | 16,89                       | 27,09 | 39,93 | 11,83 | 4,26  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 17,4286   | 0,0043      |
| Error    | 2853 | 4015,6671 |             |
| C. Total | 2861 | 4033,0958 |             |
| N        | 2865 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 34,857    | <.0001     |
| Pearson          | 34,433    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-3 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-3

|                       |         | 1     | 2     | 3     | 4     | 5     |       |
|-----------------------|---------|-------|-------|-------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |       |       |       |
|                       | Total % |       |       |       |       |       |       |
|                       | Col %   |       |       |       |       |       |       |
|                       | Row %   |       |       |       |       |       |       |
|                       | 1       | 55    | 137   | 515   | 392   | 28    | 1127  |
|                       |         | 1,92  | 4,78  | 17,98 | 13,68 | 0,98  | 39,34 |
|                       |         | 30,22 | 33,74 | 39,58 | 44,24 | 31,11 |       |
|                       |         | 4,88  | 12,16 | 45,70 | 34,78 | 2,48  |       |
|                       | 2       | 93    | 160   | 474   | 301   | 25    | 1053  |
|                       |         | 3,25  | 5,58  | 16,54 | 10,51 | 0,87  | 36,75 |
|                       |         | 51,10 | 39,41 | 36,43 | 33,97 | 27,78 |       |
|                       |         | 8,83  | 15,19 | 45,01 | 28,58 | 2,37  |       |
| 3                     | 34      | 109   | 312   | 193   | 37    | 685   |       |
|                       | 1,19    | 3,80  | 10,89 | 6,74  | 1,29  | 23,91 |       |
|                       | 18,68   | 26,85 | 23,98 | 21,78 | 41,11 |       |       |
|                       | 4,96    | 15,91 | 45,55 | 28,18 | 5,40  |       |       |
|                       | 182     | 406   | 1301  | 886   | 90    | 2865  |       |
|                       | 6,35    | 14,17 | 45,41 | 30,92 | 3,14  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 21,4769   | 0,0058      |
| Error    | 2853 | 3651,8017 |             |
| C. Total | 2861 | 3673,2786 |             |
| N        | 2865 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 42,954    | <.0001     |
| Pearson          | 45,271    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-4 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-4

|                       |         | Påstander om mat 2-41-319-4 |       |       |       |       |       |
|-----------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                           | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                             |       |       |       |       |       |
|                       | Total % |                             |       |       |       |       |       |
|                       | Col %   |                             |       |       |       |       |       |
|                       | Row %   |                             |       |       |       |       |       |
|                       |         |                             |       |       |       |       |       |
| 1                     | Count   | 330                         | 262   | 263   | 166   | 92    | 1113  |
| 1                     | Total % | 11,63                       | 9,23  | 9,27  | 5,85  | 3,24  | 39,22 |
| 1                     | Col %   | 43,42                       | 38,70 | 38,01 | 39,52 | 31,83 |       |
| 1                     | Row %   | 29,65                       | 23,54 | 23,63 | 14,91 | 8,27  |       |
| 2                     | Count   | 267                         | 249   | 256   | 166   | 110   | 1048  |
| 2                     | Total % | 9,41                        | 8,77  | 9,02  | 5,85  | 3,88  | 36,93 |
| 2                     | Col %   | 35,13                       | 36,78 | 36,99 | 39,52 | 38,06 |       |
| 2                     | Row %   | 25,48                       | 23,76 | 24,43 | 15,84 | 10,50 |       |
| 3                     | Count   | 163                         | 166   | 173   | 88    | 87    | 677   |
| 3                     | Total % | 5,74                        | 5,85  | 6,10  | 3,10  | 3,07  | 23,85 |
| 3                     | Col %   | 21,45                       | 24,52 | 25,00 | 20,95 | 30,10 |       |
| 3                     | Row %   | 24,08                       | 24,52 | 25,55 | 13,00 | 12,85 |       |
|                       | Count   | 760                         | 677   | 692   | 420   | 289   | 2838  |
|                       | Total % | 26,78                       | 23,85 | 24,38 | 14,80 | 10,18 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,8871    | 0,0020      |
| Error    | 2826 | 4401,9557 |             |
| C. Total | 2834 | 4410,8429 |             |
| N        | 2838 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,774    | 0,0230     |
| Pearson          | 17,860    | 0,0223     |

**Contingency Analysis of Påstander om mat 2-41-319-5 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-5

|                       |         | Påstander om mat 2-41-319-5 |       |       |       |       |       |
|-----------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                       |         | 1                           | 2     | 3     | 4     | 5     |       |
| BONDE AVTALE 2-51-336 | Count   |                             |       |       |       |       |       |
|                       | Total % |                             |       |       |       |       |       |
|                       | Col %   |                             |       |       |       |       |       |
|                       | Row %   |                             |       |       |       |       |       |
|                       |         |                             |       |       |       |       |       |
| 1                     | Count   | 68                          | 106   | 462   | 441   | 46    | 1123  |
|                       | Total % | 2,39                        | 3,72  | 16,20 | 15,47 | 1,61  | 39,39 |
|                       | Col %   | 33,17                       | 31,74 | 37,84 | 46,03 | 34,59 |       |
|                       | Row %   | 6,06                        | 9,44  | 41,14 | 39,27 | 4,10  |       |
| 2                     | Count   | 93                          | 153   | 433   | 312   | 54    | 1045  |
|                       | Total % | 3,26                        | 5,37  | 15,19 | 10,94 | 1,89  | 36,65 |
|                       | Col %   | 45,37                       | 45,81 | 35,46 | 32,57 | 40,60 |       |
|                       | Row %   | 8,90                        | 14,64 | 41,44 | 29,86 | 5,17  |       |
| 3                     | Count   | 44                          | 75    | 326   | 205   | 33    | 683   |
|                       | Total % | 1,54                        | 2,63  | 11,43 | 7,19  | 1,16  | 23,96 |
|                       | Col %   | 21,46                       | 22,46 | 26,70 | 21,40 | 24,81 |       |
|                       | Row %   | 6,44                        | 10,98 | 47,73 | 30,01 | 4,83  |       |
|                       | Count   | 205                         | 334   | 1221  | 958   | 133   | 2851  |
|                       | Total % | 7,19                        | 11,72 | 42,83 | 33,60 | 4,67  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 21,5474   | 0,0058      |
| Error    | 2839 | 3722,1242 |             |
| C. Total | 2847 | 3743,6717 |             |
| N        | 2851 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 43,095    | <.0001     |
| Pearson          | 43,861    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-6 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-6

|                       |   | Påstander om mat 2-41-319-6 |       |       |       |       |       |
|-----------------------|---|-----------------------------|-------|-------|-------|-------|-------|
|                       |   | 1                           | 2     | 3     | 4     | 5     |       |
| Count                 |   |                             |       |       |       |       |       |
| Total %               |   |                             |       |       |       |       |       |
| Col %                 |   |                             |       |       |       |       |       |
| Row %                 |   |                             |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 228                         | 438   | 345   | 53    | 60    | 1124  |
|                       |   | 7,97                        | 15,32 | 12,07 | 1,85  | 2,10  | 39,31 |
|                       |   | 42,54                       | 41,67 | 36,35 | 33,54 | 36,36 |       |
|                       |   | 20,28                       | 38,97 | 30,69 | 4,72  | 5,34  |       |
|                       |   |                             |       |       |       |       |       |
|                       | 2 | 196                         | 359   | 372   | 67    | 55    | 1049  |
|                       |   | 6,86                        | 12,56 | 13,01 | 2,34  | 1,92  | 36,69 |
|                       |   | 36,57                       | 34,16 | 39,20 | 42,41 | 33,33 |       |
|                       |   | 18,68                       | 34,22 | 35,46 | 6,39  | 5,24  |       |
|                       | 3 | 112                         | 254   | 232   | 38    | 50    | 686   |
|                       |   | 3,92                        | 8,88  | 8,11  | 1,33  | 1,75  | 23,99 |
|                       |   | 20,90                       | 24,17 | 24,45 | 24,05 | 30,30 |       |
|                       |   | 16,33                       | 37,03 | 33,82 | 5,54  | 7,29  |       |
|                       |   | 536                         | 1051  | 949   | 158   | 165   | 2859  |
|                       |   | 18,75                       | 36,76 | 33,19 | 5,53  | 5,77  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 8,4961    | 0,0022      |
| Error    | 2847 | 3915,2958 |             |
| C. Total | 2855 | 3923,7919 |             |
| N        | 2859 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 16,992    | 0,0302     |
| Pearson          | 17,081    | 0,0293     |

**Contingency Analysis of Påstander om mat 2-41-319-7 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-7

|                       |       | Påstander om mat 2-41-319-7 |       |       |       |       |       |
|-----------------------|-------|-----------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                           | 2     | 3     | 4     | 5     |       |
| Count                 |       |                             |       |       |       |       |       |
| Total %               |       |                             |       |       |       |       |       |
| Col %                 |       |                             |       |       |       |       |       |
| Row %                 |       |                             |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 274                         | 403   | 386   | 50    | 12    | 1125  |
|                       |       | 9,59                        | 14,10 | 13,51 | 1,75  | 0,42  | 39,36 |
|                       |       | 41,27                       | 40,63 | 37,55 | 37,59 | 29,27 |       |
|                       |       | 24,36                       | 35,82 | 34,31 | 4,44  | 1,07  |       |
|                       | 2     | 240                         | 334   | 395   | 69    | 10    | 1048  |
|                       |       | 8,40                        | 11,69 | 13,82 | 2,41  | 0,35  | 36,67 |
|                       |       | 36,14                       | 33,67 | 38,42 | 51,88 | 24,39 |       |
|                       |       | 22,90                       | 31,87 | 37,69 | 6,58  | 0,95  |       |
|                       | 3     | 150                         | 255   | 247   | 14    | 19    | 685   |
|                       |       | 5,25                        | 8,92  | 8,64  | 0,49  | 0,66  | 23,97 |
|                       |       | 22,59                       | 25,71 | 24,03 | 10,53 | 46,34 |       |
|                       |       | 21,90                       | 37,23 | 36,06 | 2,04  | 2,77  |       |
|                       | 664   | 992                         | 1028  | 133   | 41    | 2858  |       |
|                       | 23,23 | 34,71                       | 35,97 | 4,65  | 1,43  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 18,5339   | 0,0051      |
| Error    | 2846 | 3633,4612 |             |
| C. Total | 2854 | 3651,9951 |             |
| N        | 2858 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 37,068    | <.0001     |
| Pearson          | 36,830    | <.0001     |

**Contingency Analysis of Påstander om mat 2-41-319-8 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-8

|                       |   | Påstander om mat 2-41-319-8 |       |       |       |       |       |
|-----------------------|---|-----------------------------|-------|-------|-------|-------|-------|
|                       |   | 1                           | 2     | 3     | 4     | 5     |       |
| Count                 |   |                             |       |       |       |       |       |
| Total %               |   |                             |       |       |       |       |       |
| Col %                 |   |                             |       |       |       |       |       |
| Row %                 |   |                             |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 84                          | 236   | 498   | 299   | 10    | 1127  |
|                       |   | 2,93                        | 8,22  | 17,35 | 10,42 | 0,35  | 39,27 |
|                       |   | 41,18                       | 41,04 | 39,84 | 37,52 | 22,73 |       |
|                       |   | 7,45                        | 20,94 | 44,19 | 26,53 | 0,89  |       |
|                       |   |                             |       |       |       |       |       |
|                       | 2 | 74                          | 192   | 439   | 337   | 16    | 1058  |
|                       |   | 2,58                        | 6,69  | 15,30 | 11,74 | 0,56  | 36,86 |
|                       |   | 36,27                       | 33,39 | 35,12 | 42,28 | 36,36 |       |
|                       |   | 6,99                        | 18,15 | 41,49 | 31,85 | 1,51  |       |
|                       | 3 | 46                          | 147   | 313   | 161   | 18    | 685   |
|                       |   | 1,60                        | 5,12  | 10,91 | 5,61  | 0,63  | 23,87 |
|                       |   | 22,55                       | 25,57 | 25,04 | 20,20 | 40,91 |       |
|                       |   | 6,72                        | 21,46 | 45,69 | 23,50 | 2,63  |       |
|                       |   | 204                         | 575   | 1250  | 797   | 44    | 2870  |
|                       |   | 7,11                        | 20,03 | 43,55 | 27,77 | 1,53  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 12,3743   | 0,0033      |
| Error    | 2858 | 3695,3306 |             |
| C. Total | 2866 | 3707,7049 |             |
| N        | 2870 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,749    | 0,0017     |
| Pearson          | 25,135    | 0,0015     |

**Contingency Analysis of Påstander om mat 2-41-319-9 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-9

|                       |       | Påstander om mat 2-41-319-9 |       |       |       |       |       |
|-----------------------|-------|-----------------------------|-------|-------|-------|-------|-------|
|                       |       | 1                           | 2     | 3     | 4     | 5     |       |
| Count                 |       |                             |       |       |       |       |       |
| Total %               |       |                             |       |       |       |       |       |
| Col %                 |       |                             |       |       |       |       |       |
| Row %                 |       |                             |       |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 216                         | 288   | 305   | 144   | 169   | 1122  |
|                       |       | 7,56                        | 10,08 | 10,68 | 5,04  | 5,92  | 39,29 |
|                       |       | 43,99                       | 39,56 | 38,90 | 37,99 | 35,65 |       |
|                       |       | 19,25                       | 25,67 | 27,18 | 12,83 | 15,06 |       |
|                       |       |                             |       |       |       |       |       |
|                       | 2     | 182                         | 258   | 295   | 162   | 153   | 1050  |
|                       |       | 6,37                        | 9,03  | 10,33 | 5,67  | 5,36  | 36,76 |
|                       |       | 37,07                       | 35,44 | 37,63 | 42,74 | 32,28 |       |
|                       |       | 17,33                       | 24,57 | 28,10 | 15,43 | 14,57 |       |
|                       |       |                             |       |       |       |       |       |
|                       | 3     | 93                          | 182   | 184   | 73    | 152   | 684   |
|                       |       | 3,26                        | 6,37  | 6,44  | 2,56  | 5,32  | 23,95 |
|                       |       | 18,94                       | 25,00 | 23,47 | 19,26 | 32,07 |       |
|                       |       | 13,60                       | 26,61 | 26,90 | 10,67 | 22,22 |       |
|                       |       |                             |       |       |       |       |       |
|                       | 491   | 728                         | 784   | 379   | 474   | 2856  |       |
|                       | 17,19 | 25,49                       | 27,45 | 13,27 | 16,60 |       |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 16,3506   | 0,0036      |
| Error    | 2844 | 4473,5194 |             |
| C. Total | 2852 | 4489,8700 |             |
| N        | 2856 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 32,701    | <.0001     |
| Pearson          | 33,438    | <.0001     |



**Contingency Analysis of Gikk fottur i fjellet 2-29-288 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Gikk fottur i fjellet 2-29-288

|                       |   | Gikk fottur i fjellet 2-29-288 |       |       |
|-----------------------|---|--------------------------------|-------|-------|
| Count                 |   | 0                              | 1     |       |
| Total %               |   |                                |       |       |
| Col %                 |   |                                |       |       |
| Row %                 |   |                                |       |       |
| BONDE AVTALE 2-51-336 | 1 | 842                            | 297   | 1139  |
|                       |   | 28,97                          | 10,22 | 39,19 |
|                       |   | 39,07                          | 39,55 |       |
|                       |   | 73,92                          | 26,08 |       |
| 2                     |   | 818                            | 256   | 1074  |
|                       |   | 28,15                          | 8,81  | 36,96 |
|                       |   | 37,96                          | 34,09 |       |
|                       |   | 76,16                          | 23,84 |       |
| 3                     |   | 495                            | 198   | 693   |
|                       |   | 17,03                          | 6,81  | 23,85 |
|                       |   | 22,97                          | 26,36 |       |
|                       |   | 71,43                          | 28,57 |       |
|                       |   | 2155                           | 751   | 2906  |
|                       |   | 74,16                          | 25,84 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 2,4815    | 0,0015      |
| Error    | 2903 | 1658,0337 |             |
| C. Total | 2905 | 1660,5152 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,963     | 0,0836     |
| Pearson          | 4,981     | 0,0829     |

**Contingency Analysis of Fisket med flue/ sluk 2-29-288 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Fisket med flue/ sluk 2-29-288

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 865   | 274   | 1139  |
|                       |   | 29,77 | 9,43  | 39,19 |
|                       |   | 37,46 | 45,90 |       |
|                       |   | 75,94 | 24,06 |       |
|                       | 2 | 888   | 186   | 1074  |
|                       |   | 30,56 | 6,40  | 36,96 |
|                       |   | 38,46 | 31,16 |       |
|                       |   | 82,68 | 17,32 |       |
|                       | 3 | 556   | 137   | 693   |
|                       |   | 19,13 | 4,71  | 23,85 |
|                       |   | 24,08 | 22,95 |       |
|                       |   | 80,23 | 19,77 |       |
|                       |   | 2309  | 597   | 2906  |
|                       |   | 79,46 | 20,54 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 7,8340    | 0,0053      |
| Error    | 2903 | 1467,9722 |             |
| C. Total | 2905 | 1475,8062 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,668    | 0,0004     |
| Pearson          | 15,708    | 0,0004     |

**Contingency Analysis of Fisket m snøre fra båt 2-29-288 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Fisket m snøre fra båt 2-29-288

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 810   | 329   | 1139  |
|                       |         | 27,87 | 11,32 | 39,19 |
|                       |         | 38,61 | 40,72 |       |
|                       |         | 71,12 | 28,88 |       |
|                       | 2       | 801   | 273   | 1074  |
|                       |         | 27,56 | 9,39  | 36,96 |
|                       | 38,18   | 33,79 |       |       |
|                       | 74,58   | 25,42 |       |       |
| 3                     | 487     | 206   | 693   |       |
|                       | 16,76   | 7,09  | 23,85 |       |
|                       | 23,21   | 25,50 |       |       |
|                       | 70,27   | 29,73 |       |       |
|                       | 2098    | 808   | 2906  |       |
|                       | 72,20   | 27,80 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 2,5078    | 0,0015      |
| Error    | 2903 | 1715,2224 |             |
| C. Total | 2905 | 1717,7302 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 5,016     | 0,0814     |
| Pearson          | 4,982     | 0,0828     |

## Contingency Analysis of Besøkte bygdemuseum 2-29-288 By BONDE AVTALE 2-51-336

## Mosaic Plot



## Contingency Table

## Besøkte bygdemuseum 2-29-288

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 1002  | 137   | 1139  |
|                       |   | 34,48 | 4,71  | 39,19 |
|                       |   | 39,25 | 38,81 |       |
|                       |   | 87,97 | 12,03 |       |
| 2                     |   | 930   | 144   | 1074  |
|                       |   | 32,00 | 4,96  | 36,96 |
|                       |   | 36,43 | 40,79 |       |
|                       |   | 86,59 | 13,41 |       |
| 3                     |   | 621   | 72    | 693   |
|                       |   | 21,37 | 2,48  | 23,85 |
|                       |   | 24,32 | 20,40 |       |
|                       |   | 89,61 | 10,39 |       |
|                       |   | 2553  | 353   | 2906  |
|                       |   | 87,85 | 12,15 |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 1,8327    | 0,0017      |
| Error    | 2903 | 1072,9492 |             |
| C. Total | 2905 | 1074,7819 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 3,665     | 0,1600     |
| Pearson          | 3,620     | 0,1636     |

**Contingency Analysis of Besøkte bondegård 2-29-288 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Besøkte bondegård 2-29-288

|                       | 0     | 1     |       |       |
|-----------------------|-------|-------|-------|-------|
| Count                 |       |       |       |       |
| Total %               |       |       |       |       |
| Col %                 |       |       |       |       |
| Row %                 |       |       |       |       |
| BONDE AVTALE 2-51-336 | 1     | 1099  | 40    | 1139  |
|                       |       | 37,82 | 1,38  | 39,19 |
|                       |       | 39,07 | 43,01 |       |
|                       |       | 96,49 | 3,51  |       |
|                       | 2     | 1043  | 31    | 1074  |
|                       |       | 35,89 | 1,07  | 36,96 |
|                       |       | 37,08 | 33,33 |       |
|                       |       | 97,11 | 2,89  |       |
|                       | 3     | 671   | 22    | 693   |
|                       |       | 23,09 | 0,76  | 23,85 |
|                       |       | 23,85 | 23,66 |       |
|                       |       | 96,83 | 3,17  |       |
|                       | 2813  | 93    | 2906  |       |
|                       | 96,80 | 3,20  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,35032   | 0,0009      |
| Error    | 2903 | 411,24522 |             |
| C. Total | 2905 | 411,59554 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,701     | 0,7045     |
| Pearson          | 0,700     | 0,7047     |

**Contingency Analysis of Overnattet i DNT hytte 2-29-288 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Overnattet i DNT hytte 2-29-288

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 1097  | 42    | 1139  |
|                       |         | 37,75 | 1,45  | 39,19 |
|                       |         | 39,08 | 42,42 |       |
|                       |         | 96,31 | 3,69  |       |
|                       | 2       | 1041  | 33    | 1074  |
|                       |         | 35,82 | 1,14  | 36,96 |
|                       | 37,09   | 33,33 |       |       |
|                       | 96,93   | 3,07  |       |       |
| 3                     | 669     | 24    | 693   |       |
|                       | 23,02   | 0,83  | 23,85 |       |
|                       | 23,83   | 24,24 |       |       |
|                       | 96,54   | 3,46  |       |       |
|                       | 2807    | 99    | 2906  |       |
|                       | 96,59   | 3,41  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,32445   | 0,0008      |
| Error    | 2903 | 431,53161 |             |
| C. Total | 2905 | 431,85607 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,649     | 0,7229     |
| Pearson          | 0,644     | 0,7248     |

**Contingency Analysis of Lekel.Badel.Fritidsp. 2-29-288 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Lekel.Badel.Fritidsp. 2-29-288

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 782   | 357   | 1139  |
|                       |   | 26,91 | 12,28 | 39,19 |
|                       |   | 37,17 | 44,51 |       |
|                       |   | 68,66 | 31,34 |       |
|                       | 2 | 818   | 256   | 1074  |
|                       |   | 28,15 | 8,81  | 36,96 |
|                       |   | 38,88 | 31,92 |       |
|                       |   | 76,16 | 23,84 |       |
|                       | 3 | 504   | 189   | 693   |
|                       |   | 17,34 | 6,50  | 23,85 |
|                       |   | 23,95 | 23,57 |       |
|                       |   | 72,73 | 27,27 |       |
|                       |   | 2104  | 802   | 2906  |
|                       |   | 72,40 | 27,60 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 7,8331    | 0,0046      |
| Error    | 2903 | 1704,1412 |             |
| C. Total | 2905 | 1711,9743 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,666    | 0,0004     |
| Pearson          | 15,639    | 0,0004     |

**Contingency Analysis of Besøkte severdigheter 2-29-288 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Besøkte severdigheter 2-29-288

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 673   | 466   | 1139  |
|                       |   | 23,16 | 16,04 | 39,19 |
|                       |   | 37,98 | 41,09 |       |
|                       |   | 59,09 | 40,91 |       |
|                       | 2 | 642   | 432   | 1074  |
|                       |   | 22,09 | 14,87 | 36,96 |
|                       |   | 36,23 | 38,10 |       |
|                       |   | 59,78 | 40,22 |       |
|                       | 3 | 457   | 236   | 693   |
|                       |   | 15,73 | 8,12  | 23,85 |
|                       |   | 25,79 | 20,81 |       |
|                       |   | 65,95 | 34,05 |       |
|                       |   | 1772  | 1134  | 2906  |
|                       |   | 60,98 | 39,02 |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 4,8314    | 0,0025      |
| Error    | 2903 | 1938,8454 |             |
| C. Total | 2905 | 1943,6769 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 9,663     | 0,0080     |
| Pearson          | 9,549     | 0,0084     |



**Contingency Analysis of Antall ferieaktiviteter By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Antall ferieaktiviteter

|                       | Antall ferieaktiviteter |       |       |       |       |       |       |       |       |       |       |
|-----------------------|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                       | 0                       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     |       |       |
| BONDE AVTALE 2-51-336 | 1                       | 171   | 400   | 303   | 162   | 74    | 21    | 7     | 1     | 0     | 1139  |
|                       |                         | 5,88  | 13,76 | 10,43 | 5,57  | 2,55  | 0,72  | 0,24  | 0,03  | 0,00  | 39,19 |
|                       |                         | 34,13 | 38,17 | 39,61 | 41,97 | 49,33 | 50,00 | 77,78 | 33,33 | 0,00  |       |
|                       |                         | 15,01 | 35,12 | 26,60 | 14,22 | 6,50  | 1,84  | 0,61  | 0,09  | 0,00  |       |
|                       | 2                       | 216   | 367   | 300   | 136   | 45    | 7     | 1     | 1     | 1     | 1074  |
|                       |                         | 7,43  | 12,63 | 10,32 | 4,68  | 1,55  | 0,24  | 0,03  | 0,03  | 0,03  | 36,96 |
|                       |                         | 43,11 | 35,02 | 39,22 | 35,23 | 30,00 | 16,67 | 11,11 | 33,33 | 50,00 |       |
|                       |                         | 20,11 | 34,17 | 27,93 | 12,66 | 4,19  | 0,65  | 0,09  | 0,09  | 0,09  |       |
|                       | 3                       | 114   | 281   | 162   | 88    | 31    | 14    | 1     | 1     | 1     | 693   |
|                       |                         | 3,92  | 9,67  | 5,57  | 3,03  | 1,07  | 0,48  | 0,03  | 0,03  | 0,03  | 23,85 |
|                       |                         | 22,75 | 26,81 | 21,18 | 22,80 | 20,67 | 33,33 | 11,11 | 33,33 | 50,00 |       |
|                       |                         | 16,45 | 40,55 | 23,38 | 12,70 | 4,47  | 2,02  | 0,14  | 0,14  | 0,14  |       |
|                       |                         | 501   | 1048  | 765   | 386   | 150   | 42    | 9     | 3     | 2     | 2906  |
|                       |                         | 17,24 | 36,06 | 26,32 | 13,28 | 5,16  | 1,45  | 0,31  | 0,10  | 0,07  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 20,5327   | 0,0046      |
| Error    | 2882 | 4438,9858 |             |
| C. Total | 2898 | 4459,5185 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 41,065    | 0,0005     |
| Pearson          | 39,808    | 0,0008     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of Viktig: stort utvalg 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: stort utvalg 2-51-335

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 807   | 332   | 1139  |
|                       |         | 27,77 | 11,42 | 39,19 |
|                       |         | 38,50 | 40,99 |       |
|                       |         | 70,85 | 29,15 |       |
|                       | 2       | 770   | 304   | 1074  |
|                       |         | 26,50 | 10,46 | 36,96 |
|                       |         | 36,74 | 37,53 |       |
|                       |         | 71,69 | 28,31 |       |
|                       | 3       | 519   | 174   | 693   |
|                       | 17,86   | 5,99  | 23,85 |       |
|                       | 24,76   | 21,48 |       |       |
|                       | 74,89   | 25,11 |       |       |
|                       | 2096    | 810   | 2906  |       |
|                       | 72,13   | 27,87 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 1,8523    | 0,0011      |
| Error    | 2903 | 1717,7828 |             |
| C. Total | 2905 | 1719,6352 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 3,705     | 0,1569     |
| Pearson          | 3,656     | 0,1607     |

**Contingency Analysis of Viktig: god sevice 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: god sevice 2-51-335

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 556   | 583   | 1139  |
|                       |         | 19,13 | 20,06 | 39,19 |
|                       |         | 39,38 | 39,02 |       |
|                       |         | 48,81 | 51,19 |       |
|                       | 2       | 522   | 552   | 1074  |
|                       |         | 17,96 | 19,00 | 36,96 |
|                       | 36,97   | 36,95 |       |       |
|                       | 48,60   | 51,40 |       |       |
| 3                     | 334     | 359   | 693   |       |
|                       | 11,49   | 12,35 | 23,85 |       |
|                       | 23,65   | 24,03 |       |       |
|                       | 48,20   | 51,80 |       |       |
|                       | 1412    | 1494  | 2906  |       |
|                       | 48,59   | 51,41 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,0331    | 0,0000      |
| Error    | 2903 | 2013,0956 |             |
| C. Total | 2905 | 2013,1286 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,066     | 0,9675     |
| Pearson          | 0,066     | 0,9675     |

**Contingency Analysis of Viktig: lave priser 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: lave priser 2-51-335

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 341   | 798   | 1139  |
|                       |   | 11,73 | 27,46 | 39,19 |
|                       |   | 37,72 | 39,86 |       |
|                       |   | 29,94 | 70,06 |       |
|                       | 2 | 359   | 715   | 1074  |
|                       |   | 12,35 | 24,60 | 36,96 |
|                       |   | 39,71 | 35,71 |       |
|                       |   | 33,43 | 66,57 |       |
|                       | 3 | 204   | 489   | 693   |
|                       |   | 7,02  | 16,83 | 23,85 |
|                       |   | 22,57 | 24,43 |       |
|                       |   | 29,44 | 70,56 |       |
|                       |   | 904   | 2002  | 2906  |
|                       |   | 31,11 | 68,89 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 2,1513    | 0,0012      |
| Error    | 2903 | 1799,4596 |             |
| C. Total | 2905 | 1801,6110 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,303     | 0,1163     |
| Pearson          | 4,323     | 0,1151     |

**Contingency Analysis of Viktig: gode varetilb 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: gode varetilb 2-51-335

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 659   | 480   | 1139  |
|                       |   | 22,68 | 16,52 | 39,19 |
|                       |   | 40,04 | 38,10 |       |
|                       |   | 57,86 | 42,14 |       |
| 2                     |   | 598   | 476   | 1074  |
|                       |   | 20,58 | 16,38 | 36,96 |
|                       |   | 36,33 | 37,78 |       |
|                       |   | 55,68 | 44,32 |       |
| 3                     |   | 389   | 304   | 693   |
|                       |   | 13,39 | 10,46 | 23,85 |
|                       |   | 23,63 | 24,13 |       |
|                       |   | 56,13 | 43,87 |       |
|                       |   | 1646  | 1260  | 2906  |
|                       |   | 56,64 | 43,36 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,5822    | 0,0003      |
| Error    | 2903 | 1987,9916 |             |
| C. Total | 2905 | 1988,5739 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 1,164     | 0,5586     |
| Pearson          | 1,164     | 0,5589     |

**Contingency Analysis of Viktig: parkering 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: parkering 2-51-335

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 740   | 399   | 1139  |
|                       |   | 25,46 | 13,73 | 39,19 |
|                       |   | 39,11 | 39,35 |       |
|                       |   | 64,97 | 35,03 |       |
| 2                     |   | 659   | 415   | 1074  |
|                       |   | 22,68 | 14,28 | 36,96 |
|                       |   | 34,83 | 40,93 |       |
|                       |   | 61,36 | 38,64 |       |
| 3                     |   | 493   | 200   | 693   |
|                       |   | 16,96 | 6,88  | 23,85 |
|                       |   | 26,06 | 19,72 |       |
|                       |   | 71,14 | 28,86 |       |
|                       |   | 1892  | 1014  | 2906  |
|                       |   | 65,11 | 34,89 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 8,9966    | 0,0048      |
| Error    | 2903 | 1870,5571 |             |
| C. Total | 2905 | 1879,5536 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,993    | 0,0001     |
| Pearson          | 17,752    | 0,0001     |

**Contingency Analysis of Viktig: kyndig betj 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: kyndig betj 2-51-335

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 947   | 192   | 1139  |
|                       |         | 32,59 | 6,61  | 39,19 |
|                       |         | 39,05 | 39,92 |       |
|                       |         | 83,14 | 16,86 |       |
|                       | 2       | 897   | 177   | 1074  |
|                       |         | 30,87 | 6,09  | 36,96 |
|                       | 36,99   | 36,80 |       |       |
|                       | 83,52   | 16,48 |       |       |
| 3                     | 581     | 112   | 693   |       |
|                       | 19,99   | 3,85  | 23,85 |       |
|                       | 23,96   | 23,28 |       |       |
|                       | 83,84   | 16,16 |       |       |
|                       | 2425    | 481   | 2906  |       |
|                       | 83,45   | 16,55 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,0786    | 0,0001      |
| Error    | 2903 | 1303,8737 |             |
| C. Total | 2905 | 1303,9523 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,157     | 0,9244     |
| Pearson          | 0,157     | 0,9245     |

**Contingency Analysis of Viktig: gode ferskv 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: gode ferskv 2-51-335

|                       |   | 0                              | 1                              |               |
|-----------------------|---|--------------------------------|--------------------------------|---------------|
| Count                 |   |                                |                                |               |
| Total %               |   |                                |                                |               |
| Col %                 |   |                                |                                |               |
| Row %                 |   |                                |                                |               |
| BONDE AVTALE 2-51-336 | 1 | 402<br>13,83<br>36,98<br>35,29 | 737<br>25,36<br>40,52<br>64,71 | 1139<br>39,19 |
|                       | 2 | 433<br>14,90<br>39,83<br>40,32 | 641<br>22,06<br>35,24<br>59,68 | 1074<br>36,96 |
|                       | 3 | 252<br>8,67<br>23,18<br>36,36  | 441<br>15,18<br>24,24<br>63,64 | 693<br>23,85  |
|                       |   | 1087<br>37,41                  | 1819<br>62,59                  | 2906          |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 3,1790    | 0,0017      |
| Error    | 2903 | 1917,9135 |             |
| C. Total | 2905 | 1921,0924 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 6,358     | 0,0416     |
| Pearson          | 6,377     | 0,0412     |



**Contingency Analysis of Viktig:st utv frukt/gr 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig:st utv frukt/gr 2-51-335

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 549   | 590   | 1139  |
|                       |   | 18,89 | 20,30 | 39,19 |
|                       |   | 35,86 | 42,91 |       |
|                       |   | 48,20 | 51,80 |       |
| 2                     |   | 606   | 468   | 1074  |
|                       |   | 20,85 | 16,10 | 36,96 |
|                       |   | 39,58 | 34,04 |       |
|                       |   | 56,42 | 43,58 |       |
| 3                     |   | 376   | 317   | 693   |
|                       |   | 12,94 | 10,91 | 23,85 |
|                       |   | 24,56 | 23,05 |       |
|                       |   | 54,26 | 45,74 |       |
|                       |   | 1531  | 1375  | 2906  |
|                       |   | 52,68 | 47,32 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 7,9539    | 0,0040      |
| Error    | 2903 | 2002,1426 |             |
| C. Total | 2905 | 2010,0965 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 15,908    | 0,0004     |
| Pearson          | 15,902    | 0,0004     |

**Contingency Analysis of Viktig: åpningstider 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: åpningstider 2-51-335

|                       |       | 0     | 1     |       |
|-----------------------|-------|-------|-------|-------|
| Count                 |       | 445   | 694   | 1139  |
| Total %               |       | 15,31 | 23,88 | 39,19 |
| Col %                 |       | 34,36 | 43,08 |       |
| Row %                 |       | 39,07 | 60,93 |       |
| BONDE AVTALE 2-51-336 | 1     | 445   | 694   | 1139  |
|                       |       | 15,31 | 23,88 | 39,19 |
|                       |       | 34,36 | 43,08 |       |
|                       |       | 39,07 | 60,93 |       |
| 2                     | 524   | 550   | 1074  |       |
|                       | 18,03 | 18,93 | 36,96 |       |
|                       | 40,46 | 34,14 |       |       |
|                       | 48,79 | 51,21 |       |       |
| 3                     | 326   | 367   | 693   |       |
|                       | 11,22 | 12,63 | 23,85 |       |
|                       | 25,17 | 22,78 |       |       |
|                       | 47,04 | 52,96 |       |       |
|                       |       | 1295  | 1611  | 2906  |
|                       |       | 44,56 | 55,44 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 11,7516   | 0,0059      |
| Error    | 2903 | 1985,3191 |             |
| C. Total | 2905 | 1997,0707 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 23,503    | <.0001     |
| Pearson          | 23,404    | <.0001     |

## Contingency Analysis of Viktig: har det jeg ønsker 2-51-335 By BONDE AVTALE 2-51-336

## Mosaic Plot



## Contingency Table

Viktig: har det jeg ønsker 2-51-335

|                       |   | 0     | 1     |       |
|-----------------------|---|-------|-------|-------|
| Count                 |   |       |       |       |
| Total %               |   |       |       |       |
| Col %                 |   |       |       |       |
| Row %                 |   |       |       |       |
| BONDE AVTALE 2-51-336 | 1 | 902   | 237   | 1139  |
|                       |   | 31,04 | 8,16  | 39,19 |
|                       |   | 39,03 | 39,83 |       |
|                       |   | 79,19 | 20,81 |       |
|                       | 2 | 856   | 218   | 1074  |
|                       |   | 29,46 | 7,50  | 36,96 |
|                       |   | 37,04 | 36,64 |       |
|                       |   | 79,70 | 20,30 |       |
|                       | 3 | 553   | 140   | 693   |
|                       |   | 19,03 | 4,82  | 23,85 |
|                       |   | 23,93 | 23,53 |       |
|                       |   | 79,80 | 20,20 |       |
|                       |   | 2311  | 595   | 2906  |
|                       |   | 79,53 | 20,47 |       |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,0648    | 0,0000      |
| Error    | 2903 | 1473,0319 |             |
| C. Total | 2905 | 1473,0967 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,130     | 0,9372     |
| Pearson          | 0,130     | 0,9371     |

**Contingency Analysis of Viktig: ryddig plasser 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: ryddig plasser 2-51-335

|                       |         | Count   | 0     | 1     |       |
|-----------------------|---------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | 1       | Total % |       |       |       |
|                       |         | Col %   |       |       |       |
|                       |         | Row %   |       |       |       |
|                       |         |         | 616   | 523   | 1139  |
|                       | 2       | Total % | 21,20 | 18,00 | 39,19 |
|                       |         | Col %   | 39,56 | 38,77 |       |
|                       |         | Row %   | 54,08 | 45,92 |       |
|                       |         |         | 568   | 506   | 1074  |
|                       | 3       | Total % | 19,55 | 17,41 | 36,96 |
|                       |         | Col %   | 36,48 | 37,51 |       |
|                       |         | Row %   | 52,89 | 47,11 |       |
|                       |         |         | 373   | 320   | 693   |
|                       | Total % | 12,84   | 11,01 | 23,85 |       |
|                       | Col %   | 23,96   | 23,72 |       |       |
|                       |         | 53,82   | 46,18 |       |       |
|                       |         | 1557    | 1349  | 2906  |       |
|                       |         | 53,58   | 46,42 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,1699    | 0,0001      |
| Error    | 2903 | 2006,6655 |             |
| C. Total | 2905 | 2006,8354 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,340     | 0,8437     |
| Pearson          | 0,340     | 0,8437     |

**Contingency Analysis of Viktig: ligger i kjøps 2-51-335 By BONDE AVTALE 2-51-336**

**Mosaic Plot**



**Contingency Table**

Viktig: ligger i kjøps 2-51-335

|                       |         | 0     | 1     |       |
|-----------------------|---------|-------|-------|-------|
| BONDE AVTALE 2-51-336 | Count   |       |       |       |
|                       | Total % |       |       |       |
|                       | Col %   |       |       |       |
|                       | Row %   |       |       |       |
|                       | 1       | 992   | 147   | 1139  |
|                       |         | 34,14 | 5,06  | 39,19 |
|                       |         | 39,46 | 37,50 |       |
|                       |         | 87,09 | 12,91 |       |
|                       | 2       | 919   | 155   | 1074  |
|                       |         | 31,62 | 5,33  | 36,96 |
|                       | 36,56   | 39,54 |       |       |
|                       | 85,57   | 14,43 |       |       |
| 3                     | 603     | 90    | 693   |       |
|                       | 20,75   | 3,10  | 23,85 |       |
|                       | 23,99   | 22,96 |       |       |
|                       | 87,01   | 12,99 |       |       |
|                       | 2514    | 392   | 2906  |       |
|                       | 86,51   | 13,49 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 2    | 0,6450    | 0,0006      |
| Error    | 2903 | 1148,9220 |             |
| C. Total | 2905 | 1149,5670 |             |
| N        | 2906 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 1,290     | 0,5247     |
| Pearson          | 1,300     | 0,5221     |

## **DEL 6**

### **KRYSSTABELLERING AV «BOSTEDSTYPE IDAG» MOT RESTEN AV VARIABLANE**

## KRYSSTABELLERING AV «BOSTEDSTYPE IDAG» MOT RESTEN AV VARIABLANE

| Variabel namn <sup>1</sup>     | Tabell nr | Side |
|--------------------------------|-----------|------|
| BOSTEDSTYPE IDAG 2-19-262      |           |      |
| FERIENATUR ØNSKE 2-29-289      | 1         | 568  |
| BESØKE I BYGDENORGE 2-29-290   | 2         | 569  |
| BONDE AVTALE 2-51-336          | 3         | 570  |
| KJØNN 1-20-P                   | 4         | 571  |
| ALDER 1-19-A                   | 5         | 572  |
| HUSSTAND STILLING 1-19-B       | 6         | 573  |
| #ARBEIDSTAKERE I HUSST 1-19-C  | 7         | 574  |
| HUSSTAND INNT BRUTTO 1-19-D    | 8         | 575  |
| PERSON INNT BRUTTO 1-19-E      | 9         | 576  |
| EKTESKAPELIG STATUS 1-19-F     | 10        | 577  |
| #PERSONER I HUSST 1-19-G       | 11        | 578  |
| #BARN TOT I HUSST 1-19-H       | 12        | 579  |
| ARB HELTID/DELTID 1-19-J       | 13        | 580  |
| FORSØRGINGSSTATUS EGEN 1-19-K  | 14        | 581  |
| FORSØRGINGSSTATUS E/S 1-19-K   | 15        | 582  |
| NÆRING 1-20-L                  | 16        | 583  |
| OFF/ PRIV SEKTOR EGEN 1-20-M   | 17        | 584  |
| OFF/ PRIV SEKTOR E/S 1-20-M    | 18        | 585  |
| UTDANNING EGEN 1-20-N          | 19        | 586  |
| UTDANNING E/S 1-20-N           | 20        | 587  |
| UNIV/ HØYSK. EKSAMEN 1-20-O    | 21        | 588  |
| FARS UTDANNING 1-18-73         | 22        | 589  |
| MORS UTDANNING 1-18-73         | 23        | 590  |
| HØYEST INNT I HUSSTAND 1-18-74 | 24        | 591  |
| Har hytte ved sjøen 1-6-20     | 25        | 592  |
| Har hytte på fjellet 1-6-20    | 26        | 593  |
| Har hytte i innlandet 1-6-20   | 27        | 594  |

<sup>1</sup> Tallkode bak variabelnamnet:: nn-xx-zz = skjema nr - side i skjema - spørsmål nr - i MMI sin dokumentasjon av Norsk Monitor 1991

|                              |    |     |
|------------------------------|----|-----|
| Har hytte 1-6-19             | 28 | 595 |
| # HYTTEBESØK ÅRLIG 1-6-21    | 29 | 596 |
| # BILER I HUSSTANDEN 1-6-22  | 30 | 597 |
| Fridag bruk (1.v) 2-4-204    | 31 | 598 |
| Fridag bruk (2.V) 2-4-205    | 32 | 599 |
| BOSTEDSVALG 2-18-261         | 33 | 600 |
| ØNSKE OM REKKEHUS+? 2-19-263 | 34 | 601 |
| KOMMUNETYPE SSB              | 35 | 602 |
| SESURBA                      | 36 | 603 |
| FAMILISM                     | 37 | 604 |
| DEPRIVAT                     | 38 | 605 |
| MANUFACT                     | 39 | 606 |
| AFFLUENC                     | 40 | 607 |
| FECONOM                      | 41 | 608 |
| IND Helse                    | 42 | 609 |
| IND Fysisk form              | 43 | 610 |
| IND Selvrealisering          | 44 | 611 |
| IND Materialisme             | 45 | 612 |
| IND Fellesskap               | 46 | 613 |
| IND Natur                    | 47 | 614 |
| IND Religion                 | 48 | 615 |
| IND Nøysomhet/ Hedonisme     | 49 | 616 |
| IND Utseende                 | 50 | 617 |
| IND Polysensualisme          | 51 | 618 |
| IND Forbruk/ Investering     | 52 | 619 |
| IND Tradisjoner/ Nyheter     | 53 | 620 |
| IND Risiko/ Trygghet         | 54 | 621 |
| IND Pessimisme/ Optimisme    | 55 | 622 |
| IND Spontanitet/ Rigiditet   | 56 | 623 |
| IND Fornuft                  | 57 | 624 |
| IND Følelser                 | 58 | 625 |
| IND Okkultisme               | 59 | 626 |
| IND Ambisjonsmangel          | 60 | 627 |
| IND Mobilitet                | 61 | 628 |




|                                 |    |     |
|---------------------------------|----|-----|
| IND Egoisme/ Uselviskhet        | 62 | 629 |
| IND Familie                     | 63 | 630 |
| IND Nærmiljø                    | 64 | 631 |
| IND Status                      | 65 | 632 |
| IND Likestilling                | 66 | 633 |
| IND Intoleranse/ Toleranse      | 67 | 634 |
| IND Individualitet/ Konformisme | 68 | 635 |
| IND Puritanisme                 | 69 | 636 |
| IND Lovlydighet                 | 70 | 637 |
| IND Tillitsfullhet/ Fryktsomhet | 71 | 638 |
| IND Avmakt/ Herredømme          | 72 | 639 |
| IND Autoritet                   | 73 | 640 |
| IND Romantikk                   | 74 | 641 |
| IND Nasjonalisme                | 75 | 642 |
| IND Ulikhet/ Likhet             | 76 | 643 |
| IND Industrivekst/ Miljøvern    | 77 | 644 |
| IND Kollektivism/ Privatisme    | 78 | 645 |
| IND Regulering/ Marked          | 79 | 646 |
| IND Politikertillit             | 80 | 647 |
| IND Teknologi                   | 81 | 648 |
| IND Kunstprodukt/ Naturprodukt  | 82 | 649 |
| IND Reklameskepsis              | 83 | 650 |
| IND Kosmopolitisme/ Lokalisme   | 84 | 651 |
| IND Tett/ Spredt                | 85 | 652 |
| IND Kameratskap                 | 86 | 653 |
| IND Spill                       | 87 | 654 |
| IND Lojalitet                   | 88 | 655 |
| IND Frihet                      | 89 | 656 |
| IND Solidaritet                 | 90 | 657 |
| Enig/ uenig 1-9-50-1            | 91 | 658 |
| Enig/ uenig 1-9-50-2            | 92 | 659 |
| Enig/ uenig 1-9-50-3            | 93 | 660 |
| Enig/ uenig 1-9-50-4            | 94 | 661 |
| Enig/ uenig 1-9-50-5            | 95 | 662 |

|                                 |     |     |
|---------------------------------|-----|-----|
| Enig/ uenig 1-9-50-9            | 96  | 663 |
| Enig/ uenig 1-9-50-10           | 97  | 664 |
| Enig/ uenig 1-9-50-13           | 98  | 665 |
| Valg av A el B 1-10-51-1        | 99  | 666 |
| Valg av A el B 1-10-51-2        | 100 | 667 |
| Valg av A el B 1-10-51-5        | 101 | 668 |
| Utnytte/ verne natur 1-10-52    | 102 | 669 |
| Enig / uenig 1-11-53-5          | 103 | 670 |
| Enig / uenig 1-11-53-10         | 104 | 671 |
| Enig/ uenig 1-13-58-8           | 105 | 672 |
| Enig/ uenig 1-13-58-23          | 106 | 673 |
| Enig/ uenig 2-1-201-1           | 107 | 674 |
| Enig/ uenig 2-1-201-2           | 108 | 675 |
| Enig/ uenig 2-1-201-8           | 109 | 676 |
| Enig/ uenig 2-1-201-26          | 110 | 677 |
| Enig/ uenig 2-1-201-60          | 111 | 678 |
| Enig/ uenig 2-1-201-77          | 112 | 679 |
| Stemmer med min men 2-8-226-7   | 113 | 680 |
| Stemmer med min men 2-8-226-14  | 114 | 681 |
| Reisemåtevalg 2-28-284-1        | 115 | 682 |
| Reisemåtevalg 2-28-284-2        | 116 | 683 |
| Reisemåtevalg 2-28-284-3        | 117 | 684 |
| Reisemåtevalg 2-28-284-4        | 118 | 685 |
| Reisemåtevalg 2-28-284-5        | 119 | 686 |
| Reisemåtevalg 2-28-284-6        | 120 | 687 |
| Ferieland sommer 2-28-285-1     | 121 | 688 |
| Ferieland høst 2-28-285-2       | 122 | 689 |
| Ferieland vinter/p 2-28-285-3   | 123 | 690 |
| Bekymret Kunstst i mat 2-41-317 | 124 | 691 |
| Ikkekjøp mat m Kunstst 2-41-318 | 125 | 692 |
| Påstander om mat 2-41-319-1     | 126 | 693 |
| Påstander om mat 2-41-319-2     | 127 | 694 |
| Påstander om mat 2-41-319-3     | 128 | 695 |
| Påstander om mat 2-41-319-4     | 129 | 696 |

|                                  |     |     |
|----------------------------------|-----|-----|
| Påstander om mat 2-41-319-5      | 130 | 697 |
| Påstander om mat 2-41-319-6      | 131 | 698 |
| Påstander om mat 2-41-319-7      | 132 | 699 |
| Påstander om mat 2-41-319-8      | 133 | 700 |
| Påstander om mat 2-41-319-9      | 134 | 701 |
| Gikk fottur i fjellet 2-29-288   | 135 | 702 |
| Fisket med flue/ sluk 2-29-288   | 136 | 703 |
| Fisket m snøre fra båt 2-29-288  | 137 | 704 |
| Besøkte bygdemuseum 2-29-288     | 138 | 705 |
| Besøkte bondegård 2-29-288       | 139 | 706 |
| Overnattet i DNT hytte 2-29-288  | 140 | 707 |
| Lekel.Badel.Fritidsp. 2-29-288   | 141 | 708 |
| Besøkte severdigheter 2-29-288   | 142 | 709 |
| Antall ferieaktiviteter          | 143 | 710 |
| Viktig: stort utvalg 2-51-335    | 144 | 711 |
| Viktig: god service 2-51-335     | 145 | 712 |
| Viktig: lave priser 2-51-335     | 146 | 713 |
| Viktig: gode varetilb 2-51-335   | 147 | 714 |
| Viktig: parkering 2-51-335       | 148 | 715 |
| Viktig: kyndig betj 2-51-335     | 149 | 716 |
| Viktig: gode ferskv 2-51-335     | 150 | 717 |
| Viktig: st utv frukt/gr 2-51-335 | 151 | 718 |
| Viktig: åpningstider 2-51-335    | 152 | 719 |
| Viktig: har det jeg øns2-51-335  | 153 | 720 |
| Viktig: ryddig plasser2-51-335   | 154 | 721 |
| Viktig: ligger i kjøps 2-51-335  | 155 | 722 |

**Contingency Analysis of FERIENTATUR ØNSKE 2-29-289 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

FERIENTATUR ØNSKE 2-29-289

|                           |         | FERIENTATUR ØNSKE 2-29-289 |       |      |      |      |     |
|---------------------------|---------|----------------------------|-------|------|------|------|-----|
|                           |         | 1                          | 2     | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                            |       |      |      |      |     |
|                           | Total % |                            |       |      |      |      |     |
|                           | Col %   |                            |       |      |      |      |     |
|                           | Row %   |                            |       |      |      |      |     |
|                           | 1       | 204                        | 65    | 41   | 28   | 6    | 344 |
|                           | 2       | 320                        | 103   | 74   | 29   | 20   | 546 |
| 3                         | 285     | 93                         | 60    | 41   | 15   | 494  |     |
| 4                         | 468     | 198                        | 139   | 98   | 40   | 943  |     |
| 5                         | 179     | 105                        | 82    | 73   | 30   | 469  |     |
|                           | 1456    | 564                        | 396   | 269  | 111  | 2796 |     |
|                           | 52,07   | 20,17                      | 14,16 | 9,62 | 3,97 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 41,0991   | 0,0114      |
| Error    | 2776 | 3573,7569 |             |
| C. Total | 2792 | 3614,8560 |             |
| N        | 2796 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 82,198    | <.0001     |
| Pearson          | 81,397    | <.0001     |

| Kappa   | Std Err  |
|---------|----------|
| 0,01135 | 0,007718 |

Kappa measures the degree of agreement.

**Contingency Analysis of BESØKE I BYGDENORGE 2-29-290 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

BESØKE I BYGDENORGE 2-29-290

|                           |   | BESØKE I BYGDENORGE 2-29-290 |       |       |       |       |
|---------------------------|---|------------------------------|-------|-------|-------|-------|
| Count                     |   | 1                            | 2     | 3     | 4     |       |
| Total %                   |   |                              |       |       |       |       |
| Col %                     |   |                              |       |       |       |       |
| Row %                     |   |                              |       |       |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1 | 77                           | 47    | 71    | 154   | 349   |
|                           |   | 2,70                         | 1,65  | 2,49  | 5,41  | 12,25 |
|                           |   | 19,90                        | 9,73  | 10,41 | 11,87 |       |
|                           |   | 22,06                        | 13,47 | 20,34 | 44,13 |       |
|                           |   |                              |       |       |       |       |
|                           | 2 | 104                          | 93    | 120   | 237   | 554   |
|                           |   | 3,65                         | 3,26  | 4,21  | 8,32  | 19,45 |
|                           |   | 26,87                        | 19,25 | 17,60 | 18,27 |       |
|                           |   | 18,77                        | 16,79 | 21,66 | 42,78 |       |
|                           | 3 | 73                           | 97    | 118   | 214   | 502   |
|                           |   | 2,56                         | 3,40  | 4,14  | 7,51  | 17,62 |
|                           |   | 18,86                        | 20,08 | 17,30 | 16,50 |       |
|                           |   | 14,54                        | 19,32 | 23,51 | 42,63 |       |
|                           | 4 | 94                           | 162   | 241   | 464   | 961   |
|                           |   | 3,30                         | 5,69  | 8,46  | 16,29 | 33,73 |
|                           |   | 24,29                        | 33,54 | 35,34 | 35,77 |       |
|                           |   | 9,78                         | 16,86 | 25,08 | 48,28 |       |
|                           | 5 | 39                           | 84    | 132   | 228   | 483   |
|                           |   | 1,37                         | 2,95  | 4,63  | 8,00  | 16,95 |
|                           |   | 10,08                        | 17,39 | 19,35 | 17,58 |       |
|                           |   | 8,07                         | 17,39 | 27,33 | 47,20 |       |
|                           |   | 387                          | 483   | 682   | 1297  | 2849  |
|                           |   | 13,58                        | 16,95 | 23,94 | 45,52 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 31,9413   | 0,0088      |
| Error    | 2834 | 3593,4883 |             |
| C. Total | 2846 | 3625,4296 |             |
| N        | 2849 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 63,883    | <.0001     |
| Pearson          | 64,908    | <.0001     |

**Contingency Analysis of BONDE AVTALE 2-51-336 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

BONDE AVTALE 2-51-336

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     |     |
|---------------------------|---------|-------|-------|-------|-----|
|                           | Total % |       |       |       |     |
|                           | Col %   |       |       |       |     |
|                           | Row %   |       |       |       |     |
|                           | 1       | 132   | 147   | 71    | 350 |
|                           | 4,63    | 5,16  | 2,49  | 12,29 |     |
|                           | 11,81   | 13,92 | 10,52 |       |     |
|                           | 37,71   | 42,00 | 20,29 |       |     |
| 2                         | 232     | 201   | 121   | 554   |     |
|                           | 8,14    | 7,06  | 4,25  | 19,45 |     |
|                           | 20,75   | 19,03 | 17,93 |       |     |
|                           | 41,88   | 36,28 | 21,84 |       |     |
| 3                         | 195     | 185   | 127   | 507   |     |
|                           | 6,84    | 6,49  | 4,46  | 17,80 |     |
|                           | 17,44   | 17,52 | 18,81 |       |     |
|                           | 38,46   | 36,49 | 25,05 |       |     |
| 4                         | 399     | 341   | 213   | 953   |     |
|                           | 14,00   | 11,97 | 7,48  | 33,45 |     |
|                           | 35,69   | 32,29 | 31,56 |       |     |
|                           | 41,87   | 35,78 | 22,35 |       |     |
| 5                         | 160     | 182   | 143   | 485   |     |
|                           | 5,62    | 6,39  | 5,02  | 17,02 |     |
|                           | 14,31   | 17,23 | 21,19 |       |     |
|                           | 32,99   | 37,53 | 29,48 |       |     |
|                           | 1118    | 1056  | 675   | 2849  |     |
|                           | 39,24   | 37,07 | 23,69 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 10,4576   | 0,0034      |
| Error    | 2839 | 3055,4153 |             |
| C. Total | 2847 | 3065,8730 |             |
| N        | 2849 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,915    | 0,0074     |
| Pearson          | 21,163    | 0,0067     |

**Contingency Analysis of KJØNN 1-19-P By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**


|                           |         | KJØNN 1-19-P |       |       |
|---------------------------|---------|--------------|-------|-------|
|                           |         | 1            | 2     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |              |       |       |
|                           | Total % |              |       |       |
|                           | Col %   |              |       |       |
|                           | Row %   |              |       |       |
|                           | 1       | 177          | 177   | 354   |
|                           |         | 6,13         | 6,13  | 12,26 |
|                           |         | 12,48        | 12,05 |       |
|                           |         | 50,00        | 50,00 |       |
|                           | 2       | 284          | 278   | 562   |
|                           |         | 9,84         | 9,63  | 19,47 |
|                           | 20,03   | 18,92        |       |       |
|                           | 50,53   | 49,47        |       |       |
| 3                         | 244     | 266          | 510   |       |
|                           | 8,45    | 9,21         | 17,67 |       |
|                           | 17,21   | 18,11        |       |       |
|                           | 47,84   | 52,16        |       |       |
| 4                         | 449     | 520          | 969   |       |
|                           | 15,55   | 18,01        | 33,56 |       |
|                           | 31,66   | 35,40        |       |       |
|                           | 46,34   | 53,66        |       |       |
| 5                         | 264     | 228          | 492   |       |
|                           | 9,14    | 7,90         | 17,04 |       |
|                           | 18,62   | 15,52        |       |       |
|                           | 53,66   | 46,34        |       |       |
|                           | 1418    | 1469         | 2887  |       |
|                           | 49,12   | 50,88        |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 3,9779    | 0,0020      |
| Error    | 2882 | 1996,6875 |             |
| C. Total | 2886 | 2000,6654 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 7,956     | 0,0932     |
| Pearson          | 7,951     | 0,0934     |

**Oneway Analysis of ALDER 1-19-A By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,033371 |
| Adj Rsquare                | 0,032029 |
| Root Mean Square Error     | 17,03337 |
| Mean of Response           | 38,75892 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 28866,84       | 7216,71     | 24,8736 | <.0001   |
| Error                     | 2882 | 836171,37      | 290,14      |         |          |
| C. Total                  | 2886 | 865038,21      |             |         |          |

**Means for Oneway Anova**


| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 32,2627 | 0,90531   | 30,488    | 34,038    |
| 2     | 562    | 36,4964 | 0,71851   | 35,088    | 37,905    |
| 3     | 510    | 39,3431 | 0,75425   | 37,864    | 40,822    |
| 4     | 969    | 39,8896 | 0,54719   | 38,817    | 40,963    |
| 5     | 492    | 43,1850 | 0,76792   | 41,679    | 44,691    |

Std Error uses a pooled estimate of error variance



**Contingency Analysis of HUSSTAND STILLING 1-19-B By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

HUSSTAND STILLING 1-19-B

|                           |         | HUSSTAND STILLING 1-19-B |      |      |      |      |     |
|---------------------------|---------|--------------------------|------|------|------|------|-----|
|                           |         | 1                        | 2    | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |      |      |      |      |     |
|                           | Total % |                          |      |      |      |      |     |
|                           | Col %   |                          |      |      |      |      |     |
|                           | Row %   |                          |      |      |      |      |     |
|                           | 1       | 138                      | 142  | 17   | 13   | 43   | 353 |
|                           | 2       | 221                      | 233  | 52   | 39   | 16   | 561 |
| 3                         | 192     | 222                      | 54   | 33   | 7    | 508  |     |
| 4                         | 359     | 435                      | 85   | 73   | 9    | 961  |     |
| 5                         | 207     | 195                      | 54   | 29   | 5    | 490  |     |
|                           | 1117    | 1227                     | 262  | 187  | 80   | 2873 |     |
|                           | 38,88   | 42,71                    | 9,12 | 6,51 | 2,78 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 56,3199   | 0,0160      |
| Error    | 2853 | 3467,6348 |             |
| C. Total | 2869 | 3523,9547 |             |
| N        | 2873 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 112,640   | <.0001     |
| Pearson          | 155,252   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,001535 | 0,007641 |

Kappa measures the degree of agreement.

**Contingency Analysis of #ARBEIDSTAKERE I HUSST 1-19-C By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

#ARBEIDSTAKERE I HUSST 1-19-C

|                           | #ARBEIDSTAKERE I HUSST 1-19-C |       |       |       |       |       | Count | Total % |
|---------------------------|-------------------------------|-------|-------|-------|-------|-------|-------|---------|
|                           | 0                             | 1     | 2     | 3     | 4     | 5     |       |         |
| BOSTEDSTYPE IDAG 2-19-262 | 1                             | 41    | 161   | 131   | 11    | 6     | 0     | 350     |
|                           |                               | 1,43  | 5,62  | 4,57  | 0,38  | 0,21  | 0,00  | 12,21   |
|                           |                               | 11,02 | 17,58 | 10,17 | 4,87  | 10,34 | 0,00  |         |
|                           |                               | 11,71 | 46,00 | 37,43 | 3,14  | 1,71  | 0,00  |         |
|                           | 2                             | 43    | 191   | 260   | 47    | 18    | 0     | 559     |
|                           |                               | 1,50  | 6,66  | 9,07  | 1,64  | 0,63  | 0,00  | 19,50   |
|                           | 11,56                         | 20,85 | 20,19 | 20,80 | 31,03 | 0,00  |       |         |
|                           | 7,69                          | 34,17 | 46,51 | 8,41  | 3,22  | 0,00  |       |         |
| 3                         | 81                            | 165   | 212   | 42    | 7     | 1     | 508   |         |
|                           | 2,83                          | 5,76  | 7,39  | 1,46  | 0,24  | 0,03  | 17,72 |         |
|                           | 21,77                         | 18,01 | 16,46 | 18,58 | 12,07 | 14,29 |       |         |
|                           | 15,94                         | 32,48 | 41,73 | 8,27  | 1,38  | 0,20  |       |         |
| 4                         | 129                           | 258   | 468   | 89    | 17    | 3     | 964   |         |
|                           | 4,50                          | 9,00  | 16,32 | 3,10  | 0,59  | 0,10  | 33,62 |         |
|                           | 34,68                         | 28,17 | 36,34 | 39,38 | 29,31 | 42,86 |       |         |
|                           | 13,38                         | 26,76 | 48,55 | 9,23  | 1,76  | 0,31  |       |         |
| 5                         | 78                            | 141   | 217   | 37    | 10    | 3     | 486   |         |
|                           | 2,72                          | 4,92  | 7,57  | 1,29  | 0,35  | 0,10  | 16,95 |         |
|                           | 20,97                         | 15,39 | 16,85 | 16,37 | 17,24 | 42,86 |       |         |
|                           | 16,05                         | 29,01 | 44,65 | 7,61  | 2,06  | 0,62  |       |         |
|                           | 372                           | 916   | 1288  | 226   | 58    | 7     | 2867  |         |
|                           | 12,98                         | 31,95 | 44,93 | 7,88  | 2,02  | 0,24  |       |         |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 20   | 43,4615   | 0,0118      |
| Error    | 2842 | 3634,4860 |             |
| C. Total | 2862 | 3677,9475 |             |
| N        | 2867 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 86,923    | <.0001     |
| Pearson          | 83,442    | <.0001     |

**Contingency Analysis of HUSSTAND INNT BRUTTO 1-19-D By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

HUSSTAND INNT BRUTTO 1-19-D

| BOSTEDSTYPE IDAG 2-19-262 | Count | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |  |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
|                           | Total |       |       |       |       |       |       |       |       |       |       |  |
|                           | %     |       |       |       |       |       |       |       |       |       |       |  |
|                           | Row % |       |       |       |       |       |       |       |       |       |       |  |
| 1                         | 36    | 36    | 21    | 29    | 40    | 62    | 54    | 50    | 3     | 13    | 344   |  |
|                           | 1,29  | 1,29  | 0,75  | 1,04  | 1,43  | 2,22  | 1,93  | 1,79  | 0,11  | 0,46  | 12,29 |  |
|                           | 30,00 | 19,57 | 12,96 | 12,95 | 12,82 | 10,11 | 10,47 | 12,17 | 4,29  | 6,99  |       |  |
|                           | 10,47 | 10,47 | 6,10  | 8,43  | 11,63 | 18,02 | 15,70 | 14,53 | 0,87  | 3,78  |       |  |
| 2                         | 19    | 21    | 27    | 37    | 49    | 98    | 108   | 137   | 17    | 29    | 542   |  |
|                           | 0,68  | 0,75  | 0,96  | 1,32  | 1,75  | 3,50  | 3,86  | 4,90  | 0,61  | 1,04  | 19,37 |  |
|                           | 15,83 | 11,41 | 16,67 | 16,52 | 15,71 | 15,99 | 20,93 | 33,33 | 24,29 | 15,59 |       |  |
|                           | 3,51  | 3,87  | 4,98  | 6,83  | 9,04  | 18,08 | 19,93 | 25,28 | 3,14  | 5,35  |       |  |
| 3                         | 18    | 34    | 32    | 40    | 49    | 97    | 102   | 67    | 15    | 35    | 489   |  |
|                           | 0,64  | 1,22  | 1,14  | 1,43  | 1,75  | 3,47  | 3,65  | 2,39  | 0,54  | 1,25  | 17,48 |  |
|                           | 15,00 | 18,48 | 19,75 | 17,86 | 15,71 | 15,82 | 19,77 | 16,30 | 21,43 | 18,82 |       |  |
|                           | 3,68  | 6,95  | 6,54  | 8,18  | 10,02 | 19,84 | 20,86 | 13,70 | 3,07  | 7,16  |       |  |
| 4                         | 30    | 55    | 53    | 71    | 102   | 241   | 187   | 118   | 23    | 69    | 949   |  |
|                           | 1,07  | 1,97  | 1,89  | 2,54  | 3,65  | 8,61  | 6,68  | 4,22  | 0,82  | 2,47  | 33,92 |  |
|                           | 25,00 | 29,89 | 32,72 | 31,70 | 32,69 | 39,31 | 36,24 | 28,71 | 32,86 | 37,10 |       |  |
|                           | 3,16  | 5,80  | 5,58  | 7,48  | 10,75 | 25,40 | 19,70 | 12,43 | 2,42  | 7,27  |       |  |
| 5                         | 17    | 38    | 29    | 47    | 72    | 115   | 65    | 39    | 12    | 40    | 474   |  |
|                           | 0,61  | 1,36  | 1,04  | 1,68  | 2,57  | 4,11  | 2,32  | 1,39  | 0,43  | 1,43  | 16,94 |  |
|                           | 14,17 | 20,65 | 17,90 | 20,98 | 23,08 | 18,76 | 12,60 | 9,49  | 17,14 | 21,51 |       |  |
|                           | 3,59  | 8,02  | 6,12  | 9,92  | 15,19 | 24,26 | 13,71 | 8,23  | 2,53  | 8,44  |       |  |
|                           | 120   | 184   | 162   | 224   | 312   | 613   | 516   | 411   | 70    | 186   | 2798  |  |
|                           | 4,29  | 6,58  | 5,79  | 8,01  | 11,15 | 21,91 | 18,44 | 14,69 | 2,50  | 6,65  |       |  |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 36   | 75,3168   | 0,0127      |
| Error    | 2753 | 5868,7206 |             |
| C. Total | 2789 | 5944,0375 |             |
| N        | 2798 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 150,634   | <.0001     |
| Pearson          | 162,132   | <.0001     |

**Contingency Analysis of PERSON INNT BRUTTO 1-19-E By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

PERSON INNT BRUTTO 1-19-E

| Count                     | PERSON INNT BRUTTO 1-19-E |       |       |       |       |       |       |       |       |       |       |       |
|---------------------------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                           | 1                         | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    |       |       |
| Total %                   |                           |       |       |       |       |       |       |       |       |       |       |       |
| Col %                     |                           |       |       |       |       |       |       |       |       |       |       |       |
| Row %                     |                           |       |       |       |       |       |       |       |       |       |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1                         | 80    | 50    | 25    | 46    | 52    | 57    | 17    | 10    | 3     | 9     | 349   |
|                           |                           | 2,90  | 1,81  | 0,91  | 1,67  | 1,88  | 2,07  | 0,62  | 0,36  | 0,11  | 0,33  | 12,65 |
|                           |                           | 13,40 | 12,82 | 9,96  | 12,27 | 12,15 | 14,43 | 18,09 | 17,86 | 4,05  | 9,09  |       |
|                           |                           | 22,92 | 14,33 | 7,16  | 13,18 | 14,90 | 16,33 | 4,87  | 2,87  | 0,86  | 2,58  |       |
|                           |                           |       |       |       |       |       |       |       |       |       |       |       |
| 2                         | 109                       | 53    | 47    | 60    | 90    | 106   | 31    | 23    | 18    | 9     | 546   |       |
|                           | 3,95                      | 1,92  | 1,70  | 2,17  | 3,26  | 3,84  | 1,12  | 0,83  | 0,65  | 0,33  | 19,79 |       |
|                           | 18,26                     | 13,59 | 18,73 | 16,00 | 21,03 | 26,84 | 32,98 | 41,07 | 24,32 | 9,09  |       |       |
|                           | 19,96                     | 9,71  | 8,61  | 10,99 | 16,48 | 19,41 | 5,68  | 4,21  | 3,30  | 1,65  |       |       |
| 3                         | 103                       | 71    | 36    | 70    | 72    | 64    | 14    | 6     | 17    | 26    | 479   |       |
|                           | 3,73                      | 2,57  | 1,30  | 2,54  | 2,61  | 2,32  | 0,51  | 0,22  | 0,62  | 0,94  | 17,36 |       |
|                           | 17,25                     | 18,21 | 14,34 | 18,67 | 16,82 | 16,20 | 14,89 | 10,71 | 22,97 | 26,26 |       |       |
|                           | 21,50                     | 14,82 | 7,52  | 14,61 | 15,03 | 13,36 | 2,92  | 1,25  | 3,55  | 5,43  |       |       |
| 4                         | 197                       | 140   | 96    | 123   | 152   | 122   | 21    | 13    | 24    | 31    | 919   |       |
|                           | 7,14                      | 5,07  | 3,48  | 4,46  | 5,51  | 4,42  | 0,76  | 0,47  | 0,87  | 1,12  | 33,31 |       |
|                           | 33,00                     | 35,90 | 38,25 | 32,80 | 35,51 | 30,89 | 22,34 | 23,21 | 32,43 | 31,31 |       |       |
|                           | 21,44                     | 15,23 | 10,45 | 13,38 | 16,54 | 13,28 | 2,29  | 1,41  | 2,61  | 3,37  |       |       |
| 5                         | 108                       | 76    | 47    | 76    | 62    | 46    | 11    | 4     | 12    | 24    | 466   |       |
|                           | 3,91                      | 2,75  | 1,70  | 2,75  | 2,25  | 1,67  | 0,40  | 0,14  | 0,43  | 0,87  | 16,89 |       |
|                           | 18,09                     | 19,49 | 18,73 | 20,27 | 14,49 | 11,65 | 11,70 | 7,14  | 16,22 | 24,24 |       |       |
|                           | 23,18                     | 16,31 | 10,09 | 16,31 | 13,30 | 9,87  | 2,36  | 0,86  | 2,58  | 5,15  |       |       |
|                           | 597                       | 390   | 251   | 375   | 428   | 395   | 94    | 56    | 74    | 99    | 2759  |       |
|                           | 21,64                     | 14,14 | 9,10  | 13,59 | 15,51 | 14,32 | 3,41  | 2,03  | 2,68  | 3,59  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 36   | 50,1418   | 0,0088      |
| Error    | 2714 | 5675,2473 |             |
| C. Total | 2750 | 5725,3891 |             |
| N        | 2759 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 100,284   | <.0001     |
| Pearson          | 100,407   | <.0001     |

**Contingency Analysis of EKTESKAPELIG STATUS 1-19-F By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

EKTESKAPELIG STATUS 1-19-F

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     |  |
|---------------------------|---------|-------|-------|-------|--|
|                           | Total % |       |       |       |  |
|                           | Col %   |       |       |       |  |
|                           | Row %   |       |       |       |  |
|                           |         |       |       |       |  |
| 1                         | 139     | 170   | 44    | 353   |  |
|                           | 4,83    | 5,91  | 1,53  | 12,27 |  |
|                           | 8,30    | 19,98 | 12,57 |       |  |
|                           | 39,38   | 48,16 | 12,46 |       |  |
| 2                         | 314     | 182   | 66    | 562   |  |
|                           | 10,92   | 6,33  | 2,29  | 19,54 |  |
|                           | 18,75   | 21,39 | 18,86 |       |  |
|                           | 55,87   | 32,38 | 11,74 |       |  |
| 3                         | 290     | 151   | 65    | 506   |  |
|                           | 10,08   | 5,25  | 2,26  | 17,59 |  |
|                           | 17,31   | 17,74 | 18,57 |       |  |
|                           | 57,31   | 29,84 | 12,85 |       |  |
| 4                         | 623     | 224   | 118   | 965   |  |
|                           | 21,66   | 7,79  | 4,10  | 33,55 |  |
|                           | 37,19   | 26,32 | 33,71 |       |  |
|                           | 64,56   | 23,21 | 12,23 |       |  |
| 5                         | 309     | 124   | 57    | 490   |  |
|                           | 10,74   | 4,31  | 1,98  | 17,04 |  |
|                           | 18,45   | 14,57 | 16,29 |       |  |
|                           | 63,06   | 25,31 | 11,63 |       |  |
|                           | 1675    | 851   | 350   | 2876  |  |
|                           | 58,24   | 29,59 | 12,17 |       |  |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 43,5953   | 0,0163      |
| Error    | 2866 | 2635,3661 |             |
| C. Total | 2874 | 2678,9614 |             |
| N        | 2876 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 87,191    | <.0001     |
| Pearson          | 90,104    | <.0001     |

**Contingency Analysis of #PERSONER I HUSST 1-19-G By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

#PERSONER I HUSST 1-19-G

| Count   | 1     | 2     | 3     | 4     | 5     | 6     | 7     |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |       |       |
| 1       | 120   | 131   | 50    | 39    | 11    | 1     | 1     | 353   |
|         | 4,19  | 4,58  | 1,75  | 1,36  | 0,38  | 0,03  | 0,03  | 12,33 |
|         | 24,05 | 15,27 | 8,50  | 6,34  | 4,76  | 1,79  | 6,25  |       |
|         | 33,99 | 37,11 | 14,16 | 11,05 | 3,12  | 0,28  | 0,28  |       |
| 2       | 105   | 164   | 123   | 122   | 34    | 12    | 0     | 560   |
|         | 3,67  | 5,73  | 4,30  | 4,26  | 1,19  | 0,42  | 0,00  | 19,56 |
|         | 21,04 | 19,11 | 20,92 | 19,84 | 14,72 | 21,43 | 0,00  |       |
|         | 18,75 | 29,29 | 21,96 | 21,79 | 6,07  | 2,14  | 0,00  |       |
| 3       | 87    | 157   | 104   | 112   | 34    | 4     | 1     | 499   |
|         | 3,04  | 5,48  | 3,63  | 3,91  | 1,19  | 0,14  | 0,03  | 17,43 |
|         | 17,43 | 18,30 | 17,69 | 18,21 | 14,72 | 7,14  | 6,25  |       |
|         | 17,43 | 31,46 | 20,84 | 22,44 | 6,81  | 0,80  | 0,20  |       |
| 4       | 117   | 271   | 211   | 228   | 104   | 28    | 5     | 964   |
|         | 4,09  | 9,47  | 7,37  | 7,96  | 3,63  | 0,98  | 0,17  | 33,67 |
|         | 23,45 | 31,59 | 35,88 | 37,07 | 45,02 | 50,00 | 31,25 |       |
|         | 12,14 | 28,11 | 21,89 | 23,65 | 10,79 | 2,90  | 0,52  |       |
| 5       | 70    | 135   | 100   | 114   | 48    | 11    | 9     | 487   |
|         | 2,44  | 4,72  | 3,49  | 3,98  | 1,68  | 0,38  | 0,31  | 17,01 |
|         | 14,03 | 15,73 | 17,01 | 18,54 | 20,78 | 19,64 | 56,25 |       |
|         | 14,37 | 27,72 | 20,53 | 23,41 | 9,86  | 2,26  | 1,85  |       |
|         | 499   | 858   | 588   | 615   | 231   | 56    | 16    | 2863  |
|         | 17,43 | 29,97 | 20,54 | 21,48 | 8,07  | 1,96  | 0,56  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 24   | 83,9754   | 0,0180      |
| Error    | 2833 | 4583,0984 |             |
| C. Total | 2857 | 4667,0737 |             |
| N        | 2863 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 167,951   | <.0001     |
| Pearson          | 169,850   | <.0001     |

**Contingency Analysis of #BARN TOT I HUSST 1-19-H By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

#BARN TOT I HUSST 1-19-H

|                           | #BARN TOT I HUSST 1-19-H |       |       |       |       |       |       |        |       |       |
|---------------------------|--------------------------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|                           | 0                        | 1     | 2     | 3     | 4     | 5     | 6     | 8      |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1                        | 184   | 58    | 38    | 11    | 1     | 1     | 0      | 0     | 293   |
|                           |                          | 7,03  | 2,22  | 1,45  | 0,42  | 0,04  | 0,04  | 0,00   | 0,00  | 11,20 |
|                           |                          | 18,24 | 8,62  | 5,99  | 4,62  | 2,04  | 10,00 | 0,00   | 0,00  |       |
|                           |                          | 62,80 | 19,80 | 12,97 | 3,75  | 0,34  | 0,34  | 0,00   | 0,00  |       |
|                           |                          |       |       |       |       |       |       |        |       |       |
|                           | 2                        | 195   | 141   | 128   | 35    | 10    | 0     | 0      | 0     | 509   |
|                           |                          | 7,45  | 5,39  | 4,89  | 1,34  | 0,38  | 0,00  | 0,00   | 0,00  | 19,45 |
|                           |                          | 19,33 | 20,95 | 20,19 | 14,71 | 20,41 | 0,00  | 0,00   | 0,00  |       |
|                           |                          | 38,31 | 27,70 | 25,15 | 6,88  | 1,96  | 0,00  | 0,00   | 0,00  |       |
|                           | 3                        | 176   | 121   | 114   | 39    | 4     | 0     | 0      | 0     | 454   |
|                           |                          | 6,73  | 4,62  | 4,36  | 1,49  | 0,15  | 0,00  | 0,00   | 0,00  | 17,35 |
|                           |                          | 17,44 | 17,98 | 17,98 | 16,39 | 8,16  | 0,00  | 0,00   | 0,00  |       |
|                           |                          | 38,77 | 26,65 | 25,11 | 8,59  | 0,88  | 0,00  | 0,00   | 0,00  |       |
|                           | 4                        | 268   | 254   | 238   | 108   | 22    | 5     | 0      | 1     | 896   |
|                           |                          | 10,24 | 9,71  | 9,09  | 4,13  | 0,84  | 0,19  | 0,00   | 0,04  | 34,24 |
|                           |                          | 26,56 | 37,74 | 37,54 | 45,38 | 44,90 | 50,00 | 0,00   | 50,00 |       |
|                           |                          | 29,91 | 28,35 | 26,56 | 12,05 | 2,46  | 0,56  | 0,00   | 0,11  |       |
|                           | 5                        | 186   | 99    | 116   | 45    | 12    | 4     | 2      | 1     | 465   |
|                           |                          | 7,11  | 3,78  | 4,43  | 1,72  | 0,46  | 0,15  | 0,08   | 0,04  | 17,77 |
|                           |                          | 18,43 | 14,71 | 18,30 | 18,91 | 24,49 | 40,00 | 100,00 | 50,00 |       |
|                           |                          | 40,00 | 21,29 | 24,95 | 9,68  | 2,58  | 0,86  | 0,43   | 0,22  |       |
|                           |                          | 1009  | 673   | 634   | 238   | 49    | 10    | 2      | 2     | 2617  |
|                           |                          | 38,56 | 25,72 | 24,23 | 9,09  | 1,87  | 0,38  | 0,08   | 0,08  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 28   | 71,3316   | 0,0197      |
| Error    | 2582 | 3553,0257 |             |
| C. Total | 2610 | 3624,3573 |             |
| N        | 2617 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 142,663   | <.0001     |
| Pearson          | 139,495   | <.0001     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of ARB HELTID/DELTID 1-19-J By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

ARB HELTID/DELTID 1-19-J

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     | 4     |  |
|---------------------------|---------|-------|-------|-------|-------|--|
|                           | Total % |       |       |       |       |  |
|                           | Col %   |       |       |       |       |  |
|                           | Row %   |       |       |       |       |  |
|                           |         | 1     | 2     | 3     | 4     |  |
| 1                         | 168     | 68    | 18    | 89    | 343   |  |
|                           | 5,97    | 2,42  | 0,64  | 3,16  | 12,18 |  |
|                           | 13,31   | 13,39 | 15,25 | 9,60  |       |  |
|                           | 48,98   | 19,83 | 5,25  | 25,95 |       |  |
| 2                         | 301     | 94    | 17    | 140   | 552   |  |
|                           | 10,69   | 3,34  | 0,60  | 4,97  | 19,61 |  |
|                           | 23,85   | 18,50 | 14,41 | 15,10 |       |  |
|                           | 54,53   | 17,03 | 3,08  | 25,36 |       |  |
| 3                         | 205     | 79    | 24    | 194   | 502   |  |
|                           | 7,28    | 2,81  | 0,85  | 6,89  | 17,83 |  |
|                           | 16,24   | 15,55 | 20,34 | 20,93 |       |  |
|                           | 40,84   | 15,74 | 4,78  | 38,65 |       |  |
| 4                         | 399     | 188   | 33    | 329   | 949   |  |
|                           | 14,17   | 6,68  | 1,17  | 11,69 | 33,71 |  |
|                           | 31,62   | 37,01 | 27,97 | 35,49 |       |  |
|                           | 42,04   | 19,81 | 3,48  | 34,67 |       |  |
| 5                         | 189     | 79    | 26    | 175   | 469   |  |
|                           | 6,71    | 2,81  | 0,92  | 6,22  | 16,66 |  |
|                           | 14,98   | 15,55 | 22,03 | 18,88 |       |  |
|                           | 40,30   | 16,84 | 5,54  | 37,31 |       |  |
|                           | 1262    | 508   | 118   | 927   | 2815  |  |
|                           | 44,83   | 18,05 | 4,19  | 32,93 |       |  |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 26,2514   | 0,0080      |
| Error    | 2800 | 3260,0004 |             |
| C. Total | 2812 | 3286,2518 |             |
| N        | 2815 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 52,503    | <.0001     |
| Pearson          | 52,312    | <.0001     |



**Contingency Analysis of FORSØRGINGSSTATUS EGEN 1-19-K By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS EGEN 1-19-K

| Count                     | FORSØRGINGSSTATUS EGEN 1-19-K |       |       |       |       |       |       |       |       |       |       |       |       |
|---------------------------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                           | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |       |
| Total %                   |                               |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %                     |                               |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %                     |                               |       |       |       |       |       |       |       |       |       |       |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1                             | 37    | 47    | 38    | 66    | 19    | 95    | 15    | 9     | 10    | 3     | 12    | 351   |
|                           |                               | 1,30  | 1,66  | 1,34  | 2,32  | 0,67  | 3,35  | 0,53  | 0,32  | 0,35  | 0,11  | 0,42  | 12,36 |
|                           |                               | 8,92  | 9,89  | 14,62 | 20,82 | 11,24 | 21,02 | 15,31 | 3,66  | 4,46  | 3,90  | 11,32 |       |
|                           |                               | 10,54 | 13,39 | 10,83 | 18,80 | 5,41  | 27,07 | 4,27  | 2,56  | 2,85  | 0,85  | 3,42  |       |
|                           | 2                             | 66    | 90    | 70    | 88    | 29    | 96    | 16    | 32    | 26    | 10    | 31    | 554   |
|                           |                               | 2,32  | 3,17  | 2,47  | 3,10  | 1,02  | 3,38  | 0,56  | 1,13  | 0,92  | 0,35  | 1,09  | 19,51 |
|                           |                               | 15,90 | 18,95 | 26,92 | 27,76 | 17,16 | 21,24 | 16,33 | 13,01 | 11,61 | 12,99 | 29,25 |       |
|                           |                               | 11,91 | 16,25 | 12,64 | 15,88 | 5,23  | 17,33 | 2,89  | 5,78  | 4,69  | 1,81  | 5,60  |       |
|                           | 3                             | 63    | 78    | 48    | 51    | 25    | 84    | 17    | 53    | 47    | 17    | 16    | 499   |
|                           |                               | 2,22  | 2,75  | 1,69  | 1,80  | 0,88  | 2,96  | 0,60  | 1,87  | 1,66  | 0,60  | 0,56  | 17,58 |
|                           |                               | 15,18 | 16,42 | 18,46 | 16,09 | 14,79 | 18,58 | 17,35 | 21,54 | 20,98 | 22,08 | 15,09 |       |
|                           | 12,63                         | 15,63 | 9,62  | 10,22 | 5,01  | 16,83 | 3,41  | 10,62 | 9,42  | 3,41  | 3,21  |       |       |
| 4                         | 155                           | 178   | 82    | 85    | 43    | 130   | 34    | 86    | 96    | 29    | 32    | 950   |       |
|                           | 5,46                          | 6,27  | 2,89  | 2,99  | 1,51  | 4,58  | 1,20  | 3,03  | 3,38  | 1,02  | 1,13  | 33,46 |       |
|                           | 37,35                         | 37,47 | 31,54 | 26,81 | 25,44 | 28,76 | 34,69 | 34,96 | 42,86 | 37,66 | 30,19 |       |       |
|                           | 16,32                         | 18,74 | 8,63  | 8,95  | 4,53  | 13,68 | 3,58  | 9,05  | 10,11 | 3,05  | 3,37  |       |       |
| 5                         | 94                            | 82    | 22    | 27    | 53    | 47    | 16    | 66    | 45    | 18    | 15    | 485   |       |
|                           | 3,31                          | 2,89  | 0,77  | 0,95  | 1,87  | 1,66  | 0,56  | 2,32  | 1,59  | 0,63  | 0,53  | 17,08 |       |
|                           | 22,65                         | 17,26 | 8,46  | 8,52  | 31,36 | 10,40 | 16,33 | 26,83 | 20,09 | 23,38 | 14,15 |       |       |
|                           | 19,38                         | 16,91 | 4,54  | 5,57  | 10,93 | 9,69  | 3,30  | 13,61 | 9,28  | 3,71  | 3,09  |       |       |
|                           | 415                           | 475   | 260   | 317   | 169   | 452   | 98    | 246   | 224   | 77    | 106   | 2839  |       |
|                           | 14,62                         | 16,73 | 9,16  | 11,17 | 5,95  | 15,92 | 3,45  | 8,67  | 7,89  | 2,71  | 3,73  |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 40   | 121,3521  | 0,0190      |
| Error    | 2789 | 6276,4839 |             |
| C. Total | 2829 | 6397,8360 |             |
| N        | 2839 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 242,704   | <.0001     |
| Pearson          | 238,724   | <.0001     |

**Contingency Analysis of FORSØRGINGSSTATUS E/S 1-19-K By BOSTEDSTYPER IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

FORSØRGINGSSTATUS E/S 1-19-K

|         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |       |       |       |       |       |       |
| 1       | 16    | 28    | 26    | 18    | 10    | 16    | 3     | 6     | 3     | 5     | 5     | 136   |
|         | 0,98  | 1,71  | 1,59  | 1,10  | 0,61  | 0,98  | 0,18  | 0,37  | 0,18  | 0,31  | 0,31  | 8,33  |
|         | 6,50  | 7,07  | 13,13 | 9,38  | 7,35  | 30,77 | 8,11  | 4,55  | 2,83  | 6,94  | 7,58  |       |
|         | 11,76 | 20,59 | 19,12 | 13,24 | 7,35  | 11,76 | 2,21  | 4,41  | 2,21  | 3,68  | 3,68  |       |
| 2       | 30    | 63    | 54    | 64    | 14    | 10    | 7     | 20    | 10    | 16    | 15    | 303   |
|         | 1,84  | 3,86  | 3,31  | 3,92  | 0,86  | 0,61  | 0,43  | 1,22  | 0,61  | 0,98  | 0,92  | 18,55 |
|         | 12,20 | 15,91 | 27,27 | 33,33 | 10,29 | 19,23 | 18,92 | 15,15 | 9,43  | 22,22 | 22,73 |       |
|         | 9,90  | 20,79 | 17,82 | 21,12 | 4,62  | 3,30  | 2,31  | 6,60  | 3,30  | 5,28  | 4,95  |       |
| 3       | 32    | 76    | 42    | 33    | 22    | 9     | 2     | 27    | 15    | 12    | 7     | 277   |
|         | 1,96  | 4,65  | 2,57  | 2,02  | 1,35  | 0,55  | 0,12  | 1,65  | 0,92  | 0,73  | 0,43  | 16,96 |
|         | 13,01 | 19,19 | 21,21 | 17,19 | 16,18 | 17,31 | 5,41  | 20,45 | 14,15 | 16,67 | 10,61 |       |
|         | 11,55 | 27,44 | 15,16 | 11,91 | 7,94  | 3,25  | 0,72  | 9,75  | 5,42  | 4,33  | 2,53  |       |
| 4       | 102   | 149   | 61    | 66    | 55    | 9     | 18    | 47    | 57    | 24    | 29    | 617   |
|         | 6,25  | 9,12  | 3,74  | 4,04  | 3,37  | 0,55  | 1,10  | 2,88  | 3,49  | 1,47  | 1,78  | 37,78 |
|         | 41,46 | 37,63 | 30,81 | 34,38 | 40,44 | 17,31 | 48,65 | 35,61 | 53,77 | 33,33 | 43,94 |       |
|         | 16,53 | 24,15 | 9,89  | 10,70 | 8,91  | 1,46  | 2,92  | 7,62  | 9,24  | 3,89  | 4,70  |       |
| 5       | 66    | 80    | 15    | 11    | 35    | 8     | 7     | 32    | 21    | 15    | 10    | 300   |
|         | 4,04  | 4,90  | 0,92  | 0,67  | 2,14  | 0,49  | 0,43  | 1,96  | 1,29  | 0,92  | 0,61  | 18,37 |
|         | 26,83 | 20,20 | 7,58  | 5,73  | 25,74 | 15,38 | 18,92 | 24,24 | 19,81 | 20,83 | 15,15 |       |
|         | 22,00 | 26,67 | 5,00  | 3,67  | 11,67 | 2,67  | 2,33  | 10,67 | 7,00  | 5,00  | 3,33  |       |
|         | 246   | 396   | 198   | 192   | 136   | 52    | 37    | 132   | 106   | 72    | 66    | 1633  |
|         | 15,06 | 24,25 | 12,12 | 11,76 | 8,33  | 3,18  | 2,27  | 8,08  | 6,49  | 4,41  | 4,04  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 40   | 84,1552   | 0,0236      |
| Error    | 1583 | 3487,1142 |             |
| C. Total | 1623 | 3571,2695 |             |
| N        | 1633 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 168,310   | <.0001     |
| Pearson          | 172,856   | <.0001     |

**Contingency Analysis of NÆRING 1-20-L By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | NÆRING 1-20-L |       |       |       |       |       |       |       |       |       |       |       |
|---------------------------|---------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                           |         | 1             | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |               |       |       |       |       |       |       |       |       |       |       |       |
|                           | Total % |               |       |       |       |       |       |       |       |       |       |       |       |
|                           | Col %   |               |       |       |       |       |       |       |       |       |       |       |       |
|                           | Row %   |               |       |       |       |       |       |       |       |       |       |       |       |
|                           |         |               |       |       |       |       |       |       |       |       |       |       |       |
| 1                         | Count   | 42            | 34    | 17    | 1     | 37    | 28    | 11    | 43    | 24    | 32    | 76    | 345   |
|                           | Total % | 1,50          | 1,21  | 0,61  | 0,04  | 1,32  | 1,00  | 0,39  | 1,53  | 0,86  | 1,14  | 2,71  | 12,31 |
|                           | Col %   | 9,57          | 16,50 | 12,59 | 1,25  | 12,25 | 14,58 | 16,18 | 27,39 | 15,00 | 15,84 | 8,83  |       |
|                           | Row %   | 12,17         | 9,86  | 4,93  | 0,29  | 10,72 | 8,12  | 3,19  | 12,46 | 6,96  | 9,28  | 22,03 |       |
| 2                         | Count   | 83            | 44    | 28    | 1     | 72    | 59    | 22    | 43    | 25    | 37    | 128   | 542   |
|                           | Total % | 2,96          | 1,57  | 1,00  | 0,04  | 2,57  | 2,11  | 0,79  | 1,53  | 0,89  | 1,32  | 4,57  | 19,34 |
|                           | Col %   | 18,91         | 21,36 | 20,74 | 1,25  | 23,84 | 30,73 | 32,35 | 27,39 | 15,63 | 18,32 | 14,87 |       |
|                           | Row %   | 15,31         | 8,12  | 5,17  | 0,18  | 13,28 | 10,89 | 4,06  | 7,93  | 4,61  | 6,83  | 23,62 |       |
| 3                         | Count   | 74            | 33    | 21    | 3     | 53    | 25    | 9     | 20    | 34    | 36    | 191   | 499   |
|                           | Total % | 2,64          | 1,18  | 0,75  | 0,11  | 1,89  | 0,89  | 0,32  | 0,71  | 1,21  | 1,28  | 6,82  | 17,81 |
|                           | Col %   | 16,86         | 16,02 | 15,56 | 3,75  | 17,55 | 13,02 | 13,24 | 12,74 | 21,25 | 17,82 | 22,18 |       |
|                           | Row %   | 14,83         | 6,61  | 4,21  | 0,60  | 10,62 | 5,01  | 1,80  | 4,01  | 6,81  | 7,21  | 38,28 |       |
| 4                         | Count   | 175           | 67    | 45    | 19    | 96    | 52    | 19    | 47    | 52    | 66    | 298   | 936   |
|                           | Total % | 6,25          | 2,39  | 1,61  | 0,68  | 3,43  | 1,86  | 0,68  | 1,68  | 1,86  | 2,36  | 10,64 | 33,40 |
|                           | Col %   | 39,86         | 32,52 | 33,33 | 23,75 | 31,79 | 27,08 | 27,94 | 29,94 | 32,50 | 32,67 | 34,61 |       |
|                           | Row %   | 18,70         | 7,16  | 4,81  | 2,03  | 10,26 | 5,56  | 2,03  | 5,02  | 5,56  | 7,05  | 31,84 |       |
| 5                         | Count   | 65            | 28    | 24    | 56    | 44    | 28    | 7     | 4     | 25    | 31    | 168   | 480   |
|                           | Total % | 2,32          | 1,00  | 0,86  | 2,00  | 1,57  | 1,00  | 0,25  | 0,14  | 0,89  | 1,11  | 6,00  | 17,13 |
|                           | Col %   | 14,81         | 13,59 | 17,78 | 70,00 | 14,57 | 14,58 | 10,29 | 2,55  | 15,63 | 15,35 | 19,51 |       |
|                           | Row %   | 13,54         | 5,83  | 5,00  | 11,67 | 9,17  | 5,83  | 1,46  | 0,83  | 5,21  | 6,46  | 35,00 |       |
|                           | Count   | 439           | 206   | 135   | 80    | 302   | 192   | 68    | 157   | 160   | 202   | 861   | 2802  |
|                           | Total % | 15,67         | 7,35  | 4,82  | 2,86  | 10,78 | 6,85  | 2,43  | 5,60  | 5,71  | 7,21  | 30,73 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 40   | 134,2376  | 0,0226      |
| Error    | 2752 | 5809,1126 |             |
| C. Total | 2792 | 5943,3502 |             |
| N        | 2802 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 268,475   | <.0001     |
| Pearson          | 304,993   | <.0001     |

**Contingency Analysis of OFF/ PRIV SEKTOR EGEN 1-20-M By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR EGEN 1-20-M

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     |     |
|---------------------------|---------|-------|-------|-------|-----|
|                           | Total % |       |       |       |     |
|                           | Col %   |       |       |       |     |
|                           | Row %   |       |       |       |     |
|                           | 1       | 115   | 144   | 20    | 279 |
|                           | 5,14    | 6,44  | 0,89  | 12,47 |     |
|                           | 14,32   | 13,16 | 5,88  |       |     |
|                           | 41,22   | 51,61 | 7,17  |       |     |
| 2                         | 166     | 245   | 64    | 475   |     |
|                           | 7,42    | 10,95 | 2,86  | 21,23 |     |
|                           | 20,67   | 22,39 | 18,82 |       |     |
|                           | 34,95   | 51,58 | 13,47 |       |     |
| 3                         | 132     | 163   | 85    | 380   |     |
|                           | 5,90    | 7,29  | 3,80  | 16,99 |     |
|                           | 16,44   | 14,90 | 25,00 |       |     |
|                           | 34,74   | 42,89 | 22,37 |       |     |
| 4                         | 262     | 363   | 111   | 736   |     |
|                           | 11,71   | 16,23 | 4,96  | 32,90 |     |
|                           | 32,63   | 33,18 | 32,65 |       |     |
|                           | 35,60   | 49,32 | 15,08 |       |     |
| 5                         | 128     | 179   | 60    | 367   |     |
|                           | 5,72    | 8,00  | 2,68  | 16,41 |     |
|                           | 15,94   | 16,36 | 17,65 |       |     |
|                           | 34,88   | 48,77 | 16,35 |       |     |
|                           | 803     | 1094  | 340   | 2237  |     |
|                           | 35,90   | 48,90 | 15,20 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 16,8890   | 0,0075      |
| Error    | 2227 | 2228,8877 |             |
| C. Total | 2235 | 2245,7767 |             |
| N        | 2237 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,778    | <.0001     |
| Pearson          | 32,480    | <.0001     |

**Contingency Analysis of OFF/ PRIV SEKTOR E/S 1-20-M By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

OFF/ PRIV SEKTOR E/S 1-20-M

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     |     |
|---------------------------|---------|-------|-------|-------|-----|
|                           | Total % |       |       |       |     |
|                           | Col %   |       |       |       |     |
|                           | Row %   |       |       |       |     |
|                           | 1       | 49    | 59    | 12    | 120 |
|                           | 3,64    | 4,38  | 0,89  | 8,90  |     |
|                           | 10,10   | 8,51  | 7,06  |       |     |
|                           | 40,83   | 49,17 | 10,00 |       |     |
| 2                         | 93      | 132   | 30    | 255   |     |
|                           | 6,90    | 9,79  | 2,23  | 18,92 |     |
|                           | 19,18   | 19,05 | 17,65 |       |     |
|                           | 36,47   | 51,76 | 11,76 |       |     |
| 3                         | 97      | 112   | 34    | 243   |     |
|                           | 7,20    | 8,31  | 2,52  | 18,03 |     |
|                           | 20,00   | 16,16 | 20,00 |       |     |
|                           | 39,92   | 46,09 | 13,99 |       |     |
| 4                         | 166     | 270   | 64    | 500   |     |
|                           | 12,31   | 20,03 | 4,75  | 37,09 |     |
|                           | 34,23   | 38,96 | 37,65 |       |     |
|                           | 33,20   | 54,00 | 12,80 |       |     |
| 5                         | 80      | 120   | 30    | 230   |     |
|                           | 5,93    | 8,90  | 2,23  | 17,06 |     |
|                           | 16,49   | 17,32 | 17,65 |       |     |
|                           | 34,78   | 52,17 | 13,04 |       |     |
|                           | 485     | 693   | 170   | 1348  |     |
|                           | 35,98   | 51,41 | 12,61 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 3,2023    | 0,0024      |
| Error    | 1338 | 1305,6625 |             |
| C. Total | 1346 | 1308,8649 |             |
| N        | 1348 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 6,405     | 0,6020     |
| Pearson          | 6,364     | 0,6065     |

**Contingency Analysis of UTDANNING EGEN 1-20-N By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | UTDANNING EGEN 1-20-N |       |       |       |       |
|---------------------------|---------|-----------------------|-------|-------|-------|-------|
|                           |         | 1                     | 2     | 3     | 4     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                       |       |       |       |       |
|                           | Total % |                       |       |       |       |       |
|                           | Col %   |                       |       |       |       |       |
|                           | Row %   |                       |       |       |       |       |
|                           |         |                       |       |       |       |       |
| 1                         | Count   | 18                    | 40    | 108   | 187   | 353   |
| 1                         | Total % | 0,63                  | 1,39  | 3,76  | 6,51  | 12,30 |
| 1                         | Col %   | 4,51                  | 6,02  | 10,10 | 25,34 |       |
| 1                         | Row %   | 5,10                  | 11,33 | 30,59 | 52,97 |       |
| 2                         | Count   | 34                    | 94    | 218   | 213   | 559   |
| 2                         | Total % | 1,18                  | 3,27  | 7,59  | 7,42  | 19,47 |
| 2                         | Col %   | 8,52                  | 14,14 | 20,39 | 28,86 |       |
| 2                         | Row %   | 6,08                  | 16,82 | 39,00 | 38,10 |       |
| 3                         | Count   | 63                    | 133   | 186   | 123   | 505   |
| 3                         | Total % | 2,19                  | 4,63  | 6,48  | 4,28  | 17,59 |
| 3                         | Col %   | 15,79                 | 20,00 | 17,40 | 16,67 |       |
| 3                         | Row %   | 12,48                 | 26,34 | 36,83 | 24,36 |       |
| 4                         | Count   | 162                   | 254   | 386   | 160   | 962   |
| 4                         | Total % | 5,64                  | 8,85  | 13,44 | 5,57  | 33,51 |
| 4                         | Col %   | 40,60                 | 38,20 | 36,11 | 21,68 |       |
| 4                         | Row %   | 16,84                 | 26,40 | 40,12 | 16,63 |       |
| 5                         | Count   | 122                   | 144   | 171   | 55    | 492   |
| 5                         | Total % | 4,25                  | 5,02  | 5,96  | 1,92  | 17,14 |
| 5                         | Col %   | 30,58                 | 21,65 | 16,00 | 7,45  |       |
| 5                         | Row %   | 24,80                 | 29,27 | 34,76 | 11,18 |       |
|                           | Count   | 399                   | 665   | 1069  | 738   | 2871  |
|                           | Total % | 13,90                 | 23,16 | 37,23 | 25,71 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 175,0447  | 0,0458      |
| Error    | 2856 | 3643,6682 |             |
| C. Total | 2868 | 3818,7129 |             |
| N        | 2871 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 350,089   | <.0001     |
| Pearson          | 353,283   | <.0001     |

**Contingency Analysis of UTDANNING E/S 1-20-N By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | UTDANNING E/S 1-20-N |       |       |       |     |
|---------------------------|---------|----------------------|-------|-------|-------|-----|
|                           |         | 1                    | 2     | 3     | 4     |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                      |       |       |       |     |
|                           | Total % |                      |       |       |       |     |
|                           | Col %   |                      |       |       |       |     |
|                           | Row %   |                      |       |       |       |     |
|                           | 1       | 12                   | 16    | 29    | 78    | 135 |
|                           | 2       | 26                   | 45    | 113   | 115   | 299 |
| 3                         | 41      | 71                   | 101   | 61    | 274   |     |
| 4                         | 100     | 173                  | 224   | 108   | 605   |     |
| 5                         | 72      | 81                   | 104   | 39    | 296   |     |
|                           | 251     | 386                  | 571   | 401   | 1609  |     |
|                           | 0,75    | 0,99                 | 1,80  | 4,85  | 8,39  |     |
|                           | 4,78    | 4,15                 | 5,08  | 19,45 |       |     |
|                           | 8,89    | 11,85                | 21,48 | 57,78 |       |     |
|                           | 1,62    | 2,80                 | 7,02  | 7,15  | 18,58 |     |
|                           | 10,36   | 11,66                | 19,79 | 28,68 |       |     |
|                           | 8,70    | 15,05                | 37,79 | 38,46 |       |     |
|                           | 2,55    | 4,41                 | 6,28  | 3,79  | 17,03 |     |
|                           | 16,33   | 18,39                | 17,69 | 15,21 |       |     |
|                           | 14,96   | 25,91                | 36,86 | 22,26 |       |     |
|                           | 6,22    | 10,75                | 13,92 | 6,71  | 37,60 |     |
|                           | 39,84   | 44,82                | 39,23 | 26,93 |       |     |
|                           | 16,53   | 28,60                | 37,02 | 17,85 |       |     |
|                           | 4,47    | 5,03                 | 6,46  | 2,42  | 18,40 |     |
|                           | 28,69   | 20,98                | 18,21 | 9,73  |       |     |
|                           | 24,32   | 27,36                | 35,14 | 13,18 |       |     |
|                           | 15,60   | 23,99                | 35,49 | 24,92 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 80,9142   | 0,0374      |
| Error    | 1594 | 2085,1455 |             |
| C. Total | 1606 | 2166,0597 |             |
| N        | 1609 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 161,828   | <.0001     |
| Pearson          | 171,549   | <.0001     |

**Contingency Analysis of UNIV/ HØYSK. EKSAMEN 1-20-O By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | UNIV/ HØYSK. EKSAMEN 1-20-O |       |       |       |
|---------------------------|---------|-----------------------------|-------|-------|-------|
|                           |         | 1                           | 2     | 3     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |       |       |
|                           | Total % |                             |       |       |       |
|                           | Col %   |                             |       |       |       |
|                           | Row %   |                             |       |       |       |
|                           |         |                             |       |       |       |
| 1                         |         | 81                          | 95    | 4     | 180   |
|                           |         | 10,69                       | 12,53 | 0,53  | 23,75 |
|                           |         | 24,18                       | 23,40 | 23,53 |       |
|                           |         | 45,00                       | 52,78 | 2,22  |       |
| 2                         |         | 116                         | 97    | 4     | 217   |
|                           |         | 15,30                       | 12,80 | 0,53  | 28,63 |
|                           |         | 34,63                       | 23,89 | 23,53 |       |
|                           |         | 53,46                       | 44,70 | 1,84  |       |
| 3                         |         | 47                          | 82    | 0     | 129   |
|                           |         | 6,20                        | 10,82 | 0,00  | 17,02 |
|                           |         | 14,03                       | 20,20 | 0,00  |       |
|                           |         | 36,43                       | 63,57 | 0,00  |       |
| 4                         |         | 64                          | 98    | 7     | 169   |
|                           |         | 8,44                        | 12,93 | 0,92  | 22,30 |
|                           |         | 19,10                       | 24,14 | 41,18 |       |
|                           |         | 37,87                       | 57,99 | 4,14  |       |
| 5                         |         | 27                          | 34    | 2     | 63    |
|                           |         | 3,56                        | 4,49  | 0,26  | 8,31  |
|                           |         | 8,06                        | 8,37  | 11,76 |       |
|                           |         | 42,86                       | 53,97 | 3,17  |       |
|                           |         | 335                         | 406   | 17    | 758   |
|                           |         | 44,20                       | 53,56 | 2,24  |       |

**Tests**

| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 8   | 11,04137  | 0,0187      |
| Error    | 748 | 580,53890 |             |
| C. Total | 756 | 591,58027 |             |
| N        | 758 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 22,083    | 0,0048     |
| Pearson          | 19,794    | 0,0111     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect



**Contingency Analysis of FARS UTDANNING 1-18-73 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

FARS UTDANNING 1-18-73

|                           |         | FARS UTDANNING 1-18-73 |       |       |      |      |     |
|---------------------------|---------|------------------------|-------|-------|------|------|-----|
|                           |         | 1                      | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                        |       |       |      |      |     |
|                           | Total % |                        |       |       |      |      |     |
|                           | Col %   |                        |       |       |      |      |     |
|                           | Row %   |                        |       |       |      |      |     |
|                           | 1       | 90                     | 64    | 79    | 103  | 12   | 348 |
|                           | 2       | 173                    | 118   | 105   | 132  | 27   | 555 |
| 3                         | 236     | 92                     | 95    | 57    | 19   | 499  |     |
| 4                         | 507     | 168                    | 150   | 86    | 41   | 952  |     |
| 5                         | 329     | 65                     | 67    | 16    | 11   | 488  |     |
|                           | 1335    | 507                    | 496   | 394   | 110  | 2842 |     |
|                           | 46,97   | 17,84                  | 17,45 | 13,86 | 3,87 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 151,7520  | 0,0391      |
| Error    | 2822 | 3732,9519 |             |
| C. Total | 2838 | 3884,7039 |             |
| N        | 2842 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 303,504   | <.0001     |
| Pearson          | 300,194   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,04289 | 0,007964 |

Kappa measures the degree of agreement.

**Contingency Analysis of MORS UTDANNING 1-18-73 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

MORS UTDANNING 1-18-73

|                           |         | MORS UTDANNING 1-18-73 |       |      |      |      |     |
|---------------------------|---------|------------------------|-------|------|------|------|-----|
|                           |         | 1                      | 2     | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                        |       |      |      |      |     |
|                           | Total % |                        |       |      |      |      |     |
|                           | Col %   |                        |       |      |      |      |     |
|                           | Row %   |                        |       |      |      |      |     |
|                           | 1       | 103                    | 102   | 69   | 65   | 7    | 346 |
|                           | 2       | 212                    | 132   | 115  | 65   | 27   | 551 |
| 3                         | 268     | 123                    | 60    | 33   | 13   | 497  |     |
| 4                         | 570     | 197                    | 100   | 52   | 31   | 950  |     |
| 5                         | 314     | 99                     | 53    | 11   | 12   | 489  |     |
|                           | 1467    | 653                    | 397   | 226  | 90   | 2833 |     |
|                           | 51,78   | 23,05                  | 14,01 | 7,98 | 3,18 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 111,9027  | 0,0312      |
| Error    | 2813 | 3473,8972 |             |
| C. Total | 2829 | 3585,7999 |             |
| N        | 2833 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 223,805   | <.0001     |
| Pearson          | 227,165   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,04571 | 0,007406 |

Kappa measures the degree of agreement.

**Contingency Analysis of HØYEST INNT I HUSSTAND 1-18-74 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

HØYEST INNT I HUSSTAND 1-18-74

| Count   | 1     | 2     | 3     |       |
|---------|-------|-------|-------|-------|
| Total % |       |       |       |       |
| Col %   |       |       |       |       |
| Row %   |       |       |       |       |
| 1       | 207   | 122   | 9     | 338   |
|         | 7,77  | 4,58  | 0,34  | 12,69 |
|         | 15,02 | 9,81  | 21,43 |       |
|         | 61,24 | 36,09 | 2,66  |       |
| 2       | 291   | 244   | 5     | 540   |
|         | 10,92 | 9,16  | 0,19  | 20,27 |
|         | 21,12 | 19,61 | 11,90 |       |
|         | 53,89 | 45,19 | 0,93  |       |
| 3       | 223   | 218   | 6     | 447   |
|         | 8,37  | 8,18  | 0,23  | 16,78 |
|         | 16,18 | 17,52 | 14,29 |       |
|         | 49,89 | 48,77 | 1,34  |       |
| 4       | 439   | 450   | 13    | 902   |
|         | 16,48 | 16,89 | 0,49  | 33,86 |
|         | 31,86 | 36,17 | 30,95 |       |
|         | 48,67 | 49,89 | 1,44  |       |
| 5       | 218   | 210   | 9     | 437   |
|         | 8,18  | 7,88  | 0,34  | 16,40 |
|         | 15,82 | 16,88 | 21,43 |       |
|         | 49,89 | 48,05 | 2,06  |       |
|         | 1378  | 1244  | 42    | 2664  |
|         | 51,73 | 46,70 | 1,58  |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 12,2862   | 0,0061      |
| Error    | 2654 | 2017,6836 |             |
| C. Total | 2662 | 2029,9699 |             |
| N        | 2664 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,572    | 0,0018     |
| Pearson          | 24,452    | 0,0019     |

**Contingency Analysis of Har hytte ved sjøen 1-6-20 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Har hytte ved sjøen 1-6-20

|                           | Har hytte ved sjøen 1-6-20     |                                |                              |
|---------------------------|--------------------------------|--------------------------------|------------------------------|
|                           | 0                              | 1                              |                              |
| BOSTEDSTYPE IDAG 2-19-262 | Count                          |                                |                              |
|                           | Total %                        |                                |                              |
|                           | Col %                          |                                |                              |
|                           | Row %                          |                                |                              |
|                           | 1                              | 303<br>10,50<br>11,82<br>85,59 | 51<br>1,77<br>15,79<br>14,41 |
| 2                         | 466<br>16,14<br>18,17<br>82,92 | 96<br>3,33<br>29,72<br>17,08   | 562<br>19,47                 |
| 3                         | 443<br>15,34<br>17,28<br>86,86 | 67<br>2,32<br>20,74<br>13,14   | 510<br>17,67                 |
| 4                         | 878<br>30,41<br>34,24<br>90,61 | 91<br>3,15<br>28,17<br>9,39    | 969<br>33,56                 |
| 5                         | 474<br>16,42<br>18,49<br>96,34 | 18<br>0,62<br>5,57<br>3,66     | 492<br>17,04                 |
|                           | 2564<br>88,81                  | 323<br>11,19                   | 2887                         |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 31,3728   | 0,0310      |
| Error    | 2882 | 980,3178  |             |
| C. Total | 2886 | 1011,6906 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 62,746    | <.0001     |
| Pearson          | 56,509    | <.0001     |

**Contingency Analysis of Har hytte på fjellet 1-6-20 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Har hytte på fjellet 1-6-20

|                           | Har hytte på fjellet 1-6-20 |       |       |       |
|---------------------------|-----------------------------|-------|-------|-------|
|                           | 0                           | 1     |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count                       | 0     | 1     |       |
|                           | Total %                     |       |       |       |
|                           | Col %                       |       |       |       |
|                           | Row %                       |       |       |       |
|                           | 1                           | 325   | 29    | 354   |
|                           |                             | 11,26 | 1,00  | 12,26 |
| 2                         | 478                         | 84    | 562   |       |
|                           | 16,56                       | 2,91  | 19,47 |       |
|                           | 19,05                       | 22,22 |       |       |
|                           | 85,05                       | 14,95 |       |       |
| 3                         | 461                         | 49    | 510   |       |
|                           | 15,97                       | 1,70  | 17,67 |       |
|                           | 18,37                       | 12,96 |       |       |
|                           | 90,39                       | 9,61  |       |       |
| 4                         | 832                         | 137   | 969   |       |
|                           | 28,82                       | 4,75  | 33,56 |       |
|                           | 33,16                       | 36,24 |       |       |
|                           | 85,86                       | 14,14 |       |       |
| 5                         | 413                         | 79    | 492   |       |
|                           | 14,31                       | 2,74  | 17,04 |       |
|                           | 16,46                       | 20,90 |       |       |
|                           | 83,94                       | 16,06 |       |       |
|                           | 2509                        | 378   | 2887  |       |
|                           | 86,91                       | 13,09 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 10,2536   | 0,0092      |
| Error    | 2882 | 1110,3473 |             |
| C. Total | 2886 | 1120,6009 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,507    | 0,0004     |
| Pearson          | 19,342    | 0,0007     |

**Contingency Analysis of Har hytte i innlandet 1-6-20 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Har hytte i innlandet 1-6-20

|                           | Har hytte i innlandet 1-6-20   |                                |                             |              |
|---------------------------|--------------------------------|--------------------------------|-----------------------------|--------------|
|                           | 0                              | 1                              |                             |              |
| BOSTEDSTYPE IDAG 2-19-262 | Count                          |                                |                             |              |
|                           | Total %                        |                                |                             |              |
|                           | Col %                          |                                |                             |              |
|                           | Row %                          |                                |                             |              |
|                           | 1                              | 330<br>11,43<br>12,11<br>93,22 | 24<br>0,83<br>14,72<br>6,78 | 354<br>12,26 |
|                           | 2                              | 530<br>18,36<br>19,46<br>94,31 | 32<br>1,11<br>19,63<br>5,69 | 562<br>19,47 |
| 3                         | 490<br>16,97<br>17,99<br>96,08 | 20<br>0,69<br>12,27<br>3,92    | 510<br>17,67                |              |
| 4                         | 911<br>31,56<br>33,44<br>94,01 | 58<br>2,01<br>35,58<br>5,99    | 969<br>33,56                |              |
| 5                         | 463<br>16,04<br>17,00<br>94,11 | 29<br>1,00<br>17,79<br>5,89    | 492<br>17,04                |              |
|                           | 2724<br>94,35                  | 163<br>5,65                    | 2887                        |              |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 2,12017   | 0,0034      |
| Error    | 2882 | 624,68756 |             |
| C. Total | 2886 | 626,80773 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,240     | 0,3745     |
| Pearson          | 3,970     | 0,4101     |

**Contingency Analysis of Har hytte 1-6-19 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |                                | Har hytte 1-6-19               |                               |              |
|---------------------------|--------------------------------|--------------------------------|-------------------------------|--------------|
|                           |                                | 0                              | 1                             |              |
| BOSTEDSTYPE IDAG 2-19-262 | Count                          |                                |                               |              |
|                           | Total %                        |                                |                               |              |
|                           | Col %                          |                                |                               |              |
|                           | Row %                          |                                |                               |              |
|                           | 1                              | 258<br>8,94<br>12,42<br>72,88  | 96<br>3,33<br>11,87<br>27,12  | 354<br>12,26 |
|                           | 2                              | 379<br>13,13<br>18,24<br>67,44 | 183<br>6,34<br>22,62<br>32,56 | 562<br>19,47 |
| 3                         | 375<br>12,99<br>18,05<br>73,53 | 135<br>4,68<br>16,69<br>26,47  | 510<br>17,67                  |              |
| 4                         | 697<br>24,14<br>33,54<br>71,93 | 272<br>9,42<br>33,62<br>28,07  | 969<br>33,56                  |              |
| 5                         | 369<br>12,78<br>17,76<br>75,00 | 123<br>4,26<br>15,20<br>25,00  | 492<br>17,04                  |              |
|                           | 2078<br>71,98                  | 809<br>28,02                   | 2887                          |              |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 4,3065    | 0,0025      |
| Error    | 2882 | 1708,1538 |             |
| C. Total | 2886 | 1712,4603 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 8,613     | 0,0715     |
| Pearson          | 8,724     | 0,0684     |

**Contingency Analysis of # HYTTEBESØK ÅRLIG 1-6-21 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

# HYTTEBESØK ÅRLIG 1-6-21

| BOSTEDSTYPE IDAG 2-19-262 | # HYTTEBESØK ÅRLIG 1-6-21 |       |       |       |       |       |       |  |
|---------------------------|---------------------------|-------|-------|-------|-------|-------|-------|--|
|                           | 0                         | 1     | 2     | 3     | 4     | 5     |       |  |
| 1                         | 2                         | 28    | 27    | 20    | 9     | 10    | 96    |  |
|                           | 0,25                      | 3,54  | 3,41  | 2,53  | 1,14  | 1,26  | 12,14 |  |
|                           | 22,22                     | 10,77 | 14,44 | 11,49 | 12,33 | 11,36 |       |  |
|                           | 2,08                      | 29,17 | 28,13 | 20,83 | 9,38  | 10,42 |       |  |
| 2                         | 2                         | 54    | 47    | 41    | 17    | 19    | 180   |  |
|                           | 0,25                      | 6,83  | 5,94  | 5,18  | 2,15  | 2,40  | 22,76 |  |
|                           | 22,22                     | 20,77 | 25,13 | 23,56 | 23,29 | 21,59 |       |  |
|                           | 1,11                      | 30,00 | 26,11 | 22,78 | 9,44  | 10,56 |       |  |
| 3                         | 0                         | 33    | 23    | 29    | 18    | 24    | 127   |  |
|                           | 0,00                      | 4,17  | 2,91  | 3,67  | 2,28  | 3,03  | 16,06 |  |
|                           | 0,00                      | 12,69 | 12,30 | 16,67 | 24,66 | 27,27 |       |  |
|                           | 0,00                      | 25,98 | 18,11 | 22,83 | 14,17 | 18,90 |       |  |
| 4                         | 2                         | 99    | 60    | 59    | 20    | 27    | 267   |  |
|                           | 0,25                      | 12,52 | 7,59  | 7,46  | 2,53  | 3,41  | 33,75 |  |
|                           | 22,22                     | 38,08 | 32,09 | 33,91 | 27,40 | 30,68 |       |  |
|                           | 0,75                      | 37,08 | 22,47 | 22,10 | 7,49  | 10,11 |       |  |
| 5                         | 3                         | 46    | 30    | 25    | 9     | 8     | 121   |  |
|                           | 0,38                      | 5,82  | 3,79  | 3,16  | 1,14  | 1,01  | 15,30 |  |
|                           | 33,33                     | 17,69 | 16,04 | 14,37 | 12,33 | 9,09  |       |  |
|                           | 2,48                      | 38,02 | 24,79 | 20,66 | 7,44  | 6,61  |       |  |
|                           | 9                         | 260   | 187   | 174   | 73    | 88    | 791   |  |
|                           | 1,14                      | 32,87 | 23,64 | 22,00 | 9,23  | 11,13 |       |  |

**Tests**


| Source   | DF  | -LogLike  | RSquare (U) |
|----------|-----|-----------|-------------|
| Model    | 20  | 13,4470   | 0,0109      |
| Error    | 766 | 1216,4774 |             |
| C. Total | 786 | 1229,9243 |             |
| N        | 791 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 26,894    | 0,1383     |
| Pearson          | 27,086    | 0,1329     |



**Contingency Analysis of # BILER I HUSSTANDEN 1-6-22 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

# BILER I HUSSTANDEN 1-6-22

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 166   | 36    | 4     | 3     | 144   | 353   |
|         | 5,80  | 1,26  | 0,14  | 0,10  | 5,03  | 12,33 |
|         | 10,78 | 5,09  | 3,42  | 8,11  | 31,24 |       |
|         | 47,03 | 10,20 | 1,13  | 0,85  | 40,79 |       |
| 2       | 309   | 123   | 26    | 5     | 94    | 557   |
|         | 10,80 | 4,30  | 0,91  | 0,17  | 3,28  | 19,46 |
|         | 20,06 | 17,40 | 22,22 | 13,51 | 20,39 |       |
|         | 55,48 | 22,08 | 4,67  | 0,90  | 16,88 |       |
| 3       | 288   | 112   | 14    | 7     | 81    | 502   |
|         | 10,06 | 3,91  | 0,49  | 0,24  | 2,83  | 17,54 |
|         | 18,70 | 15,84 | 11,97 | 18,92 | 17,57 |       |
|         | 57,37 | 22,31 | 2,79  | 1,39  | 16,14 |       |
| 4       | 521   | 294   | 49    | 9     | 87    | 960   |
|         | 18,20 | 10,27 | 1,71  | 0,31  | 3,04  | 33,54 |
|         | 33,83 | 41,58 | 41,88 | 24,32 | 18,87 |       |
|         | 54,27 | 30,63 | 5,10  | 0,94  | 9,06  |       |
| 5       | 256   | 142   | 24    | 13    | 55    | 490   |
|         | 8,94  | 4,96  | 0,84  | 0,45  | 1,92  | 17,12 |
|         | 16,62 | 20,08 | 20,51 | 35,14 | 11,93 |       |
|         | 52,24 | 28,98 | 4,90  | 2,65  | 11,22 |       |
|         | 1540  | 707   | 117   | 37    | 461   | 2862  |
|         | 53,81 | 24,70 | 4,09  | 1,29  | 16,11 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 111,7350  | 0,0337      |
| Error    | 2842 | 3207,9013 |             |
| C. Total | 2858 | 3319,6363 |             |
| N        | 2862 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 223,470   | <.0001     |
| Pearson          | 247,848   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02989 | 0,006591 |

Kappa measures the degree of agreement.

**Contingency Analysis of Fridag bruk (1.v) 2-4-204 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (1.v) 2-4-204

|                           |         | Fridag bruk (1.v) 2-4-204 |       |       |       |       |     |
|---------------------------|---------|---------------------------|-------|-------|-------|-------|-----|
|                           |         | 1                         | 2     | 3     | 4     | 5     |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                           |       |       |       |       |     |
|                           | Total % |                           |       |       |       |       |     |
|                           | Col %   |                           |       |       |       |       |     |
|                           | Row %   |                           |       |       |       |       |     |
|                           | 1       | 196                       | 84    | 36    | 16    | 19    | 351 |
|                           | 2       | 312                       | 136   | 45    | 23    | 41    | 557 |
| 3                         | 310     | 129                       | 28    | 15    | 16    | 498   |     |
| 4                         | 593     | 247                       | 49    | 36    | 36    | 961   |     |
| 5                         | 289     | 151                       | 15    | 9     | 25    | 489   |     |
|                           | 1700    | 747                       | 173   | 99    | 137   | 2856  |     |
|                           | 6,86    | 2,94                      | 1,26  | 0,56  | 0,67  | 12,29 |     |
|                           | 11,53   | 11,24                     | 20,81 | 16,16 | 13,87 |       |     |
|                           | 55,84   | 23,93                     | 10,26 | 4,56  | 5,41  |       |     |
|                           | 10,92   | 4,76                      | 1,58  | 0,81  | 1,44  | 19,50 |     |
|                           | 18,35   | 18,21                     | 26,01 | 23,23 | 29,93 |       |     |
|                           | 56,01   | 24,42                     | 8,08  | 4,13  | 7,36  |       |     |
|                           | 10,85   | 4,52                      | 0,98  | 0,53  | 0,56  | 17,44 |     |
|                           | 18,24   | 17,27                     | 16,18 | 15,15 | 11,68 |       |     |
|                           | 62,25   | 25,90                     | 5,62  | 3,01  | 3,21  |       |     |
|                           | 20,76   | 8,65                      | 1,72  | 1,26  | 1,26  | 33,65 |     |
|                           | 34,88   | 33,07                     | 28,32 | 36,36 | 26,28 |       |     |
|                           | 61,71   | 25,70                     | 5,10  | 3,75  | 3,75  |       |     |
|                           | 10,12   | 5,29                      | 0,53  | 0,32  | 0,88  | 17,12 |     |
|                           | 17,00   | 20,21                     | 8,67  | 9,09  | 18,25 |       |     |
|                           | 59,10   | 30,88                     | 3,07  | 1,84  | 5,11  |       |     |
|                           | 59,52   | 26,16                     | 6,06  | 3,47  | 4,80  |       |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 25,0851   | 0,0080      |
| Error    | 2836 | 3092,6870 |             |
| C. Total | 2852 | 3117,7720 |             |
| N        | 2856 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 50,170    | <.0001     |
| Pearson          | 50,716    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00851 | 0,006797 |

Kappa measures the degree of agreement.

**Contingency Analysis of Fridag bruk (2.V) 2-4-205 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Fridag bruk (2.V) 2-4-205

|                           |         | Fridag bruk (2.V) 2-4-205 |       |      |       |      |     |
|---------------------------|---------|---------------------------|-------|------|-------|------|-----|
|                           |         | 1                         | 2     | 3    | 4     | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                           |       |      |       |      |     |
|                           | Total % |                           |       |      |       |      |     |
|                           | Col %   |                           |       |      |       |      |     |
|                           | Row %   |                           |       |      |       |      |     |
|                           | 1       | 120                       | 100   | 53   | 34    | 45   | 352 |
|                           | 2       | 181                       | 183   | 74   | 43    | 75   | 556 |
| 3                         | 142     | 173                       | 62    | 55   | 65    | 497  |     |
| 4                         | 321     | 347                       | 97    | 68   | 121   | 954  |     |
| 5                         | 173     | 200                       | 31    | 35   | 46    | 485  |     |
|                           | 937     | 1003                      | 317   | 235  | 352   | 2844 |     |
|                           | 32,95   | 35,27                     | 11,15 | 8,26 | 12,38 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 23,5046   | 0,0057      |
| Error    | 2824 | 4079,0830 |             |
| C. Total | 2840 | 4102,5876 |             |
| N        | 2844 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 47,009    | <.0001     |
| Pearson          | 45,751    | 0,0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,01168 | 0,008079 |

Kappa measures the degree of agreement.

**Contingency Analysis of BOSTEDSVALG 2-18-261 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

BOSTEDSVALG 2-18-261

|                           |         | BOSTEDSVALG 2-18-261 |       |       |       |      |     |
|---------------------------|---------|----------------------|-------|-------|-------|------|-----|
|                           |         | 1                    | 2     | 3     | 4     | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                      |       |       |       |      |     |
|                           | Total % |                      |       |       |       |      |     |
|                           | Col %   |                      |       |       |       |      |     |
|                           | Row %   |                      |       |       |       |      |     |
|                           | 1       | 136                  | 75    | 78    | 38    | 27   | 354 |
|                           | 2       | 37                   | 342   | 102   | 59    | 19   | 559 |
| 3                         | 22      | 45                   | 356   | 61    | 19    | 503  |     |
| 4                         | 15      | 63                   | 129   | 618   | 119   | 944  |     |
| 5                         | 5       | 21                   | 42    | 104   | 314   | 486  |     |
|                           | 215     | 546                  | 707   | 880   | 498   | 2846 |     |
|                           | 7,55    | 19,18                | 24,84 | 30,92 | 17,50 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 1206,3093 | 0,2778      |
| Error    | 2826 | 3136,0590 |             |
| C. Total | 2842 | 4342,3683 |             |
| N        | 2846 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 2412,619  | 0,0000     |
| Pearson          | 3062,006  | 0,0000     |

| Kappa   | Std Err  |
|---------|----------|
| 0,51134 | 0,011581 |

Kappa measures the degree of agreement.

**Contingency Analysis of ØNSKE OM REKKEHUS+? 2-19-263 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

ØNSKE OM REKKEHUS+? 2-19-263

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 91    | 14    | 98    | 47    | 100   | 350   |
|         | 3,18  | 0,49  | 3,42  | 1,64  | 3,49  | 12,22 |
|         | 9,96  | 12,61 | 13,78 | 14,87 | 12,33 |       |
|         | 26,00 | 4,00  | 28,00 | 13,43 | 28,57 |       |
| 2       | 179   | 23    | 127   | 65    | 168   | 562   |
|         | 6,25  | 0,80  | 4,44  | 2,27  | 5,87  | 19,63 |
|         | 19,58 | 20,72 | 17,86 | 20,57 | 20,72 |       |
|         | 31,85 | 4,09  | 22,60 | 11,57 | 29,89 |       |
| 3       | 145   | 21    | 131   | 54    | 157   | 508   |
|         | 5,06  | 0,73  | 4,58  | 1,89  | 5,48  | 17,74 |
|         | 15,86 | 18,92 | 18,42 | 17,09 | 19,36 |       |
|         | 28,54 | 4,13  | 25,79 | 10,63 | 30,91 |       |
| 4       | 316   | 40    | 237   | 96    | 270   | 959   |
|         | 11,04 | 1,40  | 8,28  | 3,35  | 9,43  | 33,50 |
|         | 34,57 | 36,04 | 33,33 | 30,38 | 33,29 |       |
|         | 32,95 | 4,17  | 24,71 | 10,01 | 28,15 |       |
| 5       | 183   | 13    | 118   | 54    | 116   | 484   |
|         | 6,39  | 0,45  | 4,12  | 1,89  | 4,05  | 16,91 |
|         | 20,02 | 11,71 | 16,60 | 17,09 | 14,30 |       |
|         | 37,81 | 2,69  | 24,38 | 11,16 | 23,97 |       |
|         | 914   | 111   | 711   | 316   | 811   | 2863  |
|         | 31,92 | 3,88  | 24,83 | 11,04 | 28,33 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 12,1634   | 0,0030      |
| Error    | 2843 | 4101,9748 |             |
| C. Total | 2859 | 4114,1382 |             |
| N        | 2863 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,327    | 0,0826     |
| Pearson          | 24,063    | 0,0881     |

| Kappa    | Std Err  |
|----------|----------|
| -0,01933 | 0,007966 |

Kappa measures the degree of agreement.

**Contingency Analysis of KOMMUNETYPE SSB By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

**KOMMUNETYPE SSB**


|                           |         | KOMMUNETYPE SSB |       |       |       |       |       |       |       |       |       |
|---------------------------|---------|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                           |         | 1               | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                 |       |       |       |       |       |       |       |       |       |
|                           | Total % |                 |       |       |       |       |       |       |       |       |       |
|                           | Col %   |                 |       |       |       |       |       |       |       |       |       |
|                           | Row %   |                 |       |       |       |       |       |       |       |       |       |
|                           |         |                 |       |       |       |       |       |       |       |       |       |
| 1                         | Count   | 3               | 7     | 1     | 0     | 1     | 6     | 311   | 24    | 1     | 354   |
|                           | Total % | 0,10            | 0,24  | 0,03  | 0,00  | 0,03  | 0,21  | 10,77 | 0,83  | 0,03  | 12,26 |
|                           | Col %   | 1,63            | 2,67  | 0,63  | 0,00  | 1,32  | 1,61  | 29,04 | 4,17  | 0,79  |       |
|                           | Row %   | 0,85            | 1,98  | 0,28  | 0,00  | 0,28  | 1,69  | 87,85 | 6,78  | 0,28  |       |
| 2                         | Count   | 1               | 0     | 3     | 1     | 3     | 34    | 469   | 48    | 3     | 562   |
|                           | Total % | 0,03            | 0,00  | 0,10  | 0,03  | 0,10  | 1,18  | 16,25 | 1,66  | 0,10  | 19,47 |
|                           | Col %   | 0,54            | 0,00  | 1,90  | 1,61  | 3,95  | 9,14  | 43,79 | 8,33  | 2,38  |       |
|                           | Row %   | 0,18            | 0,00  | 0,53  | 0,18  | 0,53  | 6,05  | 83,45 | 8,54  | 0,53  |       |
| 3                         | Count   | 3               | 5     | 9     | 0     | 16    | 105   | 55    | 303   | 14    | 510   |
|                           | Total % | 0,10            | 0,17  | 0,31  | 0,00  | 0,55  | 3,64  | 1,91  | 10,50 | 0,48  | 17,67 |
|                           | Col %   | 1,63            | 1,91  | 5,70  | 0,00  | 21,05 | 28,23 | 5,14  | 52,60 | 11,11 |       |
|                           | Row %   | 0,59            | 0,98  | 1,76  | 0,00  | 3,14  | 20,59 | 10,78 | 59,41 | 2,75  |       |
| 4                         | Count   | 89              | 140   | 89    | 35    | 31    | 193   | 198   | 134   | 60    | 969   |
|                           | Total % | 3,08            | 4,85  | 3,08  | 1,21  | 1,07  | 6,69  | 6,86  | 4,64  | 2,08  | 33,56 |
|                           | Col %   | 48,37           | 53,44 | 56,33 | 56,45 | 40,79 | 51,88 | 18,49 | 23,26 | 47,62 |       |
|                           | Row %   | 9,18            | 14,45 | 9,18  | 3,61  | 3,20  | 19,92 | 20,43 | 13,83 | 6,19  |       |
| 5                         | Count   | 88              | 110   | 56    | 26    | 25    | 34    | 38    | 67    | 48    | 492   |
|                           | Total % | 3,05            | 3,81  | 1,94  | 0,90  | 0,87  | 1,18  | 1,32  | 2,32  | 1,66  | 17,04 |
|                           | Col %   | 47,83           | 41,98 | 35,44 | 41,94 | 32,89 | 9,14  | 3,55  | 11,63 | 38,10 |       |
|                           | Row %   | 17,89           | 22,36 | 11,38 | 5,28  | 5,08  | 6,91  | 7,72  | 13,62 | 9,76  |       |
|                           | Count   | 184             | 262   | 158   | 62    | 76    | 372   | 1071  | 576   | 126   | 2887  |
|                           | Total % | 6,37            | 9,08  | 5,47  | 2,15  | 2,63  | 12,89 | 37,10 | 19,95 | 4,36  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 32   | 1083,6224 | 0,2062      |
| Error    | 2847 | 4172,5669 |             |
| C. Total | 2879 | 5256,1892 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 2167,245  | 0,0000     |
| Pearson          | 2179,418  | 0,0000     |

### Oneway Analysis of SESURBA By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,561352 |
| Adj Rsquare                | 0,560741 |
| Root Mean Square Error     | 101268,1 |
| Mean of Response           | 109338,8 |
| Observations (or Sum Wgts) | 2878     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio  | Prob > F |
|---------------------------|------|----------------|-------------|----------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 3,77051e13     | 9,4263e12   | 919,1664 | 0,0000   |
| Error                     | 2873 | 2,94633e13     | 1,0255e10   |          |          |
| C. Total                  | 2877 | 6,71684e13     |             |          |          |

#### Means for Oneway Anova

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 354    | 265224 | 5382,3    | 254671    | 275778    |
| 2     | 562    | 266053 | 4271,7    | 257677    | 274429    |
| 3     | 509    | 118220 | 4488,6    | 109419    | 127022    |
| 4     | 965    | 16590  | 3259,9    | 10198     | 22982     |
| 5     | 488    | -10077 | 4584,2    | -19066    | -1088     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of FAMILISM By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,194427 |
| Adj Rsquare                | 0,193305 |
| Root Mean Square Error     | 108351,3 |
| Mean of Response           | -3700,82 |
| Observations (or Sum Wgts) | 2878     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio  | Prob > F |
|---------------------------|------|----------------|-------------|----------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 8,14057e12     | 2,0351e12   | 173,3511 | <.0001   |
| Error                     | 2873 | 3,3729e+13     | 1,174e+10   |          |          |
| C. Total                  | 2877 | 4,18696e13     |             |          |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | -112580 | 5758,8    | -123872   | -101288   |
| 2     | 562    | -44157  | 4570,5    | -53119    | -35195    |
| 3     | 509    | -6481   | 4802,6    | -15897    | 2936      |
| 4     | 965    | 49919   | 3488,0    | 43080     | 56758     |
| 5     | 488    | 18741   | 4904,8    | 9123      | 28358     |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of DEPRIVAT By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,166585 |
| Adj Rsquare                | 0,165425 |
| Root Mean Square Error     | 78195,32 |
| Mean of Response           | 28001,63 |
| Observations (or Sum Wgts) | 2878     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio  | Prob > F |
|---------------------------|------|----------------|-------------|----------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 3,51134e12     | 8,7783e11   | 143,5658 | <.0001   |
| Error                     | 2873 | 1,7567e+13     | 6,11451e9   |          |          |
| C. Total                  | 2877 | 2,10783e13     |             |          |          |

**Means for Oneway Anova**

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 354    | 91675  | 4156,0    | 83526     | 99824     |
| 2     | 562    | 53981  | 3298,5    | 47514     | 60449     |
| 3     | 509    | 46066  | 3465,9    | 39270     | 52862     |
| 4     | 965    | 411    | 2517,2    | -4525     | 5346      |
| 5     | 488    | -12388 | 3539,7    | -19329    | -5447     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of MANUFACT By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,058361 |
| Adj Rsquare                | 0,05705  |
| Root Mean Square Error     | 86353,2  |
| Mean of Response           | 9041,327 |
| Observations (or Sum Wgts) | 2878     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1,32778e12     | 3,3195e11   | 44,5154 | <.0001   |
| Error                     | 2873 | 2,14236e13     | 7,45688e9   |         |          |
| C. Total                  | 2877 | 2,27514e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 354    | -13314 | 4589,6    | -22313    | -4315     |
| 2     | 562    | -19143 | 3642,6    | -26285    | -12000    |
| 3     | 509    | 38172  | 3827,5    | 30667     | 45677     |
| 4     | 965    | 23889  | 2779,8    | 18438     | 29339     |
| 5     | 488    | -2028  | 3909,0    | -9693     | 5637      |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of AFFLUENC By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,035324 |
| Adj Rsquare                | 0,033981 |
| Root Mean Square Error     | 71977,99 |
| Mean of Response           | 35456,08 |
| Observations (or Sum Wgts) | 2878     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 5,45039e11     | 1,3626e11   | 26,3008 | <.0001   |
| Error                     | 2873 | 1,48845e13     | 5,18083e9   |         |          |
| C. Total                  | 2877 | 1,54296e13     |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 32886,3 | 3825,6    | 25385     | 40387     |
| 2     | 562    | 48727,9 | 3036,2    | 42775     | 54681     |
| 3     | 509    | 42541,2 | 3190,4    | 36286     | 48797     |
| 4     | 965    | 39459,2 | 2317,1    | 34916     | 44002     |
| 5     | 488    | 6729,9  | 3258,3    | 341       | 13119     |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of FECONOM By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,243973 |
| Adj Rsquare                | 0,24292  |
| Root Mean Square Error     | 75568,75 |
| Mean of Response           | 33420,68 |
| Observations (or Sum Wgts) | 2878     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio  | Prob > F |
|---------------------------|------|----------------|-------------|----------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 5,29448e12     | 1,3236e12   | 231,7817 | <.0001   |
| Error                     | 2873 | 1,64067e13     | 5,71064e9   |          |          |
| C. Total                  | 2877 | 2,17011e13     |             |          |          |

#### Means for Oneway Anova

| Level | Number | Mean   | Std Error | Lower 95% | Upper 95% |
|-------|--------|--------|-----------|-----------|-----------|
| 1     | 354    | 109416 | 4016,4    | 101540    | 117291    |
| 2     | 562    | 83615  | 3187,7    | 77365     | 89865     |
| 3     | 509    | 16676  | 3349,5    | 10108     | 23244     |
| 4     | 965    | -6936  | 2432,6    | -11706    | -2166     |
| 5     | 488    | 17756  | 3420,8    | 11048     | 24463     |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Helse By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001515 |
| Adj Rsquare                | 0,000129 |
| Root Mean Square Error     | 2,113787 |
| Mean of Response           | 4,090059 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 19,537         | 4,88436     | 1,0932  | 0,3581   |
| Error                     | 2882 | 12877,047      | 4,46809     |         |          |
| C. Total                  | 2886 | 12896,585      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 3,92090 | 0,11235   | 3,7006    | 4,1412    |
| 2     | 562    | 4,04804 | 0,08916   | 3,8732    | 4,2229    |
| 3     | 510    | 4,04902 | 0,09360   | 3,8655    | 4,2325    |
| 4     | 969    | 4,15583 | 0,06790   | 4,0227    | 4,2890    |
| 5     | 492    | 4,17276 | 0,09530   | 3,9859    | 4,3596    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Fysisk form By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001226 |
| Adj Rsquare                | -0,00016 |
| Root Mean Square Error     | 2,060641 |
| Mean of Response           | 5,654659 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 15,022         | 3,75558     | 0,8844  | 0,4723   |
| Error                     | 2882 | 12237,673      | 4,24624     |         |          |
| C. Total                  | 2886 | 12252,695      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 5,52542 | 0,10952   | 5,3107    | 5,7402    |
| 2     | 562    | 5,63345 | 0,08692   | 5,4630    | 5,8039    |
| 3     | 510    | 5,78431 | 0,09125   | 5,6054    | 5,9632    |
| 4     | 969    | 5,63983 | 0,06620   | 5,5100    | 5,7696    |
| 5     | 492    | 5,66667 | 0,09290   | 5,4845    | 5,8488    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Selvrealisering By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,028656 |
| Adj Rsquare                | 0,027308 |
| Root Mean Square Error     | 3,421053 |
| Mean of Response           | 9,098718 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 995,079        | 248,770     | 21,2558 | <.0001   |
| Error                     | 2882 | 33729,786      | 11,704      |         |          |
| C. Total                  | 2886 | 34724,865      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 10,2062 | 0,18183   | 9,8497    | 10,563    |
| 2     | 562    | 9,6263  | 0,14431   | 9,3434    | 9,909     |
| 3     | 510    | 9,0980  | 0,15149   | 8,8010    | 9,395     |
| 4     | 969    | 8,7946  | 0,10990   | 8,5791    | 9,010     |
| 5     | 492    | 8,2988  | 0,15423   | 7,9964    | 8,601     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Materialisme By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003714 |
| Adj Rsquare                | 0,002331 |
| Root Mean Square Error     | 2,902801 |
| Mean of Response           | 7,187045 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 90,528         | 22,6319     | 2,6859  | 0,0298   |
| Error                     | 2882 | 24284,468      | 8,4263      |         |          |
| C. Total                  | 2886 | 24374,995      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 7,27401 | 0,15428   | 6,9715    | 7,5765    |
| 2     | 562    | 7,45196 | 0,12245   | 7,2119    | 7,6921    |
| 3     | 510    | 7,28431 | 0,12854   | 7,0323    | 7,5363    |
| 4     | 969    | 7,08153 | 0,09325   | 6,8987    | 7,2644    |
| 5     | 492    | 6,92886 | 0,13087   | 6,6723    | 7,1855    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Felleskap By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009951 |
| Adj Rsquare                | 0,008577 |
| Root Mean Square Error     | 3,124811 |
| Mean of Response           | 13,04572 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 282,845        | 70,7113     | 7,2417  | <.0001   |
| Error                     | 2882 | 28141,120      | 9,7644      |         |          |
| C. Total                  | 2886 | 28423,965      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 13,7994 | 0,16608   | 13,474    | 14,125    |
| 2     | 562    | 12,9964 | 0,13181   | 12,738    | 13,255    |
| 3     | 510    | 13,0588 | 0,13837   | 12,788    | 13,330    |
| 4     | 969    | 12,9938 | 0,10038   | 12,797    | 13,191    |
| 5     | 492    | 12,6484 | 0,14088   | 12,372    | 12,925    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Natur By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,129793 |
| Adj Rsquare                | 0,128585 |
| Root Mean Square Error     | 2,91547  |
| Mean of Response           | 9,711465 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio  | Prob > F |
|---------------------------|------|----------------|-------------|----------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 3653,749       | 913,437     | 107,4636 | <.0001   |
| Error                     | 2882 | 24496,901      | 8,500       |          |          |
| C. Total                  | 2886 | 28150,651      |             |          |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,1215  | 0,15496   | 7,818     | 8,425     |
| 2     | 562    | 8,5836  | 0,12298   | 8,342     | 8,825     |
| 3     | 510    | 9,0137  | 0,12910   | 8,761     | 9,267     |
| 4     | 969    | 10,5490 | 0,09366   | 10,365    | 10,733    |
| 5     | 492    | 11,2175 | 0,13144   | 10,960    | 11,475    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Religion By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,019052 |
| Adj Rsquare                | 0,01769  |
| Root Mean Square Error     | 4,939232 |
| Mean of Response           | 5,609976 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1365,520       | 341,380     | 13,9933 | <.0001   |
| Error                     | 2882 | 70309,313      | 24,396      |         |          |
| C. Total                  | 2886 | 71674,833      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,22881 | 0,26252   | 3,7141    | 4,7436    |
| 2     | 562    | 4,98399 | 0,20835   | 4,5755    | 5,3925    |
| 3     | 510    | 5,85098 | 0,21871   | 5,4221    | 6,2798    |
| 4     | 969    | 5,92673 | 0,15867   | 5,6156    | 6,2378    |
| 5     | 492    | 6,44512 | 0,22268   | 6,0085    | 6,8817    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Nøysomhet/ Hedonisme By BOSTEDSTYPE IDAG 2-19-262



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003671 |
| Adj Rsquare                | 0,002289 |
| Root Mean Square Error     | 3,137775 |
| Mean of Response           | 7,545895 |
| Observations (or Sum Wgts) | 2887     |

##### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 104,561        | 26,1402     | 2,6550  | 0,0314   |
| Error                     | 2882 | 28375,108      | 9,8456      |         |          |
| C. Total                  | 2886 | 28479,669      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 7,90113 | 0,16677   | 7,5741    | 8,2281    |
| 2     | 562    | 7,73310 | 0,13236   | 7,4736    | 7,9926    |
| 3     | 510    | 7,41569 | 0,13894   | 7,1432    | 7,6881    |
| 4     | 969    | 7,50052 | 0,10080   | 7,3029    | 7,6982    |
| 5     | 492    | 7,30081 | 0,14146   | 7,0234    | 7,5782    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Utseende By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,006748 |
| Adj Rsquare                | 0,00537  |
| Root Mean Square Error     | 2,98527  |
| Mean of Response           | 8,336335 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 174,496        | 43,6241     | 4,8951  | 0,0006   |
| Error                     | 2882 | 25683,922      | 8,9118      |         |          |
| C. Total                  | 2886 | 25858,418      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,55650 | 0,15867   | 8,2454    | 8,8676    |
| 2     | 562    | 8,62633 | 0,12593   | 8,3794    | 8,8732    |
| 3     | 510    | 8,39020 | 0,13219   | 8,1310    | 8,6494    |
| 4     | 969    | 8,29618 | 0,09590   | 8,1081    | 8,4842    |
| 5     | 492    | 7,86992 | 0,13459   | 7,6060    | 8,1338    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Polysensualisme By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,015174 |
| Adj Rsquare                | 0,013807 |
| Root Mean Square Error     | 2,398504 |
| Mean of Response           | 6,669207 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 255,459        | 63,8648     | 11,1015 | <.0001   |
| Error                     | 2882 | 16579,633      | 5,7528      |         |          |
| C. Total                  | 2886 | 16835,092      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 7,12712 | 0,12748   | 6,8772    | 7,3771    |
| 2     | 562    | 6,92883 | 0,10117   | 6,7304    | 7,1272    |
| 3     | 510    | 6,82353 | 0,10621   | 6,6153    | 7,0318    |
| 4     | 969    | 6,50464 | 0,07705   | 6,3536    | 6,6557    |
| 5     | 492    | 6,20732 | 0,10813   | 5,9953    | 6,4193    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Forbruk/ Investering By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,025467 |
| Adj Rsquare                | 0,024115 |
| Root Mean Square Error     | 2,558984 |
| Mean of Response           | 11,71389 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 493,190        | 123,297     | 18,8286 | <.0001   |
| Error                     | 2882 | 18872,483      | 6,548       |         |          |
| C. Total                  | 2886 | 19365,673      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 10,7966 | 0,13601   | 10,530    | 11,063    |
| 2     | 562    | 11,5498 | 0,10794   | 11,338    | 11,761    |
| 3     | 510    | 11,7275 | 0,11331   | 11,505    | 11,950    |
| 4     | 969    | 11,8442 | 0,08221   | 11,683    | 12,005    |
| 5     | 492    | 12,2907 | 0,11537   | 12,064    | 12,517    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tradisjoner/ Nyheter By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,017183 |
| Adj Rsquare                | 0,015819 |
| Root Mean Square Error     | 2,255728 |
| Mean of Response           | 7,85937  |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 256,393        | 64,0981     | 12,5971 | <.0001   |
| Error                     | 2882 | 14664,511      | 5,0883      |         |          |
| C. Total                  | 2886 | 14920,904      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,41243 | 0,11989   | 8,1773    | 8,6475    |
| 2     | 562    | 8,03915 | 0,09515   | 7,8526    | 8,2257    |
| 3     | 510    | 7,88431 | 0,09989   | 7,6885    | 8,0802    |
| 4     | 969    | 7,79670 | 0,07246   | 7,6546    | 7,9388    |
| 5     | 492    | 7,35366 | 0,10170   | 7,1543    | 7,5531    |

Std Error uses a pooled estimate of error variance



### Oneway Analysis of IND Risiko/ Trygghet By BOSTEDSTYPE IDAG 2-19-262



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,03546  |
| Adj Rsquare                | 0,034122 |
| Root Mean Square Error     | 3,902402 |
| Mean of Response           | 10,56702 |
| Observations (or Sum Wgts) | 2887     |

##### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1613,543       | 403,386     | 26,4884 | <.0001   |
| Error                     | 2882 | 43889,238      | 15,229      |         |          |
| C. Total                  | 2886 | 45502,781      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,9322  | 0,20741   | 8,526     | 9,339     |
| 2     | 562    | 9,9982  | 0,16461   | 9,675     | 10,321    |
| 3     | 510    | 10,7725 | 0,17280   | 10,434    | 11,111    |
| 4     | 969    | 11,0031 | 0,12536   | 10,757    | 11,249    |
| 5     | 492    | 11,3211 | 0,17593   | 10,976    | 11,666    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Pessimisme/ Optimisme By BOSTEDSTYPE IDAG 2-19-262



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,002835 |
| Adj Rsquare                | 0,001451 |
| Root Mean Square Error     | 1,857358 |
| Mean of Response           | 8,724281 |
| Observations (or Sum Wgts) | 2887     |

##### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 28,2637        | 7,06593     | 2,0482  | 0,0851   |
| Error                     | 2882 | 9942,2642      | 3,44978     |         |          |
| C. Total                  | 2886 | 9970,5279      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,86441 | 0,09872   | 8,6708    | 9,0580    |
| 2     | 562    | 8,86833 | 0,07835   | 8,7147    | 9,0220    |
| 3     | 510    | 8,69020 | 0,08225   | 8,5289    | 8,8515    |
| 4     | 969    | 8,63674 | 0,05967   | 8,5197    | 8,7537    |
| 5     | 492    | 8,66667 | 0,08374   | 8,5025    | 8,8309    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Spontanitet/ Rigiditet By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,036721 |
| Adj Rsquare                | 0,035384 |
| Root Mean Square Error     | 3,504774 |
| Mean of Response           | 8,581919 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1349,503       | 337,376     | 27,4659 | <.0001   |
| Error                     | 2882 | 35400,873      | 12,283      |         |          |
| C. Total                  | 2886 | 36750,376      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 7,25424 | 0,18628   | 6,8890    | 7,6195    |
| 2     | 562    | 8,00178 | 0,14784   | 7,7119    | 8,2917    |
| 3     | 510    | 8,83137 | 0,15519   | 8,5271    | 9,1357    |
| 4     | 969    | 8,77709 | 0,11259   | 8,5563    | 8,9979    |
| 5     | 492    | 9,55691 | 0,15801   | 9,2471    | 9,8667    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Fornuft By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,015993 |
| Adj Rsquare                | 0,014628 |
| Root Mean Square Error     | 2,324456 |
| Mean of Response           | 5,1292   |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 253,092        | 63,2729     | 11,7105 | <.0001   |
| Error                     | 2882 | 15571,717      | 5,4031      |         |          |
| C. Total                  | 2886 | 15824,808      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,55650 | 0,12354   | 4,3143    | 4,7987    |
| 2     | 562    | 4,97865 | 0,09805   | 4,7864    | 5,1709    |
| 3     | 510    | 4,98235 | 0,10293   | 4,7805    | 5,1842    |
| 4     | 969    | 5,28689 | 0,07467   | 5,1405    | 5,4333    |
| 5     | 492    | 5,55488 | 0,10479   | 5,3494    | 5,7604    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Følelser By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,016474 |
| Adj Rsquare                | 0,015109 |
| Root Mean Square Error     | 2,351288 |
| Mean of Response           | 11,47662 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 266,875        | 66,7187     | 12,0680 | <.0001   |
| Error                     | 2882 | 15933,297      | 5,5286      |         |          |
| C. Total                  | 2886 | 16200,172      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 12,1893 | 0,12497   | 11,944    | 12,434    |
| 2     | 562    | 11,5516 | 0,09918   | 11,357    | 11,746    |
| 3     | 510    | 11,4529 | 0,10412   | 11,249    | 11,657    |
| 4     | 969    | 11,3839 | 0,07553   | 11,236    | 11,532    |
| 5     | 492    | 11,0854 | 0,10600   | 10,878    | 11,293    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Okkultisme By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003365 |
| Adj Rsquare                | 0,001982 |
| Root Mean Square Error     | 3,051506 |
| Mean of Response           | 6,005888 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 90,607         | 22,6518     | 2,4326  | 0,0455   |
| Error                     | 2882 | 26836,293      | 9,3117      |         |          |
| C. Total                  | 2886 | 26926,900      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 6,40113 | 0,16219   | 6,0831    | 6,7191    |
| 2     | 562    | 5,87900 | 0,12872   | 5,6266    | 6,1314    |
| 3     | 510    | 6,15098 | 0,13512   | 5,8860    | 6,4159    |
| 4     | 969    | 5,93189 | 0,09803   | 5,7397    | 6,1241    |
| 5     | 492    | 5,86179 | 0,13757   | 5,5920    | 6,1315    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Ambisjonsmangel By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,01142  |
| Adj Rsquare                | 0,010047 |
| Root Mean Square Error     | 2,365227 |
| Mean of Response           | 4,30239  |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 186,242        | 46,5604     | 8,3228  | <.0001   |
| Error                     | 2882 | 16122,772      | 5,5943      |         |          |
| C. Total                  | 2886 | 16309,014      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 3,82768 | 0,12571   | 3,5812    | 4,0742    |
| 2     | 562    | 4,04982 | 0,09977   | 3,8542    | 4,2455    |
| 3     | 510    | 4,39804 | 0,10473   | 4,1927    | 4,6034    |
| 4     | 969    | 4,39938 | 0,07598   | 4,2504    | 4,5484    |
| 5     | 492    | 4,64228 | 0,10663   | 4,4332    | 4,8514    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Mobilitet By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,041492 |
| Adj Rsquare                | 0,040161 |
| Root Mean Square Error     | 2,100714 |
| Mean of Response           | 3,541392 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 550,543        | 137,636     | 31,1887 | <.0001   |
| Error                     | 2882 | 12718,260      | 4,413       |         |          |
| C. Total                  | 2886 | 13268,804      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,41243 | 0,11165   | 4,1935    | 4,6314    |
| 2     | 562    | 3,84875 | 0,08861   | 3,6750    | 4,0225    |
| 3     | 510    | 3,52549 | 0,09302   | 3,3431    | 3,7079    |
| 4     | 969    | 3,37977 | 0,06748   | 3,2474    | 3,5121    |
| 5     | 492    | 2,89837 | 0,09471   | 2,7127    | 3,0841    |

Std Error uses a pooled estimate of error variance



### Oneway Analysis of IND Egoisme/ Uselviskhet By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001393 |
| Adj Rsquare                | 0,000007 |
| Root Mean Square Error     | 2,487019 |
| Mean of Response           | 10,31486 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 24,861         | 6,21515     | 1,0048  | 0,4036   |
| Error                     | 2882 | 17825,932      | 6,18526     |         |          |
| C. Total                  | 2886 | 17850,793      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 10,5028 | 0,13218   | 10,244    | 10,762    |
| 2     | 562    | 10,2509 | 0,10491   | 10,045    | 10,457    |
| 3     | 510    | 10,3902 | 0,11013   | 10,174    | 10,606    |
| 4     | 969    | 10,3044 | 0,07989   | 10,148    | 10,461    |
| 5     | 492    | 10,1951 | 0,11212   | 9,975     | 10,415    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Familie By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004401 |
| Adj Rsquare                | 0,003019 |
| Root Mean Square Error     | 2,373749 |
| Mean of Response           | 10,65882 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 71,776         | 17,9441     | 3,1846  | 0,0128   |
| Error                     | 2882 | 16239,157      | 5,6347      |         |          |
| C. Total                  | 2886 | 16310,933      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 10,3644 | 0,12616   | 10,117    | 10,612    |
| 2     | 562    | 10,4982 | 0,10013   | 10,302    | 10,695    |
| 3     | 510    | 10,6569 | 0,10511   | 10,451    | 10,863    |
| 4     | 969    | 10,7802 | 0,07626   | 10,631    | 10,930    |
| 5     | 492    | 10,8171 | 0,10702   | 10,607    | 11,027    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Nærmiljø By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,035705 |
| Adj Rsquare                | 0,034367 |
| Root Mean Square Error     | 2,413147 |
| Mean of Response           | 8,431244 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 621,420        | 155,355     | 26,6783 | <.0001   |
| Error                     | 2882 | 16782,682      | 5,823       |         |          |
| C. Total                  | 2886 | 17404,102      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,05085 | 0,12826   | 7,7994    | 8,3023    |
| 2     | 562    | 7,78470 | 0,10179   | 7,5851    | 7,9843    |
| 3     | 510    | 8,28627 | 0,10686   | 8,0768    | 8,4958    |
| 4     | 969    | 8,63571 | 0,07752   | 8,4837    | 8,7877    |
| 5     | 492    | 9,19106 | 0,10879   | 8,9777    | 9,4044    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Status By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000261 |
| Adj Rsquare                | -0,00113 |
| Root Mean Square Error     | 2,571804 |
| Mean of Response           | 3,846554 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 4,972          | 1,24298     | 0,1879  | 0,9448   |
| Error                     | 2882 | 19062,051      | 6,61417     |         |          |
| C. Total                  | 2886 | 19067,023      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 3,79944 | 0,13669   | 3,5314    | 4,0675    |
| 2     | 562    | 3,90214 | 0,10848   | 3,6894    | 4,1149    |
| 3     | 510    | 3,89608 | 0,11388   | 3,6728    | 4,1194    |
| 4     | 969    | 3,82559 | 0,08262   | 3,6636    | 3,9876    |
| 5     | 492    | 3,80691 | 0,11595   | 3,5796    | 4,0343    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Likestilling By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,028442 |
| Adj Rsquare                | 0,027094 |
| Root Mean Square Error     | 2,483715 |
| Mean of Response           | 9,484586 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 520,468        | 130,117     | 21,0926 | <.0001   |
| Error                     | 2882 | 17778,596      | 6,169       |         |          |
| C. Total                  | 2886 | 18299,064      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 10,2345 | 0,13201   | 9,9756    | 10,493    |
| 2     | 562    | 9,8221  | 0,10477   | 9,6166    | 10,027    |
| 3     | 510    | 9,6314  | 0,10998   | 9,4157    | 9,847     |
| 4     | 969    | 9,2590  | 0,07979   | 9,1026    | 9,415     |
| 5     | 492    | 8,8516  | 0,11197   | 8,6321    | 9,071     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Intolerance/ Tolerance By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,036566 |
| Adj Rsquare                | 0,035229 |
| Root Mean Square Error     | 2,628215 |
| Mean of Response           | 7,153446 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 755,569        | 188,892     | 27,3459 | <.0001   |
| Error                     | 2882 | 19907,454      | 6,908       |         |          |
| C. Total                  | 2886 | 20663,023      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,27684 | 0,13969   | 8,0029    | 8,5507    |
| 2     | 562    | 7,36655 | 0,11086   | 7,1492    | 7,5839    |
| 3     | 510    | 7,25882 | 0,11638   | 7,0306    | 7,4870    |
| 4     | 969    | 6,89990 | 0,08443   | 6,7343    | 7,0654    |
| 5     | 492    | 6,49187 | 0,11849   | 6,2595    | 6,7242    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Individualitet/ Konformisme By BOSTEDSTYPE IDAG 2-19-262



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,057739 |
| Adj Rsquare                | 0,056431 |
| Root Mean Square Error     | 3,074883 |
| Mean of Response           | 9,690682 |
| Observations (or Sum Wgts) | 2887     |

##### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1669,738       | 417,434     | 44,1500 | <.0001   |
| Error                     | 2882 | 27249,042      | 9,455       |         |          |
| C. Total                  | 2886 | 28918,779      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,0452  | 0,16343   | 7,725     | 8,366     |
| 2     | 562    | 9,2616  | 0,12971   | 9,007     | 9,516     |
| 3     | 510    | 9,5412  | 0,13616   | 9,274     | 9,808     |
| 4     | 969    | 10,1858 | 0,09878   | 9,992     | 10,379    |
| 5     | 492    | 10,5447 | 0,13863   | 10,273    | 10,817    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Puritanism By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,028317 |
| Adj Rsquare                | 0,026968 |
| Root Mean Square Error     | 2,910059 |
| Mean of Response           | 5,926221 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 711,239        | 177,810     | 20,9967 | <.0001   |
| Error                     | 2882 | 24406,046      | 8,468       |         |          |
| C. Total                  | 2886 | 25117,285      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,82203 | 0,15467   | 4,5188    | 5,1253    |
| 2     | 562    | 5,62278 | 0,12275   | 5,3821    | 5,8635    |
| 3     | 510    | 5,94706 | 0,12886   | 5,6944    | 6,1997    |
| 4     | 969    | 6,21981 | 0,09348   | 6,0365    | 6,4031    |
| 5     | 492    | 6,46748 | 0,13120   | 6,2102    | 6,7247    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Lovlydighet By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,059192 |
| Adj Rsquare                | 0,057886 |
| Root Mean Square Error     | 2,456347 |
| Mean of Response           | 10,60651 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1094,046       | 273,512     | 45,3311 | <.0001   |
| Error                     | 2882 | 17388,951      | 6,034       |         |          |
| C. Total                  | 2886 | 18482,998      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 9,2486  | 0,13055   | 8,993     | 9,505     |
| 2     | 562    | 10,1690 | 0,10361   | 9,966     | 10,372    |
| 3     | 510    | 10,7529 | 0,10877   | 10,540    | 10,966    |
| 4     | 969    | 10,9474 | 0,07891   | 10,793    | 11,102    |
| 5     | 492    | 11,2602 | 0,11074   | 11,043    | 11,477    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tillitsfulhet/ Fryktsomhet By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,01152  |
| Adj Rsquare                | 0,010148 |
| Root Mean Square Error     | 2,330913 |
| Mean of Response           | 2,835469 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 182,491        | 45,6229     | 8,3971  | <.0001   |
| Error                     | 2882 | 15658,356      | 5,4332      |         |          |
| C. Total                  | 2886 | 15840,848      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 2,28249 | 0,12389   | 2,0396    | 2,5254    |
| 2     | 562    | 2,64769 | 0,09832   | 2,4549    | 2,8405    |
| 3     | 510    | 2,93333 | 0,10321   | 2,7310    | 3,1357    |
| 4     | 969    | 2,96078 | 0,07488   | 2,8140    | 3,1076    |
| 5     | 492    | 3,09959 | 0,10509   | 2,8935    | 3,3056    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Avmakt/ Herredømme By BOSTEDSTYPE IDAG 2-19-262



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,036318 |
| Adj Rsquare                | 0,034981 |
| Root Mean Square Error     | 3,094912 |
| Mean of Response           | 10,31001 |
| Observations (or Sum Wgts) | 2887     |

##### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1040,358       | 260,089     | 27,1535 | <.0001   |
| Error                     | 2882 | 27605,183      | 9,578       |         |          |
| C. Total                  | 2886 | 28645,541      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 11,5734 | 0,16449   | 11,251    | 11,896    |
| 2     | 562    | 10,7384 | 0,13055   | 10,482    | 10,994    |
| 3     | 510    | 10,3686 | 0,13705   | 10,100    | 10,637    |
| 4     | 969    | 9,8968  | 0,09942   | 9,702     | 10,092    |
| 5     | 492    | 9,6646  | 0,13953   | 9,391     | 9,938     |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Autoritet By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,038718 |
| Adj Rsquare                | 0,037384 |
| Root Mean Square Error     | 4,186352 |
| Mean of Response           | 9,295462 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 2034,344       | 508,586     | 29,0197 | <.0001   |
| Error                     | 2882 | 50508,627      | 17,526      |         |          |
| C. Total                  | 2886 | 52542,971      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 7,6045  | 0,22250   | 7,1682    | 8,041     |
| 2     | 562    | 8,6352  | 0,17659   | 8,2890    | 8,981     |
| 3     | 510    | 9,1882  | 0,18537   | 8,8248    | 9,552     |
| 4     | 969    | 9,8607  | 0,13449   | 9,5970    | 10,124    |
| 5     | 492    | 10,2642 | 0,18874   | 9,8942    | 10,634    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Romantikk By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005481 |
| Adj Rsquare                | 0,0041   |
| Root Mean Square Error     | 2,423083 |
| Mean of Response           | 7,685487 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 93,251         | 23,3128     | 3,9706  | 0,0032   |
| Error                     | 2882 | 16921,171      | 5,8713      |         |          |
| C. Total                  | 2886 | 17014,422      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 7,36441 | 0,12879   | 7,1119    | 7,6169    |
| 2     | 562    | 7,52135 | 0,10221   | 7,3209    | 7,7218    |
| 3     | 510    | 7,94510 | 0,10730   | 7,7347    | 8,1555    |
| 4     | 969    | 7,77090 | 0,07784   | 7,6183    | 7,9235    |
| 5     | 492    | 7,66667 | 0,10924   | 7,4525    | 7,8809    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Nasjonalisme By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,01837  |
| Adj Rsquare                | 0,017008 |
| Root Mean Square Error     | 2,660514 |
| Mean of Response           | 8,315552 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 381,765        | 95,4413     | 13,4836 | <.0001   |
| Error                     | 2882 | 20399,766      | 7,0783      |         |          |
| C. Total                  | 2886 | 20781,532      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 7,81638 | 0,14140   | 7,5391    | 8,0936    |
| 2     | 562    | 7,95907 | 0,11223   | 7,7390    | 8,1791    |
| 3     | 510    | 8,16863 | 0,11781   | 7,9376    | 8,3996    |
| 4     | 969    | 8,46749 | 0,08547   | 8,2999    | 8,6351    |
| 5     | 492    | 8,93496 | 0,11995   | 8,6998    | 9,1701    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Ulikhet/ Likhet By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,030854 |
| Adj Rsquare                | 0,029508 |
| Root Mean Square Error     | 3,339679 |
| Mean of Response           | 10,0433  |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1023,337       | 255,834     | 22,9377 | <.0001   |
| Error                     | 2882 | 32144,250      | 11,153      |         |          |
| C. Total                  | 2886 | 33167,588      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 9,5028  | 0,17750   | 9,155     | 9,851     |
| 2     | 562    | 9,1512  | 0,14088   | 8,875     | 9,427     |
| 3     | 510    | 9,9118  | 0,14788   | 9,622     | 10,202    |
| 4     | 969    | 10,4087 | 0,10729   | 10,198    | 10,619    |
| 5     | 492    | 10,8679 | 0,15056   | 10,573    | 11,163    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Industrivekst/ Miljøvern By BOSTEDSTYPE IDAG 2-19-262



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,013011 |
| Adj Rsquare                | 0,011641 |
| Root Mean Square Error     | 2,709479 |
| Mean of Response           | 7,762729 |
| Observations (or Sum Wgts) | 2887     |

##### Analysis of Variance

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 278,906        | 69,7264     | 9,4979  | <.0001   |
| Error                     | 2882 | 21157,564      | 7,3413      |         |          |
| C. Total                  | 2886 | 21436,470      |             |         |          |


##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,38701 | 0,14401   | 8,1046    | 8,6694    |
| 2     | 562    | 7,78826 | 0,11429   | 7,5642    | 8,0124    |
| 3     | 510    | 8,03333 | 0,11998   | 7,7981    | 8,2686    |
| 4     | 969    | 7,55934 | 0,08704   | 7,3887    | 7,7300    |
| 5     | 492    | 7,40447 | 0,12215   | 7,1650    | 7,6440    |

Std Error uses a pooled estimate of error variance



**Oneway Analysis of IND Kollektivisme/ Privatisme By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,003865 |
| Adj Rsquare                | 0,002483 |
| Root Mean Square Error     | 3,481094 |
| Mean of Response           | 8,493592 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 135,514        | 33,8784     | 2,7957  | 0,0248   |
| Error                     | 2882 | 34924,118      | 12,1180     |         |          |
| C. Total                  | 2886 | 35059,631      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,37853 | 0,18502   | 8,0157    | 8,7413    |
| 2     | 562    | 8,90036 | 0,14684   | 8,6124    | 9,1883    |
| 3     | 510    | 8,35294 | 0,15415   | 8,0507    | 8,6552    |
| 4     | 969    | 8,49432 | 0,11183   | 8,2751    | 8,7136    |
| 5     | 492    | 8,25610 | 0,15694   | 7,9484    | 8,5638    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Regulering/ Marked By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,005134 |
| Adj Rsquare                | 0,003753 |
| Root Mean Square Error     | 2,520217 |
| Mean of Response           | 6,077936 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 94,462         | 23,6155     | 3,7181  | 0,0050   |
| Error                     | 2882 | 18305,002      | 6,3515      |         |          |
| C. Total                  | 2886 | 18399,464      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 6,39266 | 0,13395   | 6,1300    | 6,6553    |
| 2     | 562    | 6,29181 | 0,10631   | 6,0834    | 6,5003    |
| 3     | 510    | 6,03137 | 0,11160   | 5,8126    | 6,2502    |
| 4     | 969    | 5,96801 | 0,08096   | 5,8093    | 6,1268    |
| 5     | 492    | 5,87195 | 0,11362   | 5,6492    | 6,0947    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Politikertilit By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,004733 |
| Adj Rsquare                | 0,003352 |
| Root Mean Square Error     | 2,77222  |
| Mean of Response           | 3,706962 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 105,336        | 26,3340     | 3,4266  | 0,0084   |
| Error                     | 2882 | 22148,754      | 7,6852      |         |          |
| C. Total                  | 2886 | 22254,090      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 3,30791 | 0,14734   | 3,0190    | 3,5968    |
| 2     | 562    | 3,61210 | 0,11694   | 3,3828    | 3,8414    |
| 3     | 510    | 3,78824 | 0,12276   | 3,5475    | 4,0289    |
| 4     | 969    | 3,90402 | 0,08906   | 3,7294    | 4,0786    |
| 5     | 492    | 3,63008 | 0,12498   | 3,3850    | 3,8751    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Teknologi By BOSTEDSTYPE IDAG 2-19-262



#### Oneway Anova

##### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,016091 |
| Adj Rsquare                | 0,014726 |
| Root Mean Square Error     | 2,558802 |
| Mean of Response           | 7,6699   |
| Observations (or Sum Wgts) | 2887     |

##### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 308,608        | 77,1520     | 11,7835 | <.0001   |
| Error                     | 2882 | 18869,806      | 6,5475      |         |          |
| C. Total                  | 2886 | 19178,414      |             |         |          |

##### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 8,03390 | 0,13600   | 7,7672    | 8,3006    |
| 2     | 562    | 8,02847 | 0,10794   | 7,8168    | 8,2401    |
| 3     | 510    | 7,88627 | 0,11331   | 7,6641    | 8,1084    |
| 4     | 969    | 7,47472 | 0,08220   | 7,3135    | 7,6359    |
| 5     | 492    | 7,15854 | 0,11536   | 6,9323    | 7,3847    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kunstprodukt/ Naturprodukt By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00642  |
| Adj Rsquare                | 0,005041 |
| Root Mean Square Error     | 2,408709 |
| Mean of Response           | 6,36751  |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 108,050        | 27,0126     | 4,6558  | 0,0010   |
| Error                     | 2882 | 16721,022      | 5,8019      |         |          |
| C. Total                  | 2886 | 16829,072      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 6,85028 | 0,12802   | 6,5993    | 7,1013    |
| 2     | 562    | 6,22776 | 0,10161   | 6,0285    | 6,4270    |
| 3     | 510    | 6,43922 | 0,10666   | 6,2301    | 6,6484    |
| 4     | 969    | 6,26522 | 0,07738   | 6,1135    | 6,4169    |
| 5     | 492    | 6,30691 | 0,10859   | 6,0940    | 6,5198    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Reklameskepsis By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001064 |
| Adj Rsquare                | -0,00032 |
| Root Mean Square Error     | 3,112619 |
| Mean of Response           | 12,75927 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 29,738         | 7,43440     | 0,7674  | 0,5464   |
| Error                     | 2882 | 27921,952      | 9,68839     |         |          |
| C. Total                  | 2886 | 27951,690      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 12,9746 | 0,16543   | 12,650    | 13,299    |
| 2     | 562    | 12,8185 | 0,13130   | 12,561    | 13,076    |
| 3     | 510    | 12,7725 | 0,13783   | 12,502    | 13,043    |
| 4     | 969    | 12,6533 | 0,09999   | 12,457    | 12,849    |
| 5     | 492    | 12,7317 | 0,14033   | 12,457    | 13,007    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Kosmopolitisme/ Lokalisme By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,055399 |
| Adj Rsquare                | 0,054088 |
| Root Mean Square Error     | 2,464387 |
| Mean of Response           | 5,323173 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 1026,513       | 256,628     | 42,2559 | <.0001   |
| Error                     | 2882 | 17502,966      | 6,073       |         |          |
| C. Total                  | 2886 | 18529,480      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,16667 | 0,13098   | 3,9098    | 4,4235    |
| 2     | 562    | 4,76335 | 0,10395   | 4,5595    | 4,9672    |
| 3     | 510    | 5,39412 | 0,10912   | 5,1801    | 5,6081    |
| 4     | 969    | 5,66151 | 0,07917   | 5,5063    | 5,8167    |
| 5     | 492    | 6,05488 | 0,11110   | 5,8370    | 6,2727    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Tett/ Spretd By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,146561 |
| Adj Rsquare                | 0,145376 |
| Root Mean Square Error     | 2,055341 |
| Mean of Response           | 3,732594 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio  | Prob > F |
|---------------------------|------|----------------|-------------|----------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 2090,770       | 522,692     | 123,7310 | <.0001   |
| Error                     | 2882 | 12174,793      | 4,224       |          |          |
| C. Total                  | 2886 | 14265,563      |             |          |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,47458 | 0,10924   | 4,2604    | 4,6888    |
| 2     | 562    | 4,78292 | 0,08670   | 4,6129    | 4,9529    |
| 3     | 510    | 4,15294 | 0,09101   | 3,9745    | 4,3314    |
| 4     | 969    | 3,37771 | 0,06603   | 3,2482    | 3,5072    |
| 5     | 492    | 2,26220 | 0,09266   | 2,0805    | 2,4439    |

Std Error uses a pooled estimate of error variance



### Oneway Analysis of IND Kameratskap By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,00784  |
| Adj Rsquare                | 0,006463 |
| Root Mean Square Error     | 1,863026 |
| Mean of Response           | 3,888466 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 79,046         | 19,7615     | 5,6935  | 0,0001   |
| Error                     | 2882 | 10003,040      | 3,4709      |         |          |
| C. Total                  | 2886 | 10082,086      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 3,90113 | 0,09902   | 3,7070    | 4,0953    |
| 2     | 562    | 3,63879 | 0,07859   | 3,4847    | 3,7929    |
| 3     | 510    | 3,75098 | 0,08250   | 3,5892    | 3,9127    |
| 4     | 969    | 3,98658 | 0,05985   | 3,8692    | 4,1039    |
| 5     | 492    | 4,11382 | 0,08399   | 3,9491    | 4,2785    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Spill By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,000917 |
| Adj Rsquare                | -0,00047 |
| Root Mean Square Error     | 2,649678 |
| Mean of Response           | 4,293384 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 18,581         | 4,64530     | 0,6616  | 0,6186   |
| Error                     | 2882 | 20233,922      | 7,02079     |         |          |
| C. Total                  | 2886 | 20252,504      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,13559 | 0,14083   | 3,8595    | 4,4117    |
| 2     | 562    | 4,21886 | 0,11177   | 3,9997    | 4,4380    |
| 3     | 510    | 4,36275 | 0,11733   | 4,1327    | 4,5928    |
| 4     | 969    | 4,35913 | 0,08512   | 4,1922    | 4,5260    |
| 5     | 492    | 4,29065 | 0,11946   | 4,0564    | 4,5249    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Lojalitet By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,001681 |
| Adj Rsquare                | 0,000295 |
| Root Mean Square Error     | 1,831137 |
| Mean of Response           | 4,447523 |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 16,2715        | 4,06787     | 1,2132  | 0,3030   |
| Error                     | 2882 | 9663,5283      | 3,35306     |         |          |
| C. Total                  | 2886 | 9679,7998      |             |         |          |

**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 4,42373 | 0,09732   | 4,2329    | 4,6146    |
| 2     | 562    | 4,36833 | 0,07724   | 4,2169    | 4,5198    |
| 3     | 510    | 4,49216 | 0,08108   | 4,3332    | 4,6511    |
| 4     | 969    | 4,40660 | 0,05882   | 4,2913    | 4,5219    |
| 5     | 492    | 4,58943 | 0,08255   | 4,4276    | 4,7513    |

Std Error uses a pooled estimate of error variance

### Oneway Analysis of IND Frihet By BOSTEDSTYPE IDAG 2-19-262



### Oneway Anova

#### Summary of Fit

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,017017 |
| Adj Rsquare                | 0,015653 |
| Root Mean Square Error     | 3,148803 |
| Mean of Response           | 15,47281 |
| Observations (or Sum Wgts) | 2887     |

#### Analysis of Variance


| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 494,692        | 123,673     | 12,4734 | <.0001   |
| Error                     | 2882 | 28574,924      | 9,915       |         |          |
| C. Total                  | 2886 | 29069,616      |             |         |          |

#### Means for Oneway Anova

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 16,4463 | 0,16736   | 16,118    | 16,774    |
| 2     | 562    | 15,6815 | 0,13282   | 15,421    | 15,942    |
| 3     | 510    | 15,4039 | 0,13943   | 15,131    | 15,677    |
| 4     | 969    | 15,2322 | 0,10115   | 15,034    | 15,431    |
| 5     | 492    | 15,0793 | 0,14196   | 14,801    | 15,358    |

Std Error uses a pooled estimate of error variance

**Oneway Analysis of IND Solidaritet By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,016127 |
| Adj Rsquare                | 0,014761 |
| Root Mean Square Error     | 2,96108  |
| Mean of Response           | 9,98753  |
| Observations (or Sum Wgts) | 2887     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 414,191        | 103,548     | 11,8097 | <.0001   |
| Error                     | 2882 | 25269,361      | 8,768       |         |          |
| C. Total                  | 2886 | 25683,551      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 354    | 9,5367  | 0,15738   | 9,228     | 9,845     |
| 2     | 562    | 9,4982  | 0,12491   | 9,253     | 9,743     |
| 3     | 510    | 9,8804  | 0,13112   | 9,623     | 10,137    |
| 4     | 969    | 10,2074 | 0,09512   | 10,021    | 10,394    |
| 5     | 492    | 10,5488 | 0,13350   | 10,287    | 10,811    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of Enig/ uenig 1-9-50-1 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 1-9-50-1 |       |       |      |      |     |
|---------------------------|---------|----------------------|-------|-------|------|------|-----|
|                           |         | 1                    | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                      |       |       |      |      |     |
|                           | Total % |                      |       |       |      |      |     |
|                           | Col %   |                      |       |       |      |      |     |
|                           | Row %   |                      |       |       |      |      |     |
|                           | 1       | 34                   | 47    | 184   | 86   | 2    | 353 |
|                           | 2       | 25                   | 84    | 280   | 170  | 3    | 562 |
| 3                         | 35      | 53                   | 236   | 183   | 2    | 509  |     |
| 4                         | 50      | 106                  | 462   | 339   | 9    | 966  |     |
| 5                         | 17      | 46                   | 226   | 201   | 2    | 492  |     |
|                           | 161     | 336                  | 1388  | 979   | 18   | 2882 |     |
|                           | 5,59    | 11,66                | 48,16 | 33,97 | 0,62 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 25,1692   | 0,0075      |
| Error    | 2862 | 3323,8978 |             |
| C. Total | 2878 | 3349,0670 |             |
| N        | 2882 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 50,338    | <.0001     |
| Pearson          | 51,209    | <.0001     |

| Kappa    | Std Err |
|----------|---------|
| 0,015043 | 0,00941 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-2 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-2

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 74    | 71    | 110   | 93    | 5     | 353   |
|         | 2,57  | 2,47  | 3,83  | 3,24  | 0,17  | 12,28 |
|         | 17,54 | 13,55 | 11,52 | 10,23 | 7,81  |       |
|         | 20,96 | 20,11 | 31,16 | 26,35 | 1,42  |       |
| 2       | 102   | 122   | 180   | 145   | 12    | 561   |
|         | 3,55  | 4,24  | 6,26  | 5,05  | 0,42  | 19,52 |
|         | 24,17 | 23,28 | 18,85 | 15,95 | 18,75 |       |
|         | 18,18 | 21,75 | 32,09 | 25,85 | 2,14  |       |
| 3       | 74    | 89    | 183   | 151   | 10    | 507   |
|         | 2,57  | 3,10  | 6,37  | 5,25  | 0,35  | 17,64 |
|         | 17,54 | 16,98 | 19,16 | 16,61 | 15,63 |       |
|         | 14,60 | 17,55 | 36,09 | 29,78 | 1,97  |       |
| 4       | 123   | 159   | 331   | 325   | 25    | 963   |
|         | 4,28  | 5,53  | 11,52 | 11,31 | 0,87  | 33,51 |
|         | 29,15 | 30,34 | 34,66 | 35,75 | 39,06 |       |
|         | 12,77 | 16,51 | 34,37 | 33,75 | 2,60  |       |
| 5       | 49    | 83    | 151   | 195   | 12    | 490   |
|         | 1,70  | 2,89  | 5,25  | 6,78  | 0,42  | 17,05 |
|         | 11,61 | 15,84 | 15,81 | 21,45 | 18,75 |       |
|         | 10,00 | 16,94 | 30,82 | 39,80 | 2,45  |       |
|         | 422   | 524   | 955   | 909   | 64    | 2874  |
|         | 14,68 | 18,23 | 33,23 | 31,63 | 2,23  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 28,0894   | 0,0069      |
| Error    | 2854 | 4015,3564 |             |
| C. Total | 2870 | 4043,4458 |             |
| N        | 2874 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 56,179    | <.0001     |
| Pearson          | 56,866    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,034849 | 0,009812 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-3 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-3

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 19    | 38    | 126   | 166   | 4     | 353   |
|         | 0,66  | 1,33  | 4,40  | 5,80  | 0,14  | 12,34 |
|         | 6,38  | 9,03  | 11,01 | 18,10 | 4,94  |       |
|         | 5,38  | 10,76 | 35,69 | 47,03 | 1,13  |       |
| 2       | 56    | 78    | 218   | 191   | 12    | 555   |
|         | 1,96  | 2,73  | 7,62  | 6,68  | 0,42  | 19,40 |
|         | 18,79 | 18,53 | 19,06 | 20,83 | 14,81 |       |
|         | 10,09 | 14,05 | 39,28 | 34,41 | 2,16  |       |
| 3       | 48    | 74    | 220   | 148   | 15    | 505   |
|         | 1,68  | 2,59  | 7,69  | 5,17  | 0,52  | 17,65 |
|         | 16,11 | 17,58 | 19,23 | 16,14 | 18,52 |       |
|         | 9,50  | 14,65 | 43,56 | 29,31 | 2,97  |       |
| 4       | 106   | 160   | 396   | 283   | 18    | 963   |
|         | 3,70  | 5,59  | 13,84 | 9,89  | 0,63  | 33,66 |
|         | 35,57 | 38,00 | 34,62 | 30,86 | 22,22 |       |
|         | 11,01 | 16,61 | 41,12 | 29,39 | 1,87  |       |
| 5       | 69    | 71    | 184   | 129   | 32    | 485   |
|         | 2,41  | 2,48  | 6,43  | 4,51  | 1,12  | 16,95 |
|         | 23,15 | 16,86 | 16,08 | 14,07 | 39,51 |       |
|         | 14,23 | 14,64 | 37,94 | 26,60 | 6,60  |       |
|         | 298   | 421   | 1144  | 917   | 81    | 2861  |
|         | 10,42 | 14,72 | 39,99 | 32,05 | 2,83  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 42,7806   | 0,0111      |
| Error    | 2841 | 3818,7445 |             |
| C. Total | 2857 | 3861,5251 |             |
| N        | 2861 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 85,561    | <.0001     |
| Pearson          | 91,977    | <.0001     |


| Kappa    | Std Err  |
|----------|----------|
| -0,00485 | 0,009323 |

Kappa measures the degree of agreement.



**Contingency Analysis of Enig/ uenig 1-9-50-4 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-4

|                           | 1                           | 2                           | 3                              | 4                              | 5                           |              |
|---------------------------|-----------------------------|-----------------------------|--------------------------------|--------------------------------|-----------------------------|--------------|
| Count                     |                             |                             |                                |                                |                             |              |
| Total %                   |                             |                             |                                |                                |                             |              |
| Col %                     |                             |                             |                                |                                |                             |              |
| Row %                     |                             |                             |                                |                                |                             |              |
| BOSTEDSTYPE IDAG 2-19-262 |                             |                             |                                |                                |                             |              |
| 1                         | 12<br>0,42<br>11,43<br>3,39 | 13<br>0,45<br>8,07<br>3,67  | 108<br>3,76<br>12,15<br>30,51  | 214<br>7,45<br>13,11<br>60,45  | 7<br>0,24<br>8,14<br>1,98   | 354<br>12,32 |
| 2                         | 23<br>0,80<br>21,90<br>4,09 | 38<br>1,32<br>23,60<br>6,76 | 170<br>5,92<br>19,12<br>30,25  | 321<br>11,17<br>19,67<br>57,12 | 10<br>0,35<br>11,63<br>1,78 | 562<br>19,56 |
| 3                         | 18<br>0,63<br>17,14<br>3,56 | 26<br>0,90<br>16,15<br>5,15 | 151<br>5,26<br>16,99<br>29,90  | 294<br>10,23<br>18,01<br>58,22 | 16<br>0,56<br>18,60<br>3,17 | 505<br>17,58 |
| 4                         | 35<br>1,22<br>33,33<br>3,63 | 56<br>1,95<br>34,78<br>5,80 | 308<br>10,72<br>34,65<br>31,92 | 540<br>18,80<br>33,09<br>55,96 | 26<br>0,90<br>30,23<br>2,69 | 965<br>33,59 |
| 5                         | 17<br>0,59<br>16,19<br>3,49 | 28<br>0,97<br>17,39<br>5,75 | 152<br>5,29<br>17,10<br>31,21  | 263<br>9,15<br>16,12<br>54,00  | 27<br>0,94<br>31,40<br>5,54 | 487<br>16,95 |
|                           | 105<br>3,65                 | 161<br>5,60                 | 889<br>30,94                   | 1632<br>56,80                  | 86<br>2,99                  | 2873         |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 10,2214   | 0,0033      |
| Error    | 2853 | 3068,7369 |             |
| C. Total | 2869 | 3078,9583 |             |
| N        | 2873 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,443    | 0,2009     |
| Pearson          | 21,703    | 0,1530     |

| Kappa    | Std Err  |
|----------|----------|
| 0,002162 | 0,009484 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-5 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-9-50-5

| Count                     | Enig/ uenig 1-9-50-5 |       |       |       |       |       |       |
|---------------------------|----------------------|-------|-------|-------|-------|-------|-------|
|                           | 1                    | 2     | 3     | 4     | 5     |       |       |
| Total %                   |                      |       |       |       |       |       |       |
| Col %                     |                      |       |       |       |       |       |       |
| Row %                     |                      |       |       |       |       |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1                    | 66    | 84    | 117   | 79    | 8     | 354   |
|                           |                      | 2,30  | 2,92  | 4,07  | 2,75  | 0,28  | 12,32 |
|                           |                      | 22,45 | 20,29 | 16,74 | 5,62  | 13,11 |       |
|                           |                      | 18,64 | 23,73 | 33,05 | 22,32 | 2,26  |       |
|                           | 2                    | 97    | 143   | 143   | 157   | 19    | 559   |
|                           |                      | 3,38  | 4,98  | 4,98  | 5,46  | 0,66  | 19,45 |
|                           |                      | 32,99 | 34,54 | 20,46 | 11,17 | 31,15 |       |
|                           |                      | 17,35 | 25,58 | 25,58 | 28,09 | 3,40  |       |
|                           | 3                    | 88    | 100   | 155   | 156   | 10    | 509   |
|                           |                      | 3,06  | 3,48  | 5,39  | 5,43  | 0,35  | 17,71 |
|                           |                      | 29,93 | 24,15 | 22,17 | 11,10 | 16,39 |       |
|                           |                      | 17,29 | 19,65 | 30,45 | 30,65 | 1,96  |       |
|                           | 4                    | 29    | 68    | 216   | 631   | 18    | 962   |
|                           |                      | 1,01  | 2,37  | 7,52  | 21,96 | 0,63  | 33,47 |
|                           |                      | 9,86  | 16,43 | 30,90 | 44,88 | 29,51 |       |
|                           |                      | 3,01  | 7,07  | 22,45 | 65,59 | 1,87  |       |
|                           | 5                    | 14    | 19    | 68    | 383   | 6     | 490   |
|                           |                      | 0,49  | 0,66  | 2,37  | 13,33 | 0,21  | 17,05 |
|                           |                      | 4,76  | 4,59  | 9,73  | 27,24 | 9,84  |       |
|                           |                      | 2,86  | 3,88  | 13,88 | 78,16 | 1,22  |       |
|                           | 294                  | 414   | 699   | 1406  | 61    | 2874  |       |
|                           | 10,23                | 14,41 | 24,32 | 48,92 | 2,12  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 333,5572  | 0,0901      |
| Error    | 2854 | 3367,3802 |             |
| C. Total | 2870 | 3700,9374 |             |
| N        | 2874 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 667,114   | <.0001     |
| Pearson          | 630,268   | <.0001     |

| Kappa    | Std Err |
|----------|---------|
| 0,129826 | 0,01031 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-9 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 1-9-50-9 |       |       |      |      |     |
|---------------------------|---------|----------------------|-------|-------|------|------|-----|
|                           |         | 1                    | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                      |       |       |      |      |     |
|                           | Total % |                      |       |       |      |      |     |
|                           | Col %   |                      |       |       |      |      |     |
|                           | Row %   |                      |       |       |      |      |     |
|                           | 1       | 42                   | 74    | 126   | 108  | 3    | 353 |
|                           | 2       | 67                   | 122   | 198   | 162  | 10   | 559 |
| 3                         | 61      | 104                  | 158   | 169   | 14   | 506  |     |
| 4                         | 107     | 201                  | 341   | 292   | 22   | 963  |     |
| 5                         | 69      | 106                  | 160   | 144   | 10   | 489  |     |
|                           | 346     | 607                  | 983   | 875   | 59   | 2870 |     |
|                           | 12,06   | 21,15                | 34,25 | 30,49 | 2,06 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 5,9810    | 0,0015      |
| Error    | 2850 | 3990,8180 |             |
| C. Total | 2866 | 3996,7990 |             |
| N        | 2870 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 11,962    | 0,7466     |
| Pearson          | 11,436    | 0,7818     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00616 | 0,009371 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-10 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 1-9-50-10 |       |       |       |       |     |
|---------------------------|---------|-----------------------|-------|-------|-------|-------|-----|
|                           |         | 1                     | 2     | 3     | 4     | 5     |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                       |       |       |       |       |     |
|                           | Total % |                       |       |       |       |       |     |
|                           | Col %   |                       |       |       |       |       |     |
|                           | Row %   |                       |       |       |       |       |     |
|                           | 1       | 4                     | 19    | 110   | 217   | 3     | 353 |
|                           | 2       | 9                     | 37    | 189   | 317   | 10    | 562 |
| 3                         | 10      | 40                    | 186   | 264   | 7     | 507   |     |
| 4                         | 17      | 51                    | 330   | 553   | 14    | 965   |     |
| 5                         | 8       | 36                    | 167   | 264   | 16    | 491   |     |
|                           | 48      | 183                   | 982   | 1615  | 50    | 2878  |     |
|                           | 0,14    | 0,66                  | 3,82  | 7,54  | 0,10  | 12,27 |     |
|                           | 8,33    | 10,38                 | 11,20 | 13,44 | 6,00  |       |     |
|                           | 1,13    | 5,38                  | 31,16 | 61,47 | 0,85  |       |     |
|                           | 0,31    | 1,29                  | 6,57  | 11,01 | 0,35  | 19,53 |     |
|                           | 18,75   | 20,22                 | 19,25 | 19,63 | 20,00 |       |     |
|                           | 1,60    | 6,58                  | 33,63 | 56,41 | 1,78  |       |     |
|                           | 0,35    | 1,39                  | 6,46  | 9,17  | 0,24  | 17,62 |     |
|                           | 20,83   | 21,86                 | 18,94 | 16,35 | 14,00 |       |     |
|                           | 1,97    | 7,89                  | 36,69 | 52,07 | 1,38  |       |     |
|                           | 0,59    | 1,77                  | 11,47 | 19,21 | 0,49  | 33,53 |     |
|                           | 35,42   | 27,87                 | 33,60 | 34,24 | 28,00 |       |     |
|                           | 1,76    | 5,28                  | 34,20 | 57,31 | 1,45  |       |     |
|                           | 0,28    | 1,25                  | 5,80  | 9,17  | 0,56  | 17,06 |     |
|                           | 16,67   | 19,67                 | 17,01 | 16,35 | 32,00 |       |     |
|                           | 1,63    | 7,33                  | 34,01 | 53,77 | 3,26  |       |     |
|                           | 1,67    | 6,36                  | 34,12 | 56,12 | 1,74  |       |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 9,9486    | 0,0034      |
| Error    | 2858 | 2882,4081 |             |
| C. Total | 2874 | 2892,3567 |             |
| N        | 2878 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 19,897    | 0,2249     |
| Pearson          | 20,800    | 0,1863     |

| Kappa   | Std Err  |
|---------|----------|
| 0,01483 | 0,009365 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-9-50-13 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 1-9-50-13 |       |       |       |       |       |
|---------------------------|---------|-----------------------|-------|-------|-------|-------|-------|
|                           |         | 1                     | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                       |       |       |       |       |       |
|                           | Total % |                       |       |       |       |       |       |
|                           | Col %   |                       |       |       |       |       |       |
|                           | Row %   |                       |       |       |       |       |       |
|                           |         |                       |       |       |       |       |       |
| 1                         |         | 20                    | 63    | 148   | 105   | 18    | 354   |
|                           |         | 0,70                  | 2,20  | 5,16  | 3,66  | 0,63  | 12,35 |
|                           |         | 9,95                  | 12,28 | 12,85 | 12,73 | 10,23 |       |
|                           |         | 5,65                  | 17,80 | 41,81 | 29,66 | 5,08  |       |
| 2                         |         | 38                    | 115   | 234   | 141   | 30    | 558   |
|                           |         | 1,33                  | 4,01  | 8,16  | 4,92  | 1,05  | 19,46 |
|                           |         | 18,91                 | 22,42 | 20,31 | 17,09 | 17,05 |       |
|                           |         | 6,81                  | 20,61 | 41,94 | 25,27 | 5,38  |       |
| 3                         |         | 41                    | 99    | 206   | 137   | 25    | 508   |
|                           |         | 1,43                  | 3,45  | 7,19  | 4,78  | 0,87  | 17,72 |
|                           |         | 20,40                 | 19,30 | 17,88 | 16,61 | 14,20 |       |
|                           |         | 8,07                  | 19,49 | 40,55 | 26,97 | 4,92  |       |
| 4                         |         | 63                    | 154   | 406   | 280   | 56    | 959   |
|                           |         | 2,20                  | 5,37  | 14,16 | 9,77  | 1,95  | 33,45 |
|                           |         | 31,34                 | 30,02 | 35,24 | 33,94 | 31,82 |       |
|                           |         | 6,57                  | 16,06 | 42,34 | 29,20 | 5,84  |       |
| 5                         |         | 39                    | 82    | 158   | 162   | 47    | 488   |
|                           |         | 1,36                  | 2,86  | 5,51  | 5,65  | 1,64  | 17,02 |
|                           |         | 19,40                 | 15,98 | 13,72 | 19,64 | 26,70 |       |
|                           |         | 7,99                  | 16,80 | 32,38 | 33,20 | 9,63  |       |
|                           |         | 201                   | 513   | 1152  | 825   | 176   | 2867  |
|                           |         | 7,01                  | 17,89 | 40,18 | 28,78 | 6,14  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 17,4179   | 0,0044      |
| Error    | 2847 | 3968,6668 |             |
| C. Total | 2863 | 3986,0847 |             |
| N        | 2867 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 34,836    | 0,0042     |
| Pearson          | 35,717    | 0,0032     |

| Kappa    | Std Err  |
|----------|----------|
| 0,014917 | 0,009586 |

Kappa measures the degree of agreement.

**Contingency Analysis of Valg av A el B 1-10-51-1 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-1

|                           |         | Valg av A el B 1-10-51-1 |      |      |      |      |     |
|---------------------------|---------|--------------------------|------|------|------|------|-----|
|                           |         | 1                        | 2    | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |      |      |      |      |     |
|                           | Total % |                          |      |      |      |      |     |
|                           | Col %   |                          |      |      |      |      |     |
|                           | Row %   |                          |      |      |      |      |     |
|                           | 1       | 192                      | 84   | 11   | 40   | 26   | 353 |
|                           | 2       | 301                      | 115  | 21   | 64   | 59   | 560 |
| 3                         | 301     | 93                       | 21   | 51   | 42   | 508  |     |
| 4                         | 568     | 166                      | 63   | 63   | 107  | 967  |     |
| 5                         | 311     | 73                       | 34   | 37   | 35   | 490  |     |
|                           | 1673    | 531                      | 150  | 255  | 269  | 2878 |     |
|                           | 58,13   | 18,45                    | 5,21 | 8,86 | 9,35 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 25,9423   | 0,0074      |
| Error    | 2858 | 3477,7739 |             |
| C. Total | 2874 | 3503,7162 |             |
| N        | 2878 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 51,885    | <.0001     |
| Pearson          | 51,552    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,01679 | 0,007066 |

Kappa measures the degree of agreement.

**Contingency Analysis of Valg av A el B 1-10-51-2 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-2

|                           |         | Valg av A el B 1-10-51-2 |      |       |       |      |     |
|---------------------------|---------|--------------------------|------|-------|-------|------|-----|
|                           |         | 1                        | 2    | 3     | 4     | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |      |       |       |      |     |
|                           | Total % |                          |      |       |       |      |     |
|                           | Col %   |                          |      |       |       |      |     |
|                           | Row %   |                          |      |       |       |      |     |
|                           | 1       | 142                      | 58   | 21    | 45    | 87   | 353 |
|                           | 2       | 192                      | 75   | 33    | 79    | 181  | 560 |
| 3                         | 174     | 61                       | 39   | 62    | 172   | 508  |     |
| 4                         | 296     | 118                      | 83   | 101   | 367   | 965  |     |
| 5                         | 136     | 52                       | 52   | 59    | 191   | 490  |     |
|                           | 940     | 364                      | 228  | 346   | 998   | 2876 |     |
|                           | 32,68   | 12,66                    | 7,93 | 12,03 | 34,70 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 24,6419   | 0,0059      |
| Error    | 2856 | 4145,8784 |             |
| C. Total | 2872 | 4170,5204 |             |
| N        | 2876 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 49,284    | <.0001     |
| Pearson          | 48,761    | <.0001     |

| Kappa    | Std Err |
|----------|---------|
| 0,014956 | 0,00838 |

Kappa measures the degree of agreement.

**Contingency Analysis of Valg av A el B 1-10-51-5 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Valg av A el B 1-10-51-5

|                           |         | Valg av A el B 1-10-51-5 |      |       |       |      |     |
|---------------------------|---------|--------------------------|------|-------|-------|------|-----|
|                           |         | 1                        | 2    | 3     | 4     | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |      |       |       |      |     |
|                           | Total % |                          |      |       |       |      |     |
|                           | Col %   |                          |      |       |       |      |     |
|                           | Row %   |                          |      |       |       |      |     |
|                           | 1       | 136                      | 53   | 18    | 54    | 92   | 353 |
|                           | 2       | 168                      | 62   | 36    | 67    | 226  | 559 |
| 3                         | 158     | 53                       | 37   | 63    | 197   | 508  |     |
| 4                         | 325     | 83                       | 57   | 103   | 395   | 963  |     |
| 5                         | 220     | 48                       | 33   | 42    | 146   | 489  |     |
|                           | 1007    | 299                      | 181  | 329   | 1056  | 2872 |     |
|                           | 35,06   | 10,41                    | 6,30 | 11,46 | 36,77 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 33,9075   | 0,0085      |
| Error    | 2852 | 3967,6238 |             |
| C. Total | 2868 | 4001,5313 |             |
| N        | 2872 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 67,815    | <.0001     |
| Pearson          | 68,010    | <.0001     |


| Kappa    | Std Err  |
|----------|----------|
| -0,00849 | 0,008017 |

Kappa measures the degree of agreement.



**Contingency Analysis of Utnytte/ verne natur 1-10-52 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Utnytte/ verne natur 1-10-52

|                           |         | Utnytte/ verne natur 1-10-52 |       |       |       |       |     |
|---------------------------|---------|------------------------------|-------|-------|-------|-------|-----|
|                           |         | 1                            | 2     | 3     | 4     | 5     |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                              |       |       |       |       |     |
|                           | Total % |                              |       |       |       |       |     |
|                           | Col %   |                              |       |       |       |       |     |
|                           | Row %   |                              |       |       |       |       |     |
|                           | 1       | 199                          | 61    | 13    | 40    | 40    | 353 |
|                           | 2       | 313                          | 83    | 36    | 70    | 59    | 561 |
| 3                         | 288     | 67                           | 41    | 62    | 49    | 507   |     |
| 4                         | 521     | 111                          | 81    | 112   | 140   | 965   |     |
| 5                         | 247     | 66                           | 41    | 52    | 84    | 490   |     |
|                           | 1568    | 388                          | 212   | 336   | 372   | 2876  |     |
|                           | 54,52   | 13,49                        | 7,37  | 11,68 | 12,93 |       |     |
|                           | 6,92    | 2,12                         | 0,45  | 1,39  | 1,39  | 12,27 |     |
|                           | 12,69   | 15,72                        | 6,13  | 11,90 | 10,75 |       |     |
|                           | 56,37   | 17,28                        | 3,68  | 11,33 | 11,33 |       |     |
|                           | 10,88   | 2,89                         | 1,25  | 2,43  | 2,05  | 19,51 |     |
|                           | 19,96   | 21,39                        | 16,98 | 20,83 | 15,86 |       |     |
|                           | 55,79   | 14,80                        | 6,42  | 12,48 | 10,52 |       |     |
|                           | 10,01   | 2,33                         | 1,43  | 2,16  | 1,70  | 17,63 |     |
|                           | 18,37   | 17,27                        | 19,34 | 18,45 | 13,17 |       |     |
|                           | 56,80   | 13,21                        | 8,09  | 12,23 | 9,66  |       |     |
|                           | 18,12   | 3,86                         | 2,82  | 3,89  | 4,87  | 33,55 |     |
|                           | 33,23   | 28,61                        | 38,21 | 33,33 | 37,63 |       |     |
|                           | 53,99   | 11,50                        | 8,39  | 11,61 | 14,51 |       |     |
|                           | 8,59    | 2,29                         | 1,43  | 1,81  | 2,92  | 17,04 |     |
|                           | 15,75   | 17,01                        | 19,34 | 15,48 | 22,58 |       |     |
|                           | 50,41   | 13,47                        | 8,37  | 10,61 | 17,14 |       |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 18,7393   | 0,0050      |
| Error    | 2856 | 3744,6802 |             |
| C. Total | 2872 | 3763,4195 |             |
| N        | 2876 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 37,479    | 0,0018     |
| Pearson          | 36,293    | 0,0026     |

| Kappa    | Std Err  |
|----------|----------|
| 0,015606 | 0,007831 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig / uenig 1-11-53-5 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig / uenig 1-11-53-5

|                           |         | Enig / uenig 1-11-53-5 |       |       |      |      |     |
|---------------------------|---------|------------------------|-------|-------|------|------|-----|
|                           |         | 1                      | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                        |       |       |      |      |     |
|                           | Total % |                        |       |       |      |      |     |
|                           | Col %   |                        |       |       |      |      |     |
|                           | Row %   |                        |       |       |      |      |     |
|                           | 1       | 100                    | 55    | 90    | 101  | 8    | 354 |
|                           | 2       | 196                    | 82    | 123   | 147  | 10   | 558 |
| 3                         | 207     | 73                     | 107   | 110   | 9    | 506  |     |
| 4                         | 412     | 111                    | 206   | 207   | 30   | 966  |     |
| 5                         | 207     | 69                     | 86    | 111   | 16   | 489  |     |
|                           | 1122    | 390                    | 612   | 676   | 73   | 2873 |     |
|                           | 39,05   | 13,57                  | 21,30 | 23,53 | 2,54 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 21,5153   | 0,0053      |
| Error    | 2853 | 4004,8602 |             |
| C. Total | 2869 | 4026,3755 |             |
| N        | 2873 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 43,031    | 0,0003     |
| Pearson          | 41,931    | 0,0004     |

| Kappa    | Std Err  |
|----------|----------|
| -0,02142 | 0,008552 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig / uenig 1-11-53-10 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig / uenig 1-11-53-10 |       |       |      |      |     |
|---------------------------|---------|-------------------------|-------|-------|------|------|-----|
|                           |         | 1                       | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                         |       |       |      |      |     |
|                           | Total % |                         |       |       |      |      |     |
|                           | Col %   |                         |       |       |      |      |     |
|                           | Row %   |                         |       |       |      |      |     |
|                           | 1       | 48                      | 96    | 113   | 93   | 4    | 354 |
|                           | 2       | 49                      | 100   | 214   | 193  | 4    | 560 |
| 3                         | 49      | 101                     | 161   | 187   | 10   | 508  |     |
| 4                         | 71      | 178                     | 315   | 390   | 12   | 966  |     |
| 5                         | 37      | 78                      | 152   | 208   | 16   | 491  |     |
|                           | 254     | 553                     | 955   | 1071  | 46   | 2879 |     |
|                           | 8,82    | 19,21                   | 33,17 | 37,20 | 1,60 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 31,3514   | 0,0082      |
| Error    | 2859 | 3800,8580 |             |
| C. Total | 2875 | 3832,2094 |             |
| N        | 2879 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 62,703    | <.0001     |
| Pearson          | 65,162    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,018368 | 0,009768 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-13-58-8 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 1-13-58-8

|                           |         | Enig/ uenig 1-13-58-8 |       |       |      |      |     |
|---------------------------|---------|-----------------------|-------|-------|------|------|-----|
|                           |         | 1                     | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                       |       |       |      |      |     |
|                           | Total % |                       |       |       |      |      |     |
|                           | Col %   |                       |       |       |      |      |     |
|                           | Row %   |                       |       |       |      |      |     |
|                           | 1       | 23                    | 47    | 109   | 170  | 5    | 354 |
|                           | 2       | 55                    | 74    | 177   | 245  | 7    | 558 |
| 3                         | 39      | 50                    | 145   | 261   | 10   | 505  |     |
| 4                         | 70      | 69                    | 272   | 528   | 24   | 963  |     |
| 5                         | 29      | 24                    | 107   | 322   | 7    | 489  |     |
|                           | 216     | 264                   | 810   | 1526  | 53   | 2869 |     |
|                           | 7,53    | 9,20                  | 28,23 | 53,19 | 1,85 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 38,9613   | 0,0115      |
| Error    | 2849 | 3348,8777 |             |
| C. Total | 2865 | 3387,8390 |             |
| N        | 2869 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 77,923    | <.0001     |
| Pearson          | 77,680    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,016538 | 0,009577 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 1-13-58-23 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 1-13-58-23 |       |       |      |      |     |
|---------------------------|---------|------------------------|-------|-------|------|------|-----|
|                           |         | 1                      | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                        |       |       |      |      |     |
|                           | Total % |                        |       |       |      |      |     |
|                           | Col %   |                        |       |       |      |      |     |
|                           | Row %   |                        |       |       |      |      |     |
|                           | 1       | 34                     | 76    | 130   | 107  | 5    | 352 |
|                           | 2       | 65                     | 112   | 196   | 185  | 4    | 562 |
| 3                         | 66      | 100                    | 183   | 150   | 8    | 507  |     |
| 4                         | 121     | 177                    | 328   | 322   | 17   | 965  |     |
| 5                         | 85      | 108                    | 141   | 151   | 6    | 491  |     |
|                           | 371     | 573                    | 978   | 915   | 40   | 2877 |     |
|                           | 12,90   | 19,92                  | 33,99 | 31,80 | 1,39 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 12,4528   | 0,0031      |
| Error    | 2857 | 3946,5558 |             |
| C. Total | 2873 | 3959,0085 |             |
| N        | 2877 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,906    | 0,0715     |
| Pearson          | 24,815    | 0,0732     |

| Kappa    | Std Err  |
|----------|----------|
| 0,006086 | 0,009355 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-1 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-1

|                           |   | Enig/ uenig 2-1-201-1 |       |       |       |       |       |
|---------------------------|---|-----------------------|-------|-------|-------|-------|-------|
| Count                     |   | 1                     | 2     | 3     | 4     | 5     |       |
| Total %                   |   |                       |       |       |       |       |       |
| Col %                     |   |                       |       |       |       |       |       |
| Row %                     |   |                       |       |       |       |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1 | 17                    | 77    | 171   | 85    | 0     | 350   |
|                           |   | 0,60                  | 2,70  | 5,99  | 2,98  | 0,00  | 12,25 |
|                           |   | 6,56                  | 11,61 | 12,66 | 14,96 | 0,00  |       |
|                           |   | 4,86                  | 22,00 | 48,86 | 24,29 | 0,00  |       |
|                           |   |                       |       |       |       |       |       |
|                           | 2 | 43                    | 126   | 276   | 115   | 0     | 560   |
|                           |   | 1,51                  | 4,41  | 9,66  | 4,03  | 0,00  | 19,60 |
|                           |   | 16,60                 | 19,00 | 20,43 | 20,25 | 0,00  |       |
|                           |   | 7,68                  | 22,50 | 49,29 | 20,54 | 0,00  |       |
|                           | 3 | 43                    | 115   | 238   | 108   | 3     | 507   |
|                           |   | 1,51                  | 4,03  | 8,33  | 3,78  | 0,11  | 17,75 |
|                           |   | 16,60                 | 17,35 | 17,62 | 19,01 | 18,75 |       |
|                           |   | 8,48                  | 22,68 | 46,94 | 21,30 | 0,59  |       |
|                           | 4 | 102                   | 220   | 449   | 175   | 8     | 954   |
|                           |   | 3,57                  | 7,70  | 15,72 | 6,13  | 0,28  | 33,39 |
|                           |   | 39,38                 | 33,18 | 33,23 | 30,81 | 50,00 |       |
|                           |   | 10,69                 | 23,06 | 47,06 | 18,34 | 0,84  |       |
|                           | 5 | 54                    | 125   | 217   | 85    | 5     | 486   |
|                           |   | 1,89                  | 4,38  | 7,60  | 2,98  | 0,18  | 17,01 |
|                           |   | 20,85                 | 18,85 | 16,06 | 14,96 | 31,25 |       |
|                           |   | 11,11                 | 25,72 | 44,65 | 17,49 | 1,03  |       |
|                           |   | 259                   | 663   | 1351  | 568   | 16    | 2857  |
|                           |   | 9,07                  | 23,21 | 47,29 | 19,88 | 0,56  |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 18,4032   | 0,0051      |
| Error    | 2837 | 3584,1669 |             |
| C. Total | 2853 | 3602,5701 |             |
| N        | 2857 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 36,806    | 0,0022     |
| Pearson          | 31,285    | 0,0124     |

| Kappa   | Std Err  |
|---------|----------|
| -0,0145 | 0,008594 |

Kappa measures the degree of agreement.

**Oneway Analysis of Enig/ uenig 2-1-201-2 By BOSTEDSTYPE IDAG 2-19-262**



**Oneway Anova**

**Summary of Fit**

|                            |          |
|----------------------------|----------|
| Rsquare                    | 0,009373 |
| Adj Rsquare                | 0,007985 |
| Root Mean Square Error     | 0,849511 |
| Mean of Response           | 3,131423 |
| Observations (or Sum Wgts) | 2861     |

**Analysis of Variance**

| Source                    | DF   | Sum of Squares | Mean Square | F Ratio | Prob > F |
|---------------------------|------|----------------|-------------|---------|----------|
| BOSTEDSTYPE IDAG 2-19-262 | 4    | 19,5006        | 4,87515     | 6,7554  | <.0001   |
| Error                     | 2856 | 2061,0845      | 0,72167     |         |          |
| C. Total                  | 2860 | 2080,5851      |             |         |          |


**Means for Oneway Anova**

| Level | Number | Mean    | Std Error | Lower 95% | Upper 95% |
|-------|--------|---------|-----------|-----------|-----------|
| 1     | 352    | 3,00000 | 0,04528   | 2,9112    | 3,0888    |
| 2     | 555    | 3,03784 | 0,03606   | 2,9671    | 3,1085    |
| 3     | 508    | 3,13386 | 0,03769   | 3,0600    | 3,2078    |
| 4     | 961    | 3,17170 | 0,02740   | 3,1180    | 3,2254    |
| 5     | 485    | 3,25155 | 0,03857   | 3,1759    | 3,3272    |

Std Error uses a pooled estimate of error variance

**Contingency Analysis of Enig/ uenig 2-1-201-8 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-8

|                           |         | Enig/ uenig 2-1-201-8 |       |      |      |      |     |
|---------------------------|---------|-----------------------|-------|------|------|------|-----|
|                           |         | 1                     | 2     | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                       |       |      |      |      |     |
|                           | Total % |                       |       |      |      |      |     |
|                           | Col %   |                       |       |      |      |      |     |
|                           | Row %   |                       |       |      |      |      |     |
|                           | 1       | 90                    | 137   | 95   | 24   | 6    | 352 |
|                           | 2       | 187                   | 225   | 112  | 26   | 8    | 558 |
| 3                         | 207     | 174                   | 103   | 17   | 3    | 504  |     |
| 4                         | 596     | 254                   | 71    | 30   | 4    | 955  |     |
| 5                         | 365     | 73                    | 31    | 7    | 9    | 485  |     |
|                           | 1445    | 863                   | 412   | 104  | 30   | 2854 |     |
|                           | 50,63   | 30,24                 | 14,44 | 3,64 | 1,05 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 200,3129  | 0,0608      |
| Error    | 2834 | 3093,8955 |             |
| C. Total | 2850 | 3294,2084 |             |
| N        | 2854 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 400,626   | <.0001     |
| Pearson          | 386,885   | <.0001     |


| Kappa    | Std Err  |
|----------|----------|
| -0,00109 | 0,007769 |

Kappa measures the degree of agreement.



**Contingency Analysis of Enig/ uenig 2-1-201-26 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

|                           |         | Enig/ uenig 2-1-201-26 |       |       |      |      |     |
|---------------------------|---------|------------------------|-------|-------|------|------|-----|
|                           |         | 1                      | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                        |       |       |      |      |     |
|                           | Total % |                        |       |       |      |      |     |
|                           | Col %   |                        |       |       |      |      |     |
|                           | Row %   |                        |       |       |      |      |     |
|                           | 1       | 125                    | 75    | 69    | 76   | 7    | 352 |
|                           | 2       | 121                    | 146   | 143   | 139  | 8    | 557 |
| 3                         | 95      | 96                     | 113   | 189   | 7    | 500  |     |
| 4                         | 166     | 174                    | 229   | 361   | 25   | 955  |     |
| 5                         | 58      | 57                     | 105   | 257   | 7    | 484  |     |
|                           | 565     | 548                    | 659   | 1022  | 54   | 2848 |     |
|                           | 19,84   | 19,24                  | 23,14 | 35,88 | 1,90 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 88,0932   | 0,0218      |
| Error    | 2828 | 3955,0555 |             |
| C. Total | 2844 | 4043,1487 |             |
| N        | 2848 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 176,186   | <.0001     |
| Pearson          | 180,802   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,048752 | 0,010148 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-60 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-60

|                           |         | Enig/ uenig 2-1-201-60 |       |       |       |       |       |
|---------------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                      | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                        |       |       |       |       |       |
|                           | Total % |                        |       |       |       |       |       |
|                           | Col %   |                        |       |       |       |       |       |
|                           | Row %   |                        |       |       |       |       |       |
|                           | 1       | 59                     | 96    | 147   | 47    | 3     | 352   |
|                           |         | 2,07                   | 3,37  | 5,16  | 1,65  | 0,11  | 12,35 |
| 2                         | 75      | 145                    | 238   | 91    | 7     | 556   |       |
|                           | 2,63    | 5,09                   | 8,35  | 3,19  | 0,25  | 19,51 |       |
| 3                         | 57      | 126                    | 208   | 104   | 4     | 499   |       |
|                           | 2,00    | 4,42                   | 7,30  | 3,65  | 0,14  | 17,51 |       |
| 4                         | 102     | 222                    | 409   | 211   | 15    | 959   |       |
|                           | 3,58    | 7,79                   | 14,35 | 7,40  | 0,53  | 33,65 |       |
| 5                         | 44      | 72                     | 196   | 164   | 8     | 484   |       |
|                           | 1,54    | 2,53                   | 6,88  | 5,75  | 0,28  | 16,98 |       |
|                           | 13,06   | 10,89                  | 16,36 | 26,58 | 21,62 |       |       |
|                           | 9,09    | 14,88                  | 40,50 | 33,88 | 1,65  |       |       |
|                           | 337     | 661                    | 1198  | 617   | 37    | 2850  |       |
|                           | 11,82   | 23,19                  | 42,04 | 21,65 | 1,30  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 43,3102   | 0,0113      |
| Error    | 2830 | 3785,2504 |             |
| C. Total | 2846 | 3828,5606 |             |
| N        | 2850 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 86,620    | <.0001     |
| Pearson          | 87,675    | <.0001     |

| Kappa    | Std Err |
|----------|---------|
| 0,016301 | 0,00926 |

Kappa measures the degree of agreement.

**Contingency Analysis of Enig/ uenig 2-1-201-77 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Enig/ uenig 2-1-201-77

|                           |         | Enig/ uenig 2-1-201-77 |       |       |       |       |       |
|---------------------------|---------|------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                      | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                        |       |       |       |       |       |
|                           | Total % |                        |       |       |       |       |       |
|                           | Col %   |                        |       |       |       |       |       |
|                           | Row %   |                        |       |       |       |       |       |
|                           | 1       | 94                     | 123   | 85    | 38    | 11    | 351   |
|                           |         | 3,32                   | 4,34  | 3,00  | 1,34  | 0,39  | 12,40 |
| 2                         | 126     | 161                    | 170   | 78    | 19    | 554   |       |
|                           | 4,45    | 5,69                   | 6,00  | 2,76  | 0,67  | 19,57 |       |
| 3                         | 114     | 140                    | 152   | 78    | 11    | 495   |       |
|                           | 4,03    | 4,95                   | 5,37  | 2,76  | 0,39  | 17,48 |       |
| 4                         | 208     | 255                    | 298   | 157   | 29    | 947   |       |
|                           | 7,35    | 9,01                   | 10,53 | 5,55  | 1,02  | 33,45 |       |
| 5                         | 112     | 122                    | 145   | 87    | 18    | 484   |       |
|                           | 3,96    | 4,31                   | 5,12  | 3,07  | 0,64  | 17,10 |       |
|                           | 17,13   | 15,23                  | 17,06 | 19,86 | 20,45 |       |       |
|                           | 23,14   | 25,21                  | 29,96 | 17,98 | 3,72  |       |       |
|                           | 654     | 801                    | 850   | 438   | 88    | 2831  |       |
|                           | 23,10   | 28,29                  | 30,02 | 15,47 | 3,11  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 13,0909   | 0,0032      |
| Error    | 2811 | 4101,9926 |             |
| C. Total | 2827 | 4115,0835 |             |
| N        | 2831 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 26,182    | 0,0515     |
| Pearson          | 25,748    | 0,0577     |

| Kappa    | Std Err  |
|----------|----------|
| 0,014885 | 0,009007 |

Kappa measures the degree of agreement.

**Contingency Analysis of Stemmer med min men 2-8-226-7 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-7

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     | 4     |     |
|---------------------------|---------|-------|-------|-------|-------|-----|
|                           | Total % |       |       |       |       |     |
|                           | Col %   |       |       |       |       |     |
|                           | Row %   |       |       |       |       |     |
|                           | 1       | 66    | 111   | 129   | 45    | 351 |
|                           | 2,32    | 3,91  | 4,54  | 1,58  | 12,35 |     |
|                           | 13,81   | 15,16 | 11,35 | 9,11  |       |     |
|                           | 18,80   | 31,62 | 36,75 | 12,82 |       |     |
| 2                         | 102     | 131   | 218   | 104   | 555   |     |
|                           | 3,59    | 4,61  | 7,67  | 3,66  | 19,54 |     |
|                           | 21,34   | 17,90 | 19,17 | 21,05 |       |     |
|                           | 18,38   | 23,60 | 39,28 | 18,74 |       |     |
| 3                         | 92      | 127   | 203   | 78    | 500   |     |
|                           | 3,24    | 4,47  | 7,15  | 2,75  | 17,60 |     |
|                           | 19,25   | 17,35 | 17,85 | 15,79 |       |     |
|                           | 18,40   | 25,40 | 40,60 | 15,60 |       |     |
| 4                         | 150     | 242   | 394   | 166   | 952   |     |
|                           | 5,28    | 8,52  | 13,87 | 5,84  | 33,51 |     |
|                           | 31,38   | 33,06 | 34,65 | 33,60 |       |     |
|                           | 15,76   | 25,42 | 41,39 | 17,44 |       |     |
| 5                         | 68      | 121   | 193   | 101   | 483   |     |
|                           | 2,39    | 4,26  | 6,79  | 3,56  | 17,00 |     |
|                           | 14,23   | 16,53 | 16,97 | 20,45 |       |     |
|                           | 14,08   | 25,05 | 39,96 | 20,91 |       |     |
|                           | 478     | 732   | 1137  | 494   | 2841  |     |
|                           | 16,83   | 25,77 | 40,02 | 17,39 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 10,8521   | 0,0029      |
| Error    | 2826 | 3739,1895 |             |
| C. Total | 2838 | 3750,0416 |             |
| N        | 2841 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,704    | 0,0410     |
| Pearson          | 21,670    | 0,0414     |

**Contingency Analysis of Stemmer med min men 2-8-226-14 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Stemmer med min men 2-8-226-14

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     | 4     |     |
|---------------------------|---------|-------|-------|-------|-------|-----|
|                           | Total % |       |       |       |       |     |
|                           | Col %   |       |       |       |       |     |
|                           | Row %   |       |       |       |       |     |
|                           | 1       | 41    | 113   | 134   | 63    | 351 |
|                           | 1,44    | 3,97  | 4,71  | 2,21  | 12,32 |     |
|                           | 12,17   | 14,77 | 11,19 | 11,50 |       |     |
|                           | 11,68   | 32,19 | 38,18 | 17,95 |       |     |
| 2                         | 65      | 144   | 220   | 128   | 557   |     |
|                           | 2,28    | 5,06  | 7,72  | 4,49  | 19,56 |     |
|                           | 19,29   | 18,82 | 18,36 | 23,36 |       |     |
|                           | 11,67   | 25,85 | 39,50 | 22,98 |       |     |
| 3                         | 73      | 131   | 212   | 87    | 503   |     |
|                           | 2,56    | 4,60  | 7,44  | 3,05  | 17,66 |     |
|                           | 21,66   | 17,12 | 17,70 | 15,88 |       |     |
|                           | 14,51   | 26,04 | 42,15 | 17,30 |       |     |
| 4                         | 109     | 248   | 421   | 177   | 955   |     |
|                           | 3,83    | 8,71  | 14,78 | 6,21  | 33,53 |     |
|                           | 32,34   | 32,42 | 35,14 | 32,30 |       |     |
|                           | 11,41   | 25,97 | 44,08 | 18,53 |       |     |
| 5                         | 49      | 129   | 211   | 93    | 482   |     |
|                           | 1,72    | 4,53  | 7,41  | 3,27  | 16,92 |     |
|                           | 14,54   | 16,86 | 17,61 | 16,97 |       |     |
|                           | 10,17   | 26,76 | 43,78 | 19,29 |       |     |
|                           | 337     | 765   | 1198  | 548   | 2848  |     |
|                           | 11,83   | 26,86 | 42,06 | 19,24 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 12   | 8,5748    | 0,0023      |
| Error    | 2833 | 3656,8519 |             |
| C. Total | 2845 | 3665,4267 |             |
| N        | 2848 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,150    | 0,1441     |
| Pearson          | 17,669    | 0,1261     |

**Contingency Analysis of Reisemåtevalg 2-28-284-1 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-1

|                           |         | Reisemåtevalg 2-28-284-1 |       |       |       |       |       |
|---------------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                        | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |       |       |       |       |       |
|                           | Total % |                          |       |       |       |       |       |
|                           | Col %   |                          |       |       |       |       |       |
|                           | Row %   |                          |       |       |       |       |       |
|                           | 1       | 123                      | 143   | 70    | 8     | 3     | 347   |
|                           |         | 4,40                     | 5,11  | 2,50  | 0,29  | 0,11  | 12,41 |
| 2                         | 213     | 219                      | 87    | 28    | 9     | 556   |       |
|                           | 7,62    | 7,83                     | 3,11  | 1,00  | 0,32  | 19,88 |       |
| 3                         | 154     | 214                      | 93    | 24    | 8     | 493   |       |
|                           | 5,51    | 7,65                     | 3,32  | 0,86  | 0,29  | 17,63 |       |
| 4                         | 292     | 409                      | 169   | 41    | 18    | 929   |       |
|                           | 10,44   | 14,62                    | 6,04  | 1,47  | 0,64  | 33,21 |       |
| 5                         | 130     | 205                      | 87    | 27    | 23    | 472   |       |
|                           | 4,65    | 7,33                     | 3,11  | 0,97  | 0,82  | 16,88 |       |
|                           | 14,25   | 17,23                    | 17,19 | 21,09 | 37,70 |       |       |
|                           | 27,54   | 43,43                    | 18,43 | 5,72  | 4,87  |       |       |
|                           | 912     | 1190                     | 506   | 128   | 61    | 2797  |       |
|                           | 32,61   | 42,55                    | 18,09 | 4,58  | 2,18  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 19,6225   | 0,0056      |
| Error    | 2777 | 3512,6685 |             |
| C. Total | 2793 | 3532,2910 |             |
| N        | 2797 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 39,245    | 0,0010     |
| Pearson          | 41,623    | 0,0004     |

| Kappa   | Std Err  |
|---------|----------|
| 0,00317 | 0,008045 |

Kappa measures the degree of agreement.

## Contingency Analysis of Reisemåtevalg 2-28-284-2 By BOSTEDSTYPE IDAG 2-19-262

## Mosaic Plot



## Contingency Table

Reisemåtevalg 2-28-284-2

|                           |         | Reisemåtevalg 2-28-284-2 |       |       |       |       |     |
|---------------------------|---------|--------------------------|-------|-------|-------|-------|-----|
|                           |         | 1                        | 2     | 3     | 4     | 5     |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |       |       |       |       |     |
|                           | Total % |                          |       |       |       |       |     |
|                           | Col %   |                          |       |       |       |       |     |
|                           | Row %   |                          |       |       |       |       |     |
|                           | 1       | 176                      | 134   | 29    | 10    | 2     | 351 |
|                           | 2       | 245                      | 223   | 63    | 16    | 9     | 556 |
| 3                         | 231     | 213                      | 35    | 9     | 7     | 495   |     |
| 4                         | 454     | 389                      | 74    | 14    | 15    | 946   |     |
| 5                         | 213     | 197                      | 40    | 8     | 19    | 477   |     |
|                           | 1319    | 1156                     | 241   | 57    | 52    | 2825  |     |
|                           | 46,69   | 40,92                    | 8,53  | 2,02  | 1,84  |       |     |
|                           | 6,23    | 4,74                     | 1,03  | 0,35  | 0,07  | 12,42 |     |
|                           | 13,34   | 11,59                    | 12,03 | 17,54 | 3,85  |       |     |
|                           | 50,14   | 38,18                    | 8,26  | 2,85  | 0,57  |       |     |
|                           | 8,67    | 7,89                     | 2,23  | 0,57  | 0,32  | 19,68 |     |
|                           | 18,57   | 19,29                    | 26,14 | 28,07 | 17,31 |       |     |
|                           | 44,06   | 40,11                    | 11,33 | 2,88  | 1,62  |       |     |
|                           | 8,18    | 7,54                     | 1,24  | 0,32  | 0,25  | 17,52 |     |
|                           | 17,51   | 18,43                    | 14,52 | 15,79 | 13,46 |       |     |
|                           | 46,67   | 43,03                    | 7,07  | 1,82  | 1,41  |       |     |
|                           | 16,07   | 13,77                    | 2,62  | 0,50  | 0,53  | 33,49 |     |
|                           | 34,42   | 33,65                    | 30,71 | 24,56 | 28,85 |       |     |
|                           | 47,99   | 41,12                    | 7,82  | 1,48  | 1,59  |       |     |
|                           | 7,54    | 6,97                     | 1,42  | 0,28  | 0,67  | 16,88 |     |
|                           | 16,15   | 17,04                    | 16,60 | 14,04 | 36,54 |       |     |
|                           | 44,65   | 41,30                    | 8,39  | 1,68  | 3,98  |       |     |

## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 14,6292   | 0,0048      |
| Error    | 2805 | 3046,3396 |             |
| C. Total | 2821 | 3060,9688 |             |
| N        | 2825 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,258    | 0,0223     |
| Pearson          | 31,645    | 0,0111     |

| Kappa    | Std Err  |
|----------|----------|
| 0,002329 | 0,007149 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-3 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-3

|                           |         | Reisemåtevalg 2-28-284-3 |       |      |      |      |     |
|---------------------------|---------|--------------------------|-------|------|------|------|-----|
|                           |         | 1                        | 2     | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |       |      |      |      |     |
|                           | Total % |                          |       |      |      |      |     |
|                           | Col %   |                          |       |      |      |      |     |
|                           | Row %   |                          |       |      |      |      |     |
|                           | 1       | 104                      | 143   | 85   | 12   | 4    | 348 |
|                           | 2       | 207                      | 228   | 91   | 15   | 9    | 550 |
| 3                         | 181     | 215                      | 69    | 16   | 8    | 489  |     |
| 4                         | 368     | 393                      | 130   | 29   | 16   | 936  |     |
| 5                         | 180     | 190                      | 68    | 17   | 17   | 472  |     |
|                           | 1040    | 1169                     | 443   | 89   | 54   | 2795 |     |
|                           | 37,21   | 41,82                    | 15,85 | 3,18 | 1,93 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,8325   | 0,0050      |
| Error    | 2775 | 3366,2303 |             |
| C. Total | 2791 | 3383,0628 |             |
| N        | 2795 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,665    | 0,0060     |
| Pearson          | 36,650    | 0,0023     |

| Kappa    | Std Err  |
|----------|----------|
| -0,01248 | 0,007537 |

Kappa measures the degree of agreement.



**Contingency Analysis of Reisemåtevalg 2-28-284-4 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-4

|                           |         | Reisemåtevalg 2-28-284-4 |       |       |      |      |     |
|---------------------------|---------|--------------------------|-------|-------|------|------|-----|
|                           |         | 1                        | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |       |       |      |      |     |
|                           | Total % |                          |       |       |      |      |     |
|                           | Col %   |                          |       |       |      |      |     |
|                           | Row %   |                          |       |       |      |      |     |
|                           | 1       | 76                       | 94    | 122   | 55   | 3    | 350 |
|                           | 2       | 99                       | 191   | 202   | 46   | 10   | 548 |
| 3                         | 100     | 184                      | 159   | 48    | 7    | 498  |     |
| 4                         | 177     | 337                      | 299   | 104   | 16   | 933  |     |
| 5                         | 80      | 148                      | 158   | 65    | 15   | 466  |     |
|                           | 532     | 954                      | 940   | 318   | 51   | 2795 |     |
|                           | 19,03   | 34,13                    | 33,63 | 11,38 | 1,82 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 17,6422   | 0,0046      |
| Error    | 2775 | 3810,0945 |             |
| C. Total | 2791 | 3827,7367 |             |
| N        | 2795 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 35,284    | 0,0036     |
| Pearson          | 35,689    | 0,0032     |

| Kappa    | Std Err  |
|----------|----------|
| 0,004071 | 0,008749 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-5 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-5

|                           |         | Reisemåtevalg 2-28-284-5 |       |      |      |      |     |
|---------------------------|---------|--------------------------|-------|------|------|------|-----|
|                           |         | 1                        | 2     | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |       |      |      |      |     |
|                           | Total % |                          |       |      |      |      |     |
|                           | Col %   |                          |       |      |      |      |     |
|                           | Row %   |                          |       |      |      |      |     |
|                           | 1       | 115                      | 157   | 56   | 17   | 4    | 349 |
|                           | 2       | 165                      | 237   | 110  | 26   | 10   | 548 |
| 3                         | 140     | 234                      | 83    | 22   | 12   | 491  |     |
| 4                         | 244     | 436                      | 185   | 49   | 21   | 935  |     |
| 5                         | 117     | 196                      | 99    | 35   | 20   | 467  |     |
|                           | 781     | 1260                     | 533   | 149  | 67   | 2790 |     |
|                           | 27,99   | 45,16                    | 19,10 | 5,34 | 2,40 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 14,0005   | 0,0039      |
| Error    | 2770 | 3550,6568 |             |
| C. Total | 2786 | 3564,6573 |             |
| N        | 2790 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 28,001    | 0,0316     |
| Pearson          | 29,072    | 0,0235     |

| Kappa    | Std Err  |
|----------|----------|
| 0,001691 | 0,008078 |

Kappa measures the degree of agreement.

**Contingency Analysis of Reisemåtevalg 2-28-284-6 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Reisemåtevalg 2-28-284-6

|                           |         | Reisemåtevalg 2-28-284-6 |       |       |       |       |       |
|---------------------------|---------|--------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                        | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                          |       |       |       |       |       |
|                           | Total % |                          |       |       |       |       |       |
|                           | Col %   |                          |       |       |       |       |       |
|                           | Row %   |                          |       |       |       |       |       |
|                           | 1       | 58                       | 107   | 119   | 58    | 4     | 346   |
|                           |         | 2,08                     | 3,84  | 4,28  | 2,08  | 0,14  | 12,43 |
| 2                         | 70      | 165                      | 214   | 86    | 13    | 548   |       |
|                           | 2,52    | 5,93                     | 7,69  | 3,09  | 0,47  | 19,69 |       |
| 3                         | 79      | 135                      | 179   | 84    | 14    | 491   |       |
|                           | 2,84    | 4,85                     | 6,43  | 3,02  | 0,50  | 17,64 |       |
| 4                         | 127     | 234                      | 404   | 146   | 19    | 930   |       |
|                           | 4,56    | 8,41                     | 14,52 | 5,25  | 0,68  | 33,42 |       |
| 5                         | 45      | 116                      | 200   | 87    | 20    | 468   |       |
|                           | 1,62    | 4,17                     | 7,19  | 3,13  | 0,72  | 16,82 |       |
|                           | 11,87   | 15,32                    | 17,92 | 18,87 | 28,57 |       |       |
|                           | 9,62    | 24,79                    | 42,74 | 18,59 | 4,27  |       |       |
|                           | 379     | 757                      | 1116  | 461   | 70    | 2783  |       |
|                           | 13,62   | 27,20                    | 40,10 | 16,56 | 2,52  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 17,8792   | 0,0046      |
| Error    | 2763 | 3829,7041 |             |
| C. Total | 2779 | 3847,5833 |             |
| N        | 2783 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 35,758    | 0,0031     |
| Pearson          | 35,713    | 0,0032     |

| Kappa    | Std Err  |
|----------|----------|
| 0,004092 | 0,009136 |

Kappa measures the degree of agreement.

**Contingency Analysis of Ferieland sommer 2-28-285-1 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Ferieland sommer 2-28-285-1

|                           |         | Ferieland sommer 2-28-285-1 |       |       |      |      |     |
|---------------------------|---------|-----------------------------|-------|-------|------|------|-----|
|                           |         | 1                           | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |       |      |      |     |
|                           | Total % |                             |       |       |      |      |     |
|                           | Col %   |                             |       |       |      |      |     |
|                           | Row %   |                             |       |       |      |      |     |
|                           | 1       | 158                         | 35    | 115   | 13   | 30   | 351 |
|                           | 2       | 285                         | 42    | 166   | 36   | 29   | 558 |
| 3                         | 241     | 39                          | 133   | 50    | 36   | 499  |     |
| 4                         | 538     | 55                          | 181   | 126   | 63   | 963  |     |
| 5                         | 246     | 24                          | 69    | 76    | 68   | 483  |     |
|                           | 1468    | 195                         | 664   | 301   | 226  | 2854 |     |
|                           | 51,44   | 6,83                        | 23,27 | 10,55 | 7,92 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 72,3222   | 0,0195      |
| Error    | 2834 | 3645,3359 |             |
| C. Total | 2850 | 3717,6581 |             |
| N        | 2854 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 144,644   | <.0001     |
| Pearson          | 142,988   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,022033 | 0,008083 |

Kappa measures the degree of agreement.

**Contingency Analysis of Ferieland høst 2-28-285-2 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Ferieland høst 2-28-285-2

|         | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Count   |       |       |       |       |       |       |
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 101   | 36    | 17    | 65    | 122   | 341   |
|         | 3,72  | 1,33  | 0,63  | 2,40  | 4,50  | 12,57 |
|         | 10,83 | 22,50 | 19,77 | 9,12  | 14,88 |       |
|         | 29,62 | 10,56 | 4,99  | 19,06 | 35,78 |       |
| 2       | 196   | 33    | 23    | 119   | 160   | 531   |
|         | 7,23  | 1,22  | 0,85  | 4,39  | 5,90  | 19,58 |
|         | 21,01 | 20,63 | 26,74 | 16,69 | 19,51 |       |
|         | 36,91 | 6,21  | 4,33  | 22,41 | 30,13 |       |
| 3       | 165   | 27    | 10    | 142   | 129   | 473   |
|         | 6,08  | 1,00  | 0,37  | 5,24  | 4,76  | 17,44 |
|         | 17,68 | 16,88 | 11,63 | 19,92 | 15,73 |       |
|         | 34,88 | 5,71  | 2,11  | 30,02 | 27,27 |       |
| 4       | 324   | 48    | 22    | 251   | 266   | 911   |
|         | 11,95 | 1,77  | 0,81  | 9,26  | 9,81  | 33,59 |
|         | 34,73 | 30,00 | 25,58 | 35,20 | 32,44 |       |
|         | 35,57 | 5,27  | 2,41  | 27,55 | 29,20 |       |
| 5       | 147   | 16    | 14    | 136   | 143   | 456   |
|         | 5,42  | 0,59  | 0,52  | 5,01  | 5,27  | 16,81 |
|         | 15,76 | 10,00 | 16,28 | 19,07 | 17,44 |       |
|         | 32,24 | 3,51  | 3,07  | 29,82 | 31,36 |       |
|         | 933   | 160   | 86    | 713   | 820   | 2712  |
|         | 34,40 | 5,90  | 3,17  | 26,29 | 30,24 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 25,0331   | 0,0068      |
| Error    | 2692 | 3653,5211 |             |
| C. Total | 2708 | 3678,5542 |             |
| N        | 2712 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 50,066    | <.0001     |
| Pearson          | 51,452    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00139 | 0,008839 |

Kappa measures the degree of agreement.

**Contingency Analysis of Ferieland vinter/p 2-28-285-3 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Ferieland vinter/p 2-28-285-3

|                           |         | Ferieland vinter/p 2-28-285-3 |       |       |       |       |       |
|---------------------------|---------|-------------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                             | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                               |       |       |       |       |       |
|                           | Total % |                               |       |       |       |       |       |
|                           | Col %   |                               |       |       |       |       |       |
|                           | Row %   |                               |       |       |       |       |       |
|                           | 1       | 189                           | 22    | 18    | 65    | 55    | 349   |
|                           |         | 6,85                          | 0,80  | 0,65  | 2,36  | 1,99  | 12,64 |
| 2                         | 308     | 29                            | 21    | 107   | 75    | 540   |       |
|                           | 11,16   | 1,05                          | 0,76  | 3,88  | 2,72  | 19,57 |       |
| 3                         | 232     | 22                            | 17    | 134   | 78    | 483   |       |
|                           | 8,41    | 0,80                          | 0,62  | 4,86  | 2,83  | 17,50 |       |
| 4                         | 454     | 32                            | 19    | 274   | 143   | 922   |       |
|                           | 16,45   | 1,16                          | 0,69  | 9,93  | 5,18  | 33,41 |       |
| 5                         | 178     | 12                            | 12    | 161   | 103   | 466   |       |
|                           | 6,45    | 0,43                          | 0,43  | 5,83  | 3,73  | 16,88 |       |
|                           | 13,08   | 10,26                         | 13,79 | 21,73 | 22,69 |       |       |
|                           | 38,20   | 2,58                          | 2,58  | 34,55 | 22,10 |       |       |
|                           | 1361    | 117                           | 87    | 741   | 454   | 2760  |       |
|                           | 49,31   | 4,24                          | 3,15  | 26,85 | 16,45 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 41,8563   | 0,0122      |
| Error    | 2740 | 3384,7900 |             |
| C. Total | 2756 | 3426,6463 |             |
| N        | 2760 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 83,713    | <.0001     |
| Pearson          | 83,014    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,034865 | 0,008749 |

Kappa measures the degree of agreement.

**Contingency Analysis of Bekymret Kunstst i mat 2-41-317 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Bekymret Kunstst i mat 2-41-317

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     |     |
|---------------------------|---------|-------|-------|-------|-----|
|                           | Total % |       |       |       |     |
|                           | Col %   |       |       |       |     |
|                           | Row %   |       |       |       |     |
|                           | 1       | 55    | 155   | 140   | 350 |
|                           | 1,93    | 5,44  | 4,91  | 12,29 |     |
|                           | 14,18   | 11,36 | 12,76 |       |     |
|                           | 15,71   | 44,29 | 40,00 |       |     |
| 2                         | 79      | 240   | 240   | 559   |     |
|                           | 2,77    | 8,42  | 8,42  | 19,62 |     |
|                           | 20,36   | 17,60 | 21,88 |       |     |
|                           | 14,13   | 42,93 | 42,93 |       |     |
| 3                         | 65      | 264   | 176   | 505   |     |
|                           | 2,28    | 9,27  | 6,18  | 17,73 |     |
|                           | 16,75   | 19,35 | 16,04 |       |     |
|                           | 12,87   | 52,28 | 34,85 |       |     |
| 4                         | 122     | 471   | 363   | 956   |     |
|                           | 4,28    | 16,53 | 12,74 | 33,56 |     |
|                           | 31,44   | 34,53 | 33,09 |       |     |
|                           | 12,76   | 49,27 | 37,97 |       |     |
| 5                         | 67      | 234   | 178   | 479   |     |
|                           | 2,35    | 8,21  | 6,25  | 16,81 |     |
|                           | 17,27   | 17,16 | 16,23 |       |     |
|                           | 13,99   | 48,85 | 37,16 |       |     |
|                           | 388     | 1364  | 1097  | 2849  |     |
|                           | 13,62   | 47,88 | 38,50 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 6,7014    | 0,0024      |
| Error    | 2839 | 2818,4752 |             |
| C. Total | 2847 | 2825,1766 |             |
| N        | 2849 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,403    | 0,0987     |
| Pearson          | 13,424    | 0,0981     |

**Contingency Analysis of Ikkekjøp mat m Kunstst 2-41-318 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Ikkekjøp mat m Kunstst 2-41-318

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 1     | 2     | 3     |     |
|---------------------------|---------|-------|-------|-------|-----|
|                           | Total % |       |       |       |     |
|                           | Col %   |       |       |       |     |
|                           | Row %   |       |       |       |     |
|                           | 1       | 31    | 168   | 152   | 351 |
|                           | 1,09    | 5,88  | 5,32  | 12,29 |     |
|                           | 11,15   | 12,11 | 12,76 |       |     |
|                           | 8,83    | 47,86 | 43,30 |       |     |
| 2                         | 55      | 242   | 264   | 561   |     |
|                           | 1,93    | 8,47  | 9,24  | 19,64 |     |
|                           | 19,78   | 17,45 | 22,17 |       |     |
|                           | 9,80    | 43,14 | 47,06 |       |     |
| 3                         | 53      | 262   | 190   | 505   |     |
|                           | 1,86    | 9,17  | 6,65  | 17,68 |     |
|                           | 19,06   | 18,89 | 15,95 |       |     |
|                           | 10,50   | 51,88 | 37,62 |       |     |
| 4                         | 89      | 471   | 398   | 958   |     |
|                           | 3,12    | 16,49 | 13,94 | 33,54 |     |
|                           | 32,01   | 33,96 | 33,42 |       |     |
|                           | 9,29    | 49,16 | 41,54 |       |     |
| 5                         | 50      | 244   | 187   | 481   |     |
|                           | 1,75    | 8,54  | 6,55  | 16,84 |     |
|                           | 17,99   | 17,59 | 15,70 |       |     |
|                           | 10,40   | 50,73 | 38,88 |       |     |
|                           | 278     | 1387  | 1191  | 2856  |     |
|                           | 9,73    | 48,56 | 41,70 |       |     |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 8    | 6,5873    | 0,0024      |
| Error    | 2846 | 2684,5130 |             |
| C. Total | 2854 | 2691,1003 |             |
| N        | 2856 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,175    | 0,1060     |
| Pearson          | 13,140    | 0,1071     |



**Contingency Analysis of Påstander om mat 2-41-319-1 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-1

|                           |         | Påstander om mat 2-41-319-1 |       |       |       |       |       |
|---------------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                           | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |       |       |       |       |
|                           | Total % |                             |       |       |       |       |       |
|                           | Col %   |                             |       |       |       |       |       |
|                           | Row %   |                             |       |       |       |       |       |
|                           | 1       | 11                          | 28    | 168   | 136   | 6     | 349   |
|                           |         | 0,39                        | 0,98  | 5,90  | 4,77  | 0,21  | 12,25 |
| 2                         | 14      | 42                          | 293   | 198   | 11    | 558   |       |
|                           | 0,49    | 1,47                        | 10,28 | 6,95  | 0,39  | 19,59 |       |
| 3                         | 20      | 44                          | 256   | 186   | 1     | 507   |       |
|                           | 0,70    | 1,54                        | 8,99  | 6,53  | 0,04  | 17,80 |       |
| 4                         | 33      | 71                          | 457   | 378   | 16    | 955   |       |
|                           | 1,16    | 2,49                        | 16,04 | 13,27 | 0,56  | 33,52 |       |
| 5                         | 13      | 34                          | 196   | 231   | 6     | 480   |       |
|                           | 0,46    | 1,19                        | 6,88  | 8,11  | 0,21  | 16,85 |       |
|                           | 14,29   | 15,53                       | 14,31 | 20,46 | 15,00 |       |       |
|                           | 2,71    | 7,08                        | 40,83 | 48,13 | 1,25  |       |       |
|                           | 91      | 219                         | 1370  | 1129  | 40    | 2849  |       |
|                           | 3,19    | 7,69                        | 48,09 | 39,63 | 1,40  |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,8718   | 0,0055      |
| Error    | 2829 | 3077,1296 |             |
| C. Total | 2845 | 3094,0014 |             |
| N        | 2849 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,744    | 0,0059     |
| Pearson          | 31,119    | 0,0130     |

| Kappa    | Std Err |
|----------|---------|
| 0,004604 | 0,00914 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-2 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-2

|                           |         | Påstander om mat 2-41-319-2 |       |       |      |      |     |
|---------------------------|---------|-----------------------------|-------|-------|------|------|-----|
|                           |         | 1                           | 2     | 3     | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |       |      |      |     |
|                           | Total % |                             |       |       |      |      |     |
|                           | Col %   |                             |       |       |      |      |     |
|                           | Row %   |                             |       |       |      |      |     |
|                           | 1       | 64                          | 124   | 120   | 38   | 5    | 351 |
|                           | 2       | 117                         | 155   | 216   | 48   | 21   | 557 |
| 3                         | 93      | 136                         | 188   | 60    | 27   | 504  |     |
| 4                         | 144     | 243                         | 409   | 117   | 44   | 957  |     |
| 5                         | 65      | 111                         | 205   | 74    | 22   | 477  |     |
|                           | 483     | 769                         | 1138  | 337   | 119  | 2846 |     |
|                           | 16,97   | 27,02                       | 39,99 | 11,84 | 4,18 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 26,0488   | 0,0065      |
| Error    | 2826 | 3976,8513 |             |
| C. Total | 2842 | 4002,9001 |             |
| N        | 2846 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 52,098    | <.0001     |
| Pearson          | 50,644    | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| 0,000493 | 0,008624 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-3 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-3

|                           |         | Påstander om mat 2-41-319-3 |       |       |       |       |       |
|---------------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                           | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |       |       |       |       |
|                           | Total % |                             |       |       |       |       |       |
|                           | Col %   |                             |       |       |       |       |       |
|                           | Row %   |                             |       |       |       |       |       |
|                           |         |                             |       |       |       |       |       |
| 1                         | Count   | 24                          | 58    | 153   | 104   | 9     | 348   |
| 1                         | Total % | 0,84                        | 2,04  | 5,38  | 3,66  | 0,32  | 12,23 |
| 1                         | Col %   | 13,26                       | 14,39 | 11,82 | 11,83 | 10,23 |       |
| 1                         | Row %   | 6,90                        | 16,67 | 43,97 | 29,89 | 2,59  |       |
| 2                         | Count   | 42                          | 98    | 258   | 144   | 15    | 557   |
| 2                         | Total % | 1,48                        | 3,44  | 9,07  | 5,06  | 0,53  | 19,58 |
| 2                         | Col %   | 23,20                       | 24,32 | 19,94 | 16,38 | 17,05 |       |
| 2                         | Row %   | 7,54                        | 17,59 | 46,32 | 25,85 | 2,69  |       |
| 3                         | Count   | 35                          | 77    | 231   | 142   | 19    | 504   |
| 3                         | Total % | 1,23                        | 2,71  | 8,12  | 4,99  | 0,67  | 17,72 |
| 3                         | Col %   | 19,34                       | 19,11 | 17,85 | 16,15 | 21,59 |       |
| 3                         | Row %   | 6,94                        | 15,28 | 45,83 | 28,17 | 3,77  |       |
| 4                         | Count   | 52                          | 124   | 435   | 313   | 33    | 957   |
| 4                         | Total % | 1,83                        | 4,36  | 15,29 | 11,00 | 1,16  | 33,64 |
| 4                         | Col %   | 28,73                       | 30,77 | 33,62 | 35,61 | 37,50 |       |
| 4                         | Row %   | 5,43                        | 12,96 | 45,45 | 32,71 | 3,45  |       |
| 5                         | Count   | 28                          | 46    | 217   | 176   | 12    | 479   |
| 5                         | Total % | 0,98                        | 1,62  | 7,63  | 6,19  | 0,42  | 16,84 |
| 5                         | Col %   | 15,47                       | 11,41 | 16,77 | 20,02 | 13,64 |       |
| 5                         | Row %   | 5,85                        | 9,60  | 45,30 | 36,74 | 2,51  |       |
|                           | Count   | 181                         | 403   | 1294  | 879   | 88    | 2845  |
|                           | Total % | 6,36                        | 14,17 | 45,48 | 30,90 | 3,09  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 16,5040   | 0,0045      |
| Error    | 2825 | 3627,4812 |             |
| C. Total | 2841 | 3643,9852 |             |
| N        | 2845 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 33,008    | 0,0074     |
| Pearson          | 32,515    | 0,0086     |

| Kappa   | Std Err  |
|---------|----------|
| 0,01689 | 0,009419 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-4 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-4

| Count   | 1     | 2     | 3     | 4     | 5     |       |
|---------|-------|-------|-------|-------|-------|-------|
| Total % |       |       |       |       |       |       |
| Col %   |       |       |       |       |       |       |
| Row %   |       |       |       |       |       |       |
| 1       | 98    | 105   | 67    | 49    | 29    | 348   |
|         | 3,48  | 3,72  | 2,38  | 1,74  | 1,03  | 12,34 |
|         | 12,98 | 15,67 | 9,65  | 11,86 | 10,10 |       |
|         | 28,16 | 30,17 | 19,25 | 14,08 | 8,33  |       |
| 2       | 152   | 124   | 157   | 69    | 53    | 555   |
|         | 5,39  | 4,40  | 5,57  | 2,45  | 1,88  | 19,69 |
|         | 20,13 | 18,51 | 22,62 | 16,71 | 18,47 |       |
|         | 27,39 | 22,34 | 28,29 | 12,43 | 9,55  |       |
| 3       | 114   | 126   | 111   | 86    | 61    | 498   |
|         | 4,04  | 4,47  | 3,94  | 3,05  | 2,16  | 17,67 |
|         | 15,10 | 18,81 | 15,99 | 20,82 | 21,25 |       |
|         | 22,89 | 25,30 | 22,29 | 17,27 | 12,25 |       |
| 4       | 249   | 203   | 253   | 150   | 92    | 947   |
|         | 8,83  | 7,20  | 8,97  | 5,32  | 3,26  | 33,59 |
|         | 32,98 | 30,30 | 36,46 | 36,32 | 32,06 |       |
|         | 26,29 | 21,44 | 26,72 | 15,84 | 9,71  |       |
| 5       | 142   | 112   | 106   | 59    | 52    | 471   |
|         | 5,04  | 3,97  | 3,76  | 2,09  | 1,84  | 16,71 |
|         | 18,81 | 16,72 | 15,27 | 14,29 | 18,12 |       |
|         | 30,15 | 23,78 | 22,51 | 12,53 | 11,04 |       |
|         | 755   | 670   | 694   | 413   | 287   | 2819  |
|         | 26,78 | 23,77 | 24,62 | 14,65 | 10,18 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 17,8022   | 0,0041      |
| Error    | 2799 | 4361,2426 |             |
| C. Total | 2815 | 4379,0448 |             |
| N        | 2819 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 35,604    | 0,0033     |
| Pearson          | 35,760    | 0,0031     |

| Kappa   | Std Err  |
|---------|----------|
| 0,00026 | 0,008878 |

Kappa measures the degree of agreement.

## Contingency Analysis of Påstander om mat 2-41-319-5 By BOSTEDSTYPE IDAG 2-19-262

## Mosaic Plot



## Contingency Table

Påstander om mat 2-41-319-5

|                           | 1       | 2     | 3     | 4     | 5     |       |       |
|---------------------------|---------|-------|-------|-------|-------|-------|-------|
| BOSTEDSTYPE IDAG 2-19-262 | Count   | 10    | 21    | 112   | 204   | 3     | 350   |
|                           | Total % | 0,35  | 0,74  | 3,95  | 7,20  | 0,11  | 12,36 |
|                           | Col %   | 5,00  | 6,44  | 9,21  | 21,25 | 2,31  |       |
|                           | Row %   | 2,86  | 6,00  | 32,00 | 58,29 | 0,86  |       |
|                           | 1       | 26    | 42    | 255   | 220   | 11    | 554   |
|                           | 2       | 0,92  | 1,48  | 9,00  | 7,77  | 0,39  | 19,56 |
| 3                         | 13,00   | 12,88 | 20,97 | 22,92 | 8,46  |       |       |
| 4                         | 4,69    | 7,58  | 46,03 | 39,71 | 1,99  |       |       |
| 5                         | 27      | 63    | 216   | 171   | 24    | 501   |       |
| 6                         | 0,95    | 2,22  | 7,63  | 6,04  | 0,85  | 17,69 |       |
| 7                         | 13,50   | 19,33 | 17,76 | 17,81 | 18,46 |       |       |
| 8                         | 5,39    | 12,57 | 43,11 | 34,13 | 4,79  |       |       |
| 9                         | 72      | 115   | 433   | 275   | 55    | 950   |       |
| 10                        | 2,54    | 4,06  | 15,29 | 9,71  | 1,94  | 33,55 |       |
| 11                        | 36,00   | 35,28 | 35,61 | 28,65 | 42,31 |       |       |
| 12                        | 7,58    | 12,11 | 45,58 | 28,95 | 5,79  |       |       |
| 13                        | 65      | 85    | 200   | 90    | 37    | 477   |       |
| 14                        | 2,30    | 3,00  | 7,06  | 3,18  | 1,31  | 16,84 |       |
| 15                        | 32,50   | 26,07 | 16,45 | 9,38  | 28,46 |       |       |
| 16                        | 13,63   | 17,82 | 41,93 | 18,87 | 7,76  |       |       |
| 17                        | 200     | 326   | 1216  | 960   | 130   | 2832  |       |
| 18                        | 7,06    | 11,51 | 42,94 | 33,90 | 4,59  |       |       |

## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 114,2310  | 0,0309      |
| Error    | 2812 | 3587,7292 |             |
| C. Total | 2828 | 3701,9602 |             |
| N        | 2832 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 228,462   | <.0001     |
| Pearson          | 229,055   | <.0001     |

| Kappa    | Std Err  |
|----------|----------|
| -0,03092 | 0,009059 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-6 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-6

|                           |         | Påstander om mat 2-41-319-6 |       |      |      |      |     |
|---------------------------|---------|-----------------------------|-------|------|------|------|-----|
|                           |         | 1                           | 2     | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |      |      |      |     |
|                           | Total % |                             |       |      |      |      |     |
|                           | Col %   |                             |       |      |      |      |     |
|                           | Row %   |                             |       |      |      |      |     |
|                           | 1       | 54                          | 146   | 110  | 22   | 17   | 349 |
|                           | 2       | 93                          | 195   | 197  | 32   | 39   | 556 |
| 3                         | 96      | 186                         | 177   | 19   | 23   | 501  |     |
| 4                         | 185     | 352                         | 304   | 56   | 58   | 955  |     |
| 5                         | 108     | 159                         | 157   | 30   | 26   | 480  |     |
|                           | 536     | 1038                        | 945   | 159  | 163  | 2841 |     |
|                           | 18,87   | 36,54                       | 33,26 | 5,60 | 5,74 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 10,7226   | 0,0027      |
| Error    | 2821 | 3892,7919 |             |
| C. Total | 2837 | 3903,5145 |             |
| N        | 2841 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 21,445    | 0,1620     |
| Pearson          | 21,180    | 0,1717     |

| Kappa    | Std Err  |
|----------|----------|
| -0,00371 | 0,008128 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-7 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-7

|                           |         | Påstander om mat 2-41-319-7 |       |      |      |      |     |
|---------------------------|---------|-----------------------------|-------|------|------|------|-----|
|                           |         | 1                           | 2     | 3    | 4    | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |      |      |      |     |
|                           | Total % |                             |       |      |      |      |     |
|                           | Col %   |                             |       |      |      |      |     |
|                           | Row %   |                             |       |      |      |      |     |
|                           | 1       | 78                          | 124   | 126  | 19   | 3    | 350 |
|                           | 2       | 126                         | 191   | 209  | 27   | 4    | 557 |
| 3                         | 107     | 164                         | 191   | 25   | 11   | 498  |     |
| 4                         | 226     | 331                         | 336   | 43   | 18   | 954  |     |
| 5                         | 122     | 176                         | 155   | 18   | 7    | 478  |     |
|                           | 659     | 986                         | 1017  | 132  | 43   | 2837 |     |
|                           | 23,23   | 34,76                       | 35,85 | 4,65 | 1,52 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 6,9943    | 0,0019      |
| Error    | 2817 | 3625,4569 |             |
| C. Total | 2833 | 3632,4512 |             |
| N        | 2837 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,989    | 0,5996     |
| Pearson          | 13,451    | 0,6396     |

| Kappa    | Std Err  |
|----------|----------|
| 0,002127 | 0,007995 |

Kappa measures the degree of agreement.

**Contingency Analysis of Påstander om mat 2-41-319-8 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-8

|                           |         | Påstander om mat 2-41-319-8 |       |       |       |       |       |
|---------------------------|---------|-----------------------------|-------|-------|-------|-------|-------|
|                           |         | 1                           | 2     | 3     | 4     | 5     |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |       |       |       |       |
|                           | Total % |                             |       |       |       |       |       |
|                           | Col %   |                             |       |       |       |       |       |
|                           | Row %   |                             |       |       |       |       |       |
|                           |         |                             |       |       |       |       |       |
| 1                         | Count   | 28                          | 84    | 143   | 91    | 5     | 351   |
| 1                         | Total % | 0,98                        | 2,95  | 5,02  | 3,19  | 0,18  | 12,32 |
| 1                         | Col %   | 13,66                       | 14,63 | 11,53 | 11,56 | 11,36 |       |
| 1                         | Row %   | 7,98                        | 23,93 | 40,74 | 25,93 | 1,42  |       |
| 2                         | Count   | 29                          | 119   | 253   | 151   | 5     | 557   |
| 2                         | Total % | 1,02                        | 4,18  | 8,88  | 5,30  | 0,18  | 19,54 |
| 2                         | Col %   | 14,15                       | 20,73 | 20,40 | 19,19 | 11,36 |       |
| 2                         | Row %   | 5,21                        | 21,36 | 45,42 | 27,11 | 0,90  |       |
| 3                         | Count   | 36                          | 104   | 212   | 145   | 8     | 505   |
| 3                         | Total % | 1,26                        | 3,65  | 7,44  | 5,09  | 0,28  | 17,72 |
| 3                         | Col %   | 17,56                       | 18,12 | 17,10 | 18,42 | 18,18 |       |
| 3                         | Row %   | 7,13                        | 20,59 | 41,98 | 28,71 | 1,58  |       |
| 4                         | Count   | 66                          | 172   | 442   | 262   | 16    | 958   |
| 4                         | Total % | 2,32                        | 6,04  | 15,51 | 9,19  | 0,56  | 33,61 |
| 4                         | Col %   | 32,20                       | 29,97 | 35,65 | 33,29 | 36,36 |       |
| 4                         | Row %   | 6,89                        | 17,95 | 46,14 | 27,35 | 1,67  |       |
| 5                         | Count   | 46                          | 95    | 190   | 138   | 10    | 479   |
| 5                         | Total % | 1,61                        | 3,33  | 6,67  | 4,84  | 0,35  | 16,81 |
| 5                         | Col %   | 22,44                       | 16,55 | 15,32 | 17,53 | 22,73 |       |
| 5                         | Row %   | 9,60                        | 19,83 | 39,67 | 28,81 | 2,09  |       |
|                           | Count   | 205                         | 574   | 1240  | 787   | 44    | 2850  |
|                           | Total % | 7,19                        | 20,14 | 43,51 | 27,61 | 1,54  |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 10,3406   | 0,0028      |
| Error    | 2830 | 3677,2401 |             |
| C. Total | 2846 | 3687,5807 |             |
| N        | 2850 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,681    | 0,1911     |
| Pearson          | 20,591    | 0,1948     |


| Kappa    | Std Err  |
|----------|----------|
| 0,000862 | 0,009326 |

Kappa measures the degree of agreement.



**Contingency Analysis of Påstander om mat 2-41-319-9 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Påstander om mat 2-41-319-9

|                           |         | Påstander om mat 2-41-319-9 |       |       |       |      |     |
|---------------------------|---------|-----------------------------|-------|-------|-------|------|-----|
|                           |         | 1                           | 2     | 3     | 4     | 5    |     |
| BOSTEDSTYPE IDAG 2-19-262 | Count   |                             |       |       |       |      |     |
|                           | Total % |                             |       |       |       |      |     |
|                           | Col %   |                             |       |       |       |      |     |
|                           | Row %   |                             |       |       |       |      |     |
|                           | 1       | 59                          | 90    | 74    | 64    | 64   | 351 |
|                           | 2       | 84                          | 164   | 171   | 79    | 58   | 556 |
| 3                         | 87      | 128                         | 141   | 68    | 76    | 500  |     |
| 4                         | 173     | 217                         | 270   | 123   | 169   | 952  |     |
| 5                         | 90      | 120                         | 126   | 42    | 99    | 477  |     |
|                           | 493     | 719                         | 782   | 376   | 466   | 2836 |     |
|                           | 17,38   | 25,35                       | 27,57 | 13,26 | 16,43 |      |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 16   | 26,4039   | 0,0059      |
| Error    | 2816 | 4431,6015 |             |
| C. Total | 2832 | 4458,0053 |             |
| N        | 2836 |           |             |


| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 52,808    | <.0001     |
| Pearson          | 50,810    | <.0001     |

| Kappa    | Std Err |
|----------|---------|
| 0,018135 | 0,0092  |

Kappa measures the degree of agreement.

**Contingency Analysis of Gikk fottur i fjellet 2-29-288 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Gikk fottur i fjellet 2-29-288

|                           | Count | Gikk fottur i fjellet 2-29-288 |       |       |
|---------------------------|-------|--------------------------------|-------|-------|
|                           |       | 0                              | 1     |       |
|                           |       | Total %                        |       |       |
|                           |       | Col %                          |       |       |
|                           |       | Row %                          |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1     | 260                            | 94    | 354   |
|                           |       | 9,01                           | 3,26  | 12,26 |
|                           |       | 12,12                          | 12,69 |       |
|                           |       | 73,45                          | 26,55 |       |
|                           |       |                                |       |       |
| 2                         | 427   | 135                            | 562   |       |
|                           | 14,79 | 4,68                           | 19,47 |       |
|                           | 19,90 | 18,22                          |       |       |
|                           | 75,98 | 24,02                          |       |       |
| 3                         | 387   | 123                            | 510   |       |
|                           | 13,40 | 4,26                           | 17,67 |       |
|                           | 18,03 | 16,60                          |       |       |
|                           | 75,88 | 24,12                          |       |       |
| 4                         | 724   | 245                            | 969   |       |
|                           | 25,08 | 8,49                           | 33,56 |       |
|                           | 33,74 | 33,06                          |       |       |
|                           | 74,72 | 25,28                          |       |       |
| 5                         | 348   | 144                            | 492   |       |
|                           | 12,05 | 4,99                           | 17,04 |       |
|                           | 16,22 | 19,43                          |       |       |
|                           | 70,73 | 29,27                          |       |       |
|                           | 2146  | 741                            | 2887  |       |
|                           | 74,33 | 25,67                          |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 2,4647    | 0,0015      |
| Error    | 2882 | 1641,8049 |             |
| C. Total | 2886 | 1644,2696 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,929     | 0,2946     |
| Pearson          | 5,004     | 0,2869     |

**Contingency Analysis of Fisket med flue/ sluk 2-29-288 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Fisket med flue/ sluk 2-29-288

|         | 0                              | 1                             |              |
|---------|--------------------------------|-------------------------------|--------------|
| Count   |                                |                               |              |
| Total % |                                |                               |              |
| Col %   |                                |                               |              |
| Row %   |                                |                               |              |
| 1       | 281<br>9,73<br>12,23<br>79,38  | 73<br>2,53<br>12,37<br>20,62  | 354<br>12,26 |
| 2       | 451<br>15,62<br>19,63<br>80,25 | 111<br>3,84<br>18,81<br>19,75 | 562<br>19,47 |
| 3       | 422<br>14,62<br>18,37<br>82,75 | 88<br>3,05<br>14,92<br>17,25  | 510<br>17,67 |
| 4       | 748<br>25,91<br>32,56<br>77,19 | 221<br>7,66<br>37,46<br>22,81 | 969<br>33,56 |
| 5       | 395<br>13,68<br>17,20<br>80,28 | 97<br>3,36<br>16,44<br>19,72  | 492<br>17,04 |
|         | 2297<br>79,56                  | 590<br>20,44                  | 2887         |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 3,4486    | 0,0024      |
| Error    | 2882 | 1458,5096 |             |
| C. Total | 2886 | 1461,9582 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 6,897     | 0,1414     |
| Pearson          | 6,851     | 0,1440     |

## Contingency Analysis of Fisket m snøre fra båt 2-29-288 By BOSTEDSTYPE IDAG 2-19-262

## Mosaic Plot



## Contingency Table

Fisket m snøre fra båt 2-29-288

|         | 0                              | 1                             |              |
|---------|--------------------------------|-------------------------------|--------------|
| Count   |                                |                               |              |
| Total % |                                |                               |              |
| Col %   |                                |                               |              |
| Row %   |                                |                               |              |
| 1       | 252<br>8,73<br>12,10<br>71,19  | 102<br>3,53<br>12,69<br>28,81 | 354<br>12,26 |
| 2       | 409<br>14,17<br>19,64<br>72,78 | 153<br>5,30<br>19,03<br>27,22 | 562<br>19,47 |
| 3       | 369<br>12,78<br>17,71<br>72,35 | 141<br>4,88<br>17,54<br>27,65 | 510<br>17,67 |
| 4       | 694<br>24,04<br>33,32<br>71,62 | 275<br>9,53<br>34,20<br>28,38 | 969<br>33,56 |
| 5       | 359<br>12,44<br>17,23<br>72,97 | 133<br>4,61<br>16,54<br>27,03 | 492<br>17,04 |
|         | 2083<br>72,15                  | 804<br>27,85                  | 2887         |


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 0,2912    | 0,0002      |
| Error    | 2882 | 1707,4308 |             |
| C. Total | 2886 | 1707,7220 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 0,582     | 0,9650     |
| Pearson          | 0,583     | 0,9650     |

**Contingency Analysis of Besøkte bygdemuseum 2-29-288 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Besøkte bygdemuseum 2-29-288

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |       |
|---------------------------|---------|-------|-------|-------|
|                           | Total % |       |       |       |
|                           | Col %   |       |       |       |
|                           | Row %   |       |       |       |
|                           |         |       |       |       |
| 1                         |         | 312   | 42    | 354   |
|                           |         | 10,81 | 1,45  | 12,26 |
|                           |         | 12,28 | 12,14 |       |
|                           |         | 88,14 | 11,86 |       |
| 2                         |         | 500   | 62    | 562   |
|                           |         | 17,32 | 2,15  | 19,47 |
|                           |         | 19,68 | 17,92 |       |
|                           |         | 88,97 | 11,03 |       |
| 3                         |         | 451   | 59    | 510   |
|                           |         | 15,62 | 2,04  | 17,67 |
|                           |         | 17,75 | 17,05 |       |
|                           |         | 88,43 | 11,57 |       |
| 4                         |         | 859   | 110   | 969   |
|                           |         | 29,75 | 3,81  | 33,56 |
|                           |         | 33,81 | 31,79 |       |
|                           |         | 88,65 | 11,35 |       |
| 5                         |         | 419   | 73    | 492   |
|                           |         | 14,51 | 2,53  | 17,04 |
|                           |         | 16,49 | 21,10 |       |
|                           |         | 85,16 | 14,84 |       |
|                           |         | 2541  | 346   | 2887  |
|                           |         | 88,02 | 11,98 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 2,2607    | 0,0021      |
| Error    | 2882 | 1056,1748 |             |
| C. Total | 2886 | 1058,4355 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 4,521     | 0,3400     |
| Pearson          | 4,736     | 0,3155     |

## Contingency Analysis of Besøkte bondegård 2-29-288 By BOSTEDSTYPE IDAG 2-19-262

## Mosaic Plot



## Contingency Table

Besøkte bondegård 2-29-288

|         | 0                              | 1                           |              |
|---------|--------------------------------|-----------------------------|--------------|
| Count   |                                |                             |              |
| Total % |                                |                             |              |
| Col %   |                                |                             |              |
| Row %   |                                |                             |              |
| 1       | 349<br>12,09<br>12,47<br>98,59 | 5<br>0,17<br>5,68<br>1,41   | 354<br>12,26 |
| 2       | 538<br>18,64<br>19,22<br>95,73 | 24<br>0,83<br>27,27<br>4,27 | 562<br>19,47 |
| 3       | 499<br>17,28<br>17,83<br>97,84 | 11<br>0,38<br>12,50<br>2,16 | 510<br>17,67 |
| 4       | 944<br>32,70<br>33,73<br>97,42 | 25<br>0,87<br>28,41<br>2,58 | 969<br>33,56 |
| 5       | 469<br>16,25<br>16,76<br>95,33 | 23<br>0,80<br>26,14<br>4,67 | 492<br>17,04 |
|         | 2799<br>96,95                  | 88<br>3,05                  | 2887         |

BOSTEDSTYPE IDAG 2-19-262


## Tests

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 6,30026   | 0,0160      |
| Error    | 2882 | 387,52072 |             |
| C. Total | 2886 | 393,82098 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 12,601    | 0,0134     |
| Pearson          | 12,541    | 0,0138     |

**Contingency Analysis of Overnattet i DNT hytte 2-29-288 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Overnattet i DNT hytte 2-29-288

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |     |
|---------------------------|---------|-------|-------|-----|
|                           | Total % |       |       |     |
|                           | Col %   |       |       |     |
|                           | Row %   |       |       |     |
|                           | 1       | 331   | 23    | 354 |
|                           | 11,47   | 0,80  | 12,26 |     |
|                           | 11,87   | 23,47 |       |     |
|                           | 93,50   | 6,50  |       |     |
| 2                         | 540     | 22    | 562   |     |
|                           | 18,70   | 0,76  | 19,47 |     |
|                           | 19,36   | 22,45 |       |     |
|                           | 96,09   | 3,91  |       |     |
| 3                         | 497     | 13    | 510   |     |
|                           | 17,22   | 0,45  | 17,67 |     |
|                           | 17,82   | 13,27 |       |     |
|                           | 97,45   | 2,55  |       |     |
| 4                         | 943     | 26    | 969   |     |
|                           | 32,66   | 0,90  | 33,56 |     |
|                           | 33,81   | 26,53 |       |     |
|                           | 97,32   | 2,68  |       |     |
| 5                         | 478     | 14    | 492   |     |
|                           | 16,56   | 0,48  | 17,04 |     |
|                           | 17,14   | 14,29 |       |     |
|                           | 97,15   | 2,85  |       |     |
|                           | 2789    | 98    | 2887  |     |
|                           | 96,61   | 3,39  |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 5,99769   | 0,0140      |
| Error    | 2882 | 421,85440 |             |
| C. Total | 2886 | 427,85209 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 11,995    | 0,0174     |
| Pearson          | 13,914    | 0,0076     |

**Contingency Analysis of Lekel.Badel.Fritidsp. 2-29-288 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Lekel.Badel.Fritidsp. 2-29-288

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |       |
|---------------------------|---------|-------|-------|-------|
|                           | Total % |       |       |       |
|                           | Col %   |       |       |       |
|                           | Row %   |       |       |       |
|                           |         |       |       |       |
| 1                         |         | 284   | 70    | 354   |
|                           |         | 9,84  | 2,42  | 12,26 |
|                           |         | 13,60 | 8,77  |       |
|                           |         | 80,23 | 19,77 |       |
| 2                         |         | 397   | 165   | 562   |
|                           |         | 13,75 | 5,72  | 19,47 |
|                           |         | 19,00 | 20,68 |       |
|                           |         | 70,64 | 29,36 |       |
| 3                         |         | 375   | 135   | 510   |
|                           |         | 12,99 | 4,68  | 17,67 |
|                           |         | 17,95 | 16,92 |       |
|                           |         | 73,53 | 26,47 |       |
| 4                         |         | 671   | 298   | 969   |
|                           |         | 23,24 | 10,32 | 33,56 |
|                           |         | 32,12 | 37,34 |       |
|                           |         | 69,25 | 30,75 |       |
| 5                         |         | 362   | 130   | 492   |
|                           |         | 12,54 | 4,50  | 17,04 |
|                           |         | 17,33 | 16,29 |       |
|                           |         | 73,58 | 26,42 |       |
|                           |         | 2089  | 798   | 2887  |
|                           |         | 72,36 | 27,64 |       |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 8,9316    | 0,0052      |
| Error    | 2882 | 1693,0475 |             |
| C. Total | 2886 | 1701,9792 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 17,863    | 0,0013     |
| Pearson          | 17,191    | 0,0018     |



**Contingency Analysis of Besøkte severdigheter 2-29-288 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Besøkte severdigheter 2-29-288

|                           | Besøkte severdigheter 2-29-288 |                                |                               |              |
|---------------------------|--------------------------------|--------------------------------|-------------------------------|--------------|
|                           | 0                              | 1                              |                               |              |
| BOSTEDSTYPE IDAG 2-19-262 | Count                          |                                |                               |              |
|                           | Total %                        |                                |                               |              |
|                           | Col %                          |                                |                               |              |
|                           | Row %                          |                                |                               |              |
|                           | 1                              | 185<br>6,41<br>10,54<br>52,26  | 169<br>5,85<br>14,94<br>47,74 | 354<br>12,26 |
|                           | 2                              | 330<br>11,43<br>18,79<br>58,72 | 232<br>8,04<br>20,51<br>41,28 | 562<br>19,47 |
| 3                         | 292<br>10,11<br>16,63<br>57,25 | 218<br>7,55<br>19,27<br>42,75  | 510<br>17,67                  |              |
| 4                         | 613<br>21,23<br>34,91<br>63,26 | 356<br>12,33<br>31,48<br>36,74 | 969<br>33,56                  |              |
| 5                         | 336<br>11,64<br>19,13<br>68,29 | 156<br>5,40<br>13,79<br>31,71  | 492<br>17,04                  |              |
|                           | 1756<br>60,82                  | 1131<br>39,18                  | 2887                          |              |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 14,3427   | 0,0074      |
| Error    | 2882 | 1918,5822 |             |
| C. Total | 2886 | 1932,9249 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 28,685    | <.0001     |
| Pearson          | 28,601    | <.0001     |

**Contingency Analysis of Antall ferieaktiviteter By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Antall ferieaktiviteter

|                           | Count | Antall ferieaktiviteter |       |       |       |       |       |       |       |        |       |  |
|---------------------------|-------|-------------------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|--|
|                           |       | 0                       | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8      |       |  |
|                           |       | Total %                 |       |       |       |       |       |       |       |        |       |  |
|                           |       | Col %                   |       |       |       |       |       |       |       |        |       |  |
| BOSTEDSTYPE IDAG 2-19-262 | 1     | 56                      | 126   | 102   | 41    | 20    | 9     | 0     | 0     | 0      | 354   |  |
|                           |       | 1,94                    | 4,36  | 3,53  | 1,42  | 0,69  | 0,31  | 0,00  | 0,00  | 0,00   | 12,26 |  |
|                           |       | 11,43                   | 12,05 | 13,28 | 10,59 | 13,89 | 22,50 | 0,00  | 0,00  | 0,00   |       |  |
|                           |       | 15,82                   | 35,59 | 28,81 | 11,58 | 5,65  | 2,54  | 0,00  | 0,00  | 0,00   |       |  |
|                           |       |                         |       |       |       |       |       |       |       |        |       |  |
|                           | 2     | 96                      | 204   | 143   | 79    | 27    | 10    | 2     | 1     | 0      | 562   |  |
|                           |       | 3,33                    | 7,07  | 4,95  | 2,74  | 0,94  | 0,35  | 0,07  | 0,03  | 0,00   | 19,47 |  |
|                           |       | 19,59                   | 19,50 | 18,62 | 20,41 | 18,75 | 25,00 | 25,00 | 33,33 | 0,00   |       |  |
|                           |       | 17,08                   | 36,30 | 25,44 | 14,06 | 4,80  | 1,78  | 0,36  | 0,18  | 0,00   |       |  |
|                           | 3     | 89                      | 191   | 133   | 67    | 23    | 5     | 1     | 1     | 0      | 510   |  |
|                           |       | 3,08                    | 6,62  | 4,61  | 2,32  | 0,80  | 0,17  | 0,03  | 0,03  | 0,00   | 17,67 |  |
|                           |       | 18,16                   | 18,26 | 17,32 | 17,31 | 15,97 | 12,50 | 12,50 | 33,33 | 0,00   |       |  |
|                           |       | 17,45                   | 37,45 | 26,08 | 13,14 | 4,51  | 0,98  | 0,20  | 0,20  | 0,00   |       |  |
|                           | 4     | 155                     | 350   | 260   | 144   | 48    | 10    | 2     | 0     | 0      | 969   |  |
|                           |       | 5,37                    | 12,12 | 9,01  | 4,99  | 1,66  | 0,35  | 0,07  | 0,00  | 0,00   | 33,56 |  |
|                           |       | 31,63                   | 33,46 | 33,85 | 37,21 | 33,33 | 25,00 | 25,00 | 0,00  | 0,00   |       |  |
|                           |       | 16,00                   | 36,12 | 26,83 | 14,86 | 4,95  | 1,03  | 0,21  | 0,00  | 0,00   |       |  |
|                           | 5     | 94                      | 175   | 130   | 56    | 26    | 6     | 3     | 1     | 1      | 492   |  |
|                           |       | 3,26                    | 6,06  | 4,50  | 1,94  | 0,90  | 0,21  | 0,10  | 0,03  | 0,03   | 17,04 |  |
|                           |       | 19,18                   | 16,73 | 16,93 | 14,47 | 18,06 | 15,00 | 37,50 | 33,33 | 100,00 |       |  |
|                           |       | 19,11                   | 35,57 | 26,42 | 11,38 | 5,28  | 1,22  | 0,61  | 0,20  | 0,20   |       |  |
|                           |       | 490                     | 1046  | 768   | 387   | 144   | 40    | 8     | 3     | 1      | 2887  |  |
|                           |       | 16,97                   | 36,23 | 26,60 | 13,40 | 4,99  | 1,39  | 0,28  | 0,10  | 0,03   |       |  |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 32   | 12,2383   | 0,0028      |
| Error    | 2847 | 4392,0070 |             |
| C. Total | 2879 | 4404,2452 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,477    | 0,8267     |
| Pearson          | 24,741    | 0,8164     |

Warning: 20% of cells have expected count less than 5, ChiSquare suspect

**Contingency Analysis of Viktig: stort utvalg 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: stort utvalg 2-51-335

|                           | Count | 0       |       | 1     |  |  |
|---------------------------|-------|---------|-------|-------|--|--|
|                           |       | Total % |       |       |  |  |
|                           |       | Col %   |       |       |  |  |
|                           |       | Row %   |       |       |  |  |
|                           |       |         |       |       |  |  |
| BOSTEDSTYPE IDAG 2-19-262 | 1     | 231     | 123   | 354   |  |  |
|                           |       | 8,00    | 4,26  | 12,26 |  |  |
|                           |       | 11,08   | 15,32 |       |  |  |
|                           |       | 65,25   | 34,75 |       |  |  |
|                           |       |         |       |       |  |  |
| 2                         | 369   | 193     | 562   |       |  |  |
|                           | 12,78 | 6,69    | 19,47 |       |  |  |
|                           | 17,71 | 24,03   |       |       |  |  |
|                           | 65,66 | 34,34   |       |       |  |  |
| 3                         | 354   | 156     | 510   |       |  |  |
|                           | 12,26 | 5,40    | 17,67 |       |  |  |
|                           | 16,99 | 19,43   |       |       |  |  |
|                           | 69,41 | 30,59   |       |       |  |  |
| 4                         | 731   | 238     | 969   |       |  |  |
|                           | 25,32 | 8,24    | 33,56 |       |  |  |
|                           | 35,08 | 29,64   |       |       |  |  |
|                           | 75,44 | 24,56   |       |       |  |  |
| 5                         | 399   | 93      | 492   |       |  |  |
|                           | 13,82 | 3,22    | 17,04 |       |  |  |
|                           | 19,15 | 11,58   |       |       |  |  |
|                           | 81,10 | 18,90   |       |       |  |  |
|                           | 2084  | 803     | 2887  |       |  |  |
|                           | 72,19 | 27,81   |       |       |  |  |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 23,8656   | 0,0140      |
| Error    | 2882 | 1682,9036 |             |
| C. Total | 2886 | 1706,7692 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 47,731    | <.0001     |
| Pearson          | 46,920    | <.0001     |

**Contingency Analysis of Viktig: god sevice 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: god sevice 2-51-335

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |  |
|---------------------------|---------|-------|-------|--|
|                           | Total % |       |       |  |
|                           | Col %   |       |       |  |
|                           | Row %   |       |       |  |
|                           |         |       |       |  |
| 1                         | 213     | 141   | 354   |  |
|                           | 7,38    | 4,88  | 12,26 |  |
|                           | 15,07   | 9,57  |       |  |
|                           | 60,17   | 39,83 |       |  |
| 2                         | 312     | 250   | 562   |  |
|                           | 10,81   | 8,66  | 19,47 |  |
|                           | 22,08   | 16,96 |       |  |
|                           | 55,52   | 44,48 |       |  |
| 3                         | 241     | 269   | 510   |  |
|                           | 8,35    | 9,32  | 17,67 |  |
|                           | 17,06   | 18,25 |       |  |
|                           | 47,25   | 52,75 |       |  |
| 4                         | 418     | 551   | 969   |  |
|                           | 14,48   | 19,09 | 33,56 |  |
|                           | 29,58   | 37,38 |       |  |
|                           | 43,14   | 56,86 |       |  |
| 5                         | 229     | 263   | 492   |  |
|                           | 7,93    | 9,11  | 17,04 |  |
|                           | 16,21   | 17,84 |       |  |
|                           | 46,54   | 53,46 |       |  |
|                           | 1413    | 1474  | 2887  |  |
|                           | 48,94   | 51,06 |       |  |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 21,2569   | 0,0106      |
| Error    | 2882 | 1979,2146 |             |
| C. Total | 2886 | 2000,4714 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 42,514    | <.0001     |
| Pearson          | 42,356    | <.0001     |

**Contingency Analysis of Viktig: lave priser 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: lave priser 2-51-335

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |       |
|---------------------------|---------|-------|-------|-------|
|                           | Total % |       |       |       |
|                           | Col %   |       |       |       |
|                           | Row %   |       |       |       |
|                           |         |       |       |       |
| 1                         |         | 85    | 269   | 354   |
|                           |         | 2,94  | 9,32  | 12,26 |
|                           |         | 9,39  | 13,57 |       |
|                           |         | 24,01 | 75,99 |       |
| 2                         |         | 154   | 408   | 562   |
|                           |         | 5,33  | 14,13 | 19,47 |
|                           |         | 17,02 | 20,59 |       |
|                           |         | 27,40 | 72,60 |       |
| 3                         |         | 153   | 357   | 510   |
|                           |         | 5,30  | 12,37 | 17,67 |
|                           |         | 16,91 | 18,01 |       |
|                           |         | 30,00 | 70,00 |       |
| 4                         |         | 332   | 637   | 969   |
|                           |         | 11,50 | 22,06 | 33,56 |
|                           |         | 36,69 | 32,14 |       |
|                           |         | 34,26 | 65,74 |       |
| 5                         |         | 181   | 311   | 492   |
|                           |         | 6,27  | 10,77 | 17,04 |
|                           |         | 20,00 | 15,69 |       |
|                           |         | 36,79 | 63,21 |       |
|                           |         | 905   | 1982  | 2887  |
|                           |         | 31,35 | 68,65 |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 12,1207   | 0,0068      |
| Error    | 2882 | 1783,1668 |             |
| C. Total | 2886 | 1795,2875 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 24,241    | <.0001     |
| Pearson          | 23,941    | <.0001     |

**Contingency Analysis of Viktig: gode varetilb 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: gode varetilb 2-51-335

|         | 0                              | 1                              |              |
|---------|--------------------------------|--------------------------------|--------------|
| Count   |                                |                                |              |
| Total % |                                |                                |              |
| Col %   |                                |                                |              |
| Row %   |                                |                                |              |
| 1       | 243<br>8,42<br>14,76<br>68,64  | 111<br>3,84<br>8,94<br>31,36   | 354<br>12,26 |
| 2       | 332<br>11,50<br>20,17<br>59,07 | 230<br>7,97<br>18,53<br>40,93  | 562<br>19,47 |
| 3       | 291<br>10,08<br>17,68<br>57,06 | 219<br>7,59<br>17,65<br>42,94  | 510<br>17,67 |
| 4       | 520<br>18,01<br>31,59<br>53,66 | 449<br>15,55<br>36,18<br>46,34 | 969<br>33,56 |
| 5       | 260<br>9,01<br>15,80<br>52,85  | 232<br>8,04<br>18,69<br>47,15  | 492<br>17,04 |
|         | 1646<br>57,01                  | 1241<br>42,99                  | 2887         |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 14,5211   | 0,0074      |
| Error    | 2882 | 1958,0934 |             |
| C. Total | 2886 | 1972,6145 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 29,042    | <.0001     |
| Pearson          | 28,438    | <.0001     |

**Contingency Analysis of Viktig: parkering 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: parkering 2-51-335

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |     |
|---------------------------|---------|-------|-------|-----|
|                           | Total % |       |       |     |
|                           | Col %   |       |       |     |
|                           | Row %   |       |       |     |
|                           | 1       | 269   | 85    | 354 |
|                           | 9,32    | 2,94  | 12,26 |     |
|                           | 14,27   | 8,48  |       |     |
|                           | 75,99   | 24,01 |       |     |
| 2                         | 326     | 236   | 562   |     |
|                           | 11,29   | 8,17  | 19,47 |     |
|                           | 17,29   | 23,55 |       |     |
|                           | 58,01   | 41,99 |       |     |
| 3                         | 308     | 202   | 510   |     |
|                           | 10,67   | 7,00  | 17,67 |     |
|                           | 16,34   | 20,16 |       |     |
|                           | 60,39   | 39,61 |       |     |
| 4                         | 614     | 355   | 969   |     |
|                           | 21,27   | 12,30 | 33,56 |     |
|                           | 32,57   | 35,43 |       |     |
|                           | 63,36   | 36,64 |       |     |
| 5                         | 368     | 124   | 492   |     |
|                           | 12,75   | 4,30  | 17,04 |     |
|                           | 19,52   | 12,38 |       |     |
|                           | 74,80   | 25,20 |       |     |
|                           | 1885    | 1002  | 2887  |     |
|                           | 65,29   | 34,71 |       |     |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 29,6611   | 0,0159      |
| Error    | 2882 | 1834,2320 |             |
| C. Total | 2886 | 1863,8931 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 59,322    | <.0001     |
| Pearson          | 57,641    | <.0001     |

**Contingency Analysis of Viktig: kyndig betj 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: kyndig betj 2-51-335

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |     |
|---------------------------|---------|-------|-------|-----|
|                           | Total % |       |       |     |
|                           | Col %   |       |       |     |
|                           | Row %   |       |       |     |
|                           | 1       | 305   | 49    | 354 |
|                           | 10,56   | 1,70  | 12,26 |     |
|                           | 12,62   | 10,43 |       |     |
|                           | 86,16   | 13,84 |       |     |
| 2                         | 478     | 84    | 562   |     |
|                           | 16,56   | 2,91  | 19,47 |     |
|                           | 19,78   | 17,87 |       |     |
|                           | 85,05   | 14,95 |       |     |
| 3                         | 403     | 107   | 510   |     |
|                           | 13,96   | 3,71  | 17,67 |     |
|                           | 16,67   | 22,77 |       |     |
|                           | 79,02   | 20,98 |       |     |
| 4                         | 817     | 152   | 969   |     |
|                           | 28,30   | 5,26  | 33,56 |     |
|                           | 33,80   | 32,34 |       |     |
|                           | 84,31   | 15,69 |       |     |
| 5                         | 414     | 78    | 492   |     |
|                           | 14,34   | 2,70  | 17,04 |     |
|                           | 17,13   | 16,60 |       |     |
|                           | 84,15   | 15,85 |       |     |
|                           | 2417    | 470   | 2887  |     |
|                           | 83,72   | 16,28 |       |     |

**Tests**


| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 5,1949    | 0,0041      |
| Error    | 2882 | 1277,4468 |             |
| C. Total | 2886 | 1282,6417 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 10,390    | 0,0344     |
| Pearson          | 10,861    | 0,0282     |



**Contingency Analysis of Viktig: gode ferskv 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: gode ferskv 2-51-335

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |       |
|---------------------------|---------|-------|-------|-------|
|                           | Total % |       |       |       |
|                           | Col %   |       |       |       |
|                           | Row %   |       |       |       |
|                           |         |       |       |       |
| 1                         |         | 157   | 197   | 354   |
|                           |         | 5,44  | 6,82  | 12,26 |
|                           |         | 14,36 | 10,98 |       |
|                           |         | 44,35 | 55,65 |       |
| 2                         |         | 202   | 360   | 562   |
|                           |         | 7,00  | 12,47 | 19,47 |
|                           |         | 18,48 | 20,07 |       |
|                           |         | 35,94 | 64,06 |       |
| 3                         |         | 178   | 332   | 510   |
|                           |         | 6,17  | 11,50 | 17,67 |
|                           |         | 16,29 | 18,51 |       |
|                           |         | 34,90 | 65,10 |       |
| 4                         |         | 359   | 610   | 969   |
|                           |         | 12,44 | 21,13 | 33,56 |
|                           |         | 32,85 | 34,00 |       |
|                           |         | 37,05 | 62,95 |       |
| 5                         |         | 197   | 295   | 492   |
|                           |         | 6,82  | 10,22 | 17,04 |
|                           |         | 18,02 | 16,44 |       |
|                           |         | 40,04 | 59,96 |       |
|                           |         | 1093  | 1794  | 2887  |
|                           |         | 37,86 | 62,14 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 5,1400    | 0,0027      |
| Error    | 2882 | 1910,0135 |             |
| C. Total | 2886 | 1915,1534 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 10,280    | 0,0360     |
| Pearson          | 10,379    | 0,0345     |

**Contingency Analysis of Viktig:st utv frukt/gr 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig:st utv frukt/gr 2-51-335

|         | Viktig:st utv frukt/gr 2-51-335 |                                |              |
|---------|---------------------------------|--------------------------------|--------------|
|         | 0                               | 1                              |              |
| Count   |                                 |                                |              |
| Total % |                                 |                                |              |
| Col %   |                                 |                                |              |
| Row %   |                                 |                                |              |
| 1       | 180<br>6,23<br>11,75<br>50,85   | 174<br>6,03<br>12,84<br>49,15  | 354<br>12,26 |
| 2       | 290<br>10,05<br>18,93<br>51,60  | 272<br>9,42<br>20,07<br>48,40  | 562<br>19,47 |
| 3       | 252<br>8,73<br>16,45<br>49,41   | 258<br>8,94<br>19,04<br>50,59  | 510<br>17,67 |
| 4       | 514<br>17,80<br>33,55<br>53,04  | 455<br>15,76<br>33,58<br>46,96 | 969<br>33,56 |
| 5       | 296<br>10,25<br>19,32<br>60,16  | 196<br>6,79<br>14,46<br>39,84  | 492<br>17,04 |
|         | 1532<br>53,07                   | 1355<br>46,93                  | 2887         |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 6,9762    | 0,0035      |
| Error    | 2882 | 1988,7104 |             |
| C. Total | 2886 | 1995,6866 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 13,952    | 0,0074     |
| Pearson          | 13,867    | 0,0077     |

**Contingency Analysis of Viktig: åpningstider 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: åpningstider 2-51-335

|                           | Viktig: åpningstider 2-51-335 |       |       |       |
|---------------------------|-------------------------------|-------|-------|-------|
|                           | 0                             | 1     |       |       |
| BOSTEDSTYPE IDAG 2-19-262 | Count                         |       |       |       |
|                           | Total %                       |       |       |       |
|                           | Col %                         |       |       |       |
|                           | Row %                         |       |       |       |
|                           | 1                             | 101   | 253   | 354   |
|                           |                               | 3,50  | 8,76  | 12,26 |
| 2                         | 208                           | 354   | 562   |       |
|                           | 7,20                          | 12,26 | 19,47 |       |
| 3                         | 202                           | 308   | 510   |       |
|                           | 7,00                          | 10,67 | 17,67 |       |
| 4                         | 485                           | 484   | 969   |       |
|                           | 16,80                         | 16,76 | 33,56 |       |
| 5                         | 295                           | 197   | 492   |       |
|                           | 10,22                         | 6,82  | 17,04 |       |
|                           | 22,85                         | 12,34 |       |       |
|                           | 59,96                         | 40,04 |       |       |
|                           | 1291                          | 1596  | 2887  |       |
|                           | 44,72                         | 55,28 |       |       |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 57,6830   | 0,0291      |
| Error    | 2882 | 1927,2918 |             |
| C. Total | 2886 | 1984,9748 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 115,366   | <.0001     |
| Pearson          | 113,795   | <.0001     |

**Contingency Analysis of Viktig: har det jeg ønsker 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: har det jeg ønsker 2-51-335

|                           |         | 0     | 1     |       |
|---------------------------|---------|-------|-------|-------|
| BOSTEDSTYPE IDAG 2-19-262 | Count   |       |       |       |
|                           | Total % |       |       |       |
|                           | Col %   |       |       |       |
|                           | Row %   |       |       |       |
|                           | 1       | 283   | 71    | 354   |
|                           |         | 9,80  | 2,46  | 12,26 |
|                           | 12,29   | 12,16 |       |       |
|                           | 79,94   | 20,06 |       |       |
| 2                         | 435     | 127   | 562   |       |
|                           | 15,07   | 4,40  | 19,47 |       |
|                           | 18,89   | 21,75 |       |       |
|                           | 77,40   | 22,60 |       |       |
| 3                         | 401     | 109   | 510   |       |
|                           | 13,89   | 3,78  | 17,67 |       |
|                           | 17,41   | 18,66 |       |       |
|                           | 78,63   | 21,37 |       |       |
| 4                         | 775     | 194   | 969   |       |
|                           | 26,84   | 6,72  | 33,56 |       |
|                           | 33,65   | 33,22 |       |       |
|                           | 79,98   | 20,02 |       |       |
| 5                         | 409     | 83    | 492   |       |
|                           | 14,17   | 2,87  | 17,04 |       |
|                           | 17,76   | 14,21 |       |       |
|                           | 83,13   | 16,87 |       |       |
|                           | 2303    | 584   | 2887  |       |
|                           | 79,77   | 20,23 |       |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 2,9688    | 0,0020      |
| Error    | 2882 | 1450,7955 |             |
| C. Total | 2886 | 1453,7643 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 5,938     | 0,2039     |
| Pearson          | 5,841     | 0,2114     |

**Contingency Analysis of Viktig: ryddig plasser 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: ryddig plasser 2-51-335

|                           | Count |       |       |
|---------------------------|-------|-------|-------|
|                           | 0     | 1     |       |
| BOSTEDSTYPE IDAG 2-19-262 | 1     | 218   | 136   |
|                           |       | 7,55  | 4,71  |
|                           |       | 14,06 | 10,17 |
|                           |       | 61,58 | 38,42 |
|                           | 2     | 292   | 270   |
|                           |       | 10,11 | 9,35  |
|                           | 18,84 | 20,19 |       |
|                           | 51,96 | 48,04 |       |
| 3                         | 250   | 260   |       |
|                           | 8,66  | 9,01  |       |
|                           | 16,13 | 19,45 |       |
|                           | 49,02 | 50,98 |       |
| 4                         | 502   | 467   |       |
|                           | 17,39 | 16,18 |       |
|                           | 32,39 | 34,93 |       |
|                           | 51,81 | 48,19 |       |
| 5                         | 288   | 204   |       |
|                           | 9,98  | 7,07  |       |
|                           | 18,58 | 15,26 |       |
|                           | 58,54 | 41,46 |       |
|                           | 1550  | 1337  |       |
|                           | 53,69 | 46,31 |       |


**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 10,0863   | 0,0051      |
| Error    | 2882 | 1983,1650 |             |
| C. Total | 2886 | 1993,2513 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 20,173    | 0,0005     |
| Pearson          | 20,052    | 0,0005     |

**Contingency Analysis of Viktig: ligger i kjøps 2-51-335 By BOSTEDSTYPE IDAG 2-19-262**

**Mosaic Plot**



**Contingency Table**

Viktig: ligger i kjøps 2-51-335

| BOSTEDSTYPE IDAG 2-19-262 | Count   | 0     | 1     |     |
|---------------------------|---------|-------|-------|-----|
|                           | Total % |       |       |     |
|                           | Col %   |       |       |     |
|                           | Row %   |       |       |     |
|                           | 1       | 318   | 36    | 354 |
|                           | 11,01   | 1,25  | 12,26 |     |
|                           | 12,71   | 9,33  |       |     |
|                           | 89,83   | 10,17 |       |     |
| 2                         | 473     | 89    | 562   |     |
|                           | 16,38   | 3,08  | 19,47 |     |
|                           | 18,91   | 23,06 |       |     |
|                           | 84,16   | 15,84 |       |     |
| 3                         | 444     | 66    | 510   |     |
|                           | 15,38   | 2,29  | 17,67 |     |
|                           | 17,75   | 17,10 |       |     |
|                           | 87,06   | 12,94 |       |     |
| 4                         | 831     | 138   | 969   |     |
|                           | 28,78   | 4,78  | 33,56 |     |
|                           | 33,23   | 35,75 |       |     |
|                           | 85,76   | 14,24 |       |     |
| 5                         | 435     | 57    | 492   |     |
|                           | 15,07   | 1,97  | 17,04 |     |
|                           | 17,39   | 14,77 |       |     |
|                           | 88,41   | 11,59 |       |     |
|                           | 2501    | 386   | 2887  |     |
|                           | 86,63   | 13,37 |       |     |

**Tests**

| Source   | DF   | -LogLike  | RSquare (U) |
|----------|------|-----------|-------------|
| Model    | 4    | 4,1484    | 0,0037      |
| Error    | 2882 | 1131,4976 |             |
| C. Total | 2886 | 1135,6461 |             |
| N        | 2887 |           |             |

| Test             | ChiSquare | Prob>ChiSq |
|------------------|-----------|------------|
| Likelihood Ratio | 8,297     | 0,0813     |
| Pearson          | 8,151     | 0,0862     |